

### Assessment – 1

NAME	THEEDA DURGA PRASAD
ROLL NO	20T91A0591
COLLEGE NAME	GIET ENGINEERING COLLEGE
EMAIL	20T91A0591@GMAIL.COM

1. Write a Python program to calculate the area of a rectangle given its length and width **Program:**

```
def calculate_rectangle_area(length, width):  
    area = length * width  
    return area  
  
def main():  
    length = float(input("Enter the length of the rectangle: "))  
    width = float(input("Enter the width of the rectangle: "))  
    area = calculate_rectangle_area(length, width)  
    print("The area of the rectangle is:", area)  
  
main()
```

**Output:**

```
Enter the length of the rectangle: 5  
Enter the width of the rectangle: 6  
The area of the rectangle is: 30.0
```

2. Write a program to convert miles to kilometres.

**Program:**

```
def miles_to_kilometers(miles):  
    kilometers = miles * 1.60934  
    return kilometers  
  
def main():  
    miles = float(input("Enter the distance in miles: "))  
    kilometers = miles_to_kilometers(miles)  
    print(f"{miles} miles is equal to {kilometers} kilometers.")  
  
main()
```

**Output:**

```
Enter the distance in miles: 55
55.0 miles is equal to 88.5137 kilometers.
```

```
Process finished with exit code 0
```

3. Write a function to check if a given string is a palindrome **Program:**

```
def is_palindrome(s):
    s = s.lower()
    s = ''.join(char for char in s if char.isalnum())
    return s == s[::-1]

string = input("Enter a string:")
print(is_palindrome(string))
```

**Output:**

```
Enter a string:madam
True
```

```
Process finished with exit code 0
```

4. Write a Python program to find the second largest element in a list **Program:**

```
def second_largest(arr):
    arr.sort()
    return arr[-2]

my_list = list(map(int, input().split()))
print("Second largest element:", second_largest(my_list))
```

**Output:**

```
3 4 67 99 34
```

```
Second largest element: 67
```

```
Process finished with exit code 0
```

5.Explain what indentation means in Python

**Program:**

Indentation in Python refers to the use of spaces or tabs at the beginning of lines of code to visually structure and organize the program. It helps indicate which lines of code belong together in the same block or scope, such as within loops, conditional statements, or function definitions. In Python, indentation is not just for visual clarity; it is a fundamental aspect of the language's syntax and is used by the interpreter to understand the logical structure of the code.

**Example Code:**

```
if temperature > 30:
    print("It's hot!") # This line is part of the if block
    print("Stay cool!") # This line is also part of the if block
else:
    print("It's not too hot.") # This line is part of the else block
    print("Enjoy your day!") # This line is also part of the else block |
```

6. Write a program to perform set difference operation **Program:**

```
set1 = set(map(int,input().split()))
set2 = set(map(int,input().split()))
difference_operator = set1 - set2
print("Set difference :", difference_operator)
```

**Output:**

```
1 2 3 4 5
4 5 6 7 8
Set difference : {1, 2, 3}
```

7. Write a Python program to print numbers from 1 to 10 using a while loop.

**Program:**

```

num = 1
while num <= 10:
    print(num, end=", ")
    num += 1

```

**Output:**

```

1,2,3,4,5,6,7,8,9,10,
Process finished with exit code 0

```

8. Write a program to calculate the factorial of a number using a while loop **Program:**

```

def factorial(n):
    result = 1
    while n > 1:
        result *= n
        n -= 1
    return result

number = int(input("Enter a number: "))
print("Factorial of", number, "is", factorial(number))

```

**Output:**

```

Enter a number: 5
Factorial of 5 is 120

```

9. Write a Python program to check if a number is positive, negative, or zero using if-elif-else statements **Program:**

```
def check_sign(num):
    if num > 0:
        print("The number is positive.")
    elif num < 0:
        print("The number is negative.")
    else:
        print("The number is zero.")
number = float(input("Enter a number: "))
check_sign(number)
```

**Output:**

```
Enter a number: 0
The number is zero.
```

10. Write a program to determine the largest among three numbers using conditional statements.

**Program:**

```
def find_largest(num1, num2, num3):
    if num1 >= num2 and num1 >= num3:
        largest = num1
    elif num2 >= num1 and num2 >= num3:
        largest = num2
    else:
        largest = num3
    return largest
num1 = float(input("Enter the first number: "))
num2 = float(input("Enter the second number: "))
num3 = float(input("Enter the third number: "))
largest = find_largest(num1, num2, num3)
print("The largest number is:", largest)
```

**Output:**



```
Enter the first number: 56
Enter the second number: 34
Enter the third number: 35
The largest number is: 56.0
```

11. Write a Python program to create a numpy array filled with ones of given shape.

**Program:**

```
import numpy as np
def create_ones_array(shape):
    ones_array = np.ones(shape)
    return ones_array
shape = list(map(int,input("Enter shape").split()))
ones_array = create_ones_array(shape)
print("Array filled with ones of shape", shape, ":\n", ones_array)
```

**Output:**

```
Enter shape3 4
Array filled with ones of shape [3, 4] :
[[1. 1. 1. 1.]
 [1. 1. 1. 1.]
 [1. 1. 1. 1.]]
```

12. Write a program to create a 2D numpy array initialized with random integers.

**Program:**

```
import numpy as np

def create_random_array(rows, cols, min_val, max_val):
    random_array = np.random.randint(min_val, max_val + 1, size=(rows, cols))
    return random_array

rows = 3
cols = 4
min_val = 1
max_val = 100

random_array = create_random_array(rows, cols, min_val, max_val)
print("2D NumPy array initialized with random integers:")
print(random_array)
```

**Output:**

```
2D NumPy array initialized with random integers:
[[10 56 46 12]
 [21 92 23  8]
 [62 19 69 39]]
```

13. Write a Python program to generate an array of evenly spaced numbers over a specified range using linspace.

**Program:**

The screenshot shows the PyCharm IDE with a file named 'even spaced.py'. The code defines start, end, and num\_points, then uses np.linspace to create two arrays: one including the right endpoint and one excluding it. The Run console shows the output of these arrays.

```
1 import numpy as np
2 start = 0
3 end = 5
4 num_points = 10
5 evenly_spaced_array = np.linspace(start, end, num_points)
6 print("Evenly spaced array (including the right endpoint):")
7 print(evenly_spaced_array)
8 evenly_spaced_array_excluding_endpoint = np.linspace(start, end, num_points, endpoint=False)
9 print("\nEvenly spaced array (excluding the right endpoint):")
10 print(evenly_spaced_array_excluding_endpoint)
```

Run: even spaced


```
C:\Users\Lenovo\PycharmProjects\evennum\venv\Scripts\python.exe "C:\Users\Lenovo\AppData\Roaming\JetBrains\PyCharmCE2022.3\scratches\even spaced.py"
Evenly spaced array (including the right endpoint):
[0. 0.55555556 1.11111111 1.66666667 2.22222222 2.77777778
 3.33333333 3.88888889 4.44444444 5. ]

Evenly spaced array (excluding the right endpoint):
[0. 0.5 1. 1.5 2. 2.5 3. 3.5 4. 4.5]

Process finished with exit code 0
```

14. Write a program to generate an array of 10 equally spaced values between 1 and 100 using line space.

**Program:**



The screenshot shows the PyCharm IDE interface. The main editor window displays a Python file named 'spaced values.py' with the following code:

```
1 import numpy as np
2 equally_spaced_values = np.linspace(1, 100, num=10)
3 print(equally_spaced_values)
4
```

The code is highlighted in yellow. The Run window at the bottom shows the output of the program:

```
Run: spaced values
C:\Users\Lenovo\PycharmProjects\evennum\venv\Scripts\python.exe "C:\Users\Lenovo\AppData\Roaming\JetBrains\PyCharmCE2022.3\scratches\spaced values.py"
[ 1. 12. 23. 34. 45. 56. 67. 78. 89. 100.]
Process finished with exit code 0
```

The status bar at the bottom indicates the file encoding is UTF-8, the line style is CRLF, and the Python version is 3.9 (evennum).

15. Write a Python program to create an array containing even numbers from 2 to 20 using arrange.

**Program:**



The screenshot shows the PyCharm IDE with a file named 'even numbers.py' open. The code in the editor is as follows:

```
1 import numpy as np
2 even_numbers = np.arange(2, 21, 2)
3 print("Array of even numbers from 2 to 20:", even_numbers)
4
```

The Run window at the bottom shows the execution of the script:

```
C:\Users\Lenovo\PycharmProjects\evennum\venv\Scripts\python.exe "C:\Users\Lenovo\AppData\Roaming\JetBrains\PyCharmCE2022.3\scratches\even numbers.py"
Array of even numbers from 2 to 20: [ 2  4  6  8 10 12 14 16 18 20]

Process finished with exit code 0
```

The status bar at the bottom indicates 'Package numpy installed (19 minutes ago)' and the system tray shows the date and time as 9:34 AM on 2/24/2024.

16. Write a program to create an array containing numbers from 1 to 10 with a step size of 0.5 using arrange.

The screenshot shows the PyCharm IDE with a file named 'size.py' open. The code in the editor is as follows:

```
1 import numpy as np
2 numbers = np.arange(1, 10.5, 0.5)
3 print(numbers)
4
```

The Run window at the bottom shows the execution of the script:

```
C:\Users\Lenovo\PycharmProjects\evennum\venv\Scripts\python.exe C:\Users\Lenovo\AppData\Roaming\JetBrains\PyCharmCE2022.3\scratches\size.py
[ 1.  1.5  2.  2.5  3.  3.5  4.  4.5  5.  5.5  6.  6.5  7.  7.5
 8.  8.5  9.  9.5 10.]

Process finished with exit code 0
```

The status bar at the bottom indicates 'Run selected configuration' and the system tray shows the date and time as 9:53 AM on 2/24/2024.