

Verilog HDL: Compiler Directives

Pravin Zode

Outline

- define and undef
- Conditional Compilation (ifdef, ifndef, else, endif)
- File Inclusion (include)
- Compilation Control (timescale)
- Other Directives (resetall, line)

Introduction

- Compiler directives control how the Verilog compiler interprets and compiles the code
- They do not synthesize into hardware; they help in debugging, simulation, and configuration
- Typically prefixed with `** (backtick) **` (e.g., `define`, ``ifdef`)
- **Key Benefits:**
 - Improves code readability and modularity
 - Helps in simulation control and conditional compilation
 - Reduces redundant code and eases debugging

Macro Definition (define)

define - Defining Macros

- Used to create text-based macros
- Helps in defining constants and reusable expressions

```
`define PI 3.14159
```

```
`define WIDTH 8
```

```
1  `define ADD_OP 4'b0000
2  always @(*) begin
3      |   if (opcode == `ADD_OP)
4          |       result = a + b;
5  end
```

Macro Definition (undef)

undef - Removing Macros

- Removes a previously defined macro
- Syntax: `undef MACRO_NAME``

```
`undef CLK_PERIOD
```

```
`undef ADD_OP
```

Conditional Compilation

- Enables debugging modes, feature toggling, and configurable code sections
- Allows different sections of code to be compiled based on macro definitions
- Directives:
 - `ifdef` - Checks if a macro is defined
 - `ifndef` - Checks if a macro is not defined
 - `else` - Provides an alternative block of code
 - `endif` - Ends the conditional directive.

Example : ifdef

```
1  `define DEBUG
2  module test;
3      `ifdef DEBUG
4          initial $display("Debug Mode Enabled");
5      `else
6          initial $display("Debug Mode Disabled");
7      `endif
8  endmodule
```

Example : ifndef

```
1  √ `ifndef MODE
2    | `define MODE 1
3    `endif
4
5  √ module test;
6  √   initial begin
7  √       `ifndef MODE
8          | $display("MODE is not defined");
9  √       `else
10          | $display("MODE is defined with value: %d", `MODE);
11          `endif
12       end
13   endmodule
```


File Inclusion (include)

- Used to include external files into the current Verilog file
- Helps in modularizing code and reusing definitions across multiple files
- Syntax: ``include "filename.v"`

Example: File Inclusion (include)

```
1  // config.v - Configuration file
2  `define DATA_WIDTH 8
3  `define ENABLE_FEATURE

1  `timescale 1ns/1ps
2  `include "config.v"
3
4  module main;
5      reg [`DATA_WIDTH-1:0] data; // Using the macro for width
6
7      initial begin
8          data = 8'b10101010;
9
10         `ifdef ENABLE_FEATURE
11             $display("Feature is enabled. Data: %b", data);
12         `else
13             $display("Feature is disabled.");
14         `endif
15
16         #10 $finish;
17     end
18 endmodule
```

Resettall directive

- Resets all compiler directive settings to default

```
1  `timescale 1ns/1ps
2  `define WIDTH 8
3  module example_resettall;
4      reg [`WIDTH-1:0] data;
5      initial begin
6          data = 8'hFF;
7          #10;
8          `resettall // Resets all compiler directives
9      end
10 endmodule
```

line directive

- Controls line number information in error messages
- Example: `line 100 "source.v"

```
1  `line 200 "testbench.v"
2  module testbench;
3      initial begin
4          $display("This is a testbench");
5      end
6  endmodule
```

Summary

- `define**` and `**undef` create and remove macros
- Conditional Compilation (`ifdef`, `ifndef`, `else`, `endif`) allows feature toggling
- `include` enables modular programming
- `timescale` defines simulation time control
- Other directives (`resetall`, `line`) help in fine-tuning the compilation process.



Thank you !

Happy Learning