

1) Alter the table STUDENT with following structure.

S.No	Column	Constraints
1	RegNo	PRIMARY KEY
2	MobileNo	NotNull

```
mysql> alter table faculty add primary key(facno);
```

Query OK, 0 rows affected (0.12 sec)

Records: 0 Duplicates: 0 Warnings: 0

```
mysql> alter table student modify mobileno integer(10) not null;
```

Query OK, 0 rows affected (0.11 sec)

Records: 0 Duplicates: 0 Warnings: 0

```
Select MySQL 5.5 Command Line Client

mysql> use d2;
Database changed
mysql> alter table student modify mobileno integer(10) not null;
Query OK, 0 rows affected (0.21 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> desc student;
+-----+
| Field | Type          | Null | Key | Default | Extra |
+-----+
| regno | int(2)        | YES  |     | NULL    |       |
| name  | varchar(15)   | YES  |     | NULL    |       |
| gender| char(1)       | YES  |     | NULL    |       |
| dob   | date          | YES  |     | NULL    |       |
| mobileno | int(10)      | NO   |     | NULL    |       |
| city  | varchar(15)   | YES  |     | NULL    |       |
+-----+
6 rows in set (0.01 sec)

mysql>
```