UID Exp: 09

AIM:

The aim of this experiment is to design a login form that validates user credentials such as email ID and password, and displays appropriate error or success messages using HTML, CSS, and JavaScript.

This is similar to the concept shown in your PDF (email validation + error display) but modified for a **login system**.

PROCEDURE:

Step 1: Creating the HTML Form

1. Create an HTML file (index.html)
2. Add input fields for:
   - Email ID
   - Password
3. Add a login button
4. Add space to display error messages below each field

index.html × | style.css | script.js

index.html > html > body

```html
<!DOCTYPE html>
<html>
<head>
    <title>Login Page</title>
    <link rel="stylesheet" href="style.css">
</head>
<body>

<div class="box">
    <h2>Login</h2>

    <input type="text" id="email" placeholder="Email">
    <p id="emailError" class="error"></p>

    <input type="password" id="password" placeholder="Password">
    <p id="passError" class="error"></p>

    <button onclick="login()">Login</button>

    <p id="success" class="success"></p>
</div>

<script src="script.js"></script>
</body>
</html>
```

Step 2: Styling Using CSS

1. Create a CSS file (style.css)
2. Apply basic styling:
    - Center the form
    - Add spacing for inputs
    - Style error messages in **red**
    - Style success message in **green**

index.html | style.css | script.js

style.css > .success

```css
body{
    font-family: Arial;
    text-align: center;
    margin-top: 100px;
}

.box{
    width: 250px;
    margin: auto;
}

input{
    width: 100%;
    padding: 8px;
    margin: 8px 0;
}

button{
    padding: 8px 15px;
}

.error{
    color: red;
    font-size: 14px;
}

.success{
    color: green;
    font-size: 14px;
}
```

Step 3: Adding JavaScript Validation

1. Create a JavaScript file (script.js)
2. Check user input when login button is clicked
3. Conditions:
    - If email is incorrect → show **"Invalid Email Id"**
    - If password is incorrect → show **"Invalid Password"**
    - If both are correct → show **"Successfully Verified" (green)**

index.html | style.css | script.js

script.js > login

```javascript
function login(){

    let email = document.getElementById("email").value;
    let pass = document.getElementById("password").value;

    let emailError = document.getElementById("emailError");
    let passError = document.getElementById("passError");
    let success = document.getElementById("success");

    // clear old messages
    emailError.innerText = "";
    passError.innerText = "";
    success.innerText = "";

    if(email === "prasannakumarofficiall@gmail.com" && pass === "Prasann
        success.innerText = "Successfully Verified";
    }
    else{
        if(email !== "prasannakumarofficiall@gmail.com"){
            emailError.innerText = "Invalid Email Id";
        }
        if(pass !== "Prasanna@2886"){
            passError.innerText = "Invalid Password";
        }
    }
}
```

WORKING LOGIC:

1. The system compares entered values with predefined credentials:
    - Email: prasannakumarofficiall@gmail.com
    - Password: Prasanna@2886
2. Displays messages based on conditions:
    - Correct → Success message
    - Incorrect → Error messages below respective fields

OUTPUT:

Case 1: Correct Email & Password



Displays: **"Successfully Verified"** in green

Case 2: Wrong Email



Displays: **"Invalid Email Id"** below email field

Case 3: Wrong Password



Displays: **"Invalid Password"** below password field

Case 4: Both Wrong



Displays both error messages below respective fields

RESULT:

Thus, a login form was successfully created using HTML, CSS, and JavaScript that validates email and password and displays appropriate error and success messages.