

Ranked Attributes by |r| — Weighted TE (TE*)
PRCP | n = 670

Rank	Attribute	r
1	q95	+0.440
2	runoff_ratio	+0.399
3	q_mean	+0.388
4	low_prec_freq	-0.380
5	high_prec_freq	-0.363
6	p_mean	+0.316
7	p_seasonality	-0.289
8	aridity	-0.250
9	q5	+0.248
10	slope_mean	+0.235
11	frac_forest	+0.221
12	slope_fdc	+0.212
13	pet_mean	-0.205
14	stream_elas	-0.197
15	frac_snow	+0.156
16	zero_q_freq	-0.151
17	clay_frac	-0.142
18	gvf_max	+0.142
19	gvf_diff	-0.132
20	low_prec_dur	-0.131
21	hfd_mean	-0.128
22	baseflow_index	+0.124
23	high_prec_dur	+0.118
24	glim_1st_class_frac	-0.109
25	dom_land_cover_frac	+0.108
26	silt_frac	+0.107
27	lai_max	+0.102
28	low_q_freq	-0.091
29	glim_2nd_class_frac	+0.089
30	elev_mean	+0.082
31	high_q_freq	-0.082
32	carbonate_rocks_frac	-0.081
33	geol_permeability	-0.078
34	high_q_dur	-0.075
35	area_gages2	+0.056
36	area_geospa_fabric	+0.056
37	sand_frac	+0.035
38	low_q_dur	-0.034
39	geol_porostiy	-0.030
40	soil_conductivity	+0.028
41	organic_frac	+0.028
42	water_frac	+0.027
43	root_depth_50	+0.019
44	soil_porosity	+0.018
45	other_frac	+0.014
46	soil_depth_pelletier	-0.012
47	root_depth_99	-0.011
48	soil_depth_statsgo	-0.010
49	max_water_content	-0.008
50	lai_diff	-0.006

Ranked Attributes by |r| — Weighted TE (TE*)
SRAD | n = 653

Rank	Attribute	r
1	q95	+0.606
2	runoff_ratio	+0.561
3	q_mean	+0.533
4	high_prec_freq	-0.458
5	slope_mean	+0.431
6	p_seasonality	-0.426
7	low_prec_freq	-0.414
8	p_mean	+0.379
9	q5	+0.293
10	gvf_diff	-0.291
11	stream_elas	-0.283
12	high_prec_dur	+0.277
13	frac_snow	+0.269
14	slope_fdc	+0.250
15	elev_mean	+0.237
16	pet_mean	-0.225
17	aridity	-0.223
18	frac_forest	+0.222
19	glim_1st_class_frac	-0.199
20	baseflow_index	+0.159
21	soil_depth_pelletier	-0.158
22	glim_2nd_class_frac	+0.154
23	other_frac	+0.148
24	dom_land_cover_frac	+0.139
25	clay_frac	-0.132
26	lai_diff	-0.131
27	zero_q_freq	-0.117
28	root_depth_50	-0.115
29	carbonate_rocks_frac	-0.102
30	max_water_content	-0.098
31	silt_frac	+0.086
32	soil_depth_statsgo	-0.083
33	hfd_mean	-0.075
34	low_q_dur	+0.070
35	root_depth_99	-0.067
36	low_prec_dur	-0.056
37	geol_permeability	-0.044
38	gvf_max	+0.043
39	low_q_freq	-0.040
40	high_q_freq	-0.037
41	geol_porostiy	-0.028
42	organic_frac	-0.026
43	soil_porosity	-0.022
44	water_frac	+0.019
45	sand_frac	+0.018
46	lai_max	+0.012
47	high_q_dur	-0.005
48	area_gages2	+0.002
49	soil_conductivity	+0.002
50	area_geospa_fabric	+0.001

Ranked Attributes by |r| — Weighted TE (TE*)
Tair | n = 593

Rank	Attribute	r
1	high_prec_freq	-0.476
2	runoff_ratio	+0.474
3	q95	+0.471
4	low_prec_freq	-0.463
5	q_mean	+0.403
6	p_mean	+0.292
7	stream_elas	-0.279
8	p_seasonality	-0.271
9	slope_fdc	+0.271
10	slope_mean	+0.268
11	pet_mean	-0.251
12	aridity	-0.235
13	frac_snow	+0.229
14	frac_forest	+0.224
15	q5	+0.206
16	low_prec_dur	-0.161
17	zero_q_freq	-0.148
18	elev_mean	+0.146
19	glim_1st_class_frac	-0.140
20	clay_frac	-0.130
21	silt_frac	+0.123
22	dom_land_cover_frac	+0.117
23	gvf_diff	-0.115
24	baseflow_index	+0.114
25	gvf_max	+0.105
26	glim_2nd_class_frac	+0.102
27	soil_depth_pelletier	-0.100
28	geol_permeability	-0.093
29	high_q_freq	-0.088
30	hfd_mean	-0.080
31	high_prec_dur	+0.076
32	other_frac	+0.073
33	lai_max	+0.072
34	high_q_dur	-0.065
35	soil_depth_statsgo	-0.064
36	root_depth_99	-0.060
37	max_water_content	-0.057
38	root_depth_50	-0.052
39	low_q_freq	-0.039
40	water_frac	+0.036
41	carbonate_rocks_frac	-0.030
42	soil_porosity	+0.029
43	low_q_dur	+0.028
44	area_gages2	+0.026
45	area_geospa_fabric	+0.025
46	geol_porostiy	-0.022
47	soil_conductivity	-0.016
48	lai_diff	-0.014
49	organic_frac	+0.002
50	sand_frac	-0.001

Ranked Attributes by |r| — Weighted TE (TE*)
VP | n = 577

Rank	Attribute	r
1	low_prec_freq	-0.452
2	high_prec_freq	-0.418
3	runoff_ratio	+0.365
4	q95	+0.338
5	q_mean	+0.292
6	low_prec_dur	-0.287
7	aridity	-0.280
8	p_mean	+0.250
9	slope_fdc	+0.243
10	pet_mean	-0.237
11	zero_q_freq	-0.203
12	stream_elas	-0.202
13	frac_forest	+0.190
14	q5	+0.187
15	frac_snow	+0.184
16	clay_frac	-0.178
17	silt_frac	+0.157
18	slope_mean	+0.147
19	gvf_max	+0.147
20	high_q_freq	-0.130
21	lai_max	+0.123
22	low_q_dur	-0.118
23	high_prec_dur	-0.116
24	high_q_dur	-0.110
25	baseflow_index	+0.105
26	p_seasonality	-0.104
27	geol_permeability	-0.098
28	dom_land_cover_frac	+0.097
29	low_q_freq	-0.095
30	lai_diff	+0.095
31	soil_depth_statsgo	+0.090
32	elev_mean	+0.088
33	glim_1st_class_frac	-0.081
34	max_water_content	+0.078
35	glim_2nd_class_frac	+0.067
36	soil_conductivity	+0.059
37	root_depth_50	+0.057
38	area_gages2	+0.049
39	gvf_diff	+0.048
40	area_geospa_fabric	+0.047
41	soil_porosity	+0.041
42	water_frac	+0.039
43	geol_porostiy	-0.039
44	sand_frac	+0.035
45	organic_frac	+0.033
46	hfd_mean	-0.027
47	root_depth_99	-0.023
48	other_frac	+0.020
49	carbonate_rocks_frac	-0.018
50	soil_depth_pelletier	-0.009

Ranked Attributes by |r| — Weighted Lag (τ^*)
PRCP | n = 670

Rank	Attribute	r
1	elev_mean	+0.417
2	root_depth_50	-0.333
3	slope_mean	+0.314
4	frac_snow	+0.305
5	lai_diff	-0.286
6	gvf_diff	-0.283
7	high_prec_dur	+0.282
8	gvf_max	-0.266
9	soil_depth_pelletier	-0.263
10	aridity	+0.259
11	max_water_content	-0.258
12	p_seasonality	-0.256
13	high_q_dur	+0.253
14	soil_depth_statsgo	-0.249
15	lai_max	-0.245
16	low_prec_dur	+0.216
17	hfd_mean	+0.163
18	root_depth_99	-0.150
19	low_q_dur	+0.129
20	glim_1st_class_frac	-0.115
21	p_mean	-0.113
22	baseflow_index	+0.111
23	other_frac	+0.104
24	high_q_freq	+0.102
25	pet_mean	+0.101
26	carbonate_rocks_frac	-0.099
27	low_prec_freq	+0.098
28	organic_frac	-0.097
29	frac_forest	-0.081
30	glim_2nd_class_frac	+0.076
31	runoff_ratio	+0.074
32	slope_fdc	-0.073
33	dom_land_cover_frac	+0.061
34	q95	+0.060
35	sand_frac	-0.059
36	area_gages2	-0.056
37	soil_porosity	-0.054
38	area_geospa_fabric	-0.048
39	zero_q_freq	+0.045
40	low_q_freq	+0.040
41	geol_porostiy	+0.038
42	water_frac	+0.038
43	clay_frac	-0.035
44	soil_conductivity	-0.034
45	q_mean	+0.026
46	q5	-0.022
47	stream_elas	+0.016
48	high_prec_freq	+0.008
49	geol_permeability	+0.004
50	silt_frac	-0.000

Ranked Attributes by |r| — Weighted Lag (τ^*)
SRAD | n = 653

Rank	Attribute	r
1	sand_frac	-0.222
2	silt_frac	+0.199
3	slope_mean	+0.196
4	pet_mean	-0.194
5	elev_mean	+0.181
6	soil_conductivity	-0.179
7	frac_snow	+0.170
8	geol_permeability	-0.163
9	soil_porosity	+0.162
10	soil_depth_pelletier	-0.151
11	soil_depth_statsgo	-0.145
12	dom_land_cover_frac	+0.143
13	max_water_content	-0.140
14	p_seasonality	-0.139
15	root_depth_50	-0.136
16	runoff_ratio	+0.122
17	q95	+0.110
18	high_prec_freq	-0.104
19	q_mean	+0.099
20	high_prec_dur	+0.097
21	carbonate_rocks_frac	-0.092
22	other_frac	+0.088
23	stream_elas	-0.082
24	low_prec_freq	-0.063
25	glim_1st_class_frac	-0.063
26	root_depth_99	-0.063
27	geol_porostiy	-0.055
28	high_q_dur	+0.051
29	lai_max	-0.049
30	high_q_freq	+0.044
31	slope_fdc	+0.042
32	lai_diff	-0.040
33	low_prec_dur	+0.038
34	gvf_diff	+0.030
35	q5	+0.029
36	zero_q_freq	+0.028
37	frac_forest	+0.027
38	gvf_max	-0.026
39	area_gages2	-0.024
40	area_geospa_fabric	-0.023
41	low_q_dur	-0.021
42	organic_frac	-0.020
43	glim_2nd_class_frac	+0.019
44	baseflow_index	+0.016
45	aridity	+0.013
46	hfd_mean	-0.007
47	water_frac	+0.007
48	low_q_freq	-0.006
49	p_mean	-0.004
50	clay_frac	+0.002

Ranked Attributes by |r| — Weighted Lag (τ^*)
Tair | n = 593

Rank	Attribute	r
1	root_depth_50	+0.220
2	hfd_mean	-0.202
3	slope_mean	-0.193
4	lai_diff	+0.189
5	elev_mean	-0.186
6	lai_max	+0.178
7	frac_snow	-0.175
8	glim_1st_class_frac	+0.158
9	gvf_max	+0.154
10	high_prec_dur	-0.139
11	gvf_diff	+0.130
12	high_q_dur	-0.124
13	geol_porostiy	+0.117
14	other_frac	-0.116
15	dom_land_cover_frac	-0.112
16	root_depth_99	+0.111
17	glim_2nd_class_frac	-0.099
18	runoff_ratio	-0.096
19	max_water_content	+0.095
20	frac_forest	+0.094
21	p_seasonality	+0.086
22	q95	-0.083
23	low_prec_dur	-0.082
24	soil_depth_pelletier	+0.080
25	q_mean	-0.078
26	low_q_dur	-0.070
27	q5	-0.067
28	high_prec_freq	+0.067
29	soil_depth_statsgo	+0.066
30	high_q_freq	-0.065
31	aridity	-0.060
32	baseflow_index	-0.058
33	silt_frac	+0.054
34	slope_fdc	+0.040
35	zero_q_freq	-0.029
36	sand_frac	+0.029
37	pet_mean	+0.028
38	water_frac	-0.027
39	area_gages2	+0.021
40	low_q_freq	-0.020
41	carbonate_rocks_frac	-0.018
42	area_geospa_fabric	+0.015
43	soil_porosity	+0.014
44	clay_frac	+0.013
45	geol_permeability	+0.010
46	p_mean	+0.007
47	organic_frac	+0.002
48	stream_elas	-0.001
49	soil_conductivity	+0.001
50	low_prec_freq	-0.001

Ranked Attributes by |r| — Weighted Lag (τ^*)
VP | n = 577

Rank	Attribute	r
1	lai_diff	+0.269
2	lai_max	+0.261
3	high_prec_dur	-0.256
4	low_prec_dur	-0.250
5	gvf_max	+0.250
6	root_depth_50	+0.244
7	low_prec_freq	-0.226
8	high_q_dur	-0.224
9	frac_forest	+0.216
10	aridity	-0.206
11	hfd_mean	-0.197
12	high_q_freq	-0.194
13	low_q_dur	-0.169
14	elev_mean	-0.166
15	high_prec_freq	-0.158
16	other_frac	-0.158
17	p_mean	+0.153
18	slope_fdc	+0.150
19	root_depth_99	+0.146
20	gvf_diff	+0.141
21	area_geospa_fabric	-0.137
22	area_gages2	-0.131
23	slope_mean	-0.128
24	frac_snow	-0.128
25	low_q_freq	-0.125
26	max_water_content	+0.123
27	stream_elas	-0.123
28	glim_2nd_class_frac	-0.122
29	glim_1st_class_frac	+0.115
30	zero_q_freq	-0.109
31	soil_depth_statsgo	+0.097
32	p_seasonality	+0.086
33	sand_frac	+0.079
34	silt_frac	+0.070
35	carbonate_rocks_frac	-0.055
36	q_mean	+0.051
37	geol_porostiy	+0.050
38	dom_land_cover_frac	-0.049
39	soil_depth_pelletier	+0.047
40	runoff_ratio	+0.042
41	clay_frac	-0.040
42	q5	+0.037
43	geol_permeability	-0.034
44	q95	+0.033
45	soil_porosity	-0.021
46	organic_frac	-0.018
47	soil_conductivity	+0.016
48	baseflow_index	+0.016
49	pet_mean	-0.013
50	water_frac	-0.013