

Name: Prashanth Raghavendra Rao

Task: Docker

Date: 21/06/2025

Task Description:

Install docker on EC2 and explore the docker commands (docker images, containers, volumes, network)

Create a dockerfile, docker-compose file which when executed must display your basic details in the website.

Create a custom docker image for nginx and deploy it using docker compose, where the volume bind mount should be at /var/opt/nginx location. Push the created custom docker image to your docker-hub.

1. CREATE EC2 AND OPEN HTTP PORT

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Search [Option+S]

IAM EC2 VPC S3 CloudWatch

EC2 > Instances > Launch an instance

Launch an instance info

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags info

Name

prash-docker-ec2

Add additional tags

Application and OS Images (Amazon Machine Image) info

An AMI is a template that contains the software configuration (operating system, application server, and applications) required to launch your instance. Search or Browse for AMIs if you don't see what you are looking for below

Search our full catalog including 1000s of application and OS images

Recents Quick Start

Amazon Linux

macOS

Ubuntu

Windows

Red Hat

SUSE Linux

Debian

Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Ubuntu Server 24.04 LTS (HVM), SSD Volume Type

ami-0918f7e67a3323f0 (64-bit (x86)) / ami-029607855fca66b6 (64-bit (ARM))

Virtualization: hvm ENA enabled: true Root device type: ebs

Free tier eligible

Description

Ubuntu Server 24.04 LTS (HVM), EBS General Purpose (SSD) Volume Type. Support available from Canonical (<http://www.ubuntu.com/cloud/services>).

Canonical, Ubuntu, 24.04, amd64 noble image

Architecture

AMI ID

Publish Date

Username

64-bit (x86)

ami-0918f7e67a3323f0

2025-06-10

ubuntu

Verified provider

Instance type info | Get advice

Instance type

Summary

Number of instances info

1

Software Image (AMI)

Canonical, Ubuntu, 24.04, amd64...read more

ami-0918f7e67a3323f0

Virtual server type (instance type)

t2.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Free tier: In your first year of opening an AWS account, you get 750 hours per month of t2.micro instance usage (or t3.micro where t2.micro isn't available) when used with free tier AMIs, 750 hours per month of public IPv4 address usage, 30 GiB of EBS storage, 2 million I/Os, 1 GiB of snapshots, and 100 GiB of bandwidth to the internet.

Cancel

Launch instance

Preview code

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Search [Option+S]

IAM EC2 VPC S3 CloudWatch

EC2 > Instances > Launch an instance

subnet info

No preference (Default subnet in any availability zone)

Auto-assign public IP info

Enable

Additional charges apply when outside of free tier allowance

Firewall (security group) info

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

Create security group

Select existing security group

We'll create a new security group called 'Launch-wizard-2' with the following rules:

Allow SSH traffic from

Helps you connect to your instance

Anywhere

0.0.0.0/0

Allow HTTPS traffic from the internet

To set up an endpoint, for example when creating a web server

Allow HTTP traffic from the internet

To set up an endpoint, for example when creating a web server

Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

Configure storage info

Advanced

1x 8 GiB gp3 Root volume, 3000 IOPS, Not encrypted

Free tier eligible customers can get up to 30 GiB of EBS General Purpose (SSD) or Magnetic storage

Add new volume

The selected AMI contains instance store volumes, however the instance does not allow any instance store volumes. None of the instance store volumes from the AMI will be accessible from the instance

Click refresh to view backup information

The tags that you assign determine whether the instance will be backed up by any Data Lifecycle Manager policies.

0 x File systems

Edit

Advanced details info

Summary

Number of instances info

1

Software Image (AMI)

Canonical, Ubuntu, 24.04, amd64...read more

ami-0918f7e67a3323f0

Virtual server type (instance type)

t2.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Free tier: In your first year of opening an AWS account, you get 750 hours per month of t2.micro instance usage (or t3.micro where t2.micro isn't available) when used with free tier AMIs, 750 hours per month of public IPv4 address usage, 30 GiB of EBS storage, 2 million I/Os, 1 GiB of snapshots, and 100 GiB of bandwidth to the internet.

Cancel

Launch instance

Preview code

EC2

Dashboard

EC2 Global View

Events

Instances

Instances Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

Network & Security

Security Groups

Elastic IPs

Placement Groups

Key Pairs

Network Interfaces

Load Balancing

Load Balancers

Target Groups

Trust Stores

Auto Scaling

Auto Scaling Groups

Instances (1/1)

Find instance by attribute or tag (case-sensitive)

All states

Last updated less than a minute ago

Connect

Instance state

Actions

Launch instances

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4 DNS	Public IPv4	Elastic IP
prash-docker-ec2	i-008daf1bbecd2f8df	Running	t2.micro	Initializing	View alarms	ap-south-1b	ec2-3-111-57-204.ap-s...	3.111.57.204	-

i-008daf1bbecd2f8df (prash-docker-ec2)

Details

Status and alarms

Monitoring

Security

Networking

Storage

Tags

Instance summary

Instance ID

IP address

IPv6 address

Hostname type

IP name

Answer private resource DNS name

Auto-assigned IP address

Public IPv4 address

Instance state

Private IP DNS name (IPv4 only)

Instance type

VPC ID

Private IPv4 addresses

Public DNS

Elastic IP addresses

AWS Compute Optimizer finding

CloudShell

Feedback

© 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

EC2

Security Groups

sg-07d82a52090583004 - launch-wizard-2

Edit inbound rules

Edit inbound rules

Inbound rules control the incoming traffic that's allowed to reach the instance.

Inbound rules

Security group rule ID

Type

Protocol

Port range

Source

Description - optional

Delete

Add rule

sg-0a80e14205b84b6f9

SSH

TCP

22

Custom

0.0.0.0/0

Delete

-

HTTP

TCP

80

Anywhere...

0.0.0.0/0

Delete

Rules with source of 0.0.0.0/0 or ::/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

Cancel

Preview changes

Save rules

CloudShell

Feedback

© 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

EC2

Dashboard

EC2 Global View

Events

Instances

Instances Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

Network & Security

Security Groups

Elastic IPs

Placement Groups

Key Pairs

Network Interfaces

Load Balancing

Load Balancers

Target Groups

Trust Stores

Auto Scaling

Auto Scaling Groups

Instance summary for i-008daf1bbecd2f8df (prash-docker-ec2)

Updated less than a minute ago

Instance ID

i-008daf1bbecd2f8df

IPv6 address

–

Hostname type

IP name: ip-172-31-7-122.ap-south-1.compute.internal

Answer private resource DNS name

IPv4 (A)

Auto-assigned IP address

3.111.57.204 [Public IP]

IAM Role

–

IMDSv2

Required

Operator

–

Public IPv4 address

3.111.57.204 | [open address](#)

Instance state

Running

Private IP DNS name (IPv4 only)

ip-172-31-7-122.ap-south-1.compute.internal

Instance type

t2.micro

VPC ID

vpc-0f895f8b8ea61af6e (Default-VPC) | [open address](#)

Subnet ID

subnet-0ac3863e7fae1d0ea (Default-SN-2) | [open address](#)

Instance ARN

arn:aws:ec2:ap-south-1:755937526811:instance/i-008daf1bbecd2f8df

Private IPv4 addresses

172.31.7.122

Public DNS

ec2-3-111-57-204.ap-south-1.compute.amazonaws.com | [open address](#)

Elastic IP addresses

–

AWS Compute Optimizer finding

User: arn:aws:iam::755937526811:user/guviprashanthraghavendra is not authorized to perform: compute-optimizer:GetEnrollmentStatus on resource: * because no identity-based policy allows the compute-optimizer:GetEnrollmentStatus action

Auto Scaling Group name

–

Managed

false

Details

Status and alarms

Monitoring

Security

Networking

Storage

Tags

▼ Security details

IAM Role

–

Security groups

sg-07082a32090583004 (launch-wizard-2)

Owner ID

755937526811

Launch time

Sat Jun 21 2025 16:39:51 GMT+0530 (India Standard Time)

▼ Inbound rules

Filter rules

Name	Security group rule ID	Port range	Protocol	Source	Security groups	Description
–	sgr-09043466575c759df	80	TCP	0.0.0.0/0	launch-wizard-2 launch-wizard-2	–
–	sgr-0a80e14205b84b6f9	22	TCP	0.0.0.0/0	launch-wizard-2 launch-wizard-2	–

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. | [Privacy](#) | [Terms](#) | [Cookie preferences](#)

2. INSTALL DOCKER AND DOCKER COMPOSE

```
Setting up ubuntu-fan (0.12.16) ...
Created symlink /etc/systemd/system/multi-user.target.wants/ubuntu-fan.service → /usr/lib/systemd/system/ubuntu-fan.service.
Setting up docker.io (27.5.1-0ubuntu3-24.04.2) ...
info: Selecting GID from range 100 to 999 ...
info: Adding group 'docker' (GID 113) ...
Created symlink /etc/systemd/system/multi-user.target.wants/docker.service → /usr/lib/systemd/system/docker.service.
Created symlink /etc/systemd/system/sockets.target.wants/docker.socket → /usr/lib/systemd/system/docker.socket.
Processing triggers for dnsmasq (1.14.10-4ubuntu1.1) ...
Processing triggers for man-db (2.12.0-4build2) ...
Scanning processes...
Scanning candidates...
Scanning linux images...

Running kernel seems to be up-to-date.
Restarting services...

Service restarts being deferred:
systemctl restart networkd-dispatcher.service
systemctl restart systemd-logind.service
systemctl restart unattended-upgrades.service

No containers need to be restarted.

User sessions running outdated binaries:
ubuntu # session #1: sshd[1031]
ubuntu # user manager service: systemd[1378]
ubuntu@ip-172-31-7-122:~$ sudo systemctl enable docker
ubuntu@ip-172-31-7-122:~$ sudo systemctl start docker
ubuntu@ip-172-31-7-122:~$ sudo usermod -sG docker $USER
ubuntu@ip-172-31-7-122:~$ newgrp docker
ubuntu@ip-172-31-7-122:~$ sudo curl -L 'https://github.com/docker/compose/releases/latest/download/docker-compose-$(uname -s)-$(uname -m)' \
-o /usr/local/bin/docker-compose
  % Total    % Received % Xferd Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left   Speed
  0  0  0    0    0    0     0      0  --:--:-- --:--:-- --:--:--    0
  0  0  0    0    0    0     0      0  --:--:-- --:--:-- --:--:--    0
100 71.5M 100 71.5M    0    0  19.8M    0  0:00:03 0:00:03 --:--:-- 34.9M
ubuntu@ip-172-31-7-122:~$ sudo chmod +x /usr/local/bin/docker-compose
ubuntu@ip-172-31-7-122:~$ docker --version
Docker version 27.5.1, build 27.5.1-0ubuntu3-24.04.2
ubuntu@ip-172-31-7-122:~$ docker images
REPOSITORY    TAG       IMAGE ID       CREATED        SIZE
ubuntu@ip-172-31-7-122:~$ docker ps
CONTAINER ID   IMAGE      COMMAND                  CREATED        STATUS        PORTS        NAMES
ubuntu@ip-172-31-7-122:~$ docker volume ls
DRIVER          VOLUME NAME
ubuntu@ip-172-31-7-122:~$ docker network ls
NETWORK ID     NAME      DRIVER    SCOPE
8268c65dd8a    bridge   bridge    local
1779eae2510    host     host      local
8527b322235    none     null      local
ubuntu@ip-172-31-7-122:~$
```

i-008daf1bbec2f8df (prash-docker-ec2)

PublicIP: 3.111.57.204 PrivateIP: 172.31.7.122

CloudShell Feedback

© 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

3. CREATE WEBSITE TEMPLATE

```
Running kernel seems to be up-to-date.
Restarting services...

Service restarts being deferred:
systemctl restart networkd-dispatcher.service
systemctl restart systemd-logind.service
systemctl restart unattended-upgrades.service

No containers need to be restarted.

User sessions running outdated binaries:
ubuntu # session #1: sshd[1031]
ubuntu # user manager service: systemd[1378]
ubuntu@ip-172-31-7-122:~$ sudo systemctl enable docker
ubuntu@ip-172-31-7-122:~$ sudo systemctl start docker
ubuntu@ip-172-31-7-122:~$ sudo usermod -s /usr/sbin/dmcc docker $USER
ubuntu@ip-172-31-7-122:~$ newgrp docker
ubuntu@ip-172-31-7-122:~$ sudo curl -L 'https://github.com/docker/compose/releases/latest/download/docker-compose-$(uname -s)-$(uname -m)' \
-o /usr/local/bin/docker-compose
% Total    % Received % Xferd Average Speed   Time    Time     Time  Current
           % Done                   Dload  Upload   Total    Spent    Left  Speed
  0     0    0     0    0     0      0      0      0     0      0      0      0
  0     0    0     0    0     0      0      0      0     0      0      0      0
100 71.5M 100 71.5M    0     0  19.8M      0  0:00:03  0:00:03 --:--:-- 34.9M
ubuntu@ip-172-31-7-122:~$ sudo chmod +x /usr/local/bin/docker-compose
ubuntu@ip-172-31-7-122:~$ docker-compose --version
docker-compose version v2.37.2
ubuntu@ip-172-31-7-122:~$ docker --version
Docker version 27.5.1, build 27.5.1-0ubuntu3-24.04.2
ubuntu@ip-172-31-7-122:~$ docker images
REPOSITORY    TAG       IMAGE ID       CREATED        SIZE
ubuntu@ip-172-31-7-122:~$ docker ps
CONTAINER ID   IMAGE      COMMAND                  CREATED        STATUS        PORTS        NAMES
ubuntu@ip-172-31-7-122:~$ docker volume ls
DRIVER         VOLUME NAME
ubuntu@ip-172-31-7-122:~$ docker network ls
NETWORK ID     NAME      DRIVER    SCOPE
8268c653dd8a   bridge   bridge    local
11776e62510    host     host      local
85527b320235   none     null       local
ubuntu@ip-172-31-7-122:~$ mkdir prashweb && cd prashweb
ubuntu@ip-172-31-7-122:~/prashweb$ mkdir html
ubuntu@ip-172-31-7-122:~/prashweb$ nano html/index.html
ubuntu@ip-172-31-7-122:~/prashweb$ cat html/index.html
<!DOCTYPE html>
<html>
<head><title>About Me</title></head>
<body>
<h1>Hello, I'm Prashanth</h1>
<p>This is my website powered by docker.</p>
</body>
</html>
ubuntu@ip-172-31-7-122:~/prashweb$
```

i-008daf1bbecd2f8df (prash-docker-ec2)

PublicIP: 3.111.57.204 PrivateIP: 172.31.7.122

CloudShell Feedback

© 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

4. DOCKER & DOCKER COMPOSE BUILD

```
aws
Search [Option+S]
IAM EC2 VPC S3 CloudWatch

% Total % Received % Xferd Average Speed Time Time Time Current
0 0 0 0 0 0 0 0 --:--:-- --:--:-- --:--:-- 0
0 0 0 0 0 0 0 0 --:--:-- --:--:-- --:--:-- 0
100 71.5M 100 71.5M 0 0 0 19.8M 0 0:00:03 0:00:00 --:--:-- 34.9M
ubuntu@ip-172-31-7-122:~$ sudo chmod +x /usr/local/bin/docker-compose
ubuntu@ip-172-31-7-122:~$ docker-compose --version
docker-compose version v2.37.2
ubuntu@ip-172-31-7-122:~$ docker --version
Docker version 27.5.1, build 27.5.1-0ubuntu3-24.04.2
ubuntu@ip-172-31-7-122:~$ docker images
REPOSITORY TAG IMAGE ID CREATED SIZE
ubuntu@ip-172-31-7-122:~$ docker ps
CONTAINER ID IMAGE COMMAND STATUS PORTS NAMES
ubuntu@ip-172-31-7-122:~$ docker volume ls
DRIVER VOLUME NAME
ubuntu@ip-172-31-7-122:~$ docker network ls
NETWORK ID NAME DRIVER SCOPE
9268c653d88a bridge bridge local
117f4e4d510 host host local
85527b320235 none null local
ubuntu@ip-172-31-7-122:~$ mkdir prashweb && cd prashweb
ubuntu@ip-172-31-7-122:~/prashweb$ nano html/index.html
ubuntu@ip-172-31-7-122:~/prashweb$ cat html/index.html
<!DOCTYPE html>
<html>
<head><title>About Me</title></head>
<body>
<h1>Hello, I'm Prashanth</h1>
<p>This is my website powered by docker.</p>
</body>
</html>
ubuntu@ip-172-31-7-122:~/prashweb$ nano Dockerfile
FROM nginx:alpine
RUN mkdir -p /var/opt/nginx && ln -sf /var/opt/nginx /usr/share/nginx/html
COPY html/index.html /var/opt/nginx/index.html
ubuntu@ip-172-31-7-122:~/prashweb$ nano docker-compose.yml
ubuntu@ip-172-31-7-122:~/prashweb$ cat docker-compose.yml
version: '3'
services:
  web:
    build: .
    ports:
      - "80:80"
    volumes:
      - ./html:/var/opt/nginx
    networks:
      - prash-net
networks:
  prash-net:
    driver: bridge
ubuntu@ip-172-31-7-122:~/prashweb$

i-008daf1bbecd2f8df (prash-docker-ec2)
PublicIP: 3.111.57.204 PrivateIP: 172.31.7.122

CloudShell Feedback
aws
Search [Option+S]
IAM EC2 VPC S3 CloudWatch

build: .
ports:
  - "80:80"
volumes:
  - ./html:/var/opt/nginx
networks:
  - prash-net
networks:
  prash-net:
    driver: bridge
ubuntu@ip-172-31-7-122:~/prashweb$ docker-compose up --build -d
INFO[0000] /home/ubuntu/prashweb/docker-compose.yml: the attribute "version" is obsolete, it will be ignored, please remove it to avoid potential confusion
WARN[0000] Docker Compose is configured to build using Bake, but buildx isn't installed
[*] Building 5.3s (9/9) FINISHED
-- web internal | load build definition from Dockerfile
--> transferring dockerfile: 179B
-- web internal | load metadata for docker.io/library/nginx:alpine
-- web internal | load .dockerignore
--> transferring context: 2B
-- [web 1/3] FROM docker.io/library/nginx:alpine#sha256:45645c7b6d4661892a8b0d743208a186d2f3f17a54ef4b76fb0e2f2a10
--> resolve docker.io/library/nginx:alpine#sha256:45645c7b6d4661892a8b0d743208a186d2f3f17a54ef4b76fb0e2f2a10
--> sha256:678d3a703c719c1d2756bda113659b0e28a16cf0da58d5f0823d6b9a050ea 10.79kB / 10.79kB
--> sha256:61ca4f731c802a7d9e05a32f0d0a361b6d713b8b53292dc15fcb9322f4e48674 1.79kB / 1.79kB
--> sha256:0446cfd2a31973a0b7193ac5a9790ca16d8214fcb16e915e4530e6ed235 429B / 429B
--> sha256:65445c7b6d4661892a8b0d743208a186d2f3f17a54ef4b76fb0e2f2a10 10.33kB / 10.33kB
--> sha256:f18232174bc91741df1da96d85011092101a032a91a388b79e99e69c2d5c870 3.64kB / 3.64kB
--> sha256:42223a444cf34ca3a0c78ee14232ae78e7736422af1c811d2f469f8d6c2a08 2.50kB / 2.50kB
--> extracting sha256:f18232174bc91741df1da96d85011092101a032a91a388b79e99e69c2d5c870
--> sha256:d7e5072408639579b0b5a44a5729943c3462464aa3947d00c428c5f2d5773 955B / 955B
--> extracting sha256:61ca4f731c802a7d9e05a32f0d0a361b6d713b8b53292dc15fcb9322f4e48674
--> sha256:81bd8ed7ec6789b0cb7f1b47ae731c522f6da83201ec73cd6bca1350f582948 402B / 402B
--> extracting sha256:0446cfd2a31973a0b7193ac5a9790ca16d8214fcb16e915e4530e6ed235
--> sha256:197eb75867ef4f0cc04724f17b0972ab0489436860a594a45f8eaff8155053 1.21kB / 1.21kB
--> sha256:34a6444b756511a2e2170508e11da572085d64d6d9a55a082ad49a3102 1.40kB / 1.40kB
--> sha256:39c2ddfd6010082a4a46e7ca44e95aca9bf3eab0b0f177ccc2954004f2a7d 15.52kB / 15.52kB
--> extracting sha256:d7e5072408639579b0b5a44a5729943c3462464aa3947d00c428c5f2d5773
--> extracting sha256:81bd8ed7ec6789b0cb7f1b47ae731c522f6da83201ec73cd6bca1350f582948
--> extracting sha256:197eb75867ef4f0cc04724f17b0972ab0489436860a594a45f8eaff8155053
--> extracting sha256:34a6444b756511a2e2170508e11da572085d64d6d9a55a082ad49a3102
--> extracting sha256:39c2ddfd6010082a4a46e7ca44e95aca9bf3eab0b0f177ccc2954004f2a7d
-- web internal | load build context
--> transferring context: 214B
-- [web 2/3] RUN mkdir -p /var/opt/nginx && ln -sf /var/opt/nginx /usr/share/nginx/html
-- [web 3/3] COPY html/index.html /var/opt/nginx/index.html
-- web | exporting to image
--> exporting layers
--> writing image sha256:525b3b32a1d136fda848886fe44b29eac1d565dbcb5c25b290afdie070c3
--> naming to docker.io/library/prashweb-web
-- [web] resolving provenance for metadata file
[*] Running 3/3
✓ web build
✓ Network prashweb-prash-net Created
✓ Container prashweb-web-1 Started
ubuntu@ip-172-31-7-122:~/prashweb$

i-008daf1bbecd2f8df (prash-docker-ec2)
PublicIP: 3.111.57.204 PrivateIP: 172.31.7.122

CloudShell Feedback
© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences
```

5. VERIFY DOCKER COMPOSE BUILD

← → ↺ ⚠ Not Secure 3.111.57.204 ☆ P ⋮

Hello, I'm Prashanth

This is my website powered by docker.

📄 IAM

🖥️ EC2

🔗 VPC

📦 S3

🔍 CloudWatch

🔍 Search

[Option+S]

📧 📢 ⌛ ⚙️

Asia Pacific (Mumbai) 👯

guviprashanthraghavendra @ 7559-3752-6811

wait Block until containers of all (or specified) services stop.

watch Watch build context for service and rebuild/refresh containers when files are updated

Run 'docker compose COMMAND --help' for more information on a command.

ubuntu@ip-172-31-7-122:~/prashweb\$ docker compose down

ubuntu@ip-172-31-7-122:~/prashweb\$ docker compose down

HAHN[0000] /home/ubuntu/prashweb/docker-compose.yml: the attribute 'version' is obsolete, it will be ignored, please remove it to avoid potential confusion

HAHN[0000] Docker Compose is configured to build using Make, but buildx isn't installed

HAHN[0000] Building 0/3 (9/9) FINISHED

HAHN[0000] Container prashweb-web-1 Removed 4.7s

HAHN[0000] Network prashweb-prash-net Removed 0.1s

HAHN[0000] ubuntu@ip-172-31-7-122:~/prashweb\$ nano docker-compose.yml

HAHN[0000] ubuntu@ip-172-31-7-122:~/prashweb\$ docker compose up --build -d

HAHN[0000] /home/ubuntu/prashweb/docker-compose.yml: the attribute 'version' is obsolete, it will be ignored, please remove it to avoid potential confusion

HAHN[0000] Docker Compose is configured to build using Make, but buildx isn't installed

HAHN[0000] Building 0/3 (9/9) FINISHED

HAHN[0000] [web internal] load build definition from Dockerfile

HAHN[0000] [web internal] load build definition from Dockerfile 179s

HAHN[0000] [web internal] load metadata for docker.io/library/nginx:alpine 0.7s

HAHN[0000] [web internal] load .dockerignore 0.0s

HAHN[0000] [web internal] transfer context: 2s

HAHN[0000] [web 1/3] FROM docker.io/library/nginx:alpine#sha256:63645c7bb4a6461892a8b3b89d5741208a18dd2f3f17a54ef4b76fb8e2f2a10 0.0s

HAHN[0000] [web internal] load build context 0.0s

HAHN[0000] [web internal] transfer context: 61s

HAHN[0000] [web 2/3] RUN sed -i -e 's /var/opt/nginx /usr/share/nginx/html' 0.0s

HAHN[0000] [web 3/3] COPY html/index.html /var/opt/nginx/index.html 0.0s

HAHN[0000] [web] exporting to image 0.0s

HAHN[0000] [web] exporting layers 0.0s

HAHN[0000] [web] writing image sha256:525b3b32a16d136fda848886fe4b27eaeac1d565dcbcb5c25b290afdie07bc3 0.0s

HAHN[0000] [web] naming to docker.io/library/prashweb-web 0.0s

HAHN[0000] [web] resolving provenance for metadata file 0.0s

HAHN[0000] [web] Running 3/3 0.0s

HAHN[0000] [web] 0.1s

HAHN[0000] [web] 0.4s

HAHN[0000] Network prashweb-prash-net Created

HAHN[0000] Container prashweb-web-1 Started

HAHN[0000] ubuntu@ip-172-31-7-122:~/prashweb\$ docker exec -it <container_name> sh

HAHN[0000] bash: container_name: No such file or directory

HAHN[0000] ubuntu@ip-172-31-7-122:~/prashweb\$ docker ps

HAHN[0000] CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS NAMES

HAHN[0000] 9336id4be77d prashweb-web "/docker-entrypoint..." 48 seconds ago Up 47 seconds 0.0.0.0:80->80/tcp, :::80->80/tcp prashweb-web-1

HAHN[0000] ubuntu@ip-172-31-7-122:~/prashweb\$ docker images

HAHN[0000] REPOSITORY TAG IMAGE ID CREATED SIZE

HAHN[0000] prashweb-web latest 9336id4be77d 3 minutes ago 48.2MB

HAHN[0000] ubuntu@ip-172-31-7-122:~/prashweb\$ docker exec -it prashweb-web sh

HAHN[0000] Error response from daemon: No such container: prashweb-web

HAHN[0000] ubuntu@ip-172-31-7-122:~/prashweb\$ docker exec -it 9336id4be77d sh

HAHN[0000] / # cat /usr/share/nginx/html/index.html

HAHN[0000] <!DOCTYPE html>

HAHN[0000] <html>

HAHN[0000] <head><title>About Me</title></head>

HAHN[0000] <body>

HAHN[0000] <h1>Hello, I'm Prashanth</h1>

HAHN[0000] <p>This is my website powered by docker.</p>

HAHN[0000] </body>

HAHN[0000] </html>

HAHN[0000] #

i-008daf1bbec22f8df (prash-docker-ec2)

PublicIP: 3.111.57.204 PrivateIP: 172.31.7.122

📄 CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

6. PUSH TO DOCKER HUB & VERIFY

aws

Search [Option+S]

IAM EC2 VPC S3 CloudWatch

Asia Pacific (Mumbai) guvigrashanthvaghavendra @ 7559-3752-4811

```
ubuntu@ip-172-31-7-122:~/prashweb$ docker login
WARNING! Your password will be stored unencrypted in /home/ubuntu/.docker/config.json.
Configure a credential helper to remove this warning. See
https://docs.docker.com/engine/reference/commandline/login/#credential-stores

Your one-time device confirmation code is: 58WJ-XPWP
Press ENTER to open your browser or submit your device code here: https://login.docker.com/activate

Waiting for authentication in the browser...
Login Succeeded
ubuntu@ip-172-31-7-122:~/prashweb$ docker tag mysite prash099/prash-nginx
Error response from daemon: No such image: mysite:latest
ubuntu@ip-172-31-7-122:~/prashweb$ docker tag mysite prash099/prash-nginx
Error response from daemon: No such image: mysite:latest
ubuntu@ip-172-31-7-122:~/prashweb$
ubuntu@ip-172-31-7-122:~/prashweb$
ubuntu@ip-172-31-7-122:~/prashweb$
ubuntu@ip-172-31-7-122:~/prashweb$
ubuntu@ip-172-31-7-122:~/prashweb$ docker tag prashweb prash099/prash-nginx
Error response from daemon: No such image: prashweb:latest
ubuntu@ip-172-31-7-122:~/prashweb$
ubuntu@ip-172-31-7-122:~/prashweb$
ubuntu@ip-172-31-7-122:~/prashweb$ docker tag prashweb-web:latest prash099/prash-nginx
ubuntu@ip-172-31-7-122:~/prashweb$ docker push prash099/prash-nginx
Using default tag: latest
The push refers to repository [prash099/prash-nginx]
Get "https://prash099/v2/: dial tcp: lookup prash099 on 127.0.0.53: server misbehaving"
ubuntu@ip-172-31-7-122:~/prashweb$ docker tag prashweb-web:latest prash099/prash-nginx
ubuntu@ip-172-31-7-122:~/prashweb$ docker push prash099/prash-nginx
Using default tag: latest
The push refers to repository [docker.io/prash099/prash-nginx]
91191c127eb7: Pushed
cd99135c570: Pushed
0d85d50b128: Mounted from library/nginx
047e805a4ac7: Mounted from library/nginx
811a6bb44b: Mounted from library/nginx
b8d7d1d22634: Mounted from library/nginx
0244aa659f61: Mounted from library/nginx
546114d3800: Mounted from library/nginx
071eae0884c1: Mounted from library/nginx
08000c18d16d: Mounted from library/nginx
latest digest: sha256:0c2105787f4b43bed40d840a5812ca00f633f55b7bd645d547e41a6beed4c31f size: 2403
ubuntu@ip-172-31-7-122:~/prashweb$
ubuntu@ip-172-31-7-122:~/prashweb$
ubuntu@ip-172-31-7-122:~/prashweb$
ubuntu@ip-172-31-7-122:~/prashweb$
ubuntu@ip-172-31-7-122:~/prashweb$
ubuntu@ip-172-31-7-122:~/prashweb$
ubuntu@ip-172-31-7-122:~/prashweb$
```

i-008daf1bbec2f8df (prash-docker-ec2)

PublicIP: 3.111.57.204 PrivateIP: 172.31.7.122

CloudShell Feedback

© 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

New Introducing Docker Hardened Images - Learn More →

dockerhub Explore My Hub

Search Docker Hub

prash099 Docker Personal

Repositories / prash-nginx / Tags / latest

Repositories

Collaborations

Settings

Default privacy

Notifications

Billing

Usage

Pulls

Storage

prash099/prash-nginx:latest

MANIFEST DIGEST sha256:0c2105787f4b43bed40d840a5812ca00f633f55b7bd645d547e41a6beed4c31f

Delete Tag

OS/ARCH linux/amd64 COMPRESSED SIZE 19.99 MB LAST PUSHED 1 minute by prash099 TYPE Image MANIFEST DIGEST sha256:0c210578...

Image Layers Vulnerabilities

Image Layers

1 ADD alpine-minirootfs-3.21.3-x86_64.tar.gz _ 3.47 MB

2 CMD ["/bin/sh"] 0 B

3 LABEL maintainer=NGINX Docker Maintainers <dock... 0 B

4 ENV NGINX_VERSION=1.27.5 0 B

5 ENV PKG_RELEASE=1 0 B

Command

ADD alpine-minirootfs-3.21.3-x86_64.tar.gz / # buildkit

By clicking "Accept All Cookies", you agree to the storing of cookies on your device to enhance site navigation, analyze site usage, and assist in our marketing efforts.

Cookies Settings

Reject All

Accept All Cookies