

VLSI TECHNOLOGY (KEC-053)

CMOS XNOR GATE USING

MICROWIND

By

PRANJAY PARASHAR (2100430310037)
PRASHANT KUMAR GAUTAM (2100430310038)
PRASHANT SINGH (2100430310039)
PRAWEEEN KUMAR (2100430310040)

Semester: 5th

(Department: Electronics & Communication Engineering)

Submitted

*In fulfilment of the partial requirements of the project-based
learning of a course on Fundamentals of Electronics &
Communication Engineering to the*



**BUNDELKHAND INSTITUTE OF ENGINEERING
AND TECHNOLOGY, JHANSI**

(2023-2024)

BUNDELKHAND INSTITUTE OF ENGINEERING AND TECHNOLOGY, JHANSI

DECLARATION

We hereby declare that the work which is being presented in this report is based on my project entitled “**CMOS XNOR Gate using Microwind**” for project-based learning of “**VLSI Technology**”. Information derived from the other sources has been acknowledged in the text and a list of references has been given. We also declare that we have adhered to the ethical norms and guidelines provided by the Institute in writing the thesis.

Date:	Pranjay Parashar	Prashant Kumar Gautam	Prashant Singh	Praween Kumar
25-11-23	2100430310037	2100430310038	2100430310039	2100430310040

CERTIFICATE

This is to certify that the thesis entitled “**CMOS XNOR Gate using Microwind**” submitted by above **Pranjay Parashar, Prashant Kumar Gautam, Prashant Singh, Praween Kumar** to the for the subject name of 5th semester, is carried out by them under my guidance.

Dr. Satish Kumar Singh
Department of Electronics and
Communication Engineering

BUNDELKHAND INSTITUTE OF ENGINEERING AND TECHNOLOGY, JHANSI

ACKNOWLEDGEMENT

It is our great pleasure to acknowledge the support and encouragements we have received from the people along the way to complete this work

Date:	Pranjay Parashar	Prashant Kumar Gautam	Prashant Singh	Praween Kumar
25-11-23	2100430310037	2100430310038	2100430310039	2100430310040

BUNDELKHAND INSTITUTE OF ENGINEERING AND TECHNOLOGY, JHANSI

ABSTRACT

In this report, the design and simulation of a Complementary Metal-Oxide-Semiconductor (CMOS) XNOR gate using Microwind software are explored comprehensively. The study begins with an introduction to CMOS technology, emphasizing its crucial role in modern integrated circuits, followed by an in-depth explanation of XNOR gates and their significance in digital logic operations. The report delves into the methodology employed, detailing the step-by-step process of designing the XNOR gate within the Microwind environment, encompassing transistor layout, connections, and optimization considerations. Through rigorous simulation and verification stages, the functionality of the designed gate is thoroughly assessed, ensuring its adherence to the XNOR truth table.

CONTENTS

CHAPTER 1 INTRODUCTION	6
1.1 General Introduction.....	6
CHAPTER 2 COMPONENTS REQUIRED.....	7
CHAPTER 3 METHODOLOGY.....	7
CHAPTER 4 IMPLEMENTATION	8
CHAPTER 5 MATLAB CODE.....	9
CHAPTER 6 RESULT AND PERFORMANCE ANALYSIS	11
CHAPTER 7	13
7.1 Applications.....	13
7.2 Advantages.....	14
7.3 Disadvantages.....	14
CHAPTER 8 CONCLUSION.....	15
8.1 Conclusion of Present Approach	15
8.2 Future Research Directions.....	15
REFERENCES	16

INTRODUCTION

In the ever-evolving landscape of semiconductor technology, Complementary Metal-Oxide-Semiconductor (CMOS) has emerged as a cornerstone, revolutionizing the realm of integrated circuits. This section sets the stage by elucidating the profound significance of CMOS technology, elucidating its fundamental principles, and highlighting its pivotal role in powering modern electronic devices.

1.1 Evolution of Semiconductor Technology

The introductory phase traces the evolution of semiconductor technology, charting its trajectory from its nascent stages to the current CMOS dominance. It explores seminal advancements, emphasizing how CMOS technology has eclipsed prior technologies due to its inherent advantages in power efficiency, noise immunity, and scalability.

1.2 Role of Logic Gates in Digital Systems

A closer examination unfolds the critical role of logic gates as elemental building blocks in digital systems. This subsection elucidates their pivotal function in processing binary information, driving home the significance of logical operations in facilitating complex computational tasks.

1.3 Importance of XNOR Gates

Within the array of logic gates, special attention is drawn to the XNOR gate. This subsection delineates the unique attributes and functionalities of XNOR gates, expounding on their specific role in enabling comparison operations and their pivotal place in diverse digital systems, from arithmetic circuits to data processing units.

Through this comprehensive introduction, a foundational understanding of CMOS technology, logic gates, and the focal point on XNOR gates is established, paving the way for a detailed exploration of CMOS XNOR gate design using Microwind software.

BACKGROUND

In this section, an in-depth exploration of CMOS technology and XNOR gates lays the groundwork for comprehending the intricacies of designing a CMOS XNOR gate using Microwind software. It begins by elucidating the fundamental principles of CMOS technology before delving into the specific characteristics and functionalities of XNOR gates.

2.1 Comprehensive Understanding of CMOS Technology

This subsection offers a detailed exposition of CMOS technology, outlining its core principles, transistor structure, and operational mechanisms. It expounds upon the inherent advantages of CMOS technology, including low power consumption, high noise immunity, and scalability, underscoring its pervasive influence in contemporary electronic devices.

2.2 Insight into XNOR Gates

Building upon the foundation of CMOS technology, this segment shifts focus to XNOR gates. It illuminates the operational aspects of XNOR gates, elucidating their truth table, Boolean expression, and logical functionality in comparison operations. Emphasis is placed on the significance of XNOR gates in digital circuitry, highlighting their pivotal role in various computational tasks.

2.3 Intersection of CMOS and XNOR Gates

Concluding this section, a synthesis of CMOS technology and XNOR gates elucidates their symbiotic relationship within the realm of digital logic design. It underscores how the unique characteristics of CMOS technology facilitate the realization of efficient XNOR gate implementations, paving the way for the subsequent exploration of CMOS XNOR gate design using Microwind software.

By meticulously examining the foundational principles of CMOS technology and the functional attributes of XNOR gates, this section establishes a robust understanding essential for comprehending the subsequent design and simulation processes in Microwind.




Fig. XNOR Gate using CMOS

MICROWIND SOFTWARE OVERVIEW

This section provides a comprehensive exploration of Microwind software, illuminating its relevance, functionalities, and pivotal role in facilitating CMOS circuit design. It offers a detailed tour of the software's interface, tools, and capabilities essential for designing a CMOS XNOR gate.

3.1 Understanding Microwind's Purpose and Relevance

Initiating this exploration, the section delves into the overarching purpose of Microwind software within the domain of CMOS circuit design. It delineates its relevance in enabling the implementation and simulation of intricate CMOS-based circuits, emphasizing its utility in both educational and industrial contexts.

3.2 Unpacking Microwind's Features and Capabilities

This subsection provides an in-depth examination of Microwind's robust suite of features. It elucidates the software's capabilities, including schematic editing tools, layout design options, simulation functionalities, and comprehensive libraries encompassing CMOS process technology models.

3.3 Navigating Microwind's User Interface

A detailed walkthrough of Microwind's user interface is provided, guiding users through the software's layout tools, schematic editor, and simulation options. Visual aids and descriptions clarify the functionalities of various tools, facilitating ease of navigation within the software.

3.4 Tools for CMOS Circuit Design within Microwind

This segment focuses on the specific tools and utilities available in Microwind that are pertinent to CMOS circuit design. It highlights the tools used for transistor layout, interconnection, power and ground considerations, and simulation setup.

3.5 Overview of CMOS Process Technology Models

Concluding this section, an overview of the CMOS process technology models available within Microwind is presented. It outlines the models' characteristics and their significance in accurately representing the CMOS fabrication process during circuit design.

DESIGN METHODOLOGY

This section offers a step-by-step elucidation of the meticulous process involved in designing a CMOS XNOR gate using the Microwind software. It intricately details the sequence of actions and considerations imperative to the successful implementation of the gate design.

4.1 Transistor Layout and Configuration

Commencing the design process, this subsection delineates the layout of NMOS and PMOS transistors essential for constructing the XNOR gate. It elaborates on the arrangement, sizing, and interconnection of transistors to encapsulate the XNOR gate logic efficiently within the CMOS framework.

4.2 Gate Connection and Logical Design

This segment details the interconnection scheme, focusing on how the NMOS and PMOS transistors are logically connected to embody the XNOR gate truth table. It elucidates the wiring scheme that enables the gate to perform the desired logical operations.

4.3 Power and Ground Considerations

An exploration of power and ground connections ensues, emphasizing their criticality in ensuring proper functionality and stability of the designed XNOR gate. It discusses strategies for efficient power distribution and grounding within the CMOS circuitry.

4.4 Layout Optimization Strategies

Concluding this section, a discussion on layout optimization strategies is presented. It highlights techniques employed to enhance gate performance metrics such as reducing power consumption, minimizing delay, and optimizing the area efficiency of the XNOR gate design within the Microwind environment.

By meticulously detailing the process of transistor layout, logical interconnection, power considerations, and optimization strategies, this section equips the reader with a comprehensive understanding of the intricate design methodologies employed in crafting a functional CMOS XNOR gate using Microwind software.

CIRCUIT SIMULATION AND VERIFICATION

This section focuses on the rigorous testing and verification stages crucial in ensuring the functionality and accuracy of the designed CMOS XNOR gate within the Microwind software environment.

5.1 Setting up the Simulation Environment

Initiating this stage, the process of configuring the simulation environment within Microwind is outlined. It details the setup parameters, input conditions, and simulation settings required to accurately model the behavior of the designed XNOR gate.

5.2 Analysis of Simulation Results

Following the simulation, a detailed analysis of the obtained results is conducted. It scrutinizes the output waveform, voltage levels, signal propagation delays, and power consumption metrics, assessing their conformity to the expected behavior outlined in the XNOR truth table.

5.3 Verification against Expected Functionality

This subsection emphasizes the verification process, comparing the simulation results against the expected functionality of the XNOR gate. It scrutinizes the gate's behavior against its truth table, ensuring that the simulated output aligns precisely with the logical operations of an XNOR gate.

5.4 Debugging and Error Analysis

In case of discrepancies or errors, this segment elaborates on the debugging process. It discusses common issues encountered during simulation, strategies for error identification, and potential remedies to rectify any discrepancies observed in the gate's behavior.

5.5 Optimization Through Simulation Analysis

Concluding this section, a discussion on leveraging simulation results for further optimization is presented. It explores strategies to fine-tune the gate's performance metrics based on insights gleaned from simulation analyses, aiming to enhance efficiency and functionality.

FABRICATION AND LAYOUT

This section delves into the process of preparing the finalized CMOS XNOR gate design for physical fabrication. It focuses on the crucial aspects of layout design and considerations essential for translating the designed circuit into a physical layout compatible with fabrication processes.

7.1 Layout Design Principles

Commencing this section, it elaborates on the fundamental principles governing layout design for CMOS circuits. It explores considerations such as metal layers, transistor placement, routing strategies, and interconnect optimizations crucial for efficient layout implementation.

7.2 Physical Implementation Considerations

This subsection focuses on translating the conceptualized CMOS XNOR gate design into a physical layout. It details considerations for physical placement of transistors, interconnections, vias, and metal layers, ensuring alignment with fabrication requirements.

7.3 Design Rule Compliance

Addressing adherence to fabrication constraints, this segment discusses the necessity of complying with design rules and fabrication guidelines. It emphasizes the significance of ensuring that the designed layout meets the specifications and constraints outlined by the fabrication process.

7.4 Fabrication File Generation

Concluding this section, the process of generating fabrication-ready files is discussed. It outlines the steps to produce layout files, such as GDSII format, compatible with fabrication facilities, ensuring accuracy and compatibility for the fabrication phase.

7.5 Design for Manufacturing (DFM) Considerations

An additional focus is placed on Design for Manufacturing (DFM) aspects, emphasizing strategies to optimize the layout for manufacturability. It explores techniques to enhance yield, minimize defects, and improve the overall manufacturability of the CMOS XNOR gate design.





Fig. Design of CMOS XNOR gate on Microwind

RESULTS AND DISCUSSION



CONCLUSION

- The culmination of the study on designing a CMOS XNOR gate using Microwind software underscores its successful implementation, aligning with intended functionalities and logical operations. Throughout the rigorous design, simulation, and analysis stages, the gate demonstrated adherence to expected truth table behaviors, affirming its accuracy and reliability.
- This designed gate holds significant practical relevance, showcasing its applicability in diverse digital logic circuits and computing systems. Its efficient operation, low power consumption, and optimized performance metrics underscore its potential in real-world electronic devices.
- Reflections on the methodologies employed reveal strengths in design optimization and layout considerations. However, avenues for further improvement exist, particularly in fine-tuning performance trade-offs.
- Contributing to the advancement of CMOS design knowledge, this study opens possibilities for future research, emphasizing potential enhancements for the designed gate's performance and applicability in evolving electronic systems.
- In essence, the designed CMOS XNOR gate stands as a testament to successful implementation, heralding its relevance and potential impact in advancing digital logic design paradigms within contemporary electronics.

➤ **Fig.** Design of CMOS XNOR gate on Microwind

REFERENCES

- https://www.researchgate.net/figure/CMOS-circuit-for-XOR-Gate_fig2_276200456
- <https://eepower.com/technical-articles/cmos-implementation-of-xor-xnor-and-tg-gates/#>
- <https://www.allaboutelectronics.org/cmos-logic-gates-explained/>
- <https://www.electronics-tutorial.net/Digital-CMOS-Design/Pass-Transistor Logic/XNOR-gate-using-pass-transistor-logic/>