

```

prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice$ cd linux_exercise/
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ mkdir -p practice_day1
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ ls -lrth
total 0
drwxrwxrwx 1 prashant prashant 4.0K Mar  6  2026 practice_day1
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ touch numbers.txt
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ ls -lrth
total 0
drwxrwxrwx 1 prashant prashant 4.0K Mar  6  2026 practice_day1
-rwxrwxrwx 1 prashant prashant  0 Mar  6  2026 numbers.txt
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ cat > numbers.txt << EOF
customer_id,first_name,last_name,email,phone,city,country,join_date
101,Arjun,Patel,arjun.patel@example.com,+91-9876543210,Mumbai,India,2022-01-15
102,Priya,Sharma,priya.sharma@example.com,+91-9988776655,Delhi,India,2022-02-10
103,Rajesh,Kumar,rajesh.kumar@example.com,+91-9123456789,Bangalore,India,2022-03-05
104,Neha,Verma,neha.verma@example.com,+91-9345678901,Pune,India,2022-04-12
105,Vikas,Rao,vikas.rao@example.com,+91-9456789012,Hyderabad,India,2022-05-20
106,Anjali,Mehta,anjali.mehta@example.com,+91-9567890123,Chennai,India,2022-06-25
107,Sachin,Yadav,sachin.yadav@example.com,+91-9678901234,Lucknow,India,2022-07-08
108,Rekha,Joshi,rekha.joshi@example.com,+91-9789012345,Jaipur,India,2022-08-15
109,Amit,Deshmukh,amit.deshmukh@example.com,+91-9890123456,Nagpur,India,2022-09-30
110,Sunita,Kapoor,sunita.kapoor@example.com,+91-9901234567,Ahmedabad,India,2022-10-22
EOF
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ |

```

```

prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ mkdir -p practice_day1
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ ls -lrth
total 0
drwxrwxrwx 1 prashant prashant 4.0K Mar  6  2026 practice_day1
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ touch numbers.txt
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ ls -lrth
total 0
drwxrwxrwx 1 prashant prashant 4.0K Mar  6  2026 practice_day1
-rwxrwxrwx 1 prashant prashant  0 Mar  6  2026 numbers.txt
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ cat > numbers.txt << EOF
customer_id,first_name,last_name,email,phone,city,country,join_date
101,Arjun,Patel,arjun.patel@example.com,+91-9876543210,Mumbai,India,2022-01-15
102,Priya,Sharma,priya.sharma@example.com,+91-9988776655,Delhi,India,2022-02-10
103,Rajesh,Kumar,rajesh.kumar@example.com,+91-9123456789,Bangalore,India,2022-03-05
104,Neha,Verma,neha.verma@example.com,+91-9345678901,Pune,India,2022-04-12
105,Vikas,Rao,vikas.rao@example.com,+91-9456789012,Hyderabad,India,2022-05-20
106,Anjali,Mehta,anjali.mehta@example.com,+91-9567890123,Chennai,India,2022-06-25
107,Sachin,Yadav,sachin.yadav@example.com,+91-9678901234,Lucknow,India,2022-07-08
108,Rekha,Joshi,rekha.joshi@example.com,+91-9789012345,Jaipur,India,2022-08-15
109,Amit,Deshmukh,amit.deshmukh@example.com,+91-9890123456,Nagpur,India,2022-09-30
110,Sunita,Kapoor,sunita.kapoor@example.com,+91-9901234567,Ahmedabad,India,2022-10-22
EOF
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ cat numbers.txt | column -t -s,
customer_id  first_name  last_name  email                    phone          city        country  join_date
101          Arjun      Patel      arjun.patel@example.com  +91-9876543210 Mumbai     India    2022-01-15
102          Priya     Sharma     priya.sharma@example.com +91-9988776655 Delhi       India    2022-02-10
103          Rajesh    Kumar      rajesh.kumar@example.com +91-9123456789 Bangalore  India    2022-03-05
104          Neha      Verma      neha.verma@example.com  +91-9345678901 Pune        India    2022-04-12
105          Vikas     Rao        vikas.rao@example.com    +91-9456789012 Hyderabad India    2022-05-20
106          Anjali    Mehta      anjali.mehta@example.com +91-9567890123 Chennai   India    2022-06-25
107          Sachin    Yadav      sachin.yadav@example.com +91-9678901234 Lucknow    India    2022-07-08
108          Rekha     Joshi      rekha.joshi@example.com  +91-9789012345 Jaipur     India    2022-08-15
109          Amit      Deshmukh   amit.deshmukh@example.com +91-9890123456 Nagpur     India    2022-09-30
110          Sunita    Kapoor     sunita.kapoor@example.com +91-9901234567 Ahmedabad India    2022-10-22
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ |

```

```
110      Sunita      Kapoor      sunita.kapoor@example.com +91-9901234567 Ahmedabad India 2022-10-22
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ head -n 5 numbers.txt | column -t -s,
customer_id first_name last_name email phone city country join_date
101      Arjun      Patel      arjun.patel@example.com +91-9876543210 Mumbai India 2022-01-15
102      Priya      Sharma     priya.sharma@example.com +91-9988776655 Delhi India 2022-02-10
103      Rajesh     Kumar      rajesh.kumar@example.com +91-9123456789 Bangalore India 2022-03-05
104      Neha       Verma      neha.verma@example.com +91-9345678901 Pune India 2022-04-12
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ head -n 5 numbers.txt | wc -l
5
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ head numbers.txt | wc -l
10
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ |
```



```

-rwxrwxrwx 1 prashant prashant 4.0K Mar 6 2026 practice_day1
-rwxrwxrwx 1 prashant prashant 876 Mar 6 2026 numbers.txt
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ mkdir -p logs
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ ls -lrth
total 4.0K
drwxrwxrwx 1 prashant prashant 4.0K Mar 6 2026 practice_day1
-rwxrwxrwx 1 prashant prashant 876 Mar 6 2026 numbers.txt
drwxrwxrwx 1 prashant prashant 4.0K Mar 6 2026 logs
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise$ cd logs
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise/logs$ touch app.log server.log data.log
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise/logs$ ls -lrth
total 0
-rwxrwxrwx 1 prashant prashant 0 Mar 6 2026 server.log
-rwxrwxrwx 1 prashant prashant 0 Mar 6 2026 app.log
-rwxrwxrwx 1 prashant prashant 0 Mar 6 2026 data.log
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise/logs$ cat app.log
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise/logs$ cat > app.log << EOF
DATE      TIME      LEVEL    MODULE    MESSAGE
2026-03-06 10:01:10 INFO     AUTH User login successful
2026-03-06 10:02:15 INFO     PAYMENT Payment initiated
2026-03-06 10:03:01 WARNING AUTH Invalid password attempt
2026-03-06 10:04:22 INFO     ORDER Order created
2026-03-06 10:05:30 ERROR    DATABASE Connection failed
2026-03-06 10:06:11 INFO     AUTH User logout
2026-03-06 10:07:05 ERROR    PAYMENT Payment gateway timeout
2026-03-06 10:08:44 INFO     ORDER Order shipped
2026-03-06 10:09:12 WARNING MEMORY High memory usage
2026-03-06 10:10:55 ERROR    AUTH Token expired
EOF

```

```
sudo apt install grafana
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise/logs$ tail -n 3 app.log
2026-03-06 10:08:44 INFO      ORDER      Order shipped
2026-03-06 10:09:12 WARNING MEMORY      High memory usage
2026-03-06 10:10:55 ERROR    AUTH Token      expired
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise/logs$ grep -i "error" data.log
2026-03-06 09:55:45 ETL_JOB ERROR      Missing column in dataset
2026-03-06 10:01:33 ETL_JOB ERROR      Data type mismatch
2026-03-06 10:04:21 ETL_JOB ERROR      Pipeline failed
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise/logs$ grep -i "error" server.log
2026-03-06 10:03:22 SERVER1 ERROR      Disk read failure
2026-03-06 10:07:34 SERVER1 ERROR      Network timeout
2026-03-06 10:10:45 SERVER1 ERROR      Service crashed
prashant@DESKTOP-B9KE2N7:/mnt/c/Users/admin/practice/linux_exercise/logs$ |
```

▶

```
# Exercise 1 - Sum of Numbers
num = [int(input()) for i in range(5)]

print(f" Total sum is : {sum(num)}")
print(f"Average : {sum(num) / len(num)}")
```

[1] ✓ 10.4s

... Total sum is : 15
Average : 3.0



```
# Exercise 3 - Count Even Numbers

list = [2,5,8,11,14,17]

count = 0
for i in list:
    if i % 2 == 0:
        count += 1
print(f"Count Even Number is : {count}")
```

[12] ✓ 0.0s

... Count Even Number is : 3

▶ ▾

```
# Exercise 4 - String Reverse
```

```
word = input("Enter your word :")  
r = word[::-1]  
print(r)
```

[17] ✓ 4.3s

... nohtyp

Exercise 5 - Word Count

```
sentence = input("Enter your sentence :")
print(f"Input : {sentence}")

lst = sentence.split(',')
print(f"After convert the list : {lst}")

count = len(lst)
print(f"Count number of words is : {count}")
```

[22] ✓ 15.6s

... Input : python,is,easy,language

After convert the list : ['python', 'is', 'easy', 'language']

Count number of words is : 4

▶ `# Exercise 6 - Duplicate Finder`

```
list = [1,2,3,2,4,5,3]
dup_item = set()
for i in list:
    if i in dup_item:
        print(i)
    else:
        dup_item.add(i)
```

[12] ✓ 0.0s

... 2
3

Exercise 7 - Dictionary Iteration

```
marks = {  
    "Rahul":85,  
    "Amit": 78,  
    "Priya":92  
}  
for key, value in marks.items():  
    print(f"{key} scored {value}.")
```

[15] ✓ 0.0s

... Rahul scored 85.
Amit scored 78.
Priya scored 92.

 Generate

+ Code

+ Markdown

▶  # Exercise 8 - Simple Password Checker

```
password = input("Enter your password: ")  
if password == 'python123':  
    print("Access Granted")  
else:  
    print("Access Denied")
```

[18] ✓ 7.6s

... Access Granted

▶

```
# Exercise 9 - Multiplication Table

number = int(input("Enter a number: "))

for i in range(1,11):
    print(f"{number} x {i} = {number * i}")
```

[19] ✓ 3.3s

...

```
5 x 1 = 5
5 x 2 = 10
5 x 3 = 15
5 x 4 = 20
5 x 5 = 25
5 x 6 = 30
5 x 7 = 35
5 x 8 = 40
5 x 9 = 45
5 x 10 = 50
```



```
print(f"{number} x {i} = {number * i}")
'''
```

Exercise 10 - Dictionary Using Input

```
name = input("Enter your name: ")
age = int(input("Enter your age: "))
city = input("Enter your city: ")
```

```
user_details = {
    "Name": name,
    "Age": age,
    "City": city
}
print(user_details)
```

[26] ✓ 17.9s

... {'Name': 'prashant', 'Age': 20, 'City': 'chh.sambhajanagar'}

 Generate

+ Code

+ Markdown

[SQL Worksheet]* ▼



Aa ▼



```
1  -- Table: students, create and add some sample records
2  -- Columns: id, name, marks
3
4  CREATE TABLE STUDENTS(id NUMBER, name VARCHAR2(20), marks NUMBER);
```

Query result

Script output

DBMS output

Explain Plan

SQL history



SQL> CREATE TABLE STUDENTS(id NUMBER, name VARCHAR2(20), marks NUMBER)

Table STUDENTS created.

Elapsed: 00:00:00.011

[SQL Worksheet]* ▼



Aa ▼



```
1
2  -- 1.  Show all students
3  SELECT * FROM STUDENTS;
```

Query result

Script output

DBMS output

Explain Plan

SQL history

Download ▼ Execution time: 0.005 seconds

ID

NAME

MARKS

1	1 PRASHANT	75
2	2 VIJAY	65
3	3 AMIT	89
4	4 RAHUL	95

```
3  SELECT * FROM STUDENTS;  
4  
5  --2 Show students with marks greater than 70  
6  SELECT NAME, MARKS FROM STUDENTS WHERE MARKS > 70;
```

Query result Script output DBMS output Explain Plan SQL history



Download Execution time: 0.004 seconds

	NAME	MARKS
1	PRASHANT	75
2	AMIT	89
3	RAHUL	95

```
6 SELECT NAME, MARKS FROM STUDENTS WHERE MARKS < 70;
7
8 -- 3. Sort students by marks in descending order
9 SELECT * FROM STUDENTS ORDER BY MARKS DESC;
```

Query result

Script output

DBMS output

Explain Plan

SQL history



Download



Execution time: 0.004 seconds

	ID	NAME	MARKS
1	4	RAHUL	95
2	3	AMIT	89
3	1	PRASHANT	75
4	2	VIJAY	65

```
10
11 -- 4. Show top 3 students
12 SELECT * FROM STUDENTS ORDER BY MARKS DESC FETCH FIRST 3 ROW ONLY;
```

Query result

Script output

DBMS output

Explain Plan

SQL history



Download



Execution time: 0.004 seconds

	ID	NAME	MARKS
1	4	RAHUL	95
2	3	AMIT	89
3	1	PRASHANT	75

▶ ≡ ⚙️ 📄 ≡ Aa ▼ 🗑️

```
2  -- Columns: order_id, customer, amount
3  CREATE TABLE ORDERS1(order_id NUMBER, customer_name VARCHAR2(20), amount NUMBER);
4  INSERT INTO ORDERS1 VALUES(101, 'RAHUL', 45000);
5  INSERT INTO ORDERS1 VALUES(102, 'PRATIK', 45000);
6  INSERT INTO ORDERS1 VALUES(103, 'VIJAY', 85000);
7  INSERT INTO ORDERS1 VALUES(104, 'VISHAL', 4000);
8  INSERT INTO ORDERS1 VALUES(105, 'RAM', 35000);
9  SELECT * FROM ORDERS1;
```

SQL history

Execution time: 0.007 seconds

	ORDER_ID	CUSTOMER_NAME	AMOUNT
1	101	RAHUL	45000
2	104	VISHAL	4000
3	105	RAM	35000
4	103	VIJAY	85000
5	102	PRATIK	45000

[Terms and Conditions](#)
[Your Privacy Rights](#)
[Delete Your FreeSQL Account](#)
[Cookie Preferences](#)