

```
'''
```

```
# Exercise 1 - Variables & Data Types
```

```
num = 25
```

```
decimal_value = 3.14
```

```
str = 'Hello Python'
```

```
boolean = True
```

```
empty = None
```

```
print(f"Value : {num}, Type is : {type(num)}")
```

```
print(f"Value : {decimal_value}, Type is : {type(decimal_value)}")
```

```
print(f"Value : {str}, Type is : {type(str)}")
```

```
print(f"Value : {boolean}, Type is : {type(boolean)}")
```

```
print(f"Value : {empty}, Type is : {type(empty)}")
```

✓ 0.0s

Exercise 2 - User Input & Type Casting

```
first_number = int(input("Enter first number :"))  
second_number = int(input("Enter second number : "))  
  
sum = first_number + second_number  
print(f"Sum is : {sum}")
```

✓ 8.1s

Sum is : 30

```
000 number % 2
...

```

```
# Exercise 3 - Even or Odd (if-else)
```

```
num = int(input("Enter number : "))
```

```
✓ if num % 2 == 0:
```

```
    print(f"{num} is Even")
```

```
✓ else:
```

```
    print(f"{num} is Odd")
```

✓ 4.9s

44 is Even

```
Use range()  
...  
# Exercise 4 - Print Numbers Using for Loop  
|  
for i in range(1,11):  
    print(i)
```

Success

✓ 0.0s

```
1  
2  
3  
4  
5  
6  
7  
8  
9  
10
```

Exercise 5 - Print Even Numbers

```
for num in range(1, 21):  
    if num % 2 == 0:  
        print(num)
```

✓ 0.0s

2
4
6
8
10
12
14
16
18
20

```
'''  
# Exercise 6 - break and continue
```

```
for i in range(1, 10):
```

```
    if i == 5:
```

```
        continue
```

```
    elif i == 8:
```

```
        break
```

```
    print(i)
```

```
print("loop ended.")
```

✓ 0.0s

1

2

3

4

6

7

loop ended.

Generate

+

Exercise 7 - List Operations

```
number = [10,20,30]
print(f"original list : {number}")

# append method
number.append(40)
print(f"After append method : {number}")

# insert method
number.insert(1, 15)
print(f"After insert method : {number}")

# remove method
number.remove(20)
print(f"After remove method : {number}")

print(f"Final List is : {number}")
```

✓ 0.0s

```
original list : [10, 20, 30]
After append method : [10, 20, 30, 40]
After insert method : [10, 15, 20, 30, 40]
After remove method : [10, 15, 30, 40]
Final List is : [10, 15, 30, 40]
```

Exercise 6 List slicing

```
numbers = [10,20,30,40,50,60]

print(f" First three elements : {numbers[0:3]}")
print(f" Last two elements : {numbers[4:]}")
print(f" Reverse List : {numbers[::-1]}")
```

✓ 0.0s

```
First three elements : [10, 20, 30]
Last two elements : [50, 60]
Reverse List : [60, 50, 40, 30, 20, 10]
```



```
list()  
...
```

```
# # Exercise 9 - Set (Remove Duplicates)
```

```
lst = [1,2,2,3,4,4,5]  
uniq_elements_lst = set(lst)  
print(f"uniq elements set : {uniq_elements_lst}")
```

✓ 0.0s

uniq elements set : {1, 2, 3, 4, 5}

'''

Exercise 10 - Dictionary Operations

```
student = {  
    "Name": "Rahul",  
    "Age": 21,  
    "Branch": "CSE"  
}  
  
print(student.keys())  
print(student.values())  
print(student.items())  
print(student.get("Branch"))  
  
for name in student:  
    print(name)  
  
for value in student.values():  
    print(value)  
  
for name, value in student.items():  
    print(name, value)
```

✓ 0.0s