


2460722_SIS_CASE STUDY 2

Page 1

CASE STUDY : 2 - Logistics

Step 1: Create SSIS Package




Step 2: Configure Connections

2.1 : SQL Server Connection Manager

- Create Database WarehouseA_DB
- Create Shipments Table with Columns - Shipment_Id, Date, Origin, Destination
- Added data to shipments table
- Create OLEDB Warehouse A
- Test connection



Page 2



Page 3

2.2 Flat File Connection Manager (CSV)

- Create warehouse_b_shipments.csv file
- Create Flatfile Warehouse B - Add the .csv file and ensure the datatype matches.



Page 4

Step 3: Data Flow Task

- Drag a Data Flow Task into Control Flow.
- Named it Process and Combine Shipment Data

Step 4: Inside Data Flow Task

A . Extract Phase



4.1 : OLE DB Source(SQL Server)

- Drag an OLE DB Source onto the canvas
- Named it as SRC - Warehouse A
- Choose OLEDB_WarehouseA as connection manager

Page 5

4.2 Flat File Source



- Drag a Flat File Source onto the canvas
- Named it SRC- Warehouse B



Page 6

- Choose FlatFile_WarehouseB


B. Standardization



Page 7


Step C: Combine Data

- Drag a Union All transformation onto the canvas.
- Connect the output arrow of SRC - Warehouse A to Union All.
- Connect the output arrow of DC - Standardize CSV to Union All.
- Double-click Union All to verify that shipment_id, shipment_date, origin, and destination map correctly across both inputs.



Page 8


Step D: Deduplication



Page 9

The Sort Transformation

- Drag a Sort transformation onto the canvas and connect Union All to it.
- Check the box next to shipment_id.
- check "Remove rows with duplicate sort values".



Page 10

Step E: The Destination (Load)

1. Drag a Flat File Destination to the canvas and connect your deduplicated output (from the Sort or Aggregate task) to it.
2. Rename it to DST - Clean Logistics Data.
3. Double-click to configure $\rightarrow$ click New... $\rightarrow$ choose Delimited.
4. Select a file path where you want clean_logistics_data.csv to be created. Check "Column names in the first data row".
5. Go to the Mappings tab on the left. Ensure your clean columns map perfectly to the destination CSV columns.

Sort Transformation Editor

Specify the columns to sort, and set their sort type and their sort order. All nonselected columns are copied unchanged.

Available Input Columns


☐	Name	Pass Throu...
☒	ShipID	☐
☐	ShipmentDate	☒
☐	From	☒


Input Column	Output Alias	Sort Type	Sort Order	Com
ShipID	ShipID	ascending	1	

☒ Remove rows with duplicate sort values


OK Cancel Help


Page 11





Page 12






Page 13

INPUT : CSV File

INPUT : Shipments Table Data

OUTPUT FILE - Clean Logistics Data

```
warehouse_b_shipments.csv - Notepad
File Edit Format View Help
ShipID,ShipmentDate,From,To
1003,2026-06-21,new york,los angeles
1004, 2026-06-22, houston, dallas
1003, 2026-06-23, new york, los angeles
```



GitHub: <https://github.com/PrashantM-9803/SSIS-Casestudy-2>

Submitted by Prshant Mahamuni
Emp Id: 2460722