

<b>mar</b>	waui cuuta	uvii rvuiiual	ioii 2 @toah oi i	iii2mmnii2 💻
<b>U</b>		99999999999999999999999999999999999999	Ans	wer Book
	Enrolmen	t No.		
1 9	0 5 7 0 1	07124		********
jugh Student	vemkat kumat s Signature	190570107124 t 17409 x 45726	■発型 私務分 ■公表	$\mathbf{X}$
W (b)	m			
Supervise	or's Signature			
Supervise Name	or's km		Main	Suppli. Total
Seat No.			1 +	0 = 1
MB-16			Subject Name	JP
			Subject Code 3 1	60713
		(	Date of Exam D	
PART - I (To be f	illed by examiner only	)	Course Name	BE (CE)
Question No.		Marks by Marks by Verifier-I Verifier-II	For the us	se of University
1				
2				
3				
4				
5		-		1
6				
<b>7</b> ×				
Total Marks Obtained			SIGNATU	RE OF SUPERVISOR
Total Marks Rounded				egistered under unfair means)
Total Marks in Words				F SENIOR SUPERVISOR
	vad Marwad Marwad Marw		(Incase of student r	egistered under unfair means)
erwadi Marwadi Marv erwadi Marwadi Marv erwadi Marwadi Marv erwadi Marwadi Marv erwadi Marwadi Marv	vadi Marwadi Marwadi Marw vadi Marwadi Marwadi Marw		Jr. Supervisor Information	
erwadi Marwadi Marv erwadi Marwadi Marv erwadi Marwadi Marv erwadi Marwadi Marv	vadi Marwadi Marwadi Marw vadi Marwadi Marwadi Marw	Name: Km	Date: 8. 4. 22	Sign: Dim
arwadi Marwadi Marv arwadi Marwadi Marv arwadi Marwadi Marv arwadi Marwadi Marv	vadi Marwadi Marwadi Marw vadi Marwadi Marwadi Marw vadi Marwadi Marwadi Marw vadi Marwadi Marwadi Marw		<b>Examiner Information</b>	
26 X CVP - SON TONE TO THE SON TO THE	normalistation of the Title of T.	Name :	Date :	Sign:
IMPORTANT NOT	E: Examiner is required	to enter marks in LED form	£	
Que. 1	Que. 2 Qu	e. 3 Que. 4 Q	ue. 5 Que. 6 Que	e. 7 Total
8 18	888	8888	8888	888










## Instructions to Candidates


- Student should ensure that any objectional material leading to UFM case is not lying arround his/her seat prior to start of examination and it will be the sole responsibility of the student to inform to the supervisor.
- A candidate has to first paste barcode at the appropriate place on the front page of this answerbook.
- Enter your enrolment number, subject code, date of exam and tick appropriate exam and tick appropriate exam at ppropriate location.
- Do not write your name or number or any sign in the answerbook which reveals your identity.
- Write relevant answer of the question in a clear and legible handwriting on both sides of the answerbook.
- 6. Begin a new answer on separate page.
- No candidate will be allowed to leave the examination hall after the commencement of examination till 45 minutes and during the last 10 minutes of the examination session.
- Do not write anything in space provided for marks.
- Do not leave your seat in any circumstances without the prior permission of the block supervisor.
- Under no circumstances, the candidate will be allowed to enter the examin ation hall after commencement of examination.
- 11. If any objectionable material related to exam or mobile phone or programmable calculator is found with candidate or found exchanging answerbook / question paper with other candidate, he/she will be immediately expelled and the final punishment will be imposed once the matter is taken up by the authorities.
- There will be warning bell 10 minutes before the completion of the examination.
- After warning bell, the candidate will stop writing, tie up the supplementaries and he/she will hand over the answerbook to the block supervisor after final bell.
- Hand over blank/unused supplementaries to the block supervisor before leaving the examination hall.
- 15. Hollow sticker should be stuck after warning bell on the left hand of the front page of this answerbook covering the information filled up by the candidate and the barcode label.
- A disciplinary action will be taken against the candidate who disobeys the instructions of the block supervisor or misbehaves or biolates the code of conduct of examination of Gujarat Technological University / Marwadi University

## પરીક્ષાર્થીઓ માટે સૂચના

- પરીક્ષા શરૂ થતા પહેલા પોતાની બેઠકની આસપાસ ઉપર નીચે જો પરીક્ષામાં ગેરરીતી સાબીત કરી શકે તેવુ કોઇપણ સાહિત્ય પડેલ હોય તો તેની જાણ ખંડ નિરીક્ષકને કરાવવાની સંપૂર્ણ જવાબદારી વિદ્યાર્થીની રહેશે.
- પરીક્ષાર્થીએ સૌપ્રથમ બારકોડ સ્ટિક્ર જવાબવહીના પ્રથમપાના ઉપર નિર્ધારિત જગ્યાએ લગાવવાનું રહેશે.
- જવાબવહીના પ્રથમ પાના ઉપર નિયત કરેલ જગ્યામાં તમારો એનરોલમેન્ટ નંબર, વિષય કોડ, પરીક્ષાની તારીખ અને યોગ્ય પરીક્ષાની વિગતો ભરો.
- જવાબવહીના કોઈ પણ પાના ઉપર તમારી ઓળખ જાહેર થાય તેવી રીતે નંબર, નામ અથવા નિશાની કરશો નહિ.
- પ્રશ્નોને અનુરૂપ જવાબ જવાબવહીના પાનાની બંને બાજુએ સુવાચ્ય સ્પષ્ટ હસ્તાક્ષરોમાં લખો.
- નવા પ્રશ્નનો જવાબ નવા પાનેથી શરૂ કરો.
- ૭. પરીક્ષા શરૂ થયેથી ૪૫ મિનિટ સુધી અને પરીક્ષા પૂરી થવાનાં ૧૦ મિનિટ અગાઉ કોઇપણ પરીક્ષાર્થીને પરીક્ષાખંડ છોડવાની મંજૂરી આપવામાં આવશે નહિ
- જવાબવહીમાં ગુણાંક લખવાની જગ્યામાં કશું લખશો નહિ.
- ખંડ નિરીક્ષક્ની રજા સિવાય પરીક્ષાર્થીએ પોતાની જગ્યા છોડવી નહિ.
- કોઈ પણ સંજોગોમાં, પરીક્ષા શરૂ થયા બાદ પરીક્ષાર્થી પરીક્ષાખંડમાં પ્રવેશી શક્શે નહિ.
- ૧૧. પરીક્ષાને લગતું વાંધાજનક કોઈ પણ સાહિત્ય, મોબાઈલ ફોન અથવા પ્રોગ્રામેબલ કેલક્યુલેટર પરીક્ષાર્થી પાસેથી મળી આવે અથવા પ્રશ્નપત્ર/જવાબવહી અન્ય પરીક્ષાર્થી સાથે અઠલ-બદલ કરે તો તેવા કિસ્સામાં તે ∕ તેણીને પરીક્ષામાંથી ઉઠાડી મૂકવામાં આવશે અને અંતિમ શિક્ષા માટે સક્ષમ અધિકારીશ્રીઓને સોંપવામાં આવશે.
- ૧૨. પરીક્ષા પૂરી થવાની ૧૦ મિનિટ પહેલાં ચેતવણી ઘંટ વગાડવામાં આવશે.
- ૧૩. ચેતવણી ઘંટ વાગ્યાથી પરીક્ષાથી જવાબ લખવાનું અટકાવી, પુરવણીને મુખ્ય જવાબવહી સાથે બાંધી પરીક્ષા પૂરી થતા ઘંટ વાગ્યે ખંડ નિરીક્ષકને આપવાની રહેશે.
- ૧૪. ચેતવણી ઘંટ વાગતા પરીક્ષાર્થીએ જવાબવહીનાં પ્રથમ પાના ઉપર ડાબી બાજુના ખૂણે બાર કોડ સ્ટિક્ર અને પરીક્ષાર્થીની માહિતી ઢંકાય તે રીતે હોલો સ્ટિક્સ લગાવવાનું રહેશે.
- ૧૫. પરીક્ષા ખંડ છોડતાં પહેલાં કોરી/વણવપરાયેલી પુરવણી ખંડ નિરિક્ષકને સોંપી દેવાની રહેશે.
- ૧૬. જો કોઈ પરીક્ષાર્થી ખંડ નિરીક્ષકની સૂચનાનું પાલન ન કરે, ગેરશિસ્ત આચરે અથવા ગુજરાત ટેક્નોલોજીક્લ યુનિવર્સિટી/મારવાડી યુનિવર્સિટીનાં શિસ્તપાલનના નિયમોનો ભંગ કરે તો, તેવા પરીક્ષાર્થી સામે શિસ્તભંગના પગલાં લેવામાં આવશે.







c) on Mouse Down ()!- on mose Down ()


1's a prethod.


window. phompt ( Enter your name"

by Which we dick somthing,

So, it takes input from the user

(A)








¥	+ + + + + = 5
	a. No.
	a) user defined yava schint function  i's the that function which is  cheated or defined by user  be cause some functions are  inbail function that i's already  defined.  user depined function can be
THIS PORTION	user depined function can be cheated of any name.  as for example:  < schipt?  function myfunction () 11 depine
IYTHING IN	document. white (" This is my user define function");
DO NOT WRITE ANY	my function(); 11 call function <1scbint>
DO NO.	output! This is my userdefine function. < schipt? function test()
	document. white (" Hello my dear

test ()


< / Schipt > output: Hell my dear friendle





Q. No.
b) Array i's define as
b.) Array 1's define as it 1's a conteniner which
kept similar types of
element, only interger
element, only interger type element, only string
type element ob other
cluta type element.
< ? php
3 Car = [dvowo"/"BMLI", "TOYT
echo "tame of the car". \$car. " ";
"< br>";
2 /
a name of the car
out put: - VIIVO, BIMIN, 10 YTA
Hebe Car 1's variable inhich
s act as container of
array type object.
< ? php
9 Hame = [1 Jay", "RAM", "shyam"
echo " \$ Hame";
? ⊅.
output: Jay RAM, shyam









Q.
oustion -2 or
my php. php
a) < 1 php
= servername = "localhost";
8 Username = "username";
\$ password = " nassword";
* database = "mydb";
conn = mysali-connect (8 servername,
susurname, & password);
if ( l conn)
die (4 connection is fail");
J Aub le neure
\$SQL = INSERT INTO Studently filest Mam
Lust Hame, Mubile Number,
email) values ("jay", "kumar",
7277182512, "Jayogmail.com"));
11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
if ( \$691,\$com) {
stresult = " data i's successfully
steroit = "data i's successfully inscreted into database
table";
Jelse
echo " connetion_sqLemr")
ECHO COMICCIDADA SA ERIOR I





No.
2000 type MIML)
H+m1>
< body >
Leon > action = myphp.php
method = " Post" >
116 Tho of - PVS1
cingut type = 'text' name =" filost
names capp echo s_post
(fist_name) [name) ?>
< ipput type = " text" name = "last
neime 11>
< 7 Php echo 9- post["Lastneme]
> ? >
< input type = "text" name = "mobile
nvmher">
< ? nhp echo B_ pust Co mobile
number" ] 12
< ipply type = "tex cemail"
name = "email">
Php echo 8_post [ email ]
KYBODY> (1 Html) 2)
bytput! Jay
kumar
7282182518
Jake gmail.com
J. V. D. C. J. J. C. CO.






b) Java Schipt Regular Exploseron  US a Sequence of Chabacter Lithia  I's used for Check the Client ipput validation.  It search a pattern from the  user his input that i's allbeedy  cle fine by the developer in.  Name validation have only  seatence of chabater 10 any  digit are allowed.  \( \) [a-z A-2]\$\)  \( \) ca-z A-2]\$\)  start. \( \) end  \( \) end  \( \) end  \( \) chabacter, et nometric value  one \( \) spical chabacter @ an  altowed.  \( \) \( \) [a-z A-2]. \( \) (a-z A-20-9]1\$  start  \( \) \( \) a-z A-2]. \( \) \( \) (a-z A-20-9]1\$  \( \) the ps the user Athunticates  \( \) It helps the user Athunticates
is used for check the client ipput validation.  It search a pattern from the user his input that is allowedy define by the developer in.  Name validation have only septence of chabater 10 any alignit are allowed.  In [a-2 A-2]\$1  Start: Send  Email validation abe allowed for chabacter, et numeric valuation are allowed.  In [a-2 A-2]. (a-2 A-2 0-9]19  start: 0-9  It helps the user Athun treater.  It helps the user Athun treater.
ipplit validation.  It search a pattern from the user the input that is allowedy define by the developed in.  Name validation have only searchee of chabater no any digit are allowed.  If [a-z A-z]\$!  Send  Email validation abe allowed for chabaicter, at nome of common one spical chabacter @ and allowed.  In [a-z R-z].@[a-z A-z 0-9]]\$  start  One spical chabacter @ and one spical chabacter @ a
It search a pattern from the user his input that is allbeedy define by the developed in.  Name validation have only searches of chabater 10 any digit are alwoed.  /^ [a-z A-z]\$1  Start Send  Email validation abe allowed for chabacter, of numeric value one spical chabacter @ an allowed.  /^ [a-z A-z].@ [a-z A-z 0-9]]\$  start 0-9  It nelps the user Athunticates  It helps the user Athunticates
user his input that his allowedy define by the developed in.  Name validation have only servence of charater 10 any alight are allowed.  In [a-z A-z]\$)  Email validation are allowed for character, et nome bic value one spread character @ an allowed.  In [a-z A-z]. @ [a-z A-z o-q]]\$  stert o-q end  The ps the user Athunticates  It helps the user Athunticates
Name validation have only  Septence of charater no any oligit are allowed.  (a-2 A-2]\$1  Start: Send  Email validation are allowed  for character, of numeric value  one spical character @ an  allowed.  /^ [a-2A-2].@[a-2 A-2 0-9]19  start  o-9  Start  1 helps the user Athunticates  1 hups the uniquely licentify
Name validation have only  Segvence of charater no any alignit are allowed.  /^[a-z A-2]\$\  Email validation are allowed  for character at numeric value  one spical character @ are  allowed.  /^[a-z A-2].@[a-z A-2 0-9]\\$  start  b-9  Start  -> It helps the user Athunticater  -> It hups the uniquely identify
Seatence of character no any alignit are allowed.  In [a-2 A-2]\$1  Start: Send  Email Validation are allowed  for character, of numeric value  one spreal character @ an  allowed.  In [a-2 A-2].@[a-2 A-2 0-9]1\$  start  og  of  the lps the user Athunticates  It hups the uniquely licentify
Seatence of character no any alignit are allowed.  In [a-2 A-2]\$1  Start: Send  Email Validation are allowed  for character, of numeric value  one spreal character @ an  allowed.  In [a-2 A-2].@[a-2 A-2 0-9]1\$  start  og  of  the lps the user Athunticates  It hups the uniquely licentify
/^ [a-2A-2]\$\  start: Send  Email validation abe allowed  for chabaiter, of numeric value  one spical character @ are  allowed.  /^ [a-2A-2].@[a-2A-20-a]\\$  start b-a  -> It helps the user Athunticates  > It hups the uniquely liclentify
start. Send  Email Validation are allowed  for character, all numeric value  one spical character @ an  allowed.  /^ [a-2A-2].@[a-2A-20-9]19  start  one  > it helps the user Athunticates  > it hups the uniquely licentify
Email validation abe allowed  for chabaiteter, of numeric value  one spical character @ an  allowed.  /^ [a-2A-2].@[a-2A-20-9]19  start  og  it helps the user Athunticates  It hups the uniquely liclentify
for chabaicter, at numebic value one spical chabacter @ an altowed.  /^ [a-2A-2-].@[a-2A-20-9]19 start 0-9 start 0-9 start 4  > It helps the user Athunticates  > It hups the uniquely licentify
one spread character @ and altowed.  1/2 [a-2/A-2].@[a-2/A-20-9]19 sterrt 0-9 sterrt end  >) It helps the user Athuntreates  >) It hups the uniquely licentify
allowed.  /^ [a-2A-2].@[a-2A-20-9]19 stert 0-9 end  > it helps the user Athunticates  > it hups the uniquely licentify
/^ [a-2A-2].@[a-2A-20-9]19 stert 0-9 end  > it helps the user Athunticates  > it hups the uniquely licentify
stert end  > It helps the user Athunticates  > It hups the uniquely licentify
stert end  > It helps the user Athunticates  > It hups the uniquely licentify
> it helps the user Athunticates
the user
-> i't help fast seatching, and inethining the deta.
hetnining the deta.
-> Regular explession given the
use panted searching method
jeb-j fartly.
1 - Start the heighbor expression
8 - end of the regular expransion









Q. No.
Seminal
= 3
4
■ ************************************
*
·



DO NOT WRITE ANYTHING IN THIS PORTION

Q. No.	
Q.	
No.	
No.	
	20,765
	representation of the Company of the
i v	
	***************************************
	VIVI 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	W
	,
	***************************************
	White and the second se
	***************************************
	III III
	***************************************
	200 (and 1924) march 1930 (and 1930)
	4510
part as secretarion and control and accompanies of the control and the control of the control of the control of	
	***************************************




Q.	nere .
No. I	<i>22.</i> (
	201
	 M
	166 201
	517
	80
	N.
	6.5
	M.
	::: 35a
	25
	•
	## ##
	201
	21
	99
6	

	_)'	_),		 _)*	_)	
Q. No.				 		
				 -	************	
***************************************	÷.		**************************************	 		***************************************
***************************************				 	***************************************	*************
				 ***************************************	11 = 1 8	
				 		************
		<b>/</b>	**********	 		
	./			 		
	*****************			 		
	***************************************			 		
	***************************************	***************************************		 	*************	
	************	*************		************		







DO NOT WRITE ANYTHING IN THIS PORTION

