

Project Report

On

“STARCON ORGANIC PRODUCTS”

Submitted to the **Uttaranchal University** in partial fulfillment of the
requirement for the award of the Degree of Master of Computer Application



**UTTARANCHAL
UNIVERSITY**

Session: -2020-2021

Department of computer application

Uttaranchal Institute of Management, Dehradun

Submitted to:

Mrs. Monisha Avasthi
(Associate Professor)

Submitted by: -

Prashant Bhatt
[Enrollment No: -UU160900212]

ACKNOWLEDGEMENT

The most awaited moment of any Endeavor is successful completion, but nothing can be done successfully if done alone. Success is the outcome of contribution and consistent help of various persons and we thank those ones who helped us in successful completion of this project.

We would like to thank “**Dr. Pradeep Suri**” (**Dean UIM**) for providing us with all necessary resources required to complete this project. We express our sincere gratitude to our colleagues with whom we had fruitful discussions which have helped us a lot in giving a final shape to the program.

We profusely are thankful to program coordinator “**Mr. Sameer Sharma**” and our guide “**Mrs. Monisha Avasthi**”. Both have been generous enough to provide us an opportunity and accepting our candidature for the most valuable guidance and affordable treatment given to us at every stage to boost our morale.

Student Name: -Mr. Prashant Bhatt

DECLARATION

I hereby declare that the project work entitled “**Starcon Organic Products**” submitted to the “**Uttaranchal University**”, is a record of an original work done by me under the guidance of “**Mrs. Monisha Avasthi**” and this project work has not performed the basis for the award of any Degree or diploma/ associate ship/fellowship and similar project if any.

DATE: 03-03-2021

PLACE: DEHRADUN

Signature

(prashant)

Certificate of Originality

This is to certify that Prashant Bhatt is a student of MCA (6th Semester) in Department of Computer Application of Uttaranchal Institute of Management, have completed the Project Entitled: "**Starcon Organic Products**" Using the PHP language, use bootstrap, css for designing use java script for functioning and MySQL as backend, from **Uttaranchal University**, Dehradun. For the Batch (2020-2021).

Mr. Sameer Sharma
(Program Coordinator)

Date: 08.06.2021

TO WHOM IT MAY CONCERN


This is to certify that **Mr. Prashant Bhatt**, has done his internship in **STARCON INFRA PROJECTS INDIA PVT. LTD.** Delhi, from **06-03-2021 to 05-06-2021**.

He has worked on a project titled **STARCON ORGANIC PRODUCTS**. This project was aimed to develop an e-commerce website for **Organic Products**. As part of the project, he designed various modules by understanding the design briefs and specifications.

During the internship he demonstrated good design skills with self-motivated attitude to learn new things. His performance exceeded expectations and was able to complete the project successfully on time.

We wish him all the best for his future endeavor.

Warm regards,
For Starcon Infra Projects (I) Pvt. Ltd.



Director
(Raj Kamal Bhatia)

CIN No.U45201DL2006PTC146961 UAN NO. DL08B0001319



Table of Contents

✓ Acknowledgement	2
✓ Declaration	3
✓ Certificate of Originality	4
✓ Table of contents/Index with page numbering	5
◆ Introduction/Objectives	7
◆ System Analysis	9
◆ Identification of Need	9
◆ Preliminary Investigation	10
◆ Feasibility Study	10
◆ Project Planning	12
(PERT Chart and Gantt Chart both)	13
◆ Software requirement specification(SRS)	15
◆ Software Engineering paradigm applied	17
◆ Data models (like DFD),	19
◆ Control Flow diagrams,	24
◆ Diagrams/Use-Case	25
◆ Entity Relationship Model,	26
◆ System Design	28
◆ Modularization details	28
◆ Data integrity and constraints	33
◆ Database design	33
◆ User Interface Design	34
◆ Testing	42
◆ Testing techniques and testing strategies used	42

◆ System Security measures (Implementation of security for the project developer)	49
◆ Cost Estimation of the project	50
◆ Future scope and further enhancement of the project	50
◆ Reports	50
◆ Appendices	
◆ Coding	51
◆ Bibliography	69

1. INTRODUCTION

STARCON ORGANIC PRODUCTS is online natural food retail Store. It is going to provide thousands of customers with natural home grown products. This online store will be available every day and night for customers. STARCON ORGANIC PRODUCTS is targeting growing market of natural products. The plan is to start its presence in Dehradun and then move one to other cities of India.

Organic is one of the fastest growing segments of modern world agriculture and consumer demand for organic products continues to grow. Natural products market is represented by a wide range of consumer products that grow in sales each year. These products are organic foods, dietary supplements, pet foods, health and beauty products and more.

The aim of the thesis is to create a detailed business plan for a small social responsible start up in India and find out what kind of factors are needed to establish and successfully conduct one. It will be a great example of social responsible approach to an online start up.

2. OBJECTIVES

At the moment, really healthy products are not just those that contain a certain amount of minerals, vitamins and other substances necessary for the body. It is important to choose those that do not contain substances that are dangerous to human health. Unfortunately, there are a lot of such substances in modern vegetables, fruits, and meat. These substances are herbicides, fertilizers, pesticides, genetically modified organisms, antibiotics, and preservatives. It is very difficult to find really healthy foods in our modern days. After all, really healthy products can be named such, only if they are grown in an environmentally flawless environment. For example, a freeway does not pass nearby, the harmful chemical combine does not work, and the land on which the corps are grown is not the former collective-farm lands for decades poisoned with herbicides. The vast majority of products offered on the market, which we are accustomed to consider to be useful food products, are not really such. In this case, the modern citizen has a question: is it still possible to acquire products without fear, a natural food that you can give to children without hesitation, and be sure that it only beneficial? Fortunately, there are such products, and they are known under the name "organic", bio or eco products. People can buy such products from our online store.

➤ Goals

Online store objectives for the first three years:

- Get some market share of online products sales in Dehradun
- To develop a well-designed web site with high level conversation
- To involve and support dozens of households
- To promote healthy diet among people

➤ Mission

Our mission is to provide customers with finest, natural, home-grown food, while supporting households' producers.

➤ **Strategy**

Strategy is relying on capturing a growing percentage of the natural product market share through Web sales. Goals and objectives will be achieved through developing and implementing marketing communication that can reach and convince a wide customer base. But not only marketing is a key to achieving goals and objectives. From the operations side, store will have high quality and control standards.

➤ **Values**

The aim is to build corporate social responsible business and to make people's lives involved in it a bit better.

Our values are:

- Responsibility
- Quality
- Sustainability

3. SYSTEM ANALYSIS

- **Existing System**

The existing system was a manual system. This manual system had piles of the paper work to be maintained to track the record of cash. Due to this a lot of the time and energy was been utilized and this lead to wastage of important resources.

- Time consuming.
- Processing speed of the software is not so much good to operate fast.
- Sometimes the system hangs when work load is more.
- Limited space for storing the information
- Processing speed of the software is not so much good to operate fast.

- **Proposed System**

“STARCON ORGANIC PRODUCTS is the online purchasing of organic products. This website is very simple in design and to implement. The website requires very low system resources and the system will work in almost all configurations.

- Error reduction.
- Improve reporting.
- Flexibility.
- Improve resource user.
- Reduction in man power.
- Administrator controls the entire system.

3.1 Identification of need:

Organic foods often have more beneficial nutrients, such as antioxidants, than their conventionally-grown counterparts and people with allergies to foods, chemicals, or preservatives often find their symptoms lessen or go away when they eat only organic foods.

Organic produce contains fewer pesticides. Chemicals such as fungicides, herbicides, and insecticides are widely used in conventional agriculture and residues remain on (and in) the food we eat.

Organic food is often fresher because it doesn't contain preservatives that make it last longer. Organic produce is often (but not always, so watch where it is from) produced on smaller farms near where it is sold.

Organic farming is better for the environment. Organic farming practices reduce pollution, conserve water, reduce soil erosion, increase soil fertility, and use less energy. Farming without pesticides is also better for nearby birds and animals as well as people who live close to farms.

Organically raised animals are NOT given antibiotics, growth hormones, or fed animal byproducts. Feeding livestock animal byproducts increases the risk of mad cow disease (BSE) and the use of antibiotics can create antibiotic-resistant strains of bacteria. Organically-raised animals are given more space to move around and access to the outdoors, which help to keep them healthy.

Organic meat and milk are richer in certain nutrients. Results of a 2016 European study show that levels of certain nutrients, including omega-3 fatty acids, were up to 50 percent higher in organic meat and milk than in conventionally raised versions.

3.2 Preliminary Study:

1. **Convenience.** Convenience is the biggest perk. Where else can you comfortably shop at midnight while in your pajamas? There are no lines to wait in or cashiers to track down to help you with your purchases, and you can do your shopping in minutes. Online shops give us the opportunity to shop 24/7, and also reward us with a ‘no pollution’ shopping experience. There is no better place to buy informational products like e-books, which are available to you instantly, as soon as the payment goes through. Downloadable items purchased online eliminate the need for any kind of physical material at all, as well, which helps the environment!
2. **Better prices.** Cheap deals and better prices are available online, because products come to you direct from the manufacturer or seller without involving middlemen. Plus, it's easier to compare prices and find a better deal. Many online sites offer discount coupons and rebates, as well. Not only are prices better, but you can save on tax as well, since online shops are only required to collect a sales tax if they have a physical location in your state. Factor in the saved expense of gas and parking and you have saved yourself a lot of money!
3. **More variety.** The choices online are amazing. You can find almost any brand or item you're looking for. You can get in on the latest international trends without spending money on airfare. You can shop from retailers in other parts of the state, country, or even world instead of being limited to your own geography. A far greater selection of colors and sizes than you will find locally are at your disposal. Plus, the stock is much more plentiful, so you'll always be able to find your size and color. Some online shops even accept orders for out-of-stock items and ship when they come in.
4. **More control.** Many times, when we opt for conventional shopping, we tend to spend a lot more than planned and end up buying items that aren't exactly what we wanted (but we can't find anything better in the store). Online, you don't have to let the store's inventory dictate what you buy, and you can get exactly what you want and need.
5. **Easy price comparisons.** Comparing and researching products and their prices is so much easier online. If you're shopping for appliances, for example, you can find consumer reviews and product comparisons for all the options on the market, with links to the best prices. We can research firsthand experience, ratings, and reviews for most products and retailers.

6. No crowds. If you are like me, you hate crowds when you're shopping. Especially during holidays, festivals, or on weekends, they can be such a huge headache. Also, being crushed in the crowds of shoppers sometimes makes us feel rushed or hurried. You don't have to battle for a parking place. All of these problems can be avoided when you shop online.

3.3 FEASIBILITY STUDY

By the investigation, I have identified the need, problems and requirements. So my next step was to determine exactly what the proposed system is to do by defining its expected performance. This kind of work can be carried out in the Feasibility Study.

In the conduct of the feasibility study, I have gone through followings distinct, but inter-related types of feasibility. These are:

- Technical feasibility**

This website will be developed using H.T.M.L, PHP, CSS and SQL Server. As we require some time to learn all these technologies, All these technologies are easy to learn and can develop system very rapidly. After developing and deploying the system, student can easily use it.

- Economic feasibility**

As existing system is manual, where it is expensive to maintain, up to date, and available on time. But proposed system will be computerized, so we can overcome all limitations of existing system. Also with this new system insertion, deletion, and modification of various data will be easier to handle.

This website will reduce the paperwork. And quality of data will be improved.

So keeping all above mentioned benefits and comparing with various expenditures of resources, we conclude that proposed system is economical feasible.

3.4 PROJECT PLANNING:-

- Firstly we analyzed all possible sectors that are in the STARCON ORGANIC PRODUCTS website.
- Then we understand the needs and requirement for the development of such a system that could make this process faster, and easier to manage.
- According to the needs of the system, we chose the language or platform for the development of this system which we found out that HTML,PHP, My SQL Server is suitable for such project
- Then we decided the modules and sub-modules required for our system and the work to be accomplished by each module
- Then we created the front-end of the website in HTML.
- Then we designed the database, tables and its attributes and designed back-end of the system in MY SQL Server.

3.5 PROJECT SCHEDULING

3.5.1. Pert chart:-




Figure – 3.5.1

3.5.2. Gantt chart:-

We estimated the number of days for each task as follows:

Table:-

Task	Start Date	End Date	Duration(In Days)
Introduction of Topic	20-Mar-21	20-Mar-21	1
Layout Design And coding	24-Mar-21	12-Apr-21	20
Documentation	24-Mar-21	03-Apr-21	10
System Analysis	19-Apr-21	03-May-21	15
Testing	05-May-21	14-May-21	10
Report	13-May-21	17-May-21	5
Finalization of Document	18-May-21	23-May-21	6

Fig – 3.5.2(i)

3.5.3. Pivot Chart:-




Fig – 3.5.3(ii)

3.6 SOFTWARE REQUIREMENTS SPECIFICATION

Introduction

The following subsections of the SRS document provide an overview of three tire SRS.

A. Purpose

The purpose of the project is to provide facility to the administrative as well as customer of the instead of managing all the task manually. This website will help in managing tasks automatically.

B. Scope

This website will be used by administrative as well as Member can view their bills record easily from the software.

C. Benefits

This application reduces the complexity, increase efficiency, increases accessibility and saving time.

3.6.1 Functional Requirement:-

For this project we need the following functional requirement to be fulfilled:

- Login form that will allow the authorized user to access the software.
- We need to provide the facility to update bills record using which customer can submit their feedback and other customer can check them thereafter.
- We need to provide the facility to the customer for checking their bills records and then give review.

3.6.2 Non-Functional Requirement

- The software needs to be user friendly and easy to access so that the end user can easily use this software.
- The software needs to be secure by implementing login using user ID and Password.
- The software needs to be portable so that it can be run on any system.

3.7 Software Engineering Paradigm applied:-

- The software engineering paradigm applied in the system is the Iterative waterfall model.
- Firstly, the requirement of the system was analyzed, what was needed to build the proposed system, what were the initial requirements of the system was determined.
- Like, we need software that can be accessed easily on any system.
- All the requirements were already clearly specified what all functionalities needed to be provided like manage product and billing for an event.
- Using Iterative waterfall model a schedule can be set with deadlines for each stage of development like Information Gathering, Analysis, system design, coding, etc. and a system can proceed through the development process model phases one by one. So, this would help in the development of the system in the scheduled time.
- Then the system was designed on the basis of the requirement determined in the analysis phase.
- The design includes the different menus and options that will be displayed to the admin for performing different tasks.
- The Admin section of the project needs to provide the facility to show the record of product and order.
- Then we designed the database and the front end.

3.8. Data Models:-

3.8.1 Data Flow Diagram

A data flow diagram or popularly known as DFD is defined as the graphical representation for the flow of data in an application or an information system. A DFD is used to create the overview of the system in a short manner listing out the modules and components which will be used to develop the system before the development of the system begins. DFDs is also used to showing and telling others how the system works and is considered as a great visualization tool for showing the processing of data in a system.


Symbols used in DFDs

A DFD is divided into four major components-

External Entity: In brief an external entity is defined as the outside system which is used to sends and receive data. They are often referred as source and destination for an modules for sending and receiving the system to other modules. These external entity can be in form of any outside computer or business system. They are commonly referred as terminators, source or sinks.



Process: Process are known as the logical containers that are used for the processing of the data, and giving the optimal result. In this containers we provide some sort of logic or to manipulate the data and output the optimal desired results.



Data Store: These acts as the storage units for our system. These are considered as the files or repositories for storing the essential information which can be used later, some examples of data store are tables and data bases.



Data Flow: These are the direction or routes which are used to point the flow of the information or data in a system. They also act as a medium between other entities and data stores.



Levels and Layers in DFD

A data flow diagram can be considered as a multi level data design in which each level are further classified into more complex and detailed level in next layer. A basic and common DFD contain 0, 1 and 2 level's of dfd, which may also contain sub levels.

DFD Level 0: It is also known as the basic or Context level diagram of an dfd. It is the simple and basic overview of the whole system. The level 0 dfd can be easily understood by our common audience.


DFD Level 1: Level 1 dfd is the detail version of the level 0 dfd. It provide a detail layout of the modules and their sub modules which are used in level 0 dfd.

DFD Level 2: level 2 dfd goes one level down which can be used to further classify the level1 dfd into sub section and modules. It is used to explain the level1 dfd parts in details. This comprises of various modules and their sub modules in order to output the vast information to the users.


Level 0 DFD:



Level 1 DFD:



Level 2 DFD:



3.8.2. UML

Use Case Diagram:-




Figure – 3.8(i)

Activity Diagram:-




Figure – 3.8(ii)

Class Diagram:-




Figure – 3.8(iii)

3.8.2 E.R Diagram:-




Fig – 3.8.2

TOOLS/PLATFORM USED

Hardware being used:

- **RAM:** 4 GB RAM
- **PROCESSOR:** Intel Core i3
- **HARD DISK:** 1TB Hard Disk

Software being used:

- **OPERATING SYSTEM:** WINDOWS 8/10
- **FRONT END:** HTML.
- **BACK END/ DATABASE:** PHP, MY SQL

Hardware minimum requirement:

- **RAM:** 4 GB RAM
- **PROCESSOR:** Intel® Pentium ® Dual CPU E2180
- **HARD DISK:** 160GB Hard Disk

Software minimum requirement:

- **OPERATING SYSTEM:** WINDOWS 7 Ultimate
- **Browser:** Google Chrome, Mozilla Firefox or any browser.


4. SYSTEM DESIGN

4.1 Modularization details:

4.1.1. User: - This is the home page or the main page of STARCON ORGANIC PRODUCTS. This is the main page of the client side. This page defines all about related to the project.

- ❖ Add to Cart
- ❖ Search
- ❖ Login
- ❖ Track order
- ❖ Payment Method

1. User Home page:-



Special Offers

Figure – 4.1.1(i)

2. User Login page:-




Figure – 4.1.1(ii)

3. User Register page:-

The screenshot shows a web browser window with the URL `localhost/dashboard/starcon/register.php`. The title bar says "Register". The main content is a "Register" form with the following fields:

- Username (input field)
- Email (input field)
- Phone (input field)
- Street Address (input field)
- City (input field)
- Pincode/Zipcode (input field)
- (input field)
- (input field)

A yellow "Submit" button is at the bottom.

Figure – 4.1.1(iii)

4. Contact us page:-

The screenshot shows a web browser window with the URL `localhost/dashboard/starcon/contact.php`. The title bar says "Contact". The main content is a "Contact" page with the following sections:

Contact



Contact Information

Info

Address | prashantbhatt198@gmail.com | +91 9627600756




Figure – 4.1.1(iv)

5. Products Search page:-




Figure – 4.1.1(v)

6. Cart page:-




Figure – 4.1.1(vi)

7. Order placed page:-




Figure – 4.1.1(vii)

8. Track Order page:-




Figure – 4.1.1(viii)

4.1.2. Admin:

- Manage users
- View users details, products details
- Order management
 - ❖ Today's orders
 - ❖ Pending orders
 - ❖ Delivered orders
- Manage Product Category
 - ❖ Update Product
 - ❖ Remove Product
 - ❖ Add Product
- Manage Product Sub-Category
 - ❖ Update Product
 - ❖ Remove Product
 - ❖ Add Product
- Manage Product
 - ❖ Update Product
 - ❖ Remove Product
 - ❖ Add Product

1. Admin Login page:-




Figure – 4.1.2(i)

2. Admin Dashboard:-




Figure – 4.1.2(ii)

3. Orders Page:-

The screenshot shows a web browser window with the URL `localhost/127.0.0.1/grocery/`. The page title is "Vendor Page". On the left, there is a sidebar with links: Dashboard, Orders (which is selected and highlighted in blue), Products, Brands, Categories, Customers, Deliveries, and Payments. The main content area displays a welcome message "Hello malbok@gmail.com" and a section titled "Orders". A summary at the top right shows a total value of "1404". Below this is a table listing five recent orders:

#	Image	Product Name	Quantity	Price	Order Id	Payment Status	Order Date	Vendor Name	Buyer Name	Buyer Phone	Shipping Method	Delivery Status
#		Sunflower Oil (5kg)	1	100	MOJO9615E05N07860470	Credit	17/06/2019 09:31:21	gokhalehemal11@gmail.com	Normal	Returned		
#		Kabuli Chana (1kg)	2	45	MOJO9615E05N07860470	Credit	17/06/2019 09:31:21	gokhalehemal11@gmail.com	Normal	ND		
#		Clips (10 pc)	1	20	MOJO9615E05N07860470	Credit	17/06/2019 09:31:21	gokhalehemal11@gmail.com	Normal	Returned		
#		Apples (1 kg)	1	100	MOJO9615805N07860780	Credit	17/06/2019 09:31:21	hemal@gmail.com	Normal	Returned		
#		Banana (6 pcs)	1	20	MOJO9615805N07860780	Credit	17/06/2019 09:31:21	hemal@gmail.com	Normal	Returned		

Figure – 4.1.2(iii)

4. Products page:-

The screenshot shows a web browser window with the URL `localhost/127.0.0.1/grocery/`. The page title is "Vendor Page". The sidebar on the left includes links: Dashboard, Orders, Products (selected and highlighted in blue), Brands, Categories, Customers, Deliveries, and Payments. The main content area features a welcome message "Hello malbok@gmail.com" and a "Product List" heading. At the top right of the list is a "Add Product" button. The product list table includes columns for Name, Image, Price, Quantity, Category, and Brand, with edit and delete icons for each row:

#	Name	Image	Price	Quantity	Category	Brand	Action
	Moong Dal (200g)		20	5	staples	kitchen	
	Sunflower Oil (5Kg)		100	10	staples	kitchen	
	Kabuli Chana (1Kg)		45	5	staples	kitchen	
	Soya Chunks (1Kg)		55	20	staples	kitchen	
	Nuts (250 g)		45	50	snacks	kitchen	
	Honey (500 g)		90	10	breakfast and cereal	kitchen	

Figure – 4.1.2(iv)

5. All Brands:-

The screenshot shows a web-based dashboard for a vendor. The left sidebar contains links for Dashboard, Orders, Products, Brands (which is selected and highlighted in blue), Categories, Customers, Deliveries, and Payments. The main content area has a dark header with the user's email, "Hello malbok@gmail.com". Below it, a section titled "Available Brands" lists several categories with edit and delete icons. A blue "Add Brand" button is located at the top right of this list.

#	Name	Action
1	Nestle	[Edit] [Delete]
2	Other	[Edit] [Delete]
3	kitchen	[Edit] [Delete]
4	household	[Edit] [Delete]
5	personal care	[Edit] [Delete]
6	bakery, eggs and meat	[Edit] [Delete]
7	snacks	[Edit] [Delete]

Figure – 4.1.2(v)

6. Categories:-

This screenshot shows the 'Available Categories' page within the same web application. The left sidebar includes the 'Categories' link, which is also highlighted in blue. The main content area features a dark header with the user's email, "Hello malbok@gmail.com". Below it, a section titled "Available Categories" lists various food items with edit and delete icons. A blue "Add Category" button is positioned at the top right.

#	Name	Action
1	water and beverages	[Edit] [Delete]
2	fruits and vegetables	[Edit] [Delete]
3	staples	[Edit] [Delete]
4	branded food	[Edit] [Delete]
5	breakfast and cereal	[Edit] [Delete]
6	snacks	[Edit] [Delete]
7	spices	[Edit] [Delete]
8	sweets	[Edit] [Delete]
9	pickle and condiment	[Edit] [Delete]
10	instant food	[Edit] [Delete]

Figure – 4.1.2(vi)

7. All customers:-

The screenshot shows a web browser window with the URL `localhost/127.0.0.1/grocery/`. The page title is "Hello malbok@gmail.com". On the left, there is a sidebar with navigation links: Dashboard, Orders, Products, Brands, Categories, Customers (which is highlighted in blue), Deliveries, and Payments. The main content area is titled "Customers" and displays a table with the following data:

#	Name	Email	Mobile	Address
#	hemal	hemal@gmail.com	9518786014	D6 chinchwad 411019
#	Chinmayee	rfidlibrarypccoe@gmail.com	1234567890	Karvenagar Pune 411001
#	shubham	gokhalehemal11@gmail.com	123457890	Pote Corner Chinchwad 411019
#	prashant bhatt	prashantbhatt198@gmail.com	9627600756	ct-12, yamuna colony dehradun 248001

The bottom right corner of the browser window shows the date and time: 13-06-2021 22:51.

Figure – 4.1.2(vii)

8. Delivery Page:-

The screenshot shows a web browser window with the URL `localhost/127.0.0.1/grocery/`. The page title is "Hello malbok@gmail.com". The sidebar on the left is identical to Figure 7. The main content area is titled "Deliveries" and displays a table with the following data:

Name	Email	Phone	Address
delivery_boy	gokhalehemal11@gmail.com	1234567890	hdfc pune 411019
delivery_boy_2	gokhalehemal11@gmail.com	122111112	kakde park pune 411014
delivery_boy_3	something@gmail.com	01234567890	some_street some city 411019

Figure – 4.1.2(viii)

9. Payment page:-

The screenshot shows a web browser window with the URL `localhost / 127.0.0.1 / grocery /` in the address bar. The page title is "Vendor Page". On the left, there is a sidebar menu with links: Dashboard, Orders, Products, Brands, Categories, Customers, Deliveries, and Payments. The main content area displays a greeting "Hello malbok@gmail.com" and a section titled "Total Payments". A table lists two vendors with their total amount received:

Vendor	Total Amount Received
gokhalehemal11@gmail.com	330
hemal@gmail.com	374

The browser interface includes standard navigation buttons (Back, Forward, Stop, Refresh), a search bar, and a toolbar with icons for Microsoft Edge, Google Chrome, Microsoft Edge DevTools, and Microsoft Word. The status bar at the bottom right shows the date and time: 13-06-2021, 22:52.

Figure – 4.1.2(ix)

4.2 Data Integrity and Constraints

The integrity of the data in the database is maintained through constraints. There are many types of constraint on the attributes of the tables. For example, each table in the database has its primary key that has constraint NOT NULL and is 'auto increment' so that it generates automatically. Every related table is assigned with a foreign key to check the relation.

4.3 Database Design

There is one database used in the project named “STARCON ORGANIC PRODUCTS”:

Database:-

The screenshot shows the phpMyAdmin interface for the 'grocery' database. The left sidebar lists various databases and tables. The main area displays the structure of the 'customers' table, which has 4 columns: id, username, email, and phone. Below the table structure, there is a list of 4 rows of data.

	id	username	email	phone
<input type="checkbox"/>	1	hemal	hemal@gmail.com	D6 chinchwad 411019 hemal123 9518786014
<input type="checkbox"/>	2	Chinmayee	rfdibrarypccoe@gmail.com	Karvenagar Pune 411001 c123 1234567890
<input type="checkbox"/>	3	shubham	gokhalehemal11@gmail.com	Pote Corner Chinchwad 411019 shubham123 123457890
<input type="checkbox"/>	4	prashant bhatt	prashantbhatt19@gmail.com	ct-12, yamuna colony dehradun 248001 Pb21666@ 9627600756

Customer Table:-

The screenshot shows the phpMyAdmin interface for the 'customers' table. The top status bar indicates 4 total rows. The table structure is identical to the one shown in the previous screenshot. The data for all four rows is displayed in a grid format.

	id	username	email	street	city	pincode	password	phone
<input type="checkbox"/>	1	hemal	hemal@gmail.com	D6	chinchwad	411019	hemal123	9518786014
<input type="checkbox"/>	2	Chinmayee	rfdibrarypccoe@gmail.com	Karvenagar	Pune	411001	c123	1234567890
<input type="checkbox"/>	3	shubham	gokhalehemal11@gmail.com	Pote Corner	Chinchwad	411019	shubham123	123457890
<input type="checkbox"/>	4	prashant bhatt	prashantbhatt19@gmail.com	ct-12, yamuna colony	dehradun	248001	Pb21666@	9627600756

Brands Table:-

The screenshot shows the phpMyAdmin interface for the 'brands' table in the 'grocery' database. The table has three columns: brand_id, brand_title, and vendor_name. The data shows seven rows, all belonging to the same vendor (malbok@gmail.com). The rows are:

brand_id	brand_title	vendor_name
12	Nestle	malbok@gmail.com
13	Other	malbok@gmail.com
14	kitchen	malbok@gmail.com
15	household	malbok@gmail.com
16	personal care	malbok@gmail.com
17	bakery, eggs and meat	malbok@gmail.com
18	snacks	malbok@gmail.com

Categories Table:-

The screenshot shows the phpMyAdmin interface for the 'categories' table in the 'grocery' database. The table has four columns: cat_id, cat_title, vendor_name, and cat_name. The data shows 31 rows, all belonging to the same vendor (malbok@gmail.com). The rows are:

cat_id	cat_title	vendor_name	cat_name
15	water and beverages	malbok@gmail.com	water_and_beverages
16	fruits and vegetables	malbok@gmail.com	fruits_and_vegetables
17	staples	malbok@gmail.com	staples
18	branded food	malbok@gmail.com	branded_food
19	breakfast and cereal	malbok@gmail.com	breakfast_and_cereal
20	snacks	malbok@gmail.com	snacks
21	spices	malbok@gmail.com	spices
22	sweets	malbok@gmail.com	sweets
23	pickle and condiment	malbok@gmail.com	pickle_and_condiment
24	instant food	malbok@gmail.com	instant_food
25	dryfruit	malbok@gmail.com	dryfruit
27	ayurvedic	malbok@gmail.com	ayurvedic
28	babycare	malbok@gmail.com	babycare
29	cosmetics	malbok@gmail.com	cosmetics
30	deo and perfumes	malbok@gmail.com	deo_and_perfumes
31	haircare	malbok@gmail.com	haircare

5. TESTING:-

5.1. Testing Technique and Testing Strategy used

- We used many testing techniques and testing strategies on the project like unit testing, system testing.
- We tested each module individually to check if the module is working correctly.
- We check the input boxes for empty values to check their behavior against such input.
- We also tested upload file box for wrong file type and over the size limit to check the behavior of the Website.
- We also performed security checks like entering the wrong id and password to check if the Website is secure.

5.2 Test reports for Unit Test Cases and System Test Cases

Unit Testing:-

Unit testing, also known as component testing refers to tests that verify the functionality of a specific section of code, usually at the function level. In an object-oriented environment, this is usually at the class level, and the minimal unit tests include the constructors and destructors.

Testing Objectives:-

- Testing is a process of executing a program with the intention of finding an error.
- A good test case is one that has a high probability of finding an as yet undiscovered error.
- A successful test is one that uncovers an as yet undiscovered error.

Test Case 1: If the User Inputs Wrong Login credentials:




Figure – 5.2(i)

Test Case 2: If the User is able to purchase products or not:




Figure – 5.2(ii)

Test Case 3: If the search option is working properly:




Figure – 5.2(iii)

Test Case 4: If Admin is able to add/update new product :

The screenshot shows a web browser window with the URL `localhost/127.0.0.1/grocery/cust-index.php`. The page title is "Vendor Page". On the left, there is a sidebar with navigation links: Dashboard, Orders, Products, Brands, Categories, Customers, Deliveries, Payments. The "Products" link is highlighted. The main content area shows a "Hello malbok@gmail.com" message and a "Product List" table.

#	Name	Image	Price	Quantity	Category	Brand	Action
1	Moong Dal (200g)		20	5	staples	kitchen	
2	Sunflower Oil (5Kg)		100	10	staples	kitchen	
3	Kabuli Chana (1Kg)		45	5	staples	kitchen	
4	Soya Chunks (1Kg)		55	20	staples	kitchen	
5	Nuts (250 g)		45	50	snacks	kitchen	
6	Honey (500 g)		90	10	breakfast and cereal	kitchen	

Figure – 5.2(iv)

Test Case 5: If admin can see payment flow:

The screenshot shows a web browser window with the URL `localhost/dashboard/starcon/payments.php`. The page displays a greeting "Hello malbok@gmail.com" and a section titled "Total Payments". A table lists two vendors and their total amount received:

Vendor	Total Amount Received
gokhalehemal11@gmail.com	330
hemal@gmail.com	374

Figure – 5.2(v)

Test Case 6: If Delivery of Product can be tracked or not:

The screenshot shows a web browser window with the URL `localhost/dashboard/starcon/delivery.php`. The page displays a greeting "Hello malbok@gmail.com" and a section titled "Deliveries". A table lists three delivery contacts with columns for Name, Email, Phone, and Address:

Name	Email	Phone	Address
delivery_boy	gokhalehemal11@gmail.com	1234567890	hdfc pune 411019
delivery_boy_2	gokhalehemal11@gmail.com	122111112	kakde park pune 411014
delivery_boy_3	something@gmail.com	01234567890	some_street some city 411019

Figure – 5.2(vi)

6. SYSTEM SECURITY MEASURES

Secure and Robust Programming

Many system failures and security vulnerabilities arise at the programming level. These can often be attributed to inadequate handling of exceptional situations, poor understanding of the details of the programming language in use, incomplete descriptions of the interfaces between components, and insufficient care in the treatment of concurrency and threading issues. In this system, special care has been taken while performing the programming for the website so that the software doesn't get corrupted or meet any fatal error while running.

Data Security and Privacy

As increasing amounts of data are captured so keeping concerns about the treatment of personal data database concept has been designed. The application package takes care of the security and privacy aspect of its users. It provides its user a secure place to store their confidential information or the data, without the fear of getting mishandled. In this system, a unique number will be provided to the user for the security mechanism.

7. COST ESTIMATION MODEL

In cocomo model two attributes are required:

1. Effort
2. Tdev(time development)

First of all we calculate the Effort.

In our project we have estimated 4 KLOC (kilobyte line of code), two students are working on the project so our estimated cost would be

Effort (E) = $a_1 \times (\text{KLOC}) \times a_2$ (where the value of a_1 and a_2 are constant i.e. 2.4 and 1.05)

$$E = 2.4 \times (4) \times 1.05$$

$$E = 10.08$$

Now we have to calculate Tdev

Tdev (t) = $b_1 \times (E) \times b_2$ (where the value of b_1 is 2.5 and b_2 is 0.38)

$$T = 2.5 \times (10.08) \times 0.38$$

$$T = 9.19296$$

Now finally we calculate the estimated cost i.e. $T \times \text{Cost of one employee}$

Estimated Cost = $T \times \text{Cost of one employee}$

$$= 9.19296 \times 1000$$

$$= \text{Rs. } 9192.96$$

8. Future scope

Organic product takes longer to produce and requires more care. As a result, they cost more than other foods that are produced in less amount of time with the use of various chemicals and fertilizers. Consumers who consider health to be of paramount importance, however, do not mind shelling out a little more for organic food products.

In today's world where everything is powered by the latest cutting-edge technology, farmers are heralding back to age-old practices in agriculture for greater good of humankind on this planet. This has been necessitated by a new crop of health-conscious consumers increasingly aware about the harmful effects of chemicals and other additives in food, farmers are now heralding back to age-old farming practices to produce what is known as organic food.

Besides discerning consumers, an important factor driving the growth of the market are concerns about the environment. Pesticides used to thwart pests ranging from bacteria, insects, mites, and mollusks to birds and rodents that not just make their way into the human body but also accumulate in the soil and water. This damages the environment and hence, by consuming inorganic food, humans contribute to environmental degradation.

9. APPENDICES

9.1 Coding:-

Connection.php:-

```
<?php

$servername= "localhost";
$username= "root";
$password= "";
$dbname= "grocery";

$conn= mysqli_connect($servername,$username,$password,$dbname);

if($conn){
echo "";
}
else{
die("Connection failed ".mysql_connect_error());
}

?>
```

index.php:-

```
<?php
session_start();
if (isset($_SESSION['customer'])) {
header("location:cust-index.php");
}

include("connection.php");
error_reporting(0);

?>
<!DOCTYPE html>
<html>
<head>
<title>Starcon Organic Products</title>
<!-- for-mobile-apps -->
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<meta property="og:title" content="Vide" />
<meta name="keywords" content="Grocery Store" />
<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar, 0); },
```

```

false);
function hideURLbar(){ window.scrollTo(0,1); } </script>
<!-- //for-mobile-apps -->
<link href="css/bootstrap.css" rel='stylesheet' type='text/css' />
<!-- Custom Theme files -->
<link href="css/style.css" rel='stylesheet' type='text/css' />
<!-- js -->
<script src="js/jquery-1.11.1.min.js"></script>
<!-- //js -->
<!-- start-smooth-scrolling -->
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
jQuery(document).ready(function($) {
$(".scroll").click(function(event){
event.preventDefault();
$(html,body).animate({scrollTop:$this.hash).offset().top},1000);
});
});
</script>
<!-- start-smooth-scrolling -->
<link href="css/font-awesome.css" rel="stylesheet">
<link href='//fonts.googleapis.com/css?family=Montserrat:400,700' rel='stylesheet' type='text/css'>
<link href='//fonts.googleapis.com/css?family=Noto+Sans:400,700' rel='stylesheet' type='text/css'>
<!-- start-rate---->
<script src="js/jstarbox.js"></script>
<link rel="stylesheet" href="css/jstarbox.css" type="text/css" media="screen" charset="utf-8" />
<script type="text/javascript">
jQuery(function() {
jQuery('.starbox').each(function() {
var starbox = jQuery(this);
starbox.starbox({
average: starbox.attr('data-start-value'),
changeable: starbox.hasClass('unchangeable') ? false : starbox.hasClass('clickonce') ? 'once' : true,
ghosting: starbox.hasClass('ghosting'),
autoUpdateAverage: starbox.hasClass('autoupdate'),
buttons: starbox.hasClass('smooth') ? false : starbox.attr('data-button-count') || 5,
stars: starbox.attr('data-star-count') || 5
}).bind('starbox-value-changed', function(event, value) {
if(starbox.hasClass('random')) {
var val = Math.random();
starbox.kitchen().text(' '+val);
return val;
}
})
});
});
});
</script>
<!--//End-rate---->

</head>
<body>
<a href="offer.php"></a>
<div class="header">

```

```

<div class="container">

<div class="logo">
<h1 ><a href="index.php"><b>T<br>H<br>E</b>Starcon Organic Products<span>The Best Organic
Products</span></a></h1>
</div>
<div class="head-t">
<ul class="card">
<li><a href="login.php" ><i class="fa fa-user" aria-hidden="true"></i>Login</a></li>
<li><a href="register.php" ><i class="fa fa-arrow-right" aria-hidden="true"></i>Register</a></li>
<li><a href="vendor-index.php" ><i class="fa fa-user" aria-hidden="true"></i>Vendor Login</a></li>
<li><a href="about.php" ><i class="fa fa-file-text-o" aria-hidden="true"></i>About Us</a></li>
<li><a href="shipping.php" ><i class="fa fa-ship" aria-hidden="true"></i>Shipping</a></li>
</ul>
</div>

<div class="header-ri">
<ul class="social-top">
<li><a href="#" class="icon facebook"><i class="fa fa-facebook" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon twitter"><i class="fa fa-twitter" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon pinterest"><i class="fa fa-pinterest-p" aria-
hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon dribbble"><i class="fa fa-dribbble" aria-hidden="true"></i><span></span></a></li>
</ul>
</div>

<?php include_once("top.php"); ?>

</div>
</div>
<!-->
<div data-vide-bg="video/video">
<div class="container">
<div class="banner-info">
<h3> A One of A Kind Marketplace </h3>
<div class="search-form">
<form action="index-search.php" method="post">
<input type="text" placeholder="Search for over 5,000 products, categories & brands" name="search">
<input type="submit" value="" >
</form>
</div>
</div>
</div>
</div>

<script>window.jQuery || document.write('<script src="js/vendor/jquery-1.11.1.min.js"></script>')</script>
<script src="js/jquery.vide.min.js"></script>

<!--content-->
<div class="content-top ">
<div class="container ">
<div class="spec ">
```

```

<h3>Special Offers</h3>
<div class="ser-t">
<b></b>
<span><i></i></span>
<b class="line"></b>
</div>
</div>
<div class="tab-head ">
<nav class="nav-sidebar">
<ul class="nav tabs ">
<li class="active"><a href="#tab1" data-toggle="tab">Staples</a></li>
<li class=""><a href="#tab2" data-toggle="tab">Snacks</a></li>
<li class=""><a href="#tab3" data-toggle="tab">Fruits & Vegetables</a></li>
<li class=""><a href="#tab4" data-toggle="tab">Breakfast & Cereal</a></li>
</ul>
</nav>

<div class=" tab-content tab-content-t ">
<div class="tab-pane active text-style" id="tab1">
<div class=" con-w3l">
<?php
/*$q = "SELECT v.email from vendors v JOIN customers c ON v.pincode= c.pincode WHERE c.email='$cust'";
$data= mysqli_query($conn, $q);
$total= mysqli_num_rows($data);
while($res= mysqli_fetch_assoc($data)){
if($total > 0){
$vendor= $res['email'];
}*/
```

\$q2= "SELECT * FROM products WHERE product_cat=17 LIMIT 4";
\$data2= mysqli_query(\$conn, \$q2);
\$total2= mysqli_num_rows(\$data2);

```

while($res2= mysqli_fetch_assoc($data2)){
?>
<div class="col-md-3 m-wthree">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal1" class="offer-img" id="<?php echo $res2['product_id'];?>">
<?php echo "<img src='images/".$res2['product_image']."'";?>
<div class="offer"><p><span>Offer</span></p></div>
</a>
<div class="mid-1">
<div class="women">
<h6>
<?php echo $res2['product_title'];?>
</h6>
</div>
<div class="mid-2">
<p ><label> Rs <?php echo $res2['product_price'] +20;?></label><em class="item_price"> Rs <?php echo $res2['product_price'];?></em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
```

```

<div class="clearfix"></div>
</div>
<?php
$s= "images/";
$ext= $res2['product_image'];
$image= $s.$ext;
?>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="<?php echo $res2['product_id']; ?>" data-name=
"<?php echo $res2['product_title'];?>" data-summary="summary 1" data-price="<?php echo
$res2['product_price'];?>" data-quantity="1" data-image="<?php echo $image; ?>">Add to Cart</button>
</div>

</div>
</div>
</div>
<?php
}

?>
<div class="clearfix"></div>
</div>
</div>
<div class="tab-pane text-style" id="tab2">
<div class="con-w3l">
<?php
/*$q = "SELECT v.email from vendors v JOIN customers c ON v.pincode= c.pincode WHERE c.email='$cust'";
$data= mysqli_query($conn, $q);
$total= mysqli_num_rows($data);
while($res= mysqli_fetch_assoc($data)){
if($total > 0){
$vendor= $res['email'];
}*/
```

/*echo \$vendor;*/

```

$q2= "SELECT * FROM products WHERE product_cat=20 LIMIT 4";
$data2= mysqli_query($conn, $q2);
$total2= mysqli_num_rows($data2);

while($res2= mysqli_fetch_assoc($data2)){
?>
<div class="col-md-3 m-wthree">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal1" class="offer-img" id="<?php echo $res2['product_id']; ?>">
<?php echo "<img src='images/".$res2['product_image']."'";?>
<div class="offer"><p><span>Offer</span></p></div>
</a>
<div class="mid-1">
<div class="women">
<h6>
<?php echo $res2['product_title'];?>
</h6>
</div>
```

```

<div class="mid-2">
<p><label> Rs <?php echo $res2['product_price'] +20;?></label><em class="item_price"> Rs <?php echo
$res2['product_price'];?></em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<?php
$image= $s.$ext;
$ext= $res2['product_image'];
$image= $s.$ext;
?>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b " data-id="<?php echo $res2['product_id']; ?>" data-name=
"<?php echo $res2['product_title'];?>" data-summary="summary 1" data-price="<?php echo
$res2['product_price'];?>" data-quantity="1" data-image="<?php echo $image; ?>">Add to Cart</button>
</div>
</div>
</div>
<?php
}

?>
<div class="clearfix"></div>
</div>
</div>
<div class="tab-pane text-style" id="tab3">
<div class="con-w3l">
<?php
/*$q = "SELECT v.email from vendors v JOIN customers c ON v.pincode= c.pincode WHERE c.email='$cust'";
$data= mysqli_query($conn, $q);
$total= mysqli_num_rows($data);
while($res= mysqli_fetch_assoc($data)){
if($total > 0){
$vendor= $res['email'];
}*/



/*echo $vendor;*/

$q2= "SELECT * FROM products WHERE product_cat=16 LIMIT 4";
$data2= mysqli_query($conn, $q2);
$total2= mysqli_num_rows($data2);

while($res2= mysqli_fetch_assoc($data2)){
?>
<div class="col-md-3 m-wthree">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal1" class="offer-img" id="<?php echo $res2['product_id']; ?>">
<?php echo "<img src='images/".$res2['product_image']."'";?>
<div class="offer"><p><span>Offer</span></p></div>
</a>

```

```

<div class="mid-1">
<div class="women">
<h6>
<?php echo $res2['product_title'];?>
</h6>
</div>
<div class="mid-2">
<p ><label> Rs <?php echo $res2['product_price'] +20;?></label><em class="item_price"> Rs <?php echo
$res2['product_price'];?></em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<?php
$s= "images/";
$ext= $res2['product_image'];
$image= $s.$ext;
?>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b " data-id="<?php echo $res2['product_id']; ?>" data-name=
"<?php echo $res2['product_title'];?>" data-summary="summary 1" data-price="<?php echo
$res2['product_price'];?>" data-quantity="1" data-image="<?php echo $image; ?>">Add to Cart</button>
</div>
</div>
</div>
<?php
}

?>
<div class="clearfix"></div>
</div>
</div>
<div class="tab-pane text-style" id="tab4">
<div class=" con-w3l">
<?php
/*$q = "SELECT v.email from vendors v JOIN customers c ON v.pincode= c.pincode WHERE c.email='$cust'";
$data= mysqli_query($conn, $q);
$total= mysqli_num_rows($data);
while($res= mysqli_fetch_assoc($data)){
if($total > 0){
$vendor= $res['email'];
}*/



/*echo $vendor;*/

$q2= "SELECT * FROM products WHERE product_cat=19 LIMIT 4";
$data2= mysqli_query($conn, $q2);
$total2= mysqli_num_rows($data2);

while($res2= mysqli_fetch_assoc($data2)){
?>
<div class="col-md-3 m-wthree">

```

```

<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal1" class="offer-img" id="<?php echo $res2['product_id']; ?>">
<?php echo "<img src='images/".$res2['product_image']."'";?>
<div class="offer"><p><span>Offer</span></p></div>
</a>
<div class="mid-1">
<div class="women">
<h6>
<?php echo $res2['product_title'];?>
</h6>
</div>
<div class="mid-2">
<p><label> Rs <?php echo $res2['product_price'] +20;?></label><em class="item_price"> Rs <?php echo
$res2['product_price'];?></em></p>
<div class="block">
<div class="starbox small ghosting"></div>
</div>
<div class="clearfix"></div>
</div>
<?php
$s= "images/";
$ext= $res2['product_image'];
$image= $s.$ext;
?>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="<?php echo $res2['product_id']; ?>" data-name=
"<?php echo $res2['product_title'];?>" data-summary="summary 1" data-price="<?php echo
$res2['product_price'];?>" data-quantity="1" data-image="<?php echo $image; ?>">Add to Cart</button>
</div>
</div>
</div>
<?php
}
?>
<div class="clearfix"></div>
</div>
</div>
</div>
</div>

</div>
</div>
</div>

<!--content-->
<div class="content-mid">
<div class="container">

<div class="col-md-4 m-w3ls">
<div class="col-md1 ">
<a href="kitchen.php">

```

```


<div class="big-sa">
<h6>New Collections</h6>
<h3>Season

```

```

<!-- <li data-target="#myCarousel" data-slide-to="3"></li>
<li data-target="#myCarousel" data-slide-to="4"></li> -->
</ol>
<div class="carousel-inner" role="listbox">
<div class="item active">
<a href="kitchen.php"></a>

</div>
<div class="item">
<a href="care.php"> </a>

</div>
<div class="item">
<a href="hold.php"></a>

</div>
<!--
<div class="item">
<a href="bake.php"></a>
</div>

<div class="item">
<a href="snacks.php"></a>

</div> -->
</div>
</div>
</div><!-- /.carousel -->

<!--content-->
<div class="product">
<div class="container">
<div class="spec ">
<h3>Special Offers</h3>
<div class="ser-t">
<b></b>
<span><i></i></span>
<b class="line"></b>
</div>
</div>
<div class=" con-w3l">
<?php
/*$q = "SELECT v.email from vendors v JOIN customers c ON v.pincode= c.pincode WHERE c.email='\$cust'";
$data= mysqli_query($conn, $q);
$total= mysqli_num_rows($data);
while($res= mysqli_fetch_assoc($data)){
if($total > 0){
$vendor= $res['email'];
}*/
```

```

/*echo $vendor;*/
$q2= "SELECT * FROM products LIMIT 16, 24";
$data2= mysqli_query($conn, $q2);
$total2= mysqli_num_rows($data2);

while($res2= mysqli_fetch_assoc($data2)){
?>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal1" class="offer-img" id="<?php echo $res2['product_id'];?>">
<?php echo "<img src='images/".$res2['product_image']."'";?>
</a>
<div class="mid-1">
<div class="women">
<h6>
<?php echo $res2['product_title'];?>
</h6>
</div>
<div class="mid-2">
<p ><label> Rs <?php echo $res2['product_price'] +20;?></label><em class="item_price"> Rs <?php echo $res2['product_price'];?></em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<?php
$s= "images/";
$ext= $res2['product_image'];
$image= $s.$ext;
?>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="<?php echo $res2['product_id']; ?>" data-name="<?php echo $res2['product_title'];?>" data-summary="summary 1" data-price="<?php echo $res2['product_price'];?>" data-quantity="1" data-image="<?php echo $image; ?>">Add to Cart</button>
</div>
</div>
</div>
<?php
}
?>
<!-- <div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal18" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php"> Lady Finger</a>(250 g)</h6>
</div>
<div class="mid-2">

```

```

<p><label> Rs 5.00</label><em class="item_price"> Rs 4.50</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="1" data-name="product 1" data-summary="summary 1" data-price="4.50" data-quantity="1" data-image="images/of17.png">Add to Cart</button>
</div>
</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal19" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php"> Ribbon</a>(1 pc)</h6>
</div>
<div class="mid-2">
<p><label> Rs 4.00</label><em class="item_price"> Rs 3.50</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="1" data-name="product 1" data-summary="summary 1" data-price="3.50" data-quantity="1" data-image="images/of18.png">Add to Cart</button>
</div>
</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal20" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Grapes</a>(500 g)</h6>
</div>
<div class="mid-2">
<p><label> Rs 1.00</label><em class="item_price"> Rs 0.80</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="1" data-name="product 1" data-

```

```

summary="summary 1" data-price="0.80" data-quantity="1" data-image="images/of19.png">Add to Cart</button>
</div>
</div>
</div>
</div>

<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal21" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Clips</a>(1 pack)</h6>
</div>
<div class="mid-2">
<p ><label> Rs 7.00</label><em class="item_price"> Rs 6.00</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="1" data-name="product 1" data-summary="summary 1" data-price="6.00" data-quantity="1" data-image="images/of20.png">Add to Cart</button>
</div>
</div>
</div>
</div>

<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal22" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Conditioner</a>(250 g)</h6>
</div>
<div class="mid-2">
<p ><label> Rs 5.00</label><em class="item_price"> Rs 4.50</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="1" data-name="product 1" data-summary="summary 1" data-price="4.50" data-quantity="1" data-image="images/of21.png">Add to Cart</button>
</div>
</div>
</div>
</div>

<div class="col-md-3 pro-1">
<div class="col-m">

```

```

<a href="#" data-toggle="modal" data-target="#myModal23" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Cleaner</a>(250 kg)</h6>
</div>
<div class="mid-2">
<p ><label> Rs 4.00</label><em class="item_price"> Rs 3.50</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="1" data-name="product 1" data-summary="summary 1" data-price="3.50" data-quantity="1" data-image="images/of22.png">Add to Cart</button>
</div>
</div>
</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal24" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Gel</a>(150 g)</h6>
</div>
<div class="mid-2">
<p ><label> Rs 1.00</label><em class="item_price"> Rs 0.80</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="1" data-name="product 1" data-summary="summary 1" data-price="0.80" data-quantity="1" data-image="images/of23.png">Add to Cart</button>
</div>
</div>
</div>
</div> -->
<div class="clearfix"></div>
</div>
</div>
</div>

<!--footer-->
<?php include_once("footer.php"); ?>
<!-- //footer-->

<!-- smooth scrolling -->

```

```

<script type="text/javascript">
$(document).ready(function() {
/*
var defaults = {
containerID: 'toTop', // fading element id
containerHoverID: 'toTopHover', // fading element hover id
scrollSpeed: 1200,
easingType: 'linear'
};
*/
$().UItoTop({ easingType: 'easeOutQuart' });
});
</script>
<a href="#" id="toTop" style="display: block;"><span id="toTopHover" style="opacity: 1;"></span></a>
<!-- //smooth scrolling -->
<!-- for bootstrap working -->
<script src="js/bootstrap.js"></script>
<!-- //for bootstrap working -->
<script type='text/javascript' src="js/jquery.mycart.js"></script>
<script type="text/javascript">
$(function () {

var goToCartIcon = function($addTocartBtn){
var $cartIcon = $(".my-cart-icon");
var $image = $('').css({"position": "fixed", "z-index": "999"});
$addTocartBtn.prepend($image);
var position = $cartIcon.position();
$image.animate({
top: position.top,
left: position.left
}, 500 , "linear", function() {
$image.remove();
});
}

$('.my-cart-btn').myCart({
classCartIcon: 'my-cart-icon',
classCartBadge: 'my-cart-badge',
affixCartIcon: true,
checkoutCart: function(products) {
$.each(products, function(){
console.log(this);
});
},
clickOnAddToCart: function($addTocart){
goToCartIcon($addTocart);
},
getDiscountPrice: function(products) {
var total = 0;
$.each(products, function(){
total += this.quantity * this.price;
});
return total * 1;
}
});
});

```

```

    }
});

});

</script>

<div class="modal fade" id="myModal1" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa" id="item_detail">

</div>
</div>
</div>
</div>

<script>
$(document).ready(function(){
$('.offer-img').click(function(){
/*
                           console.log("what"); */
var id = $(this).attr("id");
console.log(id);
$.ajax({
url:"select.php",
method:"post",
data:{id:id},
success:function(data){
$('#item_detail').html(data);
$('#myModal1').modal("show");
}
});
});
});
});
</script>

<!-- <div class="modal fade" id="myModal2" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">

```

```

<h3>Sunflower Oil(5 kg)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 10.00</del> Rs 9.00</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="2" data-name="Sunflower Oil" data-summary="summary 2" data-price="9.00" data-quantity="1" data-image="images/of1.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal3" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Kabuli Chana(1 kg)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 3.00</del> Rs 2.00</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="3" data-name="Kabuli Chana" data-summary="summary 3" data-price="2.00" data-quantity="1" data-image="images/of2.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>

```

```

<div class="modal fade" id="myModal4" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Soya Chunks(1 kg)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 4.00</del> Rs 3.50</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="4" data-name="Soya Chunks" data-
summary="summary 4" data-price="3.50" data-quantity="1" data-image="images/of3.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>

<div class="modal fade" id="myModal5" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Lays(100 g)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 1.00</del> Rs 0.70</span>

<div class="clearfix"></div>

```

```

</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="5" data-name="Lays" data-summary="summary
5" data-price="0.70" data-quantity="1" data-image="images/of4.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal6" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Kurkure(100 g)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 1.00</del> Rs 0.70</span>
<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="6" data-name="Kurkure" data-
summary="summary 6" data-price="0.70" data-quantity="1" data-image="images/of5.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>

<div class="modal fade" id="myModal7" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>

```

```

</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Popcorn(250 g)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 2.00</del> Rs 1.00</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="7" data-name="Popcorn" data-summary="summary 7" data-price="1.00" data-quantity="1" data-image="images/of6.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal8" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Nuts(250 g)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 4.00</del> Rs 3.50</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="8" data-name="Nuts" data-summary="summary 8" data-price="3.50" data-quantity="1" data-image="images/of7.png">Add to Cart</button>

```

```

</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal9" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Banana(6 pcs)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 2.00</del> Rs 1.50</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="9" data-name="Banana" data-
summary="summary 9" data-price="1.50" data-quantity="1" data-image="images/of8.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>

<div class="modal fade" id="myModal10" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>

```

```

</div>
<div class="col-md-7 span-1 ">
<h3>Onion(1 kg)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 1.00</del> Rs 0.70</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="10" data-name="Onion" data-summary="summary 10" data-price="0.70" data-quantity="1" data-image="images/of9.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>
<div class="modal fade" id="myModal11" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Bitter Gourd(1 kg)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 2.00</del> Rs 1.00</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="11" data-name="Bitter Gourd" data-summary="summary 11" data-price="1.00" data-quantity="1" data-image="images/of10.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>

```

```

</div>
</div>

<div class="modal fade" id="myModal12" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Apples(1 kg)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 4.00</del> Rs 3.50</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="12" data-name="Apples" data-
summary="summary 12" data-price="3.50" data-quantity="1" data-image="images/of11.png">Add to
Cart</button>
</div>
</div>
<div class="clearfix"> </div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal13" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Honey(500 g)</h3>
<p class="in-para"> Some attractive Heading</p>

```

```

<div class="price_single">
<span class="reducedfrom "><del> Rs 7.00</del> Rs 6.00</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="13" data-name="Honey" data-summary="summary 13" data-price="6.00" data-quantity="1" data-image="images/of12.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"> </div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal14" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Chocos(250 g)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 5.00</del> Rs 4.50</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="14" data-name="Chocos" data-summary="summary 14" data-price="4.50" data-quantity="1" data-image="images/of13.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"> </div>
</div>
</div>
</div>

```

```
<div class="modal fade" id="myModal15" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Oats(1 kg)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 4.00</del> Rs 3.50</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="15" data-name="Oats" data-summary="summary 15" data-price="3.50" data-quantity="1" data-image="images/of14.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"> </div>
</div>
</div>
</div>
</div>
```



```
<div class="modal fade" id="myModal16" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Bread(500 g)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 1.00</del> Rs 0.80</span>
```

```

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="16" data-name="Bread" data-
summary="summary 16" data-price="0.80" data-quantity="1" data-image="images/of15.png">Add to
Cart</button>
</div>
</div>
<div class="clearfix"> </div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal17" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Moisturiser(500 g)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 1.00</del> Rs 0.80</span>
<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="17" data-name="Moisturiser" data-
summary="summary 17" data-price="0.80" data-quantity="1" data-image="images/of16.png">Add to
Cart</button>
</div>
</div>
<div class="clearfix"> </div>
</div>
</div>
</div>

<div class="modal fade" id="myModal18" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">

```

```

<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Lady Finger(250 g)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 1.00</del> Rs 0.80</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="18" data-name="Lady Finger" data-
summary="summary 18" data-price="0.80" data-quantity="1" data-image="images/of17.png">Add to
Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>
</div>

```



```

<div class="modal fade" id="myModal19" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Satin Ribbon Red(1 pc)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 1.00</del> Rs 0.80</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>

```

```

<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="19" data-name="Satin Ribbon Red" data-
summary="summary 19" data-price="0.80" data-quantity="1" data-image="images/of18.png">Add to
Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal20" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Grapes(500 g)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 1.00</del> Rs 0.80</span>
<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="20" data-name="Grapes" data-
summary="summary 20" data-price="0.80" data-quantity="1" data-image="images/of19.png">Add to
Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>

<div class="modal fade" id="myModal21" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>

```

```

</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Clips(1 pack)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 1.00</del> Rs 0.80</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="21" data-name="Clips" data-summary="summary 21" data-price="0.80" data-quantity="1" data-image="images/of20.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"> </div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal22" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Conditioner</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 1.00</del> Rs 0.80</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="22" data-name="Conditioner" data-

```

```

summary="summary 22" data-price="0.80" data-quantity="1" data-image="images/of21.png">Add to
Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal23" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Cleaner(250 kg)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 1.00</del> Rs 0.80</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="23" data-name="Cleaner" data-
summary="summary 23" data-price="0.80" data-quantity="1" data-image="images/of22.png">Add to
Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>

<div class="modal fade" id="myModal24" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">

```

```

<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Gel(150 g)</h3>
<p class="in-para"> Some attractive Heading</p>
<div class="price_single">
<span class="reducedfrom "><del> Rs 1.00</del> Rs 0.80</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Description .....</p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="24" data-name="Gel" data-summary="summary 24" data-price="0.80" data-quantity="1" data-image="images/of23.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div> -->
</body>
</html>

```

Login.php:-

```

<?php
session_start();
if(isset($_SESSION['customer']))
{
header("location:cust-index.php");
}

include("connection.php");
error_reporting(0);
?>

<!DOCTYPE html>
<html>
<head>
<title>Login</title>
<!-- for-mobile-apps -->
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<meta property="og:title" content="Vide" />
<meta name="keywords" content="Login Page" />
<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar, 0); },
false);
function hideURLbar(){ window.scrollTo(0,1); } </script>

```

```

<!-- //for-mobile-apps -->
<link href="css/bootstrap.css" rel='stylesheet' type='text/css' />
<!-- Custom Theme files -->
<link href="css/style.css" rel='stylesheet' type='text/css' />
<!-- js -->
<script src="js/jquery-1.11.1.min.js"></script>
<!-- //js -->
<!-- start-smooth-scrolling -->
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
jQuery(document).ready(function($) {
  $(".scroll").click(function(event){
    event.preventDefault();
    $('html,body').animate({ scrollTop:$(this.hash).offset().top },1000);
  });
});
</script>
<!-- start-smooth-scrolling -->
<link href="css/font-awesome.css" rel="stylesheet">
<link href='//fonts.googleapis.com/css?family=Montserrat:400,700' rel='stylesheet' type='text/css'>
<link href='//fonts.googleapis.com/css?family=Noto+Sans:400,700' rel='stylesheet' type='text/css'>
<!-- start-rate---->
<script src="js/jstarbox.js"></script>
<link rel="stylesheet" href="css/jstarbox.css" type="text/css" media="screen" charset="utf-8" />
<script type="text/javascript">
jQuery(function() {
  jQuery('.starbox').each(function() {
    var starbox = jQuery(this);
    starbox.starbox({
      average: starbox.attr('data-start-value'),
      changeable: starbox.hasClass('unchangeable') ? false : starbox.hasClass('clickonce') ? 'once' : true,
      ghosting: starbox.hasClass('ghosting'),
      autoUpdateAverage: starbox.hasClass('autoupdate'),
      buttons: starbox.hasClass('smooth') ? false : starbox.attr('data-button-count') || 5,
      stars: starbox.attr('data-star-count') || 5
    }).bind('starbox-value-changed', function(event, value) {
      if(starbox.hasClass('random')) {
        var val = Math.random();
        starbox.next().text(' '+val);
        return val;
      }
    })
  });
});
</script>
<!--//End-rate---->

</head>
<body>
<a href="offer.php"></a>
<div class="header">

<div class="container">

<div class="logo">
<h1 ><a href="index.php"><b>T<br>H<br>E</b>Starcon Organic Products<span>The Best Organic
Products</span></a></h1>

```

```

</div>
<div class="head-t">
<ul class="card">
<li><a href="login.php" ><i class="fa fa-user" aria-hidden="true"></i>Login</a></li>
<li><a href="register.php" ><i class="fa fa-arrow-right" aria-hidden="true"></i>Register</a></li>
<li><a href="vendor-index.php" ><i class="fa fa-user" aria-hidden="true"></i>Vendor Login</a></li>
<li><a href="about.php" ><i class="fa fa-file-text-o" aria-hidden="true"></i> About Us </a></li>
<li><a href="shipping.php" ><i class="fa fa-ship" aria-hidden="true"></i>Shipping</a></li>
</ul>
</div>

<div class="header-ri">
<ul class="social-top">
<li><a href="#" class="icon facebook"><i class="fa fa-facebook" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon twitter"><i class="fa fa-twitter" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon pinterest"><i class="fa fa-pinterest-p" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon dribbble"><i class="fa fa-dribbble" aria-hidden="true"></i><span></span></a></li>
</ul>
</div>

<?php include_once("top.php"); ?>

</div>

</div>
</div>
<!-->
<!--banner-->
<div class="banner-top">
<div class="container">
<h3 >Login</h3>
<h4><a href="index.php">Home</a><label>/</label>Login</h4>
<div class="clearfix"></div>
</div>
</div>
<!--login-->

<div class="login">

<div class="main-agileits">
<div class="form-w3agile">
<h3>Login</h3>
<form action="" method="post">
<div class="key">
<i class="fa fa-envelope" aria-hidden="true"></i>
<input type="text" value="Email" name="Email" onfocus="this.value = ";" onblur="if (this.value == '') {this.value = 'Email';}" required="">
<div class="clearfix"></div>
</div>
<div class="key">
<i class="fa fa-lock" aria-hidden="true"></i>
<input type="password" value="Password" name="Password" onfocus="this.value = ";" onblur="if (this.value == '') {this.value = 'Password';}" required="">
<div class="clearfix"></div>
</div>
<input type="submit" name="submit" value="Login">

```

```

</form>

<?php

if(isset($_POST['submit']))
{
$email= $_POST['Email'];
$passwd= $_POST['Password'];

if($email != "" && $passwd != ""){
$query= "SELECT * from customers where email='$email' && password='$passwd'";
$data= mysqli_query($conn, $query);
$total= mysqli_num_rows($data);
if($total == 1){
$_SESSION['customer']= $email;
echo "<script type='text/javascript'> window.location='cust-index.php'; </script>";
}
else{
echo "Invalid Username or Password";
}
}
else{
echo "All Fields Required";
}
}

?>

</div>
<div class="forg">
<a href="forget.php" class="forg-left">Forgot Password</a>
<a href="register.php" class="forg-right">Register</a>
<div class="clearfix"></div>
</div>
</div>
</div>
<!--footer-->
<?php include_once("footer.php"); ?>
<!-- //footer-->
<!-- smooth scrolling -->
<script type="text/javascript">
$(document).ready(function() {
/*
var defaults = {
containerID: 'toTop', // fading element id
containerHoverID: 'toTopHover', // fading element hover id
scrollSpeed: 1200,
easingType: 'linear'
};
*/
$(UItoTop({ easingType: 'easeOutQuart' }));
});
</script>
<a href="#" id="toTop" style="display: block;"><span id="toTopHover" style="opacity: 1;"></span></a>
<!-- //smooth scrolling -->
<!-- for bootstrap working -->
<script src="js/bootstrap.js"></script>

```

```

<!-- //for bootstrap working -->
<script type="text/javascript" src="js/jquery.mycart.js"></script>
<script type="text/javascript">
$(function () {

var goToCartIcon = function($addTocartBtn){
var $cartIcon = $(".my-cart-icon");
var $image = $(<img width="30px" height="30px" src="" + $addTocartBtn.data("image") + ""/>).css({"position": "fixed", "z-index": "999"});
$addTocartBtn.prepend($image);
var position = $cartIcon.position();
$image.animate({
top: position.top,
left: position.left
}, 500 , "linear", function() {
$image.remove();
});
}

$('.my-cart-btn').myCart({
classCartIcon: 'my-cart-icon',
classCartBadge: 'my-cart-badge',
affixCartIcon: true,
checkoutCart: function(products) {
$.each(products, function(){
console.log(this);
});
},
clickOnAddToCart: function($addTocart){
goToCartIcon($addTocart);
},
getDiscountPrice: function(products) {
var total = 0;
$.each(products, function(){
total += this.quantity * this.price;
});
return total * 1;
});
});

});
</script>

</body>
</html>

```

Register.php:-

```

<?php
session_start();

include("connection.php");
error_reporting(0);

$cust= $_SESSION['customer'];

```

```

?>

<!DOCTYPE html>
<html>
<head>
<title>Personal Care</title>
<!-- for-mobile-apps -->
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<meta property="og:title" content="Vide" />
<meta name="keywords" content="Personal Care" />
<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar, 0); }, false);
function hideURLbar(){ window.scrollTo(0,1); } </script>
<!-- //for-mobile-apps -->
<link href="css/bootstrap.css" rel='stylesheet' type='text/css' />
<!-- Custom Theme files -->
<link href="css/style.css" rel='stylesheet' type='text/css' />
<!-- js -->
<script src="js/jquery-1.11.1.min.js"></script>
<!-- //js -->
<!-- start-smooth-scrolling -->
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
jQuery(document).ready(function($){
$(".scroll").click(function(event){
event.preventDefault();
$(html,body).animate({scrollTop:$this.hash).offset().top},1000);
});
});
});
</script>
<!-- start-smooth-scrolling -->
<link href="css/font-awesome.css" rel="stylesheet">
<link href='//fonts.googleapis.com/css?family=Montserrat:400,700' rel='stylesheet' type='text/css'>
<link href='//fonts.googleapis.com/css?family=Noto+Sans:400,700' rel='stylesheet' type='text/css'>
<!-- start-rate---->
<script src="js/jstarbox.js"></script>
<link rel="stylesheet" href="css/jstarbox.css" type="text/css" media="screen" charset="utf-8" />
<script type="text/javascript">
jQuery(function() {
jQuery('.starbox').each(function() {
var starbox = jQuery(this);
starbox.starbox({
average: starbox.attr('data-start-value'),
changeable: starbox.hasClass('unchangeable') ? false : starbox.hasClass('clickonce') ? 'once' : true,
ghosting: starbox.hasClass('ghosting'),
autoUpdateAverage: starbox.hasClass('autoupdate'),
buttons: starbox.hasClass('smooth') ? false : starbox.attr('data-button-count') || 5,
stars: starbox.attr('data-star-count') || 5
}).bind('starbox-value-changed', function(event, value) {
if(starbox.hasClass('random')) {
var val = Math.random();
starbox.next().text('+' + val);
return val;
}
})
});
});

```

```

    });
</script>
<!--//End-rate---->

</head>
<body>
<a href="offer.php"></a>
<div class="header">

<div class="container">

<div class="logo">
<h1 ><a href="index.php"><b>T<br>H<br>E</b>Starcon Organic Products<span>The Best Organic
Products</span></a></h1>
</div>

<?php
if(isset($_SESSION['customer']))
{
    ?>
<div class="header">
<b>Welcome </b><b style="color: green;"><?php echo $cust; ?></b>
</div>

<div class="head-t">
<ul class="card">
<li><a href="order.php" ><i class="fa fa-arrow-right" aria-hidden="true"></i>Orders</a></li>
<li><a href="vendor-index.php" ><i class="fa fa-user" aria-hidden="true"></i>Vendor Login</a></li>
<li><a href="about.php" ><i class="fa fa-file-text-o" aria-hidden="true"></i>About Us</a></li>
<li><a href="shipping.php" ><i class="fa fa-ship" aria-hidden="true"></i>Shipping</a></li>
<li><a href="cust-logout.php" ><i class="fa fa-user" aria-hidden="true"></i>Logout</a></li>
</ul>
</div>

<?php
}

else{
    ?>

<div class="head-t">
<ul class="card">
<li><a href="login.php" ><i class="fa fa-user" aria-hidden="true"></i>Login</a></li>
<li><a href="register.php" ><i class="fa fa-arrow-right" aria-hidden="true"></i>Register</a></li>
<li><a href="vendor-index.php" ><i class="fa fa-user" aria-hidden="true"></i>Vendor Login</a></li>
<li><a href="about.php" ><i class="fa fa-file-text-o" aria-hidden="true"></i>About Us</a></li>
<li><a href="shipping.php" ><i class="fa fa-ship" aria-hidden="true"></i>Shipping</a></li>
</ul>
</div>

<?php
}

    ?>

<div class="header-ri">
<ul class="social-top">

```

```

<li><a href="#" class="icon facebook"><i class="fa fa-facebook" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon twitter"><i class="fa fa-twitter" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon pinterest"><i class="fa fa-pinterest-p" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon dribbble"><i class="fa fa-dribbble" aria-hidden="true"></i><span></span></a></li>
</ul>
</div>

<?php include_once("top.php"); ?>

</div>

</div>
</div>
<!-->

<!-- Carousel
=====
--&gt;
&lt;div id="myCarousel" class="carousel slide" data-ride="carousel"&gt;
&lt;!-- Indicators --&gt;
&lt;ol class="carousel-indicators"&gt;
&lt;li data-target="#myCarousel" data-slide-to="0" class="active"&gt;&lt;/li&gt;
&lt;li data-target="#myCarousel" data-slide-to="1"&gt;&lt;/li&gt;
&lt;li data-target="#myCarousel" data-slide-to="2"&gt;&lt;/li&gt;
&lt;/ol&gt;
&lt;div class="carousel-inner" role="listbox"&gt;
&lt;div class="item active"&gt;
&lt;a href="care.php"&gt;&lt;img class="first-slide" src="images/ba1.jpg" alt="First slide"&gt;&lt;/a&gt;
&lt;/div&gt;
&lt;div class="item"&gt;
&lt;a href="kitchen.php"&gt;&lt;img class="second-slide" src="images/ba.jpg" alt="Second slide"&gt;&lt;/a&gt;
&lt;/div&gt;
&lt;div class="item"&gt;
&lt;a href="hold.php"&gt;&lt;img class="third-slide" src="images/ba2.jpg" alt="Third slide"&gt;&lt;/a&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;&lt;!-- /.carousel --&gt;

&lt;!--content--&gt;
&lt;!-- &lt;div class="kic-top "&gt;
&lt;div class="container "&gt;
&lt;div class="kic "&gt;
&lt;h3&gt;Popular Categories&lt;/h3&gt;

&lt;/div&gt;
&lt;div class="col-md-4 kic-top1"&gt;
&lt;a href="single.php"&gt;
&lt;img src="images/ki3.jpg" class="img-responsive" alt=""&gt;
&lt;/a&gt;
&lt;h6&gt;Natural Cream&lt;/h6&gt;
&lt;p&gt;Desc ... &lt;/p&gt;
&lt;/div&gt;
&lt;div class="col-md-4 kic-top1"&gt;
</pre>

```

```

<a href="single.php">

</a>
<h6>Shaving Kit</h6>
<p>Desc ... </p>
</div>
<div class="col-md-4 kic-top1">
<a href="single.php">

</a>
<h6>Makeup Kit</h6>
<p>Desc ... </p>
</div>
</div>
</div> -->

<!--content-->
<div class="product">
<div class="container">
<div class="spec ">
<h3>Personal Care Products</h3>
<div class="ser-t">
<b></b>
<span><i></i></span>
<b class="line"></b>
</div>
</div>
<div class=" con-w3l agileinf">
<?php
/*$q = "SELECT v.email from vendors v JOIN customers c ON v.pincode= c.pincode WHERE c.email='$cust'";
$data= mysqli_query($conn, $q);
$total= mysqli_num_rows($data);
while($res= mysqli_fetch_assoc($data)){
if($total > 0){
$vendor= $res['email'];
}*/
```

/*echo \$vendor;*/

```

$q2= "SELECT * FROM products WHERE product_brand= 16 ";
$data2= mysqli_query($conn, $q2);
$total2= mysqli_num_rows($data2);

while($res2= mysqli_fetch_assoc($data2)){
?>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal1" class="offer-img" id="<?php echo $res2['product_id'];?>">
<?php echo "<img src='images/".$res2['product_image']."'";?>
</a>
<div class="mid-1">
<div class="women">
<h6>
<?php echo $res2['product_title'];?>
</h6>
</div>
<div class="mid-2">
<p ><label> Rs <?php echo $res2['product_price'] +20;?></label><em class="item_price"> Rs <?php echo
```

```

$res2['product_price'];?></em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<?php
$s= "images/";
$ext= $res2['product_image'];
$image= $s.$ext;
?>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="<?php echo $res2['product_id']; ?>" data-name="<?php echo $res2['product_title'];?>" data-summary="summary 1" data-price="<?php echo $res2['product_price'];?>" data-quantity="1" data-image="<?php echo $image; ?>">Add to Cart</button>
</div>
</div>
</div>
<?php
}
?>
<!-- <div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal2" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Soap</a>(250 g)</h6>
</div>
<div class="mid-2">
<p ><label> RS 5.00</label><em class="item_price"> RS 4.50</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="37" data-name="Soap" data-summary="summary 37" data-price="4.50" data-quantity="1" data-image="images/of37.png">Add to Cart</button>
</div>
</div>
</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal3" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Hair Gel</a>(100 g)</h6>
</div>
<div class="mid-2">
<p ><label> RS 4.00</label><em class="item_price"> RS 3.50</em></p>
<div class="block">

```

```

<div class="starbox small ghosting"></div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="38" data-name="Hair Gel" data-summary="summary 38" data-price="3.50" data-quantity="1" data-image="images/of38.png">Add to Cart</button>
</div>
</div>
</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal4" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Lotion </a>(100 g)</h6>
</div>
<div class="mid-2">
<p><label> RS 1.00</label><em class="item_price"> RS 0.80</em></p>
<div class="block">
<div class="starbox small ghosting"></div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="39" data-name="Lotion" data-summary="summary 39" data-price="0.80" data-quantity="1" data-image="images/of39.png">Add to Cart</button>
</div>
</div>
</div>
</div>

<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal5" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Shower Gel</a>(250 g)</h6>
</div>
<div class="mid-2">
<p><label> RS 7.00</label><em class="item_price"> RS 6.00</em></p>
<div class="block">
<div class="starbox small ghosting"></div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="40" data-name="Shower Gel" data-summary="summary 40" data-price="6.00" data-quantity="1" data-image="images/of40.png">Add to Cart</button>
</div>
</div>

```

```

</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal6" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Hair Color</a>(250 g)</h6>
</div>
<div class="mid-2">
<p ><label> RS 5.00</label><em class="item_price"> RS 4.50</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="41" data-name="Hair Color" data-summary="summary 41" data-price="4.50" data-quantity="1" data-image="images/of41.png">Add to Cart</button>
</div>
</div>
</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal7" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php"> Wipes</a>(300 kg)</h6>
</div>
<div class="mid-2">
<p ><label> RS 4.00</label><em class="item_price"> RS 3.50</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="42" data-name="Wipes" data-summary="summary 42" data-price="3.50" data-quantity="1" data-image="images/of42.png">Add to Cart</button>
</div>
</div>
</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal8" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Essential Oils</a>(200 g)</h6>
</div>

```

```

<div class="mid-2">
<p><label> RS 1.00</label><em class="item_price"> RS 0.80</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="43" data-name="Essential Oils" data-summary="summary 43" data-price="0.80" data-quantity="1" data-image="images/of43.png">Add to Cart</button>
</div>
</div>
</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal9" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Cream</a>(150 g)</h6>
</div>
<div class="mid-2">
<p><label> RS 7.00</label><em class="item_price"> RS 6.00</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="44" data-name="Cream" data-summary="summary 44" data-price="6.00" data-quantity="1" data-image="images/of44.png">Add to Cart</button>
</div>
</div>
</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal10" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Hair Color</a>(250 g)</h6>
</div>
<div class="mid-2">
<p><label> RS 5.00</label><em class="item_price"> RS 4.50</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="45" data-name="Hair Color" data-summary="summary 45" data-price="4.50" data-quantity="1" data-image="images/of45.png">Add to Cart</button>

```

```

</div>
</div>
</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal11" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Baby Care</a>(1 kg)</h6>
</div>
<div class="mid-2">
<p ><label> RS 4.00</label><em class="item_price"> RS 3.50</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="46" data-name="Baby Care" data-summary="summary 46" data-price="3.50" data-quantity="1" data-image="images/of46.png">Add to Cart</button>
</div>
</div>
</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal12" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Lotion</a>(100 g)</h6>
</div>
<div class="mid-2">
<p ><label> RS 1.00</label><em class="item_price"> RS 0.80</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="47" data-name="Lotion" data-summary="summary 47" data-price="0.80" data-quantity="1" data-image="images/of47.png">Add to Cart</button>
</div>
</div>
</div>
</div>-->
<div class="clearfix"></div>
</div>
</div>
<!--footer-->
<?php include_once("footer.php"); ?>
<!-- //footer-->

```

```

<!-- smooth scrolling -->
<script type="text/javascript">
$(document).ready(function() {
/*
var defaults = {
containerID: 'toTop', // fading element id
containerHoverID: 'toTopHover', // fading element hover id
scrollSpeed: 1200,
easingType: 'linear'
};
*/
$().UItoTop({ easingType: 'easeOutQuart' });
});
</script>
<a href="#" id="toTop" style="display: block;"><span id="toTopHover" style="opacity: 1;"> </span></a>
<!-- //smooth scrolling -->
<!-- for bootstrap working -->
<script src="js/bootstrap.js"></script>
<!--//for bootstrap working -->
<script type='text/javascript' src="js/jquery.mycart.js"></script>
<script type="text/javascript">
$(function () {

var goToCartIcon = function($addTocartBtn){
var $cartIcon = $(".my-cart-icon");
var $image = $('').css({ "position": "fixed", "z-index": "999" });
$addTocartBtn.prepend($image);
var position = $cartIcon.position();
$image.animate({
top: position.top,
left: position.left
}, 500 , "linear", function() {
$image.remove();
});
}

$('.my-cart-btn').myCart({
classCartIcon: 'my-cart-icon',
classCartBadge: 'my-cart-badge',
affixCartIcon: true,
checkoutCart: function(products) {
$.each(products, function(){
console.log(this);
});
},
clickOnAddToCart: function($addTocart){
goToCartIcon($addTocart);
},
getDiscountPrice: function(products) {
var total = 0;
$.each(products, function(){
total += this.quantity * this.price;
});
return total * 1;
}
});

```

```

});

</script>

<div class="modal fade" id="myModal1" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa" id="item_detail">

</div>
</div>
</div>
</div>

<script>
$(document).ready(function(){
$('.offer-img').click(function(){
/*
                           console.log("what"); */
var id = $(this).attr("id");
console.log(id);
$.ajax({
url:"select.php",
method:"post",
data:{id:id},
success:function(data){
$('#item_detail').html(data);
$('#myModal1').modal("show");
}
});
});
});
});
});
</script>

<!-- <div class="modal fade" id="myModal2" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Soap(250 g)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">
```

```
<span class="reducedfrom "><del> RS 10.00</del> RS 9.00</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="37" data-name="Soap" data-summary="summary 37" data-price="9.00" data-quantity="1" data-image="images/of37.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"> </div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal3" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Hair Gel(100 g)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">
<span class="reducedfrom "><del> RS 3.00</del> RS 2.00</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="38" data-name="Hair Gel" data-summary="summary 38" data-price="2.00" data-quantity="1" data-image="images/of38.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"> </div>
</div>
</div>
</div>

<div class="modal fade" id="myModal4" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
```

```

hidden="true">>&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Lotion (100 g)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">
<span class="reducedfrom "><del> RS 4.00</del> RS 3.50</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="39" data-name="Lotion " data-summary="summary 39" data-price="3.50" data-quantity="1" data-image="images/of39.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"> </div>
</div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal5" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Shower Gel(250 g)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">
<span class="reducedfrom "><del> RS 1.00</del> RS 0.70</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="40" data-name="Shower Gel" data-summary="summary 40" data-price="0.70" data-quantity="1" data-image="images/of40.png">Add to Cart</button>
</div>

```

```

</div>
<div class="clearfix"></div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal6" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Hair Color(250 g)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">
<span class="reducedfrom "><del> RS 1.00</del> RS 0.70</span>
<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="41" data-name="Hair Color" data-summary="summary 41" data-price="0.70" data-quantity="1" data-image="images/of41.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>

<div class="modal fade" id="myModal7" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Wipes(300 kg)</h3>
<p class="in-para"> Some attractive heading</p>

```

```

<div class="price_single">
<span class="reducedfrom "><del> RS 2.00</del> RS 1.00</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="42" data-name="Wipes" data-summary="summary 42" data-price="1.00" data-quantity="1" data-image="images/of42.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"> </div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal8" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Essential Oils(200 g)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">
<span class="reducedfrom "><del> RS 4.00</del> RS 3.50</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="43" data-name="Essential Oils" data-summary="summary 43" data-price="3.50" data-quantity="1" data-image="images/of43.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"> </div>
</div>
</div>
</div>

<div class="modal fade" id="myModal9" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">

```

```
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Cream(150 g)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">
<span class="reducedfrom "><del> RS 2.00</del> RS 1.50</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="44" data-name="Cream" data-summary="summary 44" data-price="1.50" data-quantity="1" data-image="images/of44.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"> </div>
</div>
</div>
</div>
</div>
```



```
<div class="modal fade" id="myModal10" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Hair Color(250 g)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">
<span class="reducedfrom "><del> RS 1.00</del> RS 0.70</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="45" data-name="Hair Color" data-summary="summary 45" data-price="0.70" data-quantity="1" data-image="images/of45.png">Add to Cart</button>
```

```

</div>
</div>
<div class="clearfix"> </div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal11" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Baby Care(1 kg)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">
<span class="reducedfrom "><del> RS 2.00</del> RS 1.00</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="46" data-name="Baby Care" data-summary="summary 46" data-price="1.00" data-quantity="1" data-image="images/of46.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"> </div>
</div>
</div>
</div>

<div class="modal fade" id="myModal12" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Lotion(100 g)</h3>

```

```

<p class="in-para"> Some attractive heading</p>
<div class="price_single">
<span class="reducedfrom "><del> RS 4.00</del> RS 3.50</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="47" data-name="Lotion" data-summary="summary 47" data-price="3.50" data-quantity="1" data-image="images/of47.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"> </div>
</div>
</div>
</div>
</div> -->

</body>
</html>

```

Vendor.php:-

```

<?php
session_start();
if (!isset($_SESSION['user'])) {
    header("location:vendor.php");
}

include "./templates/top.php";

?>

<?php include "./templates/navbar.php"; ?>

<div class="container-fluid">
<div class="row">

<?php include "./templates/sidebar.php"; 

$admin= $_SESSION['user'];

if($admin == "malbok@gmail.com"){
?>

<!-- <canvas class="my-4 w-100" id="myChart" width="900" height="380"></canvas> -->

<h2>All Vendors</h2>
<div class="table-responsive">
<table class="table table-striped table-sm">
<thead>
<tr>
<th>#</th>

```

```

<th>Name</th>
<th>Email</th>
<th>Phone</th>
<th>Address</th>
<th>Action</th>
</tr>
</thead>
<tbody id="admin_list">
<!-- <tr>
    <td>1,001</td>
    <td>Lorem</td>
    <td>ipsum</td>
    <td>dolor</td>
    <td>sit</td>
</tr> -->
</tbody>
</table>
</div>

<?php
}
else{ }
?>

</main>
</div>
</div>

<?php include "./templates/footer.php"; ?>

<script type="text/javascript" src="./js/admin.js"></script>

```

Signup.php:-

```

<?php
session_start();
include("connection.php");
error_reporting(0);
?>

<!DOCTYPE html>
<html>
<head>
<title>Register</title>
<!-- for-mobile-apps -->
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<meta property="og:title" content="Vide" />
<meta name="keywords" content="Registration" />
<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar, 0); },
false);
function hideURLbar(){ window.scrollTo(0,1); } </script>
<!-- //for-mobile-apps -->
<link href="css/bootstrap.css" rel='stylesheet' type='text/css' />
<!-- Custom Theme files -->

```

```

<link href="css/style.css" rel='stylesheet' type='text/css' />
<!-- js -->
<script src="js/jquery-1.11.1.min.js"></script>
<!-- //js -->
<!-- start-smooth-scrolling -->
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
jQuery(document).ready(function($) {
  $(".scroll").click(function(event){
    event.preventDefault();
    $('html,body').animate({ scrollTop:$ (this.hash).offset().top},1000);
  });
});
</script>
<!-- start-smooth-scrolling -->
<link href="css/font-awesome.css" rel="stylesheet">
<link href='//fonts.googleapis.com/css?family=Montserrat:400,700' rel='stylesheet' type='text/css'>
<link href='//fonts.googleapis.com/css?family=Noto+Sans:400,700' rel='stylesheet' type='text/css'>
<!-- start-rate---->
<script src="js/jstarbox.js"></script>
<link rel="stylesheet" href="css/jstarbox.css" type="text/css" media="screen" charset="utf-8" />
<script type="text/javascript">
jQuery(function() {
  jQuery('.starbox').each(function() {
    var starbox = jQuery(this);
    starbox.starbox({
      average: starbox.attr('data-start-value'),
      changeable: starbox.hasClass('unchangeable') ? false : starbox.hasClass('clickonce') ? 'once' : true,
      ghosting: starbox.hasClass('ghosting'),
      autoUpdateAverage: starbox.hasClass('autoupdate'),
      buttons: starbox.hasClass('smooth') ? false : starbox.attr('data-button-count') || 5,
      stars: starbox.attr('data-star-count') || 5
    }).bind('starbox-value-changed', function(event, value) {
      if(starbox.hasClass('random')) {
        var val = Math.random();
        starbox.next().text(' '+val);
        return val;
      }
    })
  });
});
</script>
<!--/End-rate---->

</head>
<body>
<a href="offer.php"></a>
<div class="header">

<div class="container">

<div class="logo">
<h1 ><a href="index.php"><b>T<br>H<br>E</b>Starcon Organic Products<span>The Best Organic
Products</span></a></h1>
</div>
<div class="head-t">
<ul class="card">

```

```

<li><a href="login.php" ><i class="fa fa-user" aria-hidden="true"></i>Login</a></li>
<li><a href="register.php" ><i class="fa fa-arrow-right" aria-hidden="true"></i>Register</a></li>
<li><a href="vendor-index.php" ><i class="fa fa-user" aria-hidden="true"></i>Vendor Login</a></li>
<li><a href="about.php" ><i class="fa fa-file-text-o" aria-hidden="true"></i>About Us</a></li>
<li><a href="shipping.php" ><i class="fa fa-ship" aria-hidden="true"></i>Shipping</a></li>
</ul>
</div>

<div class="header-ri">
<ul class="social-top">
<li><a href="#" class="icon facebook"><i class="fa fa-facebook" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon twitter"><i class="fa fa-twitter" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon pinterest"><i class="fa fa-pinterest-p" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon dribbble"><i class="fa fa-dribbble" aria-hidden="true"></i><span></span></a></li>
</ul>
</div>

<?php include_once("top.php"); ?>

</div>

</div>
</div>
<!-->

<!--banner-->
<div class="banner-top">
<div class="container">
<h3>Register</h3>
<h4><a href="index.php">Home</a><label>/</label>Register</h4>
<div class="clearfix"></div>
</div>
</div>

<!--login-->

<div class="login">
<div class="main-agileits">
<div class="form-w3agile form1">
<h3>Register</h3>
<form action="" method="get">
<div class="key">
<i class="fa fa-user" aria-hidden="true"></i>
<input type="text" value="Username" name="Username" onfocus="this.value = ";" onblur="if (this.value == "") {this.value = 'Username';}" required="true">
<div class="clearfix"></div>
</div>
<div class="key">
<i class="fa fa-envelope" aria-hidden="true"></i>
<input type="text" value="Email" name="Email" onfocus="this.value = ";" onblur="if (this.value == "") {this.value = 'Email';}" required="true">
<div class="clearfix"></div>
</div>
<div class="key">
<i class="fa fa-phone" aria-hidden="true"></i>
<input type="text" value="Phone" name="Phone" onfocus="this.value = ";" onblur="if (this.value == "") {this.value = 'Phone';}" required="true">
<div class="clearfix"></div>
</div>

```

```

= 'Phone';}" required="true">
<div class="clearfix"></div>
</div>
<div class="key">
<i class="fa fa-user" aria-hidden="true"></i>
<input type="text" value="Street Address" name="Street" onfocus="this.value = ";" onblur="if (this.value == '') {this.value = 'Street';}" required="true">
<div class="clearfix"></div>
</div>
<div class="key">
<i class="fa fa-user" aria-hidden="true"></i>
<input type="text" value="City" name="City" onfocus="this.value = ";" onblur="if (this.value == '') {this.value = 'City';}" required="true">
<div class="clearfix"></div>
</div>
<div class="key">
<i class="fa fa-user" aria-hidden="true"></i>
<input type="text" value="Pincode/ Zipcode" name="Pincode" onfocus="this.value = ";" onblur="if (this.value == '') {this.value = 'Pincode';}" required="true">
<div class="clearfix"></div>
</div>
<div class="key">
<i class="fa fa-lock" aria-hidden="true"></i>
<input type="password" value="Password" name="Password" onfocus="this.value = ";" onblur="if (this.value == '') {this.value = 'Password';}" required="true">
<div class="clearfix"></div>
</div>
<div class="key">
<i class="fa fa-lock" aria-hidden="true"></i>
<input type="password" value="Confirm Password" name="ConfirmPassword" onfocus="this.value = ";" onblur="if (this.value == '') {this.value = 'Confirm Password';}" required="true">
<div class="clearfix"></div>
</div>
<input type="submit" name="submit" value="Submit">
</form>

<?php
if($_GET['submit']){

$uname= $_GET['Username'];
$email= $_GET['Email'];
$phone= $_GET['Phone'];
$street= $_GET['Street'];
$city= $_GET['City'];
$pincode= $_GET['Pincode'];
$passwd= $_GET['Password'];
$cpasswd= $_GET['ConfirmPassword'];

if($uname != "" && $email != "" && $phone != "" && $city != "" && $pincode != "" && $passwd != ""){
if($passwd == $cpasswd){

$query= "INSERT INTO customers values
(DEFAULT,'$uname','$email','$street','$city','$pincode','$passwd','$phone')";
$data= mysqli_query($conn, $query);

if($data == false){

```

```

echo " All Fields Required ";
}
else{
$_SESSION['customer']= $email;
echo "<script type='text/javascript'> window.location='cust-index.php'; </script>";
}

}
else{
echo "Passwords don't Match";
}
}
else{
echo " All Fields Required ";
}
}

?>

</div>

</div>
</div>
<!--footer-->
<?php include_once("footer.php"); ?>
<!-- //footer-->
<!-- smooth scrolling -->
<script type="text/javascript">
$(document).ready(function() {
/*
var defaults = {
containerID: 'toTop', // fading element id
containerHoverID: 'toTopHover', // fading element hover id
scrollSpeed: 1200,
easingType: 'linear'
};
*/
$(UItoTop({ easingType: 'easeOutQuart' }));
});
</script>
<a href="#" id="toTop" style="display: block;"> <span id="toTopHover" style="opacity: 1;"> </span></a>
<!-- //smooth scrolling -->
<!-- for bootstrap working -->
<script src="js/bootstrap.js"></script>
<!-- //for bootstrap working -->
<script type="text/javascript" src="js/jquery.mycart.js"></script>
<script type="text/javascript">
$(function () {

var goToCartIcon = function($addTocartBtn){
var $cartIcon = $(".my-cart-icon");
var $image = $(<img width="30px" height="30px" src="" + $addTocartBtn.data("image") + ""/>).css({"position": "fixed", "z-index": "999"});
$addTocartBtn.prepend($image);
var position = $cartIcon.position();
$image.animate({
top: position.top,

```

```

left: position.left
}, 500 , "linear", function() {
$image.remove();
});
}

$('.my-cart-btn').myCart({
classCartIcon: 'my-cart-icon',
classCartBadge: 'my-cart-badge',
affixCartIcon: true,
checkoutCart: function(products) {
$.each(products, function(){
console.log(this);
});
},
clickOnAddToCart: function($addTocart){
goToCartIcon($addTocart);
},
getDiscountPrice: function(products) {
var total = 0;
$.each(products, function(){
total += this.quantity * this.price;
});
return total * 1;
}
});

});

</script>

</body>
</html>

```

Order.php:-

```

<?php
session_start();
/*ini_set('display_errors', 1);*/
include("connection.php");
error_reporting(0);

$cust= $_SESSION['customer'];
?>

<!DOCTYPE html>
<html>
<head>
<title>Order Page</title>
<!-- for-mobile-apps -->
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<meta property="og:title" content="Vide" />
<meta name="keywords" content="Personal Care" />
<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar, 0); },

```

```

false);
function hideURLbar(){ window.scrollTo(0,1); } </script>
<!-- //for-mobile-apps -->
<link href="css/bootstrap.css" rel='stylesheet' type='text/css' />
<!-- Custom Theme files -->
<link href="css/style.css" rel='stylesheet' type='text/css' />
<!-- js -->
<script src="js/jquery-1.11.1.min.js"></script>
<!-- //js -->
<!-- start-smooth-scrolling -->
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
jQuery(document).ready(function($) {
$(".scroll").click(function(event){
event.preventDefault();
$('html,body').animate({scrollTop:$ (this.hash).offset().top},1000);
});
});
</script>
<!-- start-smooth-scrolling -->
<link href="css/font-awesome.css" rel="stylesheet">
<link href='//fonts.googleapis.com/css?family=Montserrat:400,700' rel='stylesheet' type='text/css'>
<link href='//fonts.googleapis.com/css?family=Noto+Sans:400,700' rel='stylesheet' type='text/css'>
<!-- start-rate---->
<script src="js/jstarbox.js"></script>
<link rel="stylesheet" href="css/jstarbox.css" type="text/css" media="screen" charset="utf-8" />
<script type="text/javascript">
jQuery(function() {
jQuery('.starbox').each(function() {
var starbox = jQuery(this);
starbox.starbox({
average: starbox.attr('data-start-value'),
changeable: starbox.hasClass('unchangeable') ? false : starbox.hasClass('clickonce') ? 'once' : true,
ghosting: starbox.hasClass('ghosting'),
autoUpdateAverage: starbox.hasClass('autoupdate'),
buttons: starbox.hasClass('smooth') ? false : starbox.attr('data-button-count') || 5,
stars: starbox.attr('data-star-count') || 5
}).bind('starbox-value-changed', function(event, value) {
if(starbox.hasClass('random')) {
var val = Math.random();
starbox.next().text(' '+val);
return val;
}
})
});
});
});
</script>
<!--//End-rate---->

</head>
<body>
<a href="offer.php"></a>
<div class="header">

<div class="container">

<div class="logo">

```

```

<h1 ><a href="index.php"><b>T<br>H<br>E</b>Starcon Organic Products<span>The Best Organic
Products</span></a></h1>
</div>

<?php
if(isset($_SESSION['customer']))
{
    ?>
<div class="header">
<b>Welcome </b><b style="color: green;"><?php echo $cust; ?></b>
</div>

<div class="head-t">
<ul class="card">
<li><a href="order.php" ><i class="fa fa-arrow-right" aria-hidden="true"></i>Orders</a></li>
<li><a href="vendor-index.php" ><i class="fa fa-user" aria-hidden="true"></i>Vendor Login</a></li>
<li><a href="about.php" ><i class="fa fa-file-text-o" aria-hidden="true"></i>About Us</a></li>
<li><a href="shipping.php" ><i class="fa fa-ship" aria-hidden="true"></i>Shipping</a></li>
<li><a href="cust-logout.php" ><i class="fa fa-user" aria-hidden="true"></i>Logout</a></li>
</ul>
</div>

<?php
}

else{
    ?>

<div class="head-t">
<ul class="card">
<li><a href="login.php" ><i class="fa fa-user" aria-hidden="true"></i>Login</a></li>
<li><a href="register.php" ><i class="fa fa-arrow-right" aria-hidden="true"></i>Register</a></li>
<li><a href="vendor-index.php" ><i class="fa fa-user" aria-hidden="true"></i>Vendor Login</a></li>
<li><a href="about.php" ><i class="fa fa-file-text-o" aria-hidden="true"></i>About Us</a></li>
<li><a href="shipping.php" ><i class="fa fa-ship" aria-hidden="true"></i>Shipping</a></li>
</ul>
</div>

<?php
}

    ?>

<div class="header-ri">
<ul class="social-top">
<li><a href="#" class="icon facebook"><i class="fa fa-facebook" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon twitter"><i class="fa fa-twitter" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon pinterest"><i class="fa fa-pinterest-p" aria-
hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon dribbble"><i class="fa fa-dribbble" aria-hidden="true"></i><span></span></a></li>
</ul>
</div>

<?php include_once("top.php"); ?>
</div>

```

```

</div>
</div>
<!-->
<!-- Carousel
=====
-->
<div id="myCarousel" class="carousel slide" data-ride="carousel">
<!-- Indicators -->
<ol class="carousel-indicators">
<li data-target="#myCarousel" data-slide-to="0" class="active"></li>
<li data-target="#myCarousel" data-slide-to="1"></li>
<li data-target="#myCarousel" data-slide-to="2"></li>
</ol>
<div class="carousel-inner" role="listbox">
<div class="item active">
<a href="care.php"></a>

</div>
<div class="item">
<a href="kitchen.php"></a>

</div>
<div class="item">
<a href="hold.php"></a>

</div>
</div>

</div>
<!-- /.carousel -->

<div class="product">
<div class="container">
<div class="spec ">
<h3>Order Page</h3>
<div class="ser-t">
<b></b>
<span><i></i></span>
<b class="line"></b>
</div>
</div>
<div class=" con-w3l agileinf">
<?php
/*$q = "SELECT v.email from vendors v JOIN customers c ON v.pincode= c.pincode WHERE c.email='$cust'";
$data= mysqli_query($conn, $q);
$total= mysqli_num_rows($data);
while($res= mysqli_fetch_assoc($data)){
if($total > 0){
$vendor= $res['email'];
}*/
```

/*echo \$vendor;*/

```

$q2= "SELECT * FROM orders WHERE buyer_email= '$cust' ORDER BY order_id DESC";
$data2= mysqli_query($conn, $q2);
$total2= mysqli_num_rows($data2);

while($res2= mysqli_fetch_assoc($data2)){
$ven= $res2['vendor_name'];
```

```

$q4= "SELECT * FROM vendors WHERE email= '$ven'";
$data4= mysqli_query($conn, $q4);
while($res4= mysqli_fetch_assoc($data4)){
$ven_ph= $res4['phone'];
$ven_name= $res4['username'];
$ven_address= $res4['street'].", ".$res4['city'].", ".$res4['pincode'];
}

$del= $res2['delivery_status'];
if($del != 'ND' && $del != 'Returned'){
$q3= "SELECT * FROM delivery WHERE username= '$del'";
$data3= mysqli_query($conn, $q3);
while($res3= mysqli_fetch_assoc($data3)){
$sdel= $res3['email'];
$sdel2= $res3['phone'];

?>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal1" class="offer-img" id="<?php echo $res2['order_id']; ?>">
<?php echo "<img src='".$res2['product_image']."'";?>
</a>
<div class="mid-1">
<div class="women">
<h6>
<?php echo $res2['product_title'];?>
</h6>
</div>
<div class="mid-2">
<p ><em class="item_price"> Price <?php echo $res2['product_price'];?></em></p>
<div class="clearfix"></div>
</div>
<div class="mid-3">
<p ><em class="item_qty"> Qty <?php echo $res2['product_qty'];?></em></p>
<div class="del_name"><b>Delivery Name:</b> <?php echo $del; ?></div>
<div class="del_ph"><b>Delivery Phone:</b> <?php echo $sdel2; ?></div>
<div class="clearfix"></div>
</div>
<div class="mid-2">
<p ><em class="pay_id"> <b>Order ID:</b> <?php echo $res2['payment_id'];?></em></p>
<p ><em class="pay_stat"> <b>Payment Status:</b> <?php echo $res2['payment_status'];?></em></p>
<p ><em class="ven_name"> <b>Vendor Name:</b> <?php echo $ven_name;?></em></p>
<p ><em class="ven_ph"> <b>Vendor Phone No:</b> <?php echo $ven_ph;?></em></p>
<p ><em class="ven_address"> <b>Vendor Address:</b> <?php echo $ven_address;?></em></p>
<div class="clearfix"></div>
</div>
<button class="btn btn-danger" id="<?php echo $res2['order_id']; ?>">Return Order</button>
</div>
</div>
</div>
<?php
}
}

elseif ($del == 'Returned') { ?>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal1" class="offer-img" id="<?php echo $res2['order_id']; ?>">

```

```

?>">
<?php echo "<img src='".$res2['product_image']."'";?>
</a>
<div class="mid-1">
<div class="women">
<h6>
<?php echo $res2['product_title'];?>
</h6>
</div>
<div class="mid-2">
<p ><em class="item_price"> Price <?php echo $res2['product_price'];?></em></p>
<div class="clearfix"></div>
</div>
<div class="mid-3">
<p ><em class="item_qty"> Qty <?php echo $res2['product_qty'];?></em></p>
<div class="del_name"><b>Delivery Name:</b> Order Returned </div>
<div class="del_ph"><b>Delivery Phone:</b> Order Returned </div>
<div class="clearfix"></div>
</div>
<div class="mid-2">
<p ><em class="pay_id"> <b>Order ID:</b> <?php echo $res2['payment_id'];?></em></p>
<p ><em class="pay_stat"> <b>Payment Status:</b> Order Returned </em></p>
<p ><em class="ven_name"> <b>Vendor Name:</b> <?php echo $ven_name;?></em></p>
<p ><em class="ven_ph"> <b>Vendor Phone No:</b> <?php echo $ven_ph;?></em></p>
<p ><em class="ven_address"> <b>Vendor Address:</b> <?php echo $ven_address;?></em></p>
<div class="clearfix"></div>
</div>
<button class="btn btn-secondary" id="">Order Returned</button>
</div>
</div>
</div>

<?php }
else{
?>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal1" class="offer-img" id="<?php echo $res2['order_id'];?>">
<?php echo "<img src='".$res2['product_image']."'";?>
</a>
<div class="mid-1">
<div class="women">
<h6>
<?php echo $res2['product_title'];?>
</h6>
</div>
<div class="mid-2">
<p ><em class="item_price"> Price <?php echo $res2['product_price'];?></em></p>
<div class="clearfix"></div>
</div>
<div class="mid-3">
<p ><em class="item_qty"> Qty <?php echo $res2['product_qty'];?></em></p>
<div class="women"><b>Delivery Name:</b> Yet to Deliver</div>
<div class="women"><b>Delivery Status:</b> Yet to Deliver</div>
<div class="clearfix"></div>
</div>
<div class="mid-2">

```

```

<p><em class="pay_id"><b>Order ID:</b> <?php echo $res2['payment_id'];?></em></p>
<p><em class="pay_stat"><b>Payment Status:</b> <?php echo $res2['payment_status'];?></em></p>
<p><em class="ven_name"><b>Vendor Name:</b> <?php echo $ven_name;?></em></p>
<p><em class="ven_ph"><b>Vendor Phone No:</b> <?php echo $ven_ph;?></em></p>
<p><em class="ven_address"><b>Vendor Address:</b> <?php echo $ven_address;?></em></p>
<div class="clearfix"></div>
</div>
<button class="btn btn-danger" id="<?php echo $res2['order_id']; ?>">Cancel Order</button>
</div>
</div>
</div>

<?php
}
}
?>
<div class="clearfix"></div>
</div>
</div>
</div>

<!-- <div class="text-center text-danger mb-5" style="padding-bottom: 20px;">
<a href="#" data-toggle="modal" data-target="#return_order" class="btn btn-danger btn-md">Return Order</a>
</div> -->

<!-- Modal -->

<script>
$(document).ready(function(){
$('.btn-danger').click(function(){
if(confirm("Are you sure?")){
var id = $(this).attr("id");
//console.log(id);
$.ajax({
url:"return-order.php",
method:"post",
data:{id:id},
success:function(data){
alert("Order Cancelled");
window.location.reload();
}
});
}
});
});
});
});
});
</script>

<!--footer-->
<?php include_once("footer.php"); ?>
<!-- //footer-->

<!-- smooth scrolling -->
<script type="text/javascript">
$(document).ready(function() {
/*
var defaults = {

```

```

containerID: 'toTop', // fading element id
containerHoverID: 'toTopHover', // fading element hover id
scrollSpeed: 1200,
easingType: 'linear'
};

*/
$(() .UItoTop({ easingType: 'easeOutQuart' }));
});

</script>
<a href="#" id="toTop" style="display: block;"><span id="toTopHover" style="opacity: 1;"></span></a>
<!-- //smooth scrolling -->
<!-- for bootstrap working -->
<!-- //for bootstrap working -->
<script src="js/bootstrap.js"></script>
<script type='text/javascript' src="js/jquery.mycart.js"></script>
<script type="text/javascript">
$(function () {

var goToCartIcon = function($addTocartBtn){
    var $cartIcon = $(".my-cart-icon");
    var $image = $(<img width="30px" height="30px" src="" + $addTocartBtn.data("image") + ""/>).css({"position": "fixed", "z-index": "999"});
    $addTocartBtn.prepend($image);
    var position = $cartIcon.position();
    $image.animate({
        top: position.top,
        left: position.left
    }, 500 , "linear", function() {
        $image.remove();
    });
}

$('.my-cart-btn').myCart({
    classCartIcon: 'my-cart-icon',
    classCartBadge: 'my-cart-badge',
    affixCartIcon: true,
    checkoutCart: function(products) {
        $.each(products, function(){
            console.log(this);
        });
    },
    clickOnAddToCart: function($addTocart){
        goToCartIcon($addTocart);
    },
    getDiscountPrice: function(products) {
        var total = 0;
        $.each(products, function(){
            total += this.quantity * this.price;
        });
        return total * 1;
    }
});

});
</script>
</body>
</html>

```

Products.php:-

```
<?php session_start();
if (!isset($_SESSION['user'])) {
header("location:vendor.php");
}
?>
<?php include_once("./templates/top.php"); ?>
<?php include_once("./templates/navbar.php"); ?>
<div class="container-fluid">
<div class="row">

<?php include "./templates/sidebar.php"; ?>

<div class="row">
<div class="col-10">
<h2>Product List</h2>
</div>
<div class="col-2">
<a href="#" data-toggle="modal" data-target="#add_product_modal" class="btn btn-primary btn-sm">Add Product</a>
</div>
</div>

<div class="table-responsive">
<table class="table table-striped table-sm">
<thead>
<tr>
<th>#</th>
<th>Name</th>
<th>Image</th>
<th>Price</th>
<th>Quantity</th>
<th>Category</th>
<th>Brand</th>
<th>Action</th>
</tr>
</thead>
<tbody id="product_list">
<!-- <tr>
<td>1</td>
<td>ABC</td>
<td>FDGR.JPG</td>
<td>122</td>
<td>eLECTRONCS</td>
<td>aPPLE</td>
<td><a class="btn btn-sm btn-info"></a><a class="btn btn-sm btn-danger">Delete</a></td>
</tr> -->
</tbody>
</table>
</div>
</main>
</div>
```

```

</div>

<!-- Add Product Modal start --&gt;
&lt;div class="modal fade" id="add_product_modal" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true"&gt;
&lt;div class="modal-dialog" role="document"&gt;
&lt;div class="modal-content"&gt;
&lt;div class="modal-header"&gt;
&lt;h5 class="modal-title" id="exampleModalLabel"&gt;Add Product&lt;/h5&gt;
&lt;button type="button" class="close" data-dismiss="modal" aria-label="Close"&gt;
&lt;span aria-hidden="true"&gt;&amp;times;&lt;/span&gt;
&lt;/button&gt;
&lt;/div&gt;
&lt;div class="modal-body"&gt;
&lt;form id="add-product-form" enctype="multipart/form-data"&gt;
&lt;div class="row"&gt;
&lt;div class="col-12"&gt;
&lt;div class="form-group"&gt;
&lt;label&gt;Product Name&lt;/label&gt;
&lt;input type="text" name="product_name" class="form-control" placeholder="Enter Product Name"&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;div class="col-12"&gt;
&lt;div class="form-group"&gt;
&lt;label&gt;Brand Name&lt;/label&gt;
&lt;select class="form-control brand_list" name="brand_id"&gt;
&lt;option value=""&gt;Select Brand&lt;/option&gt;
&lt;/select&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;div class="col-12"&gt;
&lt;div class="form-group"&gt;
&lt;label&gt;Category Name&lt;/label&gt;
&lt;select class="form-control category_list" name="category_id"&gt;
&lt;option value=""&gt;Select Category&lt;/option&gt;
&lt;/select&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;div class="col-12"&gt;
&lt;div class="form-group"&gt;
&lt;label&gt;Product Description&lt;/label&gt;
&lt;textarea class="form-control" name="product_desc" placeholder="Enter product desc"&gt;&lt;/textarea&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;div class="col-12"&gt;
&lt;div class="form-group"&gt;
&lt;label&gt;Product Qty&lt;/label&gt;
&lt;input type="number" name="product_qty" class="form-control" placeholder="Enter Product Quantity"&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;div class="col-12"&gt;
&lt;div class="form-group"&gt;
</pre>

```

```

<label>Product Price (Rs)</label>
<input type="number" name="product_price" class="form-control" placeholder="Enter Product Price">
</div>
</div>
<div class="col-12">
<div class="form-group">
<label>Product Image <small>(format: jpg, jpeg, png)</small></label>
<input type="file" name="product_image" class="form-control">
</div>
</div>
<input type="hidden" name="add_product" value="1">
<div class="col-12">
<button type="button" class="btn btn-primary add-product">Add Product</button>
</div>
</div>

</form>
</div>
</div>
</div>
</div>
<!-- Add Product Modal end -->

<!-- Edit Product Modal start -->
<div class="modal fade" id="edit_product_modal" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
<div class="modal-dialog" role="document">
<div class="modal-content">
<div class="modal-header">
<h5 class="modal-title" id="exampleModalLabel">Add Product</h5>
<button type="button" class="close" data-dismiss="modal" aria-label="Close">
<span aria-hidden="true">&times;</span>
</button>
</div>
<div class="modal-body">
<form id="edit-product-form" enctype="multipart/form-data">
<div class="row">
<div class="col-12">
<div class="form-group">
<label>Product Name</label>
<input type="text" name="e_product_name" class="form-control" placeholder="Enter Product Name">
</div>
</div>
<div class="col-12">
<div class="form-group">
<label>Brand Name</label>
<select class="form-control brand_list" name="e_brand_id">
<option value="">Select Brand</option>
</select>
</div>
</div>
<div class="col-12">
<div class="form-group">
<label>Category Name</label>

```

```

<select class="form-control category_list" name="e_category_id">
<option value="">Select Category</option>
</select>
</div>
</div>
<div class="col-12">
<div class="form-group">
<label>Product Description</label>
<textarea class="form-control" name="e_product_desc" placeholder="Enter product desc"></textarea>
</div>
</div>
<div class="col-12">
<div class="form-group">
<label>Product Qty</label>
<input type="number" name="e_product_qty" class="form-control" placeholder="Enter Product Quantity">
</div>
</div>
<div class="col-12">
<div class="form-group">
<label>Product Price (Rs)</label>
<input type="number" name="e_product_price" class="form-control" placeholder="Enter Product Price">
</div>
</div>
<div class="col-12">
<div class="form-group">
<label>Product Image <small>(format: jpg, jpeg, png)</small></label>
<input type="file" name="e_product_image" class="form-control">
<img src="" class="img-fluid" width="50">
</div>
</div>
<input type="hidden" name="pid">
<input type="hidden" name="edit_product" value="1">
<div class="col-12">
<button type="button" class="btn btn-primary submit-edit-product">Add Product</button>
</div>
</div>

</form>
</div>
</div>
</div>
</div>
<!-- Edit Product Modal end -->

<?php include_once("./templates/footer.php"); ?>

```

```
<script type="text/javascript" src="./js/products.js"></script>
```

Shipping.php:-

```
<?php
```

```

session_start();

include("connection.php");
error_reporting(0);

$cust= $_SESSION['customer'];
?>

<!DOCTYPE html>
<html>
<head>
<title>Shipping</title>
<!-- for-mobile-apps -->
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<meta property="og:title" content="Vide" />
<meta name="keywords" content="Shipping " />
<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar, 0); },
false);
function hideURLbar(){ window.scrollTo(0,1); } </script>
<!-- //for-mobile-apps -->
<link href="css/bootstrap.css" rel='stylesheet' type='text/css' />
<!-- Custom Theme files -->
<link href="css/style.css" rel='stylesheet' type='text/css' />
<!-- js -->
<script src="js/jquery-1.11.1.min.js"></script>
<!-- //js -->
<!-- start-smooth-scrolling -->
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
jQuery(document).ready(function($){
$(".scroll").click(function(event){
event.preventDefault();
$(html,body).animate({scrollTop:$((this.hash).offset().top},1000);
});
});
</script>
<!-- start-smooth-scrolling -->
<link href="css/font-awesome.css" rel="stylesheet">
<link href='//fonts.googleapis.com/css?family=Montserrat:400,700' rel='stylesheet' type='text/css'>
<link href='//fonts.googleapis.com/css?family=Noto+Sans:400,700' rel='stylesheet' type='text/css'>
<!-- start-rate---->
<script src="js/jstarbox.js"></script>
<link rel="stylesheet" href="css/jstarbox.css" type="text/css" media="screen" charset="utf-8" />
<script type="text/javascript">
jQuery(function() {
jQuery('.starbox').each(function() {
var starbox = jQuery(this);
starbox.starbox({
average: starbox.attr('data-start-value'),
changeable: starbox.hasClass('unchangeable') ? false : starbox.hasClass('clickonce') ? 'once' : true,
ghosting: starbox.hasClass('ghosting'),
autoUpdateAverage: starbox.hasClass('autoupdate'),
buttons: starbox.hasClass('smooth') ? false : starbox.attr('data-button-count') || 5,
stars: starbox.attr('data-star-count') || 5
}).bind('starbox-value-changed', function(event, value) {
if(starbox.hasClass('random')) {

```

```

var val = Math.random();
starbox.next().text(' '+val);
return val;
}
})
});
});
});
</script>
<!--//End-rate---->

</head>
<body>
<a href="offer.php"></a>
<div class="header">

<div class="container">

<div class="logo">
<h1 ><a href="index.php"><b>T<br>H<br>E</b>Starcon Organic Products<span>The Best Organic
Products</span></a></h1>
</div>
<?php
if(isset($_SESSION['customer']))
{
    ?>
<div class="header">
<b>Welcome </b><b style="color: green;"><?php echo $cust; ?></b>
</div>

<div class="head-t">
<ul class="card">
<li><a href="order.php" ><i class="fa fa-arrow-right" aria-hidden="true"></i>Orders</a></li>
<li><a href="vendor-index.php" ><i class="fa fa-user" aria-hidden="true"></i>Vendor Login</a></li>
<li><a href="about.php" ><i class="fa fa-file-text-o" aria-hidden="true"></i>About Us</a></li>
<li><a href="shipping.php" ><i class="fa fa-ship" aria-hidden="true"></i>Shipping</a></li>
<li><a href="cust-logout.php" ><i class="fa fa-user" aria-hidden="true"></i>Logout</a></li>
</ul>
</div>

<?php
}

else{
    ?>

<div class="head-t">
<ul class="card">
<li><a href="login.php" ><i class="fa fa-user" aria-hidden="true"></i>Login</a></li>
<li><a href="register.php" ><i class="fa fa-arrow-right" aria-hidden="true"></i>Register</a></li>
<li><a href="vendor-index.php" ><i class="fa fa-user" aria-hidden="true"></i>Vendor Login</a></li>
<li><a href="about.php" ><i class="fa fa-file-text-o" aria-hidden="true"></i>About Us</a></li>
<li><a href="shipping.php" ><i class="fa fa-ship" aria-hidden="true"></i>Shipping</a></li>
</ul>
</div>

<?php
}

```

```

?>

<div class="header-ri">
<ul class="social-top">
<li><a href="#" class="icon facebook"><i class="fa fa-facebook" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon twitter"><i class="fa fa-twitter" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon pinterest"><i class="fa fa-pinterest-p" aria-
hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon dribbble"><i class="fa fa-dribbble" aria-hidden="true"></i><span></span></a></li>
</ul>
</div>

<?php include_once("top.php"); ?>

</div>

</div>
</div>
<!--
<!---banner-->
<div class="banner-top">
<div class="container">
<h3 >Shipping</h3>
<h4><a href="index.php">Home</a><label>/</label>Shipping</h4>
<div class="clearfix"> </div>
</div>
</div>
<!-- faqs -->
<div class="faq-w3 ">
<div class="container">
<div class="spec ">
<h3>Shipping</h3>
<div class="ser-t">
<b></b>
<span><i></i></span>
<b class="line"></b>
</div>
</div>
<div class="panel-group" id="accordion">
<!-- First Panel -->
<div class="panel panel-default">
<div class="panel-heading">
<h4 class="panel-title" data-toggle="collapse" data-target="#collapseOne">
<span>1.</span> What are the delivery charges?
</h4>
</div>
<div id="collapseOne" class="panel-collapse collapse">
<div class="panel-body">
<p>.....</p>
</div>
</div>
</div>

<!-- Second Panel -->
<div class="panel panel-default">
<div class="panel-heading">

```

```

<h4 class="panel-title" data-toggle="collapse" data-target="#collapseTwo">
<span>2.</span> How long will my order take to arrive?
</h4>
</div>
<div id="collapseTwo" class="panel-collapse collapse">
<div class="panel-body">
<p>.....</p>
</div>
</div>
</div>

<!-- Third Panel -->
<div class="panel panel-default">
<div class="panel-heading">
<h4 class="panel-title" data-toggle="collapse" data-target="#collapseThree">
<span>3.</span> What is the estimated delivery time?
</h4>
</div>
<div id="collapseThree" class="panel-collapse collapse">
<div class="panel-body">
<p>.....</p>
</div>
</div>
</div>

<!-- Fourth Panel -->
<div class="panel panel-default">
<div class="panel-heading">
<h4 class="panel-title" data-toggle="collapse" data-target="#collapseFour">
<span>4.</span>Do you ship internationally?
</h4>
</div>
<div id="collapseFour" class="panel-collapse collapse">
<div class="panel-body">
<p>.....</p>
</div>
</div>
</div>

<!-- Fifth Panel -->
<div class="panel panel-default">
<div class="panel-heading">
<h4 class="panel-title" data-toggle="collapse" data-target="#collapseFive">
<span>5.</span>How do I take advantage of FREE shipping?
</h4>
</div>
<div id="collapseFive" class="panel-collapse collapse">
<div class="panel-body">
<p>.....</p>
</div>
</div>
</div>

<!-- Sixth Panel -->
<div class="panel panel-default">
<div class="panel-heading">
<h4 class="panel-title" data-toggle="collapse" data-target="#collapseSix">
<span>6.</span>Why have I not received my product yet?
</h4>
</div>
<div id="collapseSix" class="panel-collapse collapse">

```

```

<div class="panel-body">
<p> ..... </p>
</div>
</div>
</div>

</div>
</div>
</div>
<!-- // Terms of use -->

<!--footer-->
<?php include_once("footer.php"); ?>
<!-- //footer-->
<!-- smooth scrolling -->
<script type="text/javascript">
$(document).ready(function() {
/*
var defaults = {
containerID: 'toTop', // fading element id
containerHoverID: 'toTopHover', // fading element hover id
scrollSpeed: 1200,
easingType: 'linear'
};
*/
$().UItoTop({ easingType: 'easeOutQuart' });
});
</script>
<a href="#" id="toTop" style="display: block;"><span id="toTopHover" style="opacity: 1;"></span></a>
<!-- //smooth scrolling -->
<!-- for bootstrap working -->
<script src="js/bootstrap.js"></script>
<!-- //for bootstrap working -->
<script type='text/javascript' src="js/jquery.mycart.js"></script>
<script type="text/javascript">
$(function () {

var goToCartIcon = function($addTocartBtn){
var $cartIcon = $(".my-cart-icon");
var $image = $(<img width="30px" height="30px" src=' + $addTocartBtn.data("image") + "'>).css({ "position": "fixed", "z-index": "999" });
$addTocartBtn.prepend($image);
var position = $cartIcon.position();
$image.animate({
top: position.top,
left: position.left
}, 500 , "linear", function() {
$image.remove();
});
}

$('.my-cart-btn').myCart({
classCartIcon: 'my-cart-icon',
classCartBadge: 'my-cart-badge',
affixCartIcon: true,
checkoutCart: function(products) {
$.each(products, function(){
console.log(this);

```

```

    });
},
clickOnAddToCart: function($addTocart){
goToCartIcon($addTocart);
},
getDiscountPrice: function(products) {
var total = 0;
$.each(products, function(){
total += this.quantity * this.price;
});
return total * 1;
}
});

});

</script>

</body>
</html>

```

Footer.php:-

```

<?php
session_start();

include("connection.php");
error_reporting(0);

$cust= $_SESSION['customer'];
?>

<div class="footer">
<div class="container">
<div class="col-md-3 footer-grid">
<h3>About Us</h3>
<p> We Believe in providing you with the Best, Fresh and Supreme Quality Organic products for your daily kitchen, household and much more </p>
</div>
<div class="col-md-3 footer-grid ">
<h3>Menu</h3>
<ul>
<li><a href="index.php">Home</a></li>
<li><a href="kitchen.php">Kitchen</a></li>
<li><a href="care.php">Personal Care</a></li>
<li><a href="snacks.php">Snacks and Branded Foods</a></li>
<li><a href="bake.php">Bakery, Eggs and Meat</a></li>
<li><a href="hold.php">Household</a></li>
<li><a href="contact.php">Contact</a></li>
</ul>
</div>
<div class="col-md-3 footer-grid ">
<h3>Customer Services</h3>
<ul>
<li><a href="shipping.php">Shipping</a></li>
<li><a href="terms.php">Terms & Conditions</a></li>
<li><a href="faqs.php">FAQs</a></li>
<li><a href="contact.php">Contact</a></li>

```

```

<li><a href="offer.php">Online Shopping</a></li>

</ul>
</div>
<?php
if(isset($_SESSION['customer']))
{
?

?>
<div class="col-md-3 footer-grid">
<h3>My Account</h3>
<ul>
<li><a href="order.php">My Orders</a></li>
<li><a href="cust-logout.php">Logout</a></li>

</ul>
</div>
<?php
}

else{
?>
<div class="col-md-3 footer-grid">
<h3>My Account</h3>
<ul>
<li><a href="login.php">Login</a></li>
<li><a href="register.php">Register</a></li>

</ul>
</div>
<?php
}

?>
<div class="clearfix"></div>
<div class="footer-bottom">
<h2 ><a href="index.php"><b>T<br>H<br>E</b>Starcon Organic Products<span>The Best Organic
Products</span></a></h2>
<p class="fo-para"> We Believe in providing you with the Best, Fresh and Supreme Quality Organic products for
your daily kitchen, household and much more</p>
<ul class="social-fo">
<li><a href="#" class=" face"><i class="fa fa-facebook" aria-hidden="true"></i></a></li>
<li><a href="#" class=" twi"><i class="fa fa-twitter" aria-hidden="true"></i></a></li>
<li><a href="#" class=" pin"><i class="fa fa-pinterest-p" aria-hidden="true"></i></a></li>
<li><a href="#" class=" dri"><i class="fa fa-dribbble" aria-hidden="true"></i></a></li>
</ul>
<div class=" address">
<div class="col-md-4 fo-grid1">
<p><i class="fa fa-home" aria-hidden="true"></i> Address </p>
</div>
<div class="col-md-4 fo-grid1">
<p><i class="fa fa-phone" aria-hidden="true"></i> +91 9627600756 </p>
</div>
<div class="col-md-4 fo-grid1">
<p><a href="mailto:info@example.com"><i class="fa fa-envelope-o" aria-hidden="true"></i>
prashantbhatt198@gmail.com </a></p>
</div>
<div class="clearfix"></div>

```

```

</div>
</div>
<div class="copy-right">
<p> © 2021 Starcon Organic Products. All Rights Reserved <a></a></p>
</div>
</div>
</div>

```

About.php:-

```

<?php
session_start();

include("connection.php");
error_reporting(0);

$cust= $_SESSION['customer'];
?>

<!DOCTYPE html>
<html>
<head>
<title>About Us</title>
<!-- for-mobile-apps -->
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<meta property="og:title" content="Vide" />
<meta name="keywords" content="About Us" />
<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar, 0); },
false);
function hideURLbar(){ window.scrollTo(0,1); } </script>
<!-- //for-mobile-apps -->
<link href="css/bootstrap.css" rel='stylesheet' type='text/css' />
<!-- Custom Theme files -->
<link href="css/style.css" rel='stylesheet' type='text/css' />
<!-- js -->
<script src="js/jquery-1.11.1.min.js"></script>
<!-- //js -->
<!-- start-smooth-scrolling -->
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
jQuery(document).ready(function($){
$(".scroll").click(function(event){
event.preventDefault();
$(html,body).animate({ scrollTop:$this.hash).offset().top },1000);
});
});
</script>
<!-- start-smooth-scrolling -->
<link href="css/font-awesome.css" rel="stylesheet">
<link href='//fonts.googleapis.com/css?family=Montserrat:400,700' rel='stylesheet' type='text/css'>
<link href='//fonts.googleapis.com/css?family=Noto+Sans:400,700' rel='stylesheet' type='text/css'>

```

```

<!-- start-rate-->
<script src="js/jstarbox.js"></script>
<link rel="stylesheet" href="css/jstarbox.css" type="text/css" media="screen" charset="utf-8" />
<script type="text/javascript">
jQuery(function() {
jQuery('.starbox').each(function() {
var starbox = jQuery(this);
starbox.starbox({
average: starbox.attr('data-start-value'),
changeable: starbox.hasClass('unchangeable') ? false : starbox.hasClass('clickonce') ? 'once' : true,
ghosting: starbox.hasClass('ghosting'),
autoUpdateAverage: starbox.hasClass('autoupdate'),
buttons: starbox.hasClass('smooth') ? false : starbox.attr('data-button-count') || 5,
stars: starbox.attr('data-star-count') || 5
}).bind('starbox-value-changed', function(event, value) {
if(starbox.hasClass('random')) {
var val = Math.random();
starbox.next().text(' '+val);
return val;
}
})
});
});
});
</script>
<!--//End-rate-->

</head>
<body>
<a href="offer.php"></a>
<div class="header">

<div class="container">

<div class="logo">
<h1 ><a href="index.php"><b>T<br>H<br>E</b>Starcon Organic Products<span>The Best Organic
Products</span></a></h1>
</div>
<?php
if(isset($_SESSION['customer']))
{
?>
<div class="header">
<b>Welcome </b><b style="color: green;"><?php echo $cust; ?></b>
</div>

<div class="head-t">
<ul class="card">
<li><a href="order.php" ><i class="fa fa-arrow-right" aria-hidden="true"></i>Orders</a></li>
<li><a href="vendor-index.php" ><i class="fa fa-user" aria-hidden="true"></i>Vendor Login</a></li>
<li><a href="about.php" ><i class="fa fa-file-text-o" aria-hidden="true"></i>About Us</a></li>
<li><a href="shipping.php" ><i class="fa fa-ship" aria-hidden="true"></i>Shipping</a></li>
<li><a href="cust-logout.php" ><i class="fa fa-user" aria-hidden="true"></i>Logout</a></li>
</ul>

```

```

</div>

<?php
}

else{
?>

<div class="head-t">
<ul class="card">
<li><a href="login.php" ><i class="fa fa-user" aria-hidden="true"></i>Login</a></li>
<li><a href="register.php" ><i class="fa fa-arrow-right" aria-hidden="true"></i>Register</a></li>
<li><a href="vendor-index.php" ><i class="fa fa-user" aria-hidden="true"></i>Vendor Login</a></li>
<li><a href="about.php" ><i class="fa fa-file-text-o" aria-hidden="true"></i>About Us</a></li>
<li><a href="shipping.php" ><i class="fa fa-ship" aria-hidden="true"></i>Shipping</a></li>
</ul>
</div>

<?php
}

?>

<div class="header-ri">
<ul class="social-top">
<li><a href="#" class="icon facebook"><i class="fa fa-facebook" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon twitter"><i class="fa fa-twitter" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon pinterest"><i class="fa fa-pinterest-p" aria-
hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon dribbble"><i class="fa fa-dribbble" aria-hidden="true"></i><span></span></a></li>
</ul>
</div>

<?php include_once("top.php"); ?>

</div>

</div>
<!---->
<!--banner-->
<div class="banner-top">
<div class="container">
<h3 >About</h3>
<h4><a href="index.php">Home</a><label>/</label>About</h4>
<div class="clearfix"> </div>
</div>
</div>

<!-- faqs -->
<div class="about-w3 ">

```

```

<!--about-->
<div class="container">
<div class="about">
<div class="spec ">
<h3>About</h3>
<div class="ser-t">
<b></b>
<span><i></i></span>
<b class="line"></b>
</div>
</div>

<div class="col-md-4 about-right">

</div>
<div class="col-md-4 about-left">
<p> About us ..... </p>
</div>
<div class="col-md-4 about-right">

</div>

<div class="clearfix"></div>
</div>
</div>
<!--//about-->

<!--work-experience-->
<!--
<div class="container">
<div class="spec spec-w3ls">
<h3>Our Journey</h3>
<div class="ser-t">
<b></b>
<span><i></i></span>
<b class="line"></b>
</div>
</div>
<div class="work-info">
<div class="col-md-6 work-left">
<div class=" work-w3 ">
<h5> May 2012</h5>
<p>Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam, eaque ipsa quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt explicabo </p>
</div>
<label></label>
</div>
<div class="col-md-6 work-right">
<div class=" work-w31 ">
<h5> November 2012</h5>
<p>Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam, eaque ipsa quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt explicabo </p>
</div>
<label></label>

```

```
</div>
<div class="clearfix"> </div>
<span> 2012</span>
</div>
<div class="work-info">
<div class="col-md-6 work-left">
<div class=" work-w3 ">
<h5> June 2013</h5>
<p>Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam, eaque ipsa quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt explicabo </p>
</div>
<label></label>
</div>
<div class="col-md-6 work-right">
<div class=" work-w31 ">
<h5>December 2013</h5>
<p>Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam, eaque ipsa quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt explicabo </p>
</div>
<label></label>
</div>
<div class="clearfix"> </div>
<span> 2013</span>
</div>
<div class="work-info">
<div class="col-md-6 work-left">
<div class=" work-w3 ">
<h5> April 2014</h5>
<p>Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam, eaque ipsa quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt explicabo </p>
</div>
<label></label>
</div>
<div class="col-md-6 work-right">
<div class=" work-w31 ">
<h5> August 2014</h5>
<p>Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam, eaque ipsa quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt explicabo </p>
</div>
<label></label>
</div>
<div class="clearfix"> </div>
<span> 2014</span>
</div>
<div class="work-info">
<div class="col-md-6 work-left">
<div class=" work-w3 ">
<h5> February 2015</h5>
<p>Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam, eaque ipsa quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt explicabo </p>
</div>
<label></label>
</div>
<div class="col-md-6 work-right">
```

```

<div class=" work-w31">
<h5> July 2015</h5>
<p>Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem
aperiam, eaque ipsa quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt explicabo </p>
</div>
<label></label>
</div>
<div class="clearfix"> </div>
<span> 2015</span>
<span class="last"> 2016</span>
</div>
</div>
</div> -->
<!--//work-experience-->
<!--advantages-->
<!-- <div class="container">
<div class="advantages">
<div class="col-md-6 advantages-left ">
<h3>Our Advantages</h3>
<div class="advn-one">
<div class="ad-mian">
<div class="ad-left">
<p>1</p>
</div>
<div class="ad-right">
<h4><a href="single.php">Elacus a porta varius dui</a></h4>
<p>In neque arcu, vulputate vitae dignissim id, placerat adipiscing lorem. Nulla consectetur adipiscing metus vel
pulvinar. Aenean molestie mauris non diam tincidunt faucibus. </p>
</div>
<div class="clearfix"></div>
</div>
<div class="ad-mian">
<div class="ad-left">
<p>2</p>
</div>
<div class="ad-right">
<h4><a href="single.php">Elacus a porta varius dui</a></h4>
<p>In neque arcu, vulputate vitae dignissim id, placerat adipiscing lorem. Nulla consectetur adipiscing metus vel
pulvinar. Aenean molestie mauris non diam tincidunt faucibus. </p>
</div>
<div class="clearfix"></div>
</div>
<div class="ad-mian">
<div class="ad-left">
<p>3</p>
</div>
<div class="ad-right">
<h4><a href="single.php">Elacus a porta varius dui</a></h4>
<p>In neque arcu, vulputate vitae dignissim id, placerat adipiscing lorem. Nulla consectetur adipiscing metus vel
pulvinar. Aenean molestie mauris non diam tincidunt faucibus. </p>
</div>
<div class="clearfix"></div>
</div>
</div>

```

```

</div>
<div class="col-md-6 advantages-left about-agi">
<h3>Our Skills</h3>
<div class="advn-two">
<h4><a href="single.php"> eu tincidunt lacinia, elit quam ultrices ipsum, quis ultricies ipsum ante</a></h4>
<p>Donec sagittis interdum tellus sed bibendum. Aen ean fringilla ut lacus eu vehicula. Curabitur non nibh quis nisi
vestibulum aliquet non sed dolor. Ut est risus, consectetur sit amet pretium in, cursus in dui. Donec ac rhoncus
libero.</p>
<ul>
<li><a href="#"> <i class="fa fa-angle-right" aria-hidden="true"></i>Praesent vestibulum molestie lacus</a></li>
<li><a href="#"> <i class="fa fa-angle-right" aria-hidden="true"></i>Donec sagittis interdum tellus</a></li>
<li><a href="#"> <i class="fa fa-angle-right" aria-hidden="true"></i>Nulla consectetur adipiscing</a></li>
<li><a href="#"> <i class="fa fa-angle-right" aria-hidden="true"></i>Donec ac rhoncus libero.</a></li>
<li><a href="#"> <i class="fa fa-angle-right" aria-hidden="true"></i>Erci eu tincidunt lacinia</a></li>
</ul>
</div>
</div>
<div class="clearfix"></div>
</div>
</div> -->
<!--advantages-->

</div>
<!-- // Terms of use -->

<!--footer-->
<?php include_once("footer.php"); ?>
<!-- //footer-->
<!-- smooth scrolling -->
<script type="text/javascript">
$(document).ready(function() {
/*
var defaults = {
containerID: 'toTop', // fading element id
containerHoverID: 'toTopHover', // fading element hover id
scrollSpeed: 1200,
easingType: 'linear'
};
*/
$().UItoTop({ easingType: 'easeOutQuart' });
});
</script>
<a href="#" id="toTop" style="display: block;"> <span id="toTopHover" style="opacity: 1;"> </span></a>
<!-- //smooth scrolling -->
<!-- for bootstrap working -->
<script src="js/bootstrap.js"></script>
<!-- //for bootstrap working -->
<script type='text/javascript' src="js/jquery.mycart.js"></script>
<script type="text/javascript">
$(function () {

var goToCartIcon = function($addTocartBtn){
var $cartIcon = $(".my-cart-icon");
var $image = $('').css({ "position": "absolute", "left": -$cartIcon.width() / 2, "top": -$cartIcon.height() / 2 });
$image.css({ "width": "30px", "height": "30px" });
$image.prependTo($cartIcon);
$cartIcon.css({ "background": "#fff", "border": "1px solid #ccc", "padding": "5px 0" });
}

```

```

"fixed", "z-index": "999"});
$addTocartBtn.prepend($image);
var position = $cartIcon.position();
$image.animate({
top: position.top,
left: position.left
}, 500 , "linear", function() {
$image.remove();
});
}

$('.my-cart-btn').myCart({
classCartIcon: 'my-cart-icon',
classCartBadge: 'my-cart-badge',
affixCartIcon: true,
checkoutCart: function(products) {
$.each(products, function(){
console.log(this);
});
},
clickOnAddToCart: function($addTocart){
goToCartIcon($addTocart);
},
getDiscountPrice: function(products) {
var total = 0;
$.each(products, function(){
total += this.quantity * this.price;
});
return total * 1;
}
});

});
</script>

</body>
</html>

```

Bake.php:-

```

<?php
session_start();

include("connection.php");
error_reporting(0);

$cust= $_SESSION['customer'];
?>

<!DOCTYPE html>
<html>
<head>
<title>Bakery, Eggs & Meat</title>

```

```

<!-- for-mobile-apps -->
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<meta property="og:title" content="Vide" />
<meta name="keywords" content="Personal Care" />
<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar, 0); }, false);
function hideURLbar(){ window.scrollTo(0,1); } </script>
<!-- //for-mobile-apps -->
<link href="css/bootstrap.css" rel='stylesheet' type='text/css' />
<!-- Custom Theme files -->
<link href="css/style.css" rel='stylesheet' type='text/css' />
<!-- js -->
<script src="js/jquery-1.11.1.min.js"></script>
<!-- //js -->
<!-- start-smooth-scrolling -->
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
jQuery(document).ready(function($){
  $(".scroll").click(function(event){
    event.preventDefault();
    $('html,body').animate({scrollTop:$ (this.hash).offset().top},1000);
  });
});
</script>
<!-- start-smooth-scrolling -->
<link href="css/font-awesome.css" rel="stylesheet">
<link href='//fonts.googleapis.com/css?family=Montserrat:400,700' rel='stylesheet' type='text/css'>
<link href='//fonts.googleapis.com/css?family=Noto+Sans:400,700' rel='stylesheet' type='text/css'>
<!-- start-rate---->
<script src="js/jstarbox.js"></script>
<link rel="stylesheet" href="css/jstarbox.css" type="text/css" media="screen" charset="utf-8" />
<script type="text/javascript">
jQuery(function() {
  jQuery('.starbox').each(function() {
    var starbox = jQuery(this);
    starbox.starbox({
      average: starbox.attr('data-start-value'),
      changeable: starbox.hasClass('unchangeable') ? false : starbox.hasClass('clickonce') ? 'once' : true,
      ghosting: starbox.hasClass('ghosting'),
      autoUpdateAverage: starbox.hasClass('autoupdate'),
      buttons: starbox.hasClass('smooth') ? false : starbox.attr('data-button-count') || 5,
      stars: starbox.attr('data-star-count') || 5
    }).bind('starbox-value-changed', function(event, value) {
      if(starbox.hasClass('random')) {
        var val = Math.random();
        starbox.next().text(' '+val);
        return val;
      }
    })
  });
});
</script>

```

```

<!--/End-rate-->

</head>
<body>
<a href="offer.php"></a>
<div class="header">

<div class="container">

<div class="logo">
<h1 ><a href="index.php"><b>T<br>H<br>E</b>Starcon Organic Products<span>The Best Organic
Products</span></a></h1>
</div>

<?php
if(isset($_SESSION['customer']))
{

?>
<div class="header">
<b>Welcome </b><b style="color: green;"><?php echo $cust; ?></b>
</div>

<div class="head-t">
<ul class="card">
<li><a href="order.php" ><i class="fa fa-arrow-right" aria-hidden="true"></i>Orders</a></li>
<li><a href="vendor-index.php" ><i class="fa fa-user" aria-hidden="true"></i>Vendor Login</a></li>
<li><a href="about.php" ><i class="fa fa-file-text-o" aria-hidden="true"></i>About Us</a></li>
<li><a href="shipping.php" ><i class="fa fa-ship" aria-hidden="true"></i>Shipping</a></li>
<li><a href="cust-logout.php" ><i class="fa fa-user" aria-hidden="true"></i>Logout</a></li>
</ul>
</div>

<?php
}

else{
?>

<div class="head-t">
<ul class="card">
<li><a href="login.php" ><i class="fa fa-user" aria-hidden="true"></i>Login</a></li>
<li><a href="register.php" ><i class="fa fa-arrow-right" aria-hidden="true"></i>Register</a></li>
<li><a href="vendor-index.php" ><i class="fa fa-user" aria-hidden="true"></i>Vendor Login</a></li>
<li><a href="about.php" ><i class="fa fa-file-text-o" aria-hidden="true"></i>About Us</a></li>
<li><a href="shipping.php" ><i class="fa fa-ship" aria-hidden="true"></i>Shipping</a></li>
</ul>
</div>

<?php
}

?>

```

```

<div class="header-ri">
<ul class="social-top">
<li><a href="#" class="icon facebook"><i class="fa fa-facebook" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon twitter"><i class="fa fa-twitter" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon pinterest"><i class="fa fa-pinterest-p" aria-hidden="true"></i><span></span></a></li>
<li><a href="#" class="icon dribbble"><i class="fa fa-dribbble" aria-hidden="true"></i><span></span></a></li>
</ul>
</div>

<?php include_once("top.php"); ?>

</div>

</div>
</div>
<!-->

<!-- Carousel
=====
-->
<div id="myCarousel" class="carousel slide" data-ride="carousel">
<!-- Indicators -->
<ol class="carousel-indicators">
<li data-target="#myCarousel" data-slide-to="0" class="active"></li>
<li data-target="#myCarousel" data-slide-to="1"></li>
<li data-target="#myCarousel" data-slide-to="2"></li>
</ol>
<div class="carousel-inner" role="listbox">
<div class="item active">
<a href="care.php"></a>
</div>
<div class="item">
<a href="kitchen.php"></a>
</div>
<div class="item">
<a href="hold.php"></a>
</div>
</div>
</div>

</div><!-- /.carousel -->

<!--content-->
<!-- <div class="kic-top ">
<div class="container ">
<div class="kic ">
<h3>Popular Categories</h3>

</div>
<div class="col-md-4 kic-top1">
<a href="single.php">

```

```


</a>
<h6>Natural Cream</h6>
<p>Desc ... </p>
</div>
<div class="col-md-4 kic-top1">
<a href="single.php">

</a>
<h6>Shaving Kit</h6>
<p>Desc ... </p>
</div>
<div class="col-md-4 kic-top1">
<a href="single.php">

</a>
<h6>Makeup Kit</h6>
<p>Desc ... </p>
</div>
</div>
</div> -->

<!--content-->
<div class="product">
<div class="container">
<div class="spec ">
<h3>Bakery Eggs and Meat</h3>
<div class="ser-t">
<b></b>
<span><i></i></span>
<b class="line"></b>
</div>
</div>
<div class=" con-w3l agileinf">
<?php
/*$q = "SELECT v.email from vendors v JOIN customers c ON v.pincode= c.pincode WHERE c.email='";*/
$data= mysqli_query($conn, $q);
$total= mysqli_num_rows($data);
while($res= mysqli_fetch_assoc($data)){
if($total > 0){
$vendor= $res['email'];
}*/



/*echo $vendor;*/
$q2= "SELECT * FROM products WHERE product_brand= 17 ";
$data2= mysqli_query($conn, $q2);
$total2= mysqli_num_rows($data2);

while($res2= mysqli_fetch_assoc($data2)){
?>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal1" class="offer-img" id="<?php echo $res2['product_id'];?>">

```

```

<?php echo "<img src='images/".$res2['product_image']."'>";?>
</a>
<div class="mid-1">
<div class="women">
<h6>
<?php echo $res2['product_title'];?>
</h6>
</div>
<div class="mid-2">
<p ><label> Rs <?php echo $res2['product_price'] +20;?></label><em class="item_price"> Rs <?php echo
$res2['product_price'];?></em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<?php
$s= "images/";
$ext= $res2['product_image'];
$image= $s.$ext;
?>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="<?php echo $res2['product_id']; ?>" data-name=
"<?php echo $res2['product_title'];?>" data-summary="summary 1" data-price="<?php echo
$res2['product_price'];?>" data-quantity="1" data-image="<?php echo $image; ?>">Add to Cart</button>
</div>
</div>
</div>
<?php
}
?>
<!-- <div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal2" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Soap</a>(250 g)</h6>
</div>
<div class="mid-2">
<p ><label> RS 5.00</label><em class="item_price"> RS 4.50</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="37" data-name="Soap" data-summary="summary
37" data-price="4.50" data-quantity="1" data-image="images/of37.png">Add to Cart</button>
</div>
</div>

```

```

</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal3" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Hair Gel</a>(100 g)</h6>
</div>
<div class="mid-2">
<p ><label> RS 4.00</label><em class="item_price"> RS 3.50</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="38" data-name="Hair Gel" data-summary="summary 38" data-price="3.50" data-quantity="1" data-image="images/of38.png">Add to Cart</button>
</div>
</div>
</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal4" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Lotion </a>(100 g)</h6>
</div>
<div class="mid-2">
<p ><label> RS 1.00</label><em class="item_price"> RS 0.80</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="39" data-name="Lotion" data-summary="summary 39" data-price="0.80" data-quantity="1" data-image="images/of39.png">Add to Cart</button>
</div>
</div>
</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal5" class="offer-img">


```

```

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Shower Gel</a>(250 g)</h6>
</div>
<div class="mid-2">
<p ><label> RS 7.00</label><em class="item_price"> RS 6.00</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="40" data-name="Shower Gel" data-summary="summary 40" data-price="6.00" data-quantity="1" data-image="images/of40.png">Add to Cart</button>
</div>
</div>
</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal6" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Hair Color</a>(250 g)</h6>
</div>
<div class="mid-2">
<p ><label> RS 5.00</label><em class="item_price"> RS 4.50</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="41" data-name="Hair Color" data-summary="summary 41" data-price="4.50" data-quantity="1" data-image="images/of41.png">Add to Cart</button>
</div>
</div>
</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal7" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php"> Wipes</a>(300 kg)</h6>
</div>
<div class="mid-2">

```

```
<p><label> RS 4.00</label><em class="item_price"> RS 3.50</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="42" data-name="Wipes" data-summary="summary 42" data-price="3.50" data-quantity="1" data-image="images/of42.png">Add to Cart</button>
</div>
</div>
</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal8" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Essential Oils</a>(200 g)</h6>
</div>
<div class="mid-2">
<p><label> RS 1.00</label><em class="item_price"> RS 0.80</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="43" data-name="Essential Oils" data-summary="summary 43" data-price="0.80" data-quantity="1" data-image="images/of43.png">Add to Cart</button>
</div>
</div>
</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal9" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Cream</a>(150 g)</h6>
</div>
<div class="mid-2">
<p><label> RS 7.00</label><em class="item_price"> RS 6.00</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
```

```

<button class="btn btn-danger my-cart-btn my-cart-b" data-id="44" data-name="Cream" data-summary="summary 44" data-price="6.00" data-quantity="1" data-image="images/of44.png">Add to Cart</button>
</div>
</div>
</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal10" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Hair Color</a>(250 g)</h6>
</div>
<div class="mid-2">
<p ><label> RS 5.00</label><em class="item_price"> RS 4.50</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="45" data-name="Hair Color" data-summary="summary 45" data-price="4.50" data-quantity="1" data-image="images/of45.png">Add to Cart</button>
</div>
</div>
</div>
</div>
<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal11" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Baby Care</a>(1 kg)</h6>
</div>
<div class="mid-2">
<p ><label> RS 4.00</label><em class="item_price"> RS 3.50</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="46" data-name="Baby Care" data-summary="summary 46" data-price="3.50" data-quantity="1" data-image="images/of46.png">Add to Cart</button>
</div>
</div>
</div>
</div>

```

```

<div class="col-md-3 pro-1">
<div class="col-m">
<a href="#" data-toggle="modal" data-target="#myModal12" class="offer-img">

</a>
<div class="mid-1">
<div class="women">
<h6><a href="single.php">Lotion</a>(100 g)</h6>
</div>
<div class="mid-2">
<p ><label> RS 1.00</label><em class="item_price"> RS 0.80</em></p>
<div class="block">
<div class="starbox small ghosting"> </div>
</div>
<div class="clearfix"></div>
</div>
<div class="add">
<button class="btn btn-danger my-cart-btn my-cart-b" data-id="47" data-name="Lotion" data-summary="summary 47" data-price="0.80" data-quantity="1" data-image="images/of47.png">Add to Cart</button>
</div>
</div>
</div>-->
<div class="clearfix"></div>
</div>
</div>
<!--footer-->
<?php include_once("footer.php"); ?>
<!-- //footer-->

<!-- smooth scrolling -->
<script type="text/javascript">
$(document).ready(function() {
/*
var defaults = {
containerID: 'toTop', // fading element id
containerHoverID: 'toTopHover', // fading element hover id
scrollSpeed: 1200,
easingType: 'linear'
};
*/
$().UItoTop({ easingType: 'easeOutQuart' });
});
</script>
<a href="#" id="toTop" style="display: block;"><span id="toTopHover" style="opacity: 1;"></span></a>
<!-- //smooth scrolling -->
<!-- for bootstrap working -->
<script src="js/bootstrap.js"></script>
<!-- //for bootstrap working -->
<script type='text/javascript' src="js/jquery.mycart.js"></script>
<script type="text/javascript">
$(function () {

```

```

var goToCartIcon = function($addTocartBtn){
var $cartIcon = $(".my-cart-icon");
var $image = $('').css({ "position": "fixed", "z-index": "999" });
$addTocartBtn.prepend($image);
var position = $cartIcon.position();
$image.animate({
top: position.top,
left: position.left
}, 500 , "linear", function() {
$image.remove();
});
}

$('.my-cart-btn').myCart({
classCartIcon: 'my-cart-icon',
classCartBadge: 'my-cart-badge',
affixCartIcon: true,
checkoutCart: function(products) {
$.each(products, function(){
console.log(this);
});
},
clickOnAddToCart: function($addTocart){
goToCartIcon($addTocart);
},
getDiscountPrice: function(products) {
var total = 0;
$.each(products, function(){
total += this.quantity * this.price;
});
return total * 1;
}
});

});
</script>

```

```

<div class="modal fade" id="myModal1" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa" id="item_detail">

</div>
</div>
</div>

```

```

</div>

<script>
$(document).ready(function(){
$('.offer-img').click(function(){
/*
                           console.log("what"); */
var id = $(this).attr("id");
console.log(id);
$.ajax({
url:"select.php",
method:"post",
data:{id:id},
success:function(data){
$('#item_detail').html(data);
$('#myModal1').modal("show");
}
});
});
});
});
});
</script>

<!-- <div class="modal fade" id="myModal2" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Soap(250 g)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">
<span class="reducedfrom "><del> RS 10.00</del> RS 9.00</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="37" data-name="Soap" data-
summary="summary 37" data-price="9.00" data-quantity="1" data-image="images/of37.png">Add to
Cart</button>
</div>
</div>
<div class="clearfix"> </div>
</div>
</div>
</div>

```

```

</div>

<div class="modal fade" id="myModal3" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Hair Gel(100 g)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">
<span class="reducedfrom "><del> RS 3.00</del> RS 2.00</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="38" data-name="Hair Gel" data-
summary="summary 38" data-price="2.00" data-quantity="1" data-image="images/of38.png">Add to
Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal4" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Lotion (100 g)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">

```

```

<span class="reducedfrom "><del> RS 4.00</del> RS 3.50</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="39" data-name="Lotion " data-summary="summary 39" data-price="3.50" data-quantity="1" data-image="images/of39.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"> </div>
</div>
</div>
<div class="clearfix"> </div>
</div>
<div class="modal fade" id="myModal5" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Shower Gel(250 g)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">
<span class="reducedfrom "><del> RS 1.00</del> RS 0.70</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="40" data-name="Shower Gel" data-summary="summary 40" data-price="0.70" data-quantity="1" data-image="images/of40.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"> </div>
</div>
</div>
<div class="modal fade" id="myModal6" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">

```

```

<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Hair Color(250 g)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">
<span class="reducedfrom "><del> RS 1.00</del> RS 0.70</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="41" data-name="Hair Color" data-summary="summary 41" data-price="0.70" data-quantity="1" data-image="images/of41.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal7" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Wipes(300 kg)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">
<span class="reducedfrom "><del> RS 2.00</del> RS 1.00</span>

<div class="clearfix"></div>

```

```

</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="42" data-name="Wipes" data-
summary="summary 42" data-price="1.00" data-quantity="1" data-image="images/of42.png">Add to
Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal8" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Essential Oils(200 g)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">
<span class="reducedfrom "><del> RS 4.00</del> RS 3.50</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="43" data-name="Essential Oils" data-
summary="summary 43" data-price="3.50" data-quantity="1" data-image="images/of43.png">Add to
Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>

<div class="modal fade" id="myModal9" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">

```

```

<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Cream(150 g)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">
<span class="reducedfrom "><del> RS 2.00</del> RS 1.50</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="44" data-name="Cream" data-
summary="summary 44" data-price="1.50" data-quantity="1" data-image="images/of44.png">Add to
Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal10" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Hair Color(250 g)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">
<span class="reducedfrom "><del> RS 1.00</del> RS 0.70</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>

```

```

<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="45" data-name="Hair Color" data-summary="summary 45" data-price="0.70" data-quantity="1" data-image="images/of45.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="myModal11" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>
<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Baby Care(1 kg)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">
<span class="reducedfrom "><del> RS 2.00</del> RS 1.00</span>
<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="46" data-name="Baby Care" data-summary="summary 46" data-price="1.00" data-quantity="1" data-image="images/of46.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>

<div class="modal fade" id="myModal12" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content modal-info">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="true">&times;</span></button>
</div>

```

```

<div class="modal-body modal-spa">
<div class="col-md-5 span-2">
<div class="item">

</div>
</div>
<div class="col-md-7 span-1 ">
<h3>Lotion(100 g)</h3>
<p class="in-para"> Some attractive heading</p>
<div class="price_single">
<span class="reducedfrom "><del> RS 4.00</del> RS 3.50</span>

<div class="clearfix"></div>
</div>
<h4 class="quick">Quick Overview:</h4>
<p class="quick_desc"> Product Desc ..... </p>
<div class="add-to">
<button class="btn btn-danger my-cart-btn my-cart-btn1 " data-id="47" data-name="Lotion" data-summary="summary 47" data-price="3.50" data-quantity="1" data-image="images/of47.png">Add to Cart</button>
</div>
</div>
<div class="clearfix"></div>
</div>
</div>
</div>
</div> -->

</body>
</html>

```

Logout.php:-

```

<?php
session_start();
session_unset();
header("location:index.php");

?>

```

9.2 Bibliography:-

Books

[1]A.Troelsen, The Complete Reference for Pro HTML and the PHP Platform. Hill Edition, Pagano: - 123-135

[2]S. Holzner, Programming HTML, CSS: - 207-235

[3]C.Thomsen, Database Programming SQL, Second Edition

Websites

Topic: Navigation Design

[4]"HTML Introduction" www.codeproject.com,(Last Access 1/6/2021 11:00pm)

[5]"Feasibilities", http://en.wikipedia.org/wiki/Feasibility_study,(Last Access 22/3/2021 10:22pm)

[6]"Functional Requirements", www.w3schools.com (Last Access 31/5/2021 10:00pm)

Prashant Bhatt

ORIGINALITY REPORT

11 %

SIMILARITY
INDEX

11 %

INTERNET
SOURCES

2 %

PUBLICATION
S

%

STUDENT PAPERS

PRIMARY SOURCES

1

digital.lib.usu.edu

Internet Source

3 %

2

www.scribd.com

Internet Source

1 %

3

www.termpaperwarehouse.com

Internet Source

1 %

4

www.slideshare.net

Internet Source

1 %

5

es.scribd.com

Internet Source

1 %

6

www.ijetajournal.org

Internet Source

1 %

7

en.wikipedia.org

Internet Source

1 %

8

www.productplan.com

Internet Source

<1 %

9

docplayer.net

Internet Source

<1 %

10 [github.com](#)

Internet Source

<1 %

11 [www.wrike.com](#)

Internet Source

<1 %

Exclude quotes
Exclude bibliography

Off
On

Exclude matches

Off