Assignment-1 A

Prashanth S 19MID0020

Question

Assessment 1A

Mellon share owner services maintain the details of the share holders.

- a) Maintain the personal details of the share holder.
- b) Manipulate the users to buy and sell the shares.
- c) Maintain the account balances after sell and buying the shares.
- d) Issue the dividends yearly once. Dividends means a bonus. E.g. 30% bonus means balance = balance + (balance * 0.3)

Write a Java program to implement the problem stated above using classes and objects in Java

Expected output:

.Tran Id	Share	Bank Acc	Date	Share	Shares buy	Dividend	Acc Bal
	holder	No		Sell	Value		
	name			Value			

Melon Class

```
Eile Edit View Navigate Code Analyze Refactor Build Run Tools Git Window Help Assignment 1A - Mellon Services java – 🗗 🗙
                                                                 Assignment_1A > src > com > company > © MellonServices
 package com.company;
                                                                                                                    x2 ∧ ∨
       public class MellonServices {
          int trans_id;
           String name;
          String date;
                               // Date date
          String account_number;
 8
          int balance_share; // To maintain balance shares after adding/deleting the share
9
          int balance_amount; // To maintain balance amount after adding/deleting the share
10
          int divident;
          MellonServices(int id, String name, String date, String acc_number, int b_share, int b_amount, int b_divident) {
              this.trans_id = id;
14
              this.name = name:
              this.date = date;
              this.account_number = acc_number;
16
              this.balance_share = b_share;
18
              this.balance_amount = b_amount;
19
              this.divident = b_divident;
20
          /* Consider the Price of 1 share --> Rs 20*/
          public void Buy_share(int share) {
24
             if (balance_amount >= (share * 10)) {
                 this.trans_id +=1;
26
                  this.balance_share = this.balance_share + share; /* balance share increases */
27
                  this.balance_amount = this.balance_amount - (share * 20); /* balance amount decreases */
28
29
30
31
           /* Consider the Price of 1 share --> Rs 10*/
          public void Sell_share(int share) {
             if (balance_share >= share) {
34
                  this.trans_id +=1;
35
                  this.balance_share = this.balance_share - share; /* balance share decreases */
36
                 this.balance_amount = this.balance_amount + (share * 10); /* balance amount increases */
38
39
40
          public void Dividend() {
                                                                                                                     √2 ∧ ∨
41
             this.trans id +=1:
42
              this.balance_amount = this.balance_amount + (this.balance_amount * (this.divident/100));
43
44
45
           public void Display(){
46
              System.out.println("\nTransaction_ID
47
                               +"Name "
48
                                +"Bank acc
49
                                +"Date
50
                                +"Share_buy_value
51
                                +"Share_sell_value
                                +"Dividend
52
53
                                +"Account_balance
                     );
55
56
              System.out.println("-----" +
57
58
              System.out.println(this.trans_id + "
59
60
                         + this.name + " "
61
                         + this.account_number + "
62
                        + this.date + "
                        + "20" + "
63
                        + "10" + "
64
                        + this.divident + "
                         + this.balance_amount);
67
```

Main method

```
🕎 Eile Edit View Navigate Code Analyze Refactor Build Run Iools Git Window Help Assignment_1A - Main.java
 Assignment_1A > src > com > company > © Main > m main
                                                                 package com.company;
                                                                                                                    %7 ^ ~
 3 >
      public class Main {
 5
          public static void main(String[] args) {
              MellonServices obj1 = new MellonServices(id: 1, name: "Prashanth", date: "2020-02-08", acc_number: "2ABC123", b_share: 25, b_am
 6
              MellonServices obj2 = new MellonServices(id: 2, name: "William", date: "2020-11-23", acc_number: "9PQR456", b_share: 30, b_amo
 7
 8
              MellonServices obj3 = new MellonServices( id: 3, name: "Monica", date: "2019-04-29", acc_number: "8XYZ789", b_share: 40, b_amo
9
                                     ###############");
10
              System.out.println("
                                                                Before transactions
              obj1.Display();
              obj2.Display();
              obj3.Display();
14
              obj1.Buy_share(30); // Prashanth wants to buy 10 shares
16
              obj1.Buy_share(20); // William wants to buy 30 shares
              obj1.Buy_share(10); // Monica wants to buy 40 shares
18
19
              obj1.Sell_share(5); // Prashanth wants to sell 5 shares
20
              obj2.Sell_share(10); // William wants to sell 10 shares
              obj3.Sell_share(15); // Monica wants to sell 15 shares
23
              obj1.Dividend();
                                   // Prashanth wants to give divident as 5%
                                 // William wants to give divident as 10%
              obi1.Dividend();
              obj1.Dividend();
                                   // Monica wants to give divident as 15%
              System.out.println();
                                     System.out.println("
                                                                                            ###############");
28
                                                               After transactions
29
              obj1.Display();
30
              obj2.Display();
              obj3.Display();
```

Output



Melon Class


```
package com.company;
public class MellonServices {
    int trans id;
    String name;
    String date;
                            // Date date
    String account number;
    int balance share; // To maintain balance shares after
adding/deleting the share
    int balance amount; // To maintain balance amount after
adding/deleting the share
    int divident;
    MellonServices (int id, String name, String date, String
acc number,int b share,int b amount,int b divident) {
        this.trans id = id;
        this.name = name;
        this.date = date;
        this.account number = acc number;
        this.balance share = b share;
        this.balance amount = b amount;
        this.divident = b divident;
    }
    /* Consider the Price of 1 share --> Rs 20*/
    public void Buy share(int share) {
        if (balance amount >= (share * 10)) {
            this.trans id +=1;
            this.balance share = this.balance share + share;
/* balance share increases */
            this.balance amount = this.balance amount - (share
* 20);
        /* balance amount decreases */
        }
    /* Consider the Price of 1 share --> Rs 10*/
    public void Sell share(int share) {
        if (balance share >= share) {
            this.trans id +=1;
            this.balance share = this.balance share - share;
/* balance share decreases */
            this.balance amount = this.balance amount + (share
* 10); /* balance amount increases */
        }
    public void Dividend() {
        this.trans id +=1;
        this.balance amount = this.balance amount +
```

```
(this.balance_amount * (this.divident/100));
   public void Display() {
       System.out.println("\nTransaction ID
                       +"Name "
                       +"Bank acc
                       +"Date
                       +"Share buy value
                       +"Share sell value
                       +"Dividend "
                       +"Account balance
              );
      System.out.println("-----
  W-----
 ----");
       System.out.println(this.trans id + "
                 + this.name + "
                 + this.account number + "
                 + this.date + " "
                 + "20" + "
                 + "10" + "
                 + this.divident + "
                 + this.balance amount) ;
}
                      Main method
package com.company;
public class Main {
   public static void main(String[] args) {
       MellonServices obj1 = new
MellonServices (1, "Prashanth", "2020-02-08", "2ABC123", 25,
1000,5);
       MellonServices obj2 = new MellonServices(2, "William",
"2020-11-23", "9PQR456", 30, 1500,10);
       MellonServices obj3 = new MellonServices (3, "Monica",
"2019-04-29", "8XYZ789", 40, 2000,15);
       System.out.println("
                             ###################
Before transactions
                         ###########;
       obj1.Display();
       obj2.Display();
       obj3.Display();
```

```
shares
       obj1.Buy_share(20); // William wants to buy 30 shares
       obj1.Buy share(10); // Monica wants to buy 40 shares
       obj1.Sell share(5); // Prashanth wants to sell 5
       obj2.Sell share(10); // William wants to sell 10
shares
       obj3.Sell share(15); // Monica wants to sell 15 shares
       obj1.Dividend(); // Prashanth wants to give
divident as 5%
       obj1.Dividend();  // William wants to give
divident as 10%
       obj1.Dividend();  // Monica wants to give
divident as 15%
       System.out.println();
       System.out.println("
                                ###################
                           ############;;
After transactions
       obj1.Display();
       obj2.Display();
       obj3.Display();
   }
}
                        Output
"C:\Program Files\Amazon Corretto\jdk15.0.2 7\bin\java.exe" "-
javaagent:C:\Program Files\JetBrains\IntelliJ IDEA Community
Edition 2020.3.2\lib\idea rt.jar=50717:C:\Program
Files\JetBrains\IntelliJ IDEA Community Edition 2020.3.2\bin"
-Dfile.encoding=UTF-8 -classpath "C:\WinterSemester-
2021\CSI2008 Programming in JAVA\JAVA lab
practice\Assignment 1A\out\production\Assignment 1A"
com.company.Main
     ##################
                           Before transactions
###################
                Name
                           Bank acc
Transaction ID
                                            Date
Share buy value
                    Share sell value
                                          Dividend
Account balance
_____
                   Prashanth 2ABC123
                                              2020-02-08
20
            10
                                     5
                                                   1000
```

obj1.Buy share(30); // Prashanth wants to buy 10

Share_buy_value Account_balance		Share_sel	_	Date Dividend		
2	10	William	9PQR456 10	2020-11-23 1500		
Share_buy_value Account_balance		_		Date Dividend		
3 20	10	Monica	8XYZ789 15	2019-04-29 2000		
######################################						
Transaction_ID Share_buy_value Account_balance		Share_se	_	Date Dividend		
7 20	10	Prashanth	2ABC123 5	2020-02-08 50		
Transaction_ID Share_buy_value Account_balance			Bank_acc ll_value	Date Dividend		
3 20	10	 William	9PQR456 10	2020-11-23 1600		
Transaction_ID Share_buy_value Account_balance		Share_sel	_	Date Dividend		
4 20	10	Monica	8XYZ789 15	2019-04-29 2150		
Process finished	d with	exit code	0			



Assessment 1B

Hyundai car show room sells the cars in weekly basis. It has a sales module to perform the sale of a car. The functionality of the sales module are

- a. Constructor functions performs the input activity like getting the details of car(Model, Color, Engine Type, Fuel Type, Price)
- b. Authorize function check the payment (Should be greater than 50 percent of unit price) made by the user and approves the sale order and calls the other function called order processing.
- c. Order processing function check the stock for availability of the car and prints the delivery order(format given below) or other wise it will prints the production order (format given below).

Delivery Order:

Owner Name	Car Model	C	Color		Fuel Type		Delivery date		
Production Order:									
Production branch Name		Car Mc	odel	Color		Engine type	Date of delivery		

Write a Java program to implement the concept of constructors for the

problem stated above. Copy constructor, default constructor, multiple argument constructors need to be there.

Data-base creation using Python

```
In [1]: import sqlite3
    In [2]: db = sqlite3.connect("cars.db")
    In [3]: c = db.cursor()
    In [4]: ## Creating the hyundai table
             c.execute('CREATE TABLE hyundai(model text,color text,engine_type text ,fuel_type text,unit_price int)')
   Out[4]: <sqlite3.Cursor at 0x239dc57e490>
 In [6]: ## Inserting the data in-to the table
           c.execute("INSERT INTO hyundai VALUES ('baleno', 'blue', 'Automatic', 'petrol',700000)")
           c.execute("INSERT INTO hyundai VALUES ('ciaz', 'red', 'Automated_Manual_Transmission', 'petrol', 900000)")
          c.execute("INSERT INTO hyundai VALUES ('s-cross', 'black', 'Manual', 'petrol', 1100000)") c.execute("INSERT INTO hyundai VALUES ('xl-6', 'red', 'Manual', 'petrol', 1000000)") c.execute("INSERT INTO hyundai VALUES ('swift', 'white', 'Automatic', 'diesel', 500000)")
Out[6]: <sqlite3.Cursor at 0x239dc57e490>
 In [9]: data = c.execute("SELECT * FROM hyundai")
          for i in data:
             print(i)
           ('baleno', 'blue', 'Automatic', 'petrol', 700000)
           ('ciaz', 'red', 'Automated_Manual_Transmission', 'petrol', 900000)
           ('s-cross', 'black', 'Manual', 'petrol', 1100000)
           ('xl-6', 'red', 'Manual', 'petrol', 1000000)
           ('swift', 'white', 'Automatic', 'diesel', 500000)
```

These data-base can be created using JAVA, so I created the data-base and inserted values using JDBC.

Hyundai class

Structure of the Hyundai class

```
package com.company;
                                                                                                                        A4 ★9 ^ \
        import java.sql.*;
 3
       import java.∪til.Calendar;
 5
        public class Hyundai {
                               /* baleno, ciaz, s-cross, xl-6 */
 6
            String model;
 7
            String color;
                               /* red, blue, white, black */
            \textbf{String engine\_type; } \ /* \ \textit{Automatic, Automated Manual Transmission(AMT), Manual */}
 8
 9
            String fuel_type; /* petrol, diesel */
                                /* price of the car from the factory */
10
            int unit_price;
                               /* payment made by the customer */
            int payment;
13
                                /* Paramterized Constructor */
            Hyundai(String data) \{...\}
14
40
                            /* To display all the car details */
41
            public void Display() {...}
48
49
                                /* Paramterized Constructor */
50
            Hyundai(String user_model,String user_color, String user_engine_type,String user_fuel_type,int user_unit_price) {...}
 57
 58
            public void Authorize(Hyundai[] obj1) {...}
 72
 73
            public void Order_Processing(Hyundai[] obj1) {...}
 96
97
            public void Deliver_Order() {...}
109
110
            public void Production_Order() {...}
```

Hyundai class

```
package com.company;
                                                                                                                     A4 ×9 ^ ~
       import java.sql.*:
 2
      import java.util.Calendar;
 3
 5
        public class Hyundai {
 6
           String model;
                                /* baleno, ciaz, s-cross, xl-6 */
           String color;
                               /* red, blue, white, black */
           String engine_type; /* Automatic, Automated Manual Transmission(AMT), Manual */
 8
           String fuel_type; /* petrol, diesel */
10
                               /* price of the car from the factory */
           int unit price:
           int payment;
                               /* payment made by the customer */
                               /* Paramterized Constructor */
14
           Hyundai(String data) {
15
               try {
                   Connection con = DriverManager.getConnection
                                                                 /*creating the connection*/
17
                    ( und "jdbc:sqlite:C://WinterSemester-2021//CSI2008 Programming in JAVA//JAVA lab practice//Assignment_1A_1B//car
       1
18
19
                    Statement stm = con.createStatement(); // creating the statem
                    stm.execute( sql: "SELECT * FROM nexa WHERE model ='" + data + "'");
20
21
                    ResultSet result = stm.getResultSet(); // output of the query is stored in result
23
                    while (result.next()) {
                        this.model = result.getString( columnLabel: "model");
24
25
                        this.color = result.getString( columnLabel: "color");
                        this.engine_type = result.getString( columnLabel: "engine_type");
26
27
                        this.fuel_type = result.getString( columnLabel: "fuel_type");
                        this.unit_price = result.getInt( columnLabel: "unit_price");
28
29
30
                    result.close();
31
32
                    con.setAutoCommit(true);
33
                    stm.close();
34
                    con.close();
35
                catch (SOLException e) {
36
                    System.out.println("Some-thing went wrong " + e.getMessage());
38
39
40
                            /* To display all the car details */
           public void Display() {...}
48
                               /* Paramterized Constructor */
49
50
            Hyundai(String user_model,String user_color, String user_engine_type,String user_fuel_type,int user_unit_price) {
                this.model = user model:
52
                this.color = user_color;
53
                this.engine_type = user_engine_type;
54
                this.fuel_type = user_fuel_type;
55
                this.unit_price = user_unit_price;
```


```
56
                                                                                                                 A4 ±9 ∧
 57
            public void Authorize(Hyundai[] obj1) {
 59
                int flag = 0;
 60
                for (int i = 0; i < 5; i++) {
 61
                   if (this.unit_price == (obj1[i].unit_price/2)) {
 62
                       flag = 1;
 63
                   }
 64
 65
               if (flag==1) {
 66
                   this.Order_Processing(obj1);
 67
 68
               else if (flag==0){
                   System.out.println("Customer, please make your half payment");
 69
 70
 72
            public void Order_Processing(Hyundai[] obj1) {
 74
                System.out.println("Order processing is going on");
                int flag = 0:
 76
                    /*Checking the availability of stocks*/
 77
                for (int i=0; i<5; i++) {
 78
                    if (
 79
                            (this.model.equals(obj1[i].model)) &&
                            (this.color.equals(obj1[i].color)) &&
 80
 81
                            (this.engine_type.equals(obj1[\underline{i}].engine_type)) &&
                           (this.fuel_type.equals(obj1[i].fuel_type))
 82
 83
                           /*(this.unit_price >= (obj1[i].unit_price)/2)*/
                   ) {
 84
 85
                       flag = 1;
                    }
 86
 87
 88
                    if (flag==1) {
                                                                                                                    A4 × 5
 89
 90
                        this.Deliver_Order();
 91
 92
 93
                        this.Production_Order();
 94
 95
            7
 96
 97
            public void Deliver_Order() {
                System.out.println("////////////);
 98
 99
                System.out.println("Delivery order is sent to the customer");
                System.out.println("Owner name : Prashanth");
                System.out.println("Car model : " + this.model);
101
                System.out.println("Color: " + this.color);
103
                System.out.println("Fuel type : " + this.fuel_type);
105
                Calendar cal = Calendar.getInstance();
106
                cal.add(Calendar.DATE, amount: +10);
                System.out.println("Delivery date from 10 days of purchase : " + cal.getTime());
                                                                                                                <u>A</u>4 ≪9 ^
108
            public void Production_Order() {
110
                System.out.println("////////");
                System.out.println("Production order is sent to the factory");
114
                System.out.println("Production branch name : Avadi");
                System.out.println("Showroom address : No:47, Avadi, Chennai-54");
                System.out.println("Car model : " + this.model);
                System.out.println("Color : " + this.color);
118
                System.out.println("Engine type : " + this.engine_type);
119
                Calendar cal = Calendar.getInstance();
                cal.add(Calendar.DATE, amount +20);
                System.out.println("Delivery date from 20 days of purchase : " + cal.getTime());
123
      }
124
```

Main function

```
1
      package com.company:
                                                                                                      9 1 × 11 ^ ~
3
      import java.sql.*;
4
      import java.util.Scanner;
5
6 >
      public class Main {
7
          public static void main(String[] args) {
8
              try {
9
                  /* Data-base creation */
10
                  Connection con = DriverManager.getConnection /*creating the connection*/
       ( url: "jdbc:sqlite:C://WinterSemester-2021//CSI2008 Programming in JAVA//JAVA lab practice//Assignment_1A_1B//cars1.d
11
13
                  Statement stm = con.createStatement(); // creating the statement object
14
15
                  stm.execute(
16
                          sql: "CREATE TABLE IF NOT EXISTS nexa" +
17
                                 "(model text,color text,engine_type text , fuel_type text,unit_price int)");
18
19
                  stm.execute( sql: "INSERT INTO nexa VALUES ('baleno', 'blue', 'Automatic', 'petrol',700000)");
                  stm.execute( sqt "INSERT INTO nexa VALUES ('ciaz', 'red', 'Automated_Manual_Transmission', 'petrol', 9600
20
                  stm.execute( sql: "INSERT INTO nexa VALUES ('s-cross', 'black', 'Manual', 'petrol', 1100000)");
                  stm.execute( sql "INSERT INTO nexa VALUES ('xl-6', 'red', 'Manual', 'petrol', 1000000)");
                  stm.execute( sql: "INSERT INTO nexa VALUES ('swift', 'white', 'Automatic', 'diesel', 500000)");
23
24
25
                  con.setAutoCommit(true);
26
                  stm.close():
27
                  con.close();
              7
28
29
               catch (SQLException e) {
                  System.out.println("Some-thing went wrong " + e.getMessage());
31
32
33
34
              Hyundai[] obj1;
               obj1 = new Hyundai[5];
36
37
               obj1[0] = new Hyundai( data: "baleno");
38
               obj1[1] = new Hyundai( data: "ciaz");
39
               obj1[2] = new Hyundai( data: "s-cross");
               obj1[3] = new Hyundai( data: "xl-6");
40
41
               obj1[4] = new Hyundai( data: "swift");
42
43
               /* Showing the available cars in the showroom to the customer */
               System.out.println("The car avaiable in Show-room");
44
45
               46
               for(int i=0;i<5;i++) { obj1[i].Display(); }</pre>
47
               System.out.println("/////////");
48
49
               /* Getting input from the customer */
               Scanner input = new Scanner(System.in):
50
51
               String user_model,user_color,user_engine_type,user_fuel_type;
52
               int user_unit_price;
```

```
53
54
              System.out.println("////////////);
55
              System.out.println("Enter the model : ");
56
              user_model = input.nextLine();
57
58
              System.out.println("Enter the color : ");
59
              user_color = input.nextLine();
60
61
              System.out.println("Enter the engine type : ");
62
              user_engine_type = input.nextLine();
63
              System.out.println("Enter the fuel type : ");
64
65
              user_fuel_type = input.nextLine();
66
67
              System.out.println("Make your half payment : ");
68
              user_unit_price = input.nextInt();
69
70
              /* Creating a user object */
71
              Hyundai user = new Hyundai(user_model,user_color,user_engine_type,user_fuel_type,user_unit_price);
72
              user.Authorize(obj1);
73
74
```

Data-base



Output: (User-choice available in Stocks)

```
"C:\Program Files\Amazon Corretto\jdk15.0.2_7\bin\java.exe" "-javaagent:C:\Program Files\JetBrains\IntelliJ IDEA Community Edit
      The car avaiable in Show-room
      □ model : baleno color : blue engine_type : Automatic fuel_type : petrol unit_price : 700000
10
<u>□</u> <u>=</u>
      model : ciaz color : red engine_type : Automated_Manual_Transmission fuel_type : petrol unit_price : 900000
      model : s-cross color : black engine_type : Manual fuel_type : petrol unit_price : 1100000
载 音
      model : xl-6 color : red engine_type : Manual fuel_type : petrol unit_price : 1000000
      model: swift color: white engine_type: Automatic fuel_type: diesel unit_price: 500000
      ==
      Enter the model :
      ciaz
      Enter the color :
      red
      Enter the engine type :
      Automated_Manual_Transmission
      Enter the fuel type :
      petrol
      Make your half payment :
→
      450000
      Order processing is going on
      Delivery order is sent to the customer
      Owner name : Prashanth
      Car model : ciaz
      Color : red
      Fuel type : petrol
      Delivery date from 10 days of purchase : Thu Mar 04 17:04:42 IST 2021
      Process finished with exit code 0
```

Output: (User-choice not available in Stocks)

```
"C:\Program Files\Amazon Corretto\jdk15.0.2_7\bin\java.exe" "-javaagent:C:\Program Files\JetBrains\IntelliJ IDEA Community Edit
      =
      model: baleno color: blue engine_type: Automatic fuel_type: petrol unit_price: 700000
model : ciaz | color : red | engine_type : Automated_Manual_Transmission | fuel_type : petrol | unit_price : 900000
      model: s-cross color: black engine_type: Manual fuel_type: petrol unit_price: 1100000
药
      model: xl-6 color: red engine_type: Manual fuel_type: petrol unit_price: 1000000
      model: swift color: white engine_type: Automatic fuel_type: diesel unit_price: 500000
      ===
      Enter the model :
      xl-6
      Enter the color :
      black
      Enter the engine type :
      Manual
      Enter the fuel type :
      petrol
      Make your half payment :
500000
Order processing is going on
Production order is sent to the factory
Production branch name : Avadi
Showroom address: No:47, Avadi, Chennai-54
Car model : xl-6
Color : black
Engine type : Manual
Delivery date from 20 days of purchase : Sun Mar 14 17:15:02 IST 2021
```

Hyundai-Class

```
package com.company;
import java.sql.*;
import java.util.Calendar;
public class Hyundai {
    String model;
                       /* baleno, ciaz, s-cross, xl-6 */
   String color;
                       /* red, blue, white, black */
   String engine type; /* Automatic, Automated Manual
Transmission(AMT), Manual */
   String fuel type; /* petrol, diesel */
                       /* price of the car from the factory
   int unit price;
*/
   /* Paramterized Constructor */
   Hyundai(String data) {
       try {
           Connection con = DriverManager.getConnection
/*creating the connection*/
           ("jdbc:sqlite:C://WinterSemester-2021//CSI2008
Programming in JAVA//JAVA lab
practice//Assignment 1A 1B//cars1.db");
           Statement stm = con.createStatement(); // creating
the statem
           stm.execute("SELECT * FROM nexa WHERE model ='" +
data + "'");
           ResultSet result = stm.getResultSet(); // output
of the query is stored in result
           while (result.next()) {
               this.model = result.getString("model");
               this.color = result.getString("color");
               this.engine_type =
result.getString("engine_type");
               this.fuel type
result.getString("fuel type");
               this.unit price =
result.getInt("unit price");
           result.close();
           con.setAutoCommit(true);
           stm.close();
           con.close();
       catch (SQLException e) {
           System.out.println("Some-thing went wrong " +
e.getMessage());
```

```
}
    }
                    /* To display all the car details */
    public void Display() {
        System.out.println("model : " + this.model + " " +
                "color : "
                               + this.color + " " +
                "engine type : " + this.engine type + " " +
                "fuel_type : " + this.fuel_type + " " +
                "unit price : " + this.unit price);
    }
                        /* Paramterized Constructor */
    Hyundai (String user model, String user color, String
user engine type, String user fuel type, int user unit price) {
        this.model = user model;
        this.color = user color;
        this.engine_type = user_engine_type;
        this.fuel type = user fuel type;
        this.unit price = user unit price;
    }
    public void Authorize(Hyundai[] obj1) {
        int flag = 0;
        for (int i = 0; i < 5; i++) {</pre>
            if (this.unit price == (obj1[i].unit price/2)) {
                flag = 1;
        if (flag==1) {
            this.Order Processing(obj1);
        else if (flag==0) {
            System.out.println("Customer, please make your
half payment");
        }
    }
    public void Order Processing(Hyundai[] obj1) {
        System.out.println("Order processing is going on");
        int flag = 0;
            /*Checking the availability of stocks*/
        for (int i=0;i<5;i++) {</pre>
            if (
                     (this.model.equals(obj1[i].model)) &&
                     (this.color.equals(obj1[i].color)) &&
(this.engine_type.equals(obj1[i].engine_type)) &&
                    (this.fuel type.equals(obj1[i].fuel type))
                    /*(this.unit price >=
(obj1[i].unit price)/2)*/
            ) {
```

```
flag = 1;
          }
      }
          if (flag==1) {
             this.Deliver Order();
          else {
             this.Production Order();
   }
   public void Deliver Order() {
System.out.println("Delivery order is sent to the
customer");
      System.out.println("Owner name : Prashanth");
      System.out.println("Car model : " + this.model);
      System.out.println("Color : " + this.color);
      System.out.println("Fuel type : " + this.fuel type);
      Calendar cal = Calendar.getInstance();
      cal.add(Calendar.DATE, +10);
      System.out.println("Delivery date from 10 days of
purchase : " + cal.getTime());
   public void Production Order() {
System.out.println("Production order is sent to the
factory");
      System.out.println("Production branch name : Avadi");
      System.out.println("Showroom address :
No: 47, Avadi, Chennai-54");
      System.out.println("Car model : " + this.model);
      System.out.println("Color : " + this.color);
      System.out.println("Engine type : " +
this.engine type);
      Calendar cal = Calendar.getInstance();
      cal.add(Calendar.DATE, +20);
      System.out.println("Delivery date from 20 days of
purchase : " + cal.getTime());
```

Main method

```
package com.company;
import java.sql.*;
import java.util.Scanner;
public class Main {
    public static void main(String[] args) {
            try {
                                         /* Data-base creation
*/
                Connection con = DriverManager.getConnection
/*creating the connection*/
                         ("jdbc:sqlite:C://WinterSemester-
2021//CSI2008 Programming in JAVA//JAVA lab
practice//Assignment 1A 1B//cars1.db");
                Statement stm = con.createStatement(); //
creating the statement object
                stm.execute(
                        "CREATE TABLE IF NOT EXISTS nexa" +
                                "(model text,color
text,engine_type text , fuel_type text,unit_price int)");
                stm.execute("INSERT INTO nexa VALUES
('baleno', 'blue', 'Automatic', 'petrol',700000)");
                stm.execute("INSERT INTO nexa VALUES ('ciaz',
'red', 'Automated Manual Transmission', 'petrol', 900000)");
                stm.execute("INSERT INTO nexa VALUES ('s-
cross', 'black', 'Manual', 'petrol', 1100000)");
                stm.execute("INSERT INTO nexa VALUES ('x1-6',
'red', 'Manual', 'petrol', 1000000)");
                stm.execute("INSERT INTO nexa VALUES ('swift',
'white', 'Automatic', 'diesel', 500000)");
                con.setAutoCommit(true);
                stm.close();
                con.close();
            }
            catch (SQLException e) {
                System.out.println("Some-thing went wrong " +
e.getMessage());
        Hyundai[] obj1;
        obj1 = new Hyundai[5];
        obj1[0] = new Hyundai("baleno");
```

```
obj1[1] = new Hyundai("ciaz");
      obj1[2] = new Hyundai("s-cross");
      obj1[3] = new Hyundai("x1-6");
      obj1[4] = new Hyundai("swift");
      /* Showing the available cars in the showroom to the
customer */
      System.out.println("The car avaiable in Show-room");
for (int i=0;i<5;i++) { obj1[i].Display(); }</pre>
/* Getting input from the customer */
      Scanner input = new Scanner(System.in);
      String
user model, user color, user engine type, user fuel type;
      int user unit price;
System.out.println("Enter the model : ");
      user model = input.nextLine();
      System.out.println("Enter the color : ");
      user color = input.nextLine();
      System.out.println("Enter the engine type : ");
      user engine type = input.nextLine();
      System.out.println("Enter the fuel type : ");
      user fuel type = input.nextLine();
      System.out.println("Make your half payment : ");
      user unit price = input.nextInt();
      /* Creating a user object */
      Hyundai user = new
Hyundai (user model, user color, user engine type, user fuel type,
user unit price);
      user.Authorize(obj1);}
```

Github: https://github.com/PrashanthSingaravelan/WinterSemester-2021/tree/main/CSI2008%20Programming%20in%20JAVA/JAVA%20lab%20practice/Assignment 1A 1B