# CloudDoc Benchmark Large PDF - Page 1 of 20

Section 1.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 1.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 1.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 1.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 1.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 1.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 1.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

# CloudDoc Benchmark Large PDF - Page 2 of 20

Section 2.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 2.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 2.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 2.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 2.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 2.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 2.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

# CloudDoc Benchmark Large PDF - Page 3 of 20

Section 3.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 3.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 3.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 3.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 3.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 3.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 3.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

# CloudDoc Benchmark Large PDF - Page 4 of 20

Section 4.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 4.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 4.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 4.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 4.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 4.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 4.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

# CloudDoc Benchmark Large PDF - Page 5 of 20

Section 5.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 5.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 5.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 5.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 5.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 5.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 5.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

# CloudDoc Benchmark Large PDF - Page 6 of 20

Section 6.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 6.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 6.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 6.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 6.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 6.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 6.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

# CloudDoc Benchmark Large PDF - Page 7 of 20

Section 7.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 7.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 7.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 7.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 7.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 7.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 7.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

# CloudDoc Benchmark Large PDF - Page 8 of 20

Section 8.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 8.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 8.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 8.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 8.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 8.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 8.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

# CloudDoc Benchmark Large PDF - Page 9 of 20

Section 9.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 9.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 9.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 9.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 9.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 9.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 9.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

# CloudDoc Benchmark Large PDF - Page 10 of 20

Section 10.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 10.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 10.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 10.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 10.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 10.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 10.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

# CloudDoc Benchmark Large PDF - Page 11 of 20

Section 11.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 11.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 11.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 11.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 11.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 11.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 11.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

# CloudDoc Benchmark Large PDF - Page 12 of 20

Section 12.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 12.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 12.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 12.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 12.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 12.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 12.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

# CloudDoc Benchmark Large PDF - Page 13 of 20

Section 13.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 13.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 13.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 13.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 13.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 13.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 13.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

# CloudDoc Benchmark Large PDF - Page 14 of 20

Section 14.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 14.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 14.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 14.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 14.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 14.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 14.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

# CloudDoc Benchmark Large PDF - Page 15 of 20

Section 15.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 15.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 15.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 15.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 15.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 15.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 15.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

# CloudDoc Benchmark Large PDF - Page 16 of 20

Section 16.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 16.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 16.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 16.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 16.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 16.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 16.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

# CloudDoc Benchmark Large PDF - Page 17 of 20

Section 17.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 17.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 17.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 17.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 17.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 17.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 17.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

# CloudDoc Benchmark Large PDF - Page 18 of 20

Section 18.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 18.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 18.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 18.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 18.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 18.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 18.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

# CloudDoc Benchmark Large PDF - Page 19 of 20

Section 19.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 19.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 19.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 19.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 19.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 19.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 19.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

# CloudDoc Benchmark Large PDF - Page 20 of 20

Section 20.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 20.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 20.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 20.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 20.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 20.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 20.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.