CloudDoc Benchmark Medium PDF - Page 1 of 5

Section 1.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 1.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 1.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 1.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 1.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 1.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 1.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

CloudDoc Benchmark Medium PDF - Page 2 of 5

Section 2.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 2.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 2.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 2.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 2.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 2.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 2.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

CloudDoc Benchmark Medium PDF - Page 3 of 5

Section 3.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 3.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 3.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 3.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 3.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 3.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 3.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

CloudDoc Benchmark Medium PDF - Page 4 of 5

Section 4.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 4.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 4.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 4.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 4.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 4.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 4.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

CloudDoc Benchmark Medium PDF - Page 5 of 5

Section 5.1: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 5.2: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 5.3: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 5.4: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 5.5: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 5.6: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.

Section 5.7: CloudDoc Asynchronous Processing Performance Benchmark. CloudDoc processes documents using an event-driven architecture with AWS S3, SQS, and detached workers. This synthetic content provides realistic text density for PyMuPDF text extraction parsing.