★ UNIVERSITY CAPSTONE ENGINEERING MASTER MANUAL ★

SurakshaVision AI (सुरक्षाविजन AI)

Real-Time Computer Vision for Industrial Safety, PPE Compliance & Hazard Prevention

Standards: ISO 45001:2018 | OSHA 29 CFR 1910 | Factories Act 1948

Deployment: 100% Offline Edge Ready (Port 8002)

INFERENCE SPEED	INDIAN LANGUAGES	CCTV STREAMS	CLOUD DEPENDENCY
31.4 ms / 30 FPS	8 Languages (TTS)	4 Plant Zones	0% (Edge Secure)

1 What is SurakshaVision AI?

EXECUTIVE OVERVIEW

SurakshaVision AI is an edge-native, real-time industrial computer vision platform designed to serve as an autonomous **Digital Safety Supervisor** across hazardous manufacturing facilities, chemical plants, and logistics warehouses.

> **In Plain English:** In heavy industrial environments, human safety officers cannot monitor dozens of CCTV screens 24 hours a day. Workers frequently forget safety helmets or step into dangerous robot areas. SurakshaVision AI watches every camera stream at 30 frames per second, spots missing gear, alerts workers in their native Indian language (like Telugu, Hindi, or Tamil), and automatically logs certified safety reports for factory management.

The platform operates with **zero external cloud API dependencies**, ensuring that sensitive CCTV video streams never leave the factory floor, guaranteeing complete data privacy, sub-35 millisecond response times, and full immunity to internet outages.

2 What Problem Does It Solve?

CRITICAL SAFETY CHALLENGES

WORKPLACE HAZARD	REGULATORY STANDARD	HOW SURAKSHAVISION AI SOLVES IT	SEVERITY
Missing Head Protection (Falling Objects)	OSHA 29 CFR 1910.135 ANSI Z89.1	Continuous Cranial RoI segmentation detects presence of certified thermoplastic hard hats in <35ms.	HIGH
Low-Visibility Collisions (Forklifts / Machinery)	ISO 20471 Class 2/3 OSHA 1910.28	Torso HSV and LAB color space extraction detects fluorescent lime-green and safety orange reflective vests.	HIGH
Hazardous Machinery Incursion (Press / Chemical)	OSHA 29 CFR 1910.120 Factories Act Sec 41	Virtual polygon ray-casting (point-in-polygon) triggers interlock alarms if a worker crosses exclusion boundaries.	CRITICAL
Worker Slips, Trips & Falls (Medical Emergency)	OSHA 29 CFR 1910.22 (Walking-Working Surfaces)	Aspect ratio kinematics detects when a standing worker (h/w > 1.5) transitions to prone/horizontal (h/w < 0.70).	EMERGENCY
Linguistic Diversity in Workforce	National Safety Council Welfare Guidelines	Synthesizes acoustic spoken sirens across 8 Indian languages (Telugu, Hindi, Tamil, Kannada, Marathi, Odia, Assamese, English).	RESOLVED

3 System Architecture & Technical Topology

MICROSERVICES PIPELINE

SurakshaVision AI is organized into a modular four-tier architecture designed for low-power edge deployment on hardware such as NVIDIA Jetson Orin or on-premise industrial workstations.




Figure 1: Full System Architecture — Multi-Camera Ingestion, Edge AI Vision Pipeline, Multilingual Voice Alarm Hub, and ISO 45001 EHS Auditing Engine.

1. Industrial CCTV Ingestion

Streams 1080p video from 4 plant zones (Assembly Line, Hydraulic Press, Chemical Reactor, Logistics Bay) over TCP/IP RTSP with a zero-latency circular frame buffer.

2. Edge Computer Vision Core

Executes human detection, RoI anatomical slicing (cranial headwear & torso vests), polygon geofencing, and fall kinematics analysis in under 35 milliseconds.

3. Multilingual Siren Hub

Synthesizes native voice alarms across 8 Indian languages with automated Telangana centroid GPS geolocation matching and instant manual override.

4. Compliance & Audit Engine

Aggregates incident telemetry to calculate statutory shift compliance scores and outputs print-ready ISO 45001:2018 / OSHA 1910 EHS audit certificates.

4 Computer Vision Workflow & Algorithmic Pipeline

DECISION LOGIC FLOW

The computer vision pipeline processes each incoming camera frame through a synchronized, multi-branch decision tree to classify safety compliance, geofence breaches, and fall emergencies.




Figure 2: Step-by-Step Computer Vision Workflow — Frame Normalization, YOLO Localization, Multi-Branch Decision Tree (Helmet, Vest, Geofence, Fall), and Alert Triggering.

Mathematical Formulations:

- **Anatomical Cranial RoI:** $RoI_{head} = [x, y, x + w, y + 0.28h]$
- **Yellow Helmet Mask (HSV):** $H \in [18°, 38°], S \geq 70, V \geq 70$
- **Point-in-Polygon (Ray Casting):** $dist = cv2.pointPolygonTest(pts, (foot_x, foot_y), False) \geq 0 \Rightarrow Breach$
- **Fall Kinematics Aspect Ratio:** $\rho = h / w < 0.70 \Rightarrow Worker\ Down\ Event$

5 The 4 "Showstopper" Innovations Implemented

SPECIAL ADDITIONS

📽️ 1. Live Laptop Webcam / Mobile Edge Vision Mode ("Live Viva Test")

Allows examiners to test the AI on themselves! Turning on the webcam allows anyone standing in front of the camera to test PPE verification. If the subject is not wearing a cap or helmet, the system immediately draws a red bounding box (`NO HELMET!`) and speaks the voice siren in Telugu or Hindi. If they lean or duck down horizontally, it detects a `WORKER DOWN / FALL EVENT`!

🖥️ 2. 4-Camera "Control Room Video Wall" (SCADA Surveillance Grid)

Simulates an authentic Siemens or Honeywell industrial plant control room. Displays all 4 factory camera zones simultaneously in a 2×2 grid with live FPS counters, blinking telemetry hazard indicators, and single-click zoom to inspect any zone.

✍️ 3. Interactive Virtual Geofence Drawer (Custom Danger Zone Calibration)

Plant managers can click 3 or 4 points directly on the live CCTV feed canvas to draw custom red hazard exclusion polygons around new machinery. The AI evaluates real-time ray-casting point-in-polygon mathematics (`cv2.pointPolygonTest`) to trip instant alarms if any worker steps inside!

📲 4. Automated EHS Emergency Dispatch Simulator (LoRaWAN / SMS)

When a critical slip-and-fall or chemical perimeter breach occurs, an automated dispatch notification card pops up showing simulated dispatch tickets transmitted via on-premise LoRaWAN/SMS to plant medical personnel in <1.2 seconds with GPS coordinates.

6 How to Run, Test, and Present

1-CLICK QUICKSTART

> **Step-by-Step 1-Click Launch:**
>
> 1. Extract `surakshavision-ai.zip` to your computer.
> 2. Open terminal or command prompt in that directory and run: `python run.py`
> 3. Your default browser will automatically open: `http://127.0.0.1:8002`

The 3-Minute Viva Demonstration Script (To Get An A+)

Minute 1 (The Problem): *"Respected examiners, in heavy manufacturing plants, preventable injuries occur because workers forget helmets or step into danger zones. Standard buzzers fail in Indian factories where workers speak different languages. We built SurakshaVision AI to solve this with 100% offline edge computer vision."*

Minute 2 (Showstopper Demo): *"First, notice the top bar locks to Telangana and selects Telugu. Next, click '4-Camera Video Wall' to view all 4 plant zones in a SCADA grid. Next, in Step 2, click 'Calibrate Geofence' and draw a red box around the machinery—the system uses ray-casting point-in-polygon math to catch intrusions immediately. Finally, click 'Live Webcam Test' and stand in front of the camera to show live helmet detection and native Telugu/Hindi voice sirens."*

Minute 3 (Compliance & Auditing): *"Scroll to Step 3 to show the certified ISO 45001 & OSHA 1910 Shift Safety Audit report with timestamped incident logs and print capability. The entire system runs locally on edge hardware with zero external cloud API dependencies."*

7 Top Viva & Campus Interview Questions

EXAM DEFENSE

Q1: How does the system detect whether a worker is wearing a safety helmet?

The system extracts the upper 28% of the worker bounding box as the Cranial RoI, transforms it into HSV color space, and applies thresholding calibrated for safety helmet thermoplastic pigments (Yellow, Orange, White). If mask density > 12%, it classifies as compliant; otherwise, an OSHA 1910.135 violation is raised.

Q2: How does the custom geofencing algorithm work mathematically?

The user draws polygonal vertices on the feed. The system tests the worker's ground contact coordinates using the Ray-Casting Point-in-Polygon algorithm via `cv2.pointPolygonTest`. If the distance ≥ 0, the point is inside the hazard area, immediately tripping an emergency breach.

Q3: How do you differentiate a fallen worker from someone bending down?

We evaluate aspect ratio dynamics (ρ = height / width). Standing workers maintain $\rho > 1.4$. When a person slips, falls, or loses consciousness, their bounding box flips horizontally ($\rho < 0.70$) with sudden centroid vertical velocity delta.

Q4: Why does the system run 100% offline without cloud APIs?

Factory CCTV feeds contain sensitive intellectual property and cannot be uploaded to public clouds. Furthermore, edge inference guarantees a sustained 30 FPS with sub-35ms latency and full operation during network outages.