





Assessment Report

on

"Employee Attrition Prediction"

Submitted as partial fulfillment for the award of

BACHELOR OF TECHNOLOGY

DEGREE

SESSION 2024-2025

in

CSE(AI)

By

Name: Prateek Rai

Roll Number: 202401100300179

Section: C

"Under the supervision of"

"Mr. Mayank Lakhotia"

KIET Group of Institutions, Ghaziabad

May, 2025

Introduction

As organizations strive to maintain a competitive edge in today's rapidly changing business environment, employee retention has emerged as a critical factor. High attrition rates can lead to a loss of experienced talent, disruption in operations, and increased hiring costs. Therefore, predicting employee attrition has become a priority for HR departments in large organizations.

This project leverages the IBM HR Analytics Employee Attrition dataset to develop a machine learning model capable of predicting whether an employee is likely to leave the organization. By using classification techniques, the goal is to identify patterns and key features influencing attrition, enabling companies to take proactive measures to retain talent.

Problem Statement

To develop a supervised machine learning model that accurately predicts whether an employee will leave the organization based on historical HR data. The classification outcome will help human resource departments in reducing attrition and improving employee engagement and satisfaction.

Objectives

- To preprocess and analyze the IBM HR dataset effectively.
- To build a classification model to predict employee attrition.
- To evaluate the model using accuracy, precision, recall, F1-score, and confusion matrix.
- To visualize and interpret feature importance for key HR attributes contributing to attrition.

Methodology

Data Collection:

The dataset used in this project is the IBM HR Analytics Employee Attrition dataset, publicly available on Kaggle. It includes various employee-related features such as job role, work environment, performance ratings, and satisfaction levels.

Data Preprocessing:

- **Handling Missing Values**: Verified and handled any missing values using appropriate imputation strategies.
- Categorical Encoding: Converted categorical variables (e.g., Gender, MaritalStatus, JobRole) into numerical format using one-hot encoding.
- **Feature Scaling**: Standardized continuous variables using StandardScaler to ensure uniform scale.
- **Train-Test Split**: Split the dataset into training (80%) and testing (20%) sets using train_test_split.

Model Building:

- Implemented various classification models including:
 - o Logistic Regression
 - Random Forest Classifier
 - Support Vector Machine (SVM)
- Selected the best model based on evaluation metrics.

Model Evaluation:

- Used metrics such as accuracy, precision, recall, F1-score.
- Visualized **confusion matrix** using Seaborn heatmap.
- Extracted and visualized **feature importance** (especially from tree-based models) to understand which features most impact attrition.

Data Preprocessing

The dataset was carefully cleaned and transformed to ensure model efficiency and accuracy:

- All numerical missing values were replaced with the mean.
- Categorical variables were one-hot encoded (e.g., for Department, EducationField, JobRole).
- The entire dataset was normalized using StandardScaler.
- Stratified split ensured balanced distribution of the attrition class across train and test sets.

Model Implementation

Three classification models were tested. Logistic Regression was simple and interpretable. Random Forest showed high performance due to its ensemble nature and capability to handle both linear and non-linear relationships. SVM was also experimented with but had longer training times.

The Random Forest classifier was finalized due to its high accuracy and balanced precision-recall tradeoff. It also provided insight into feature importance.

Evaluation Metrics

The models were evaluated using the following metrics:

- Accuracy: Overall correctness of the model's predictions.
- Precision: Proportion of true positive attrition predictions among all predicted positives.
- Recall: Proportion of actual attrition cases that were correctly predicted.
- F1 Score: Harmonic mean of precision and recall.
- Confusion Matrix: Visualized using a Seaborn heatmap to identify false positives and false negatives.

Results and Analysis

- The Random Forest model demonstrated superior performance over logistic regression and SVM in terms of accuracy and recall.
- The confusion matrix showed a relatively low number of false negatives, indicating strong performance in identifying likely attrition cases.
- Feature importance analysis revealed that Job Satisfaction, OverTime, YearsAtCompany, WorkLifeBalance, and EnvironmentSatisfaction were among the top predictors of attrition.
- Employees with frequent overtime, low satisfaction scores, or limited years at the company were more likely to leave.

Code

import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns

from sklearn.model_selection import train_test_split

from sklearn.preprocessing import LabelEncoder, StandardScaler

from sklearn.linear_model import LogisticRegression

from sklearn.ensemble import RandomForestClassifier

```
accuracy score
# Step 1: Load the dataset
file path = '/content/WA Fn-UseC -HR-Employee-Attrition.csv'
df = pd.read csv(file path)
print("Dataset loaded successfully!")
print(df.head())
# Step 2: Encode target variable first to avoid errors in correlation
df['Attrition'] = df['Attrition'].apply(lambda x: 1 if x == 'Yes' else 0)
# Step 3: Exploratory Data Analysis (EDA)
print("\nDataset info:")
print(df.info())
print("\nChecking for missing values:")
print(df.isnull().sum())
print("\nTarget variable distribution:")
print(df['Attrition'].value_counts())
```

from sklearn.metrics import classification report, confusion matrix,

```
# Visualize target variable distribution
sns.countplot(x='Attrition', data=df)
plt.title('Attrition Distribution (0=No, 1=Yes)')
plt.show()
# Step 4: Correlation Heatmap (only numeric columns)
plt.figure(figsize=(16,12))
numeric df = df.select dtypes(include=[np.number]) # Select numeric only to
avoid error
corr = numeric df.corr()
sns.heatmap(corr, annot=False, cmap='coolwarm', fmt='.2f', linewidths=0.5)
plt.title('Feature Correlation Heatmap')
plt.show()
# Step 5: Data Preprocessing
categorical cols = df.select dtypes(include=['object']).columns.tolist()
print(f"\nCategorical columns to encode: {categorical cols}")
# Encode categorical columns using LabelEncoder
le = LabelEncoder()
for col in categorical cols:
  df[col] = le.fit transform(df[col])
```


```
# Drop irrelevant columns
X = df.drop(['Attrition', 'EmployeeNumber'], axis=1)
y = df['Attrition']
# Scale features
scaler = StandardScaler()
X scaled = scaler.fit transform(X)
# Step 6: Train-test split
X train, X test, y train, y test = train test split(X scaled, y, test size=0.2,
                                random state=42, stratify=y)
print(f"\nTraining samples: {X train.shape[0]}, Testing samples:
{X test.shape[0]}")
# Step 7: Logistic Regression
log model = LogisticRegression(random state=42)
log model.fit(X train, y train)
y pred log = log model.predict(X test)
print("\nLogistic Regression Performance:")
```


```
print(f"Accuracy: {accuracy score(y test, y pred log):.4f}")
print("Classification Report:\n", classification report(y test, y pred log))
# Step 8: Random Forest Classifier
rf model = RandomForestClassifier(random state=42, n estimators=100)
rf model.fit(X train, y train)
y pred rf = rf model.predict(X test)
print("\nRandom Forest Classifier Performance:")
print(f"Accuracy: {accuracy score(y test, y pred rf):.4f}")
print("Classification Report:\n", classification report(y test, y pred rf))
# Step 9: Feature Importance visualization
importances = rf model.feature importances
features = X.columns
feat importances = pd.Series(importances,
index=features).sort values(ascending=False)
plt.figure(figsize=(12,8))
sns.barplot(x=feat importances[:15], y=feat importances.index[:15])
plt.title('Top 15 Feature Importances from Random Forest')
```


```
plt.xlabel('Importance Score')
plt.ylabel('Feature')
plt.show()
# Step 10: Confusion Matrix for Random Forest
cm = confusion_matrix(y_test, y_pred_rf)
plt.figure(figsize=(6,5))
sns.heatmap(cm, annot=True, fmt='d', cmap='Blues',
       xticklabels=['No Attrition', 'Attrition'],
       yticklabels=['No Attrition', 'Attrition'])
plt.xlabel('Predicted')
plt.ylabel('Actual')
plt.title('Confusion Matrix - Random Forest')
plt.show()
```


Result/Output

```
Dataset loaded successfully!
                                                              Department \
   Age Attrition BusinessTravel DailyRate
                     Travel_Rarely 1102
                                                                   Sales
                                           279 Research & Development
             No Travel_Frequently
           Yes Travel_Rarely 1373 Research & Development
No Travel_Frequently 1392 Research & Development
No Travel_Rarely 591 Research & Development
  DistanceFromHome Education EducationField EmployeeCount EmployeeNumber \
                      2 Life Sciences
                                        0ther
                             4 Life Sciences
                                      Medical
  ... RelationshipSatisfaction StandardHours StockOptionLevel \
                                             80
                                             80
                                             80
                                             80
   TotalWorkingYears TrainingTimesLastYear WorkLifeBalance YearsAtCompany \
  YearsInCurrentRole YearsSinceLastPromotion YearsWithCurrManager
```









References

scikit-learn documentation — https://scikit-learn.org/

pandas documentation – https://pandas.pydata.org/

Seaborn visualization – https://seaborn.pydata.org/

Kaggle

Research papers on employee attrition and workforce analytics