

Arduino UNO

Parking_sensor_based_hardware.ino

```
1  const int trigPin = 9;
2  const int echoPin = 10;
3
4  const int greenLED = 2;
5  const int yellowLED = 3;
6  const int redLED = 4;
7
8  void setup() {
9      pinMode(trigPin, OUTPUT);
10     pinMode(echoPin, INPUT);
11
12     pinMode(greenLED, OUTPUT);
13     pinMode(yellowLED, OUTPUT);
14     pinMode(redLED, OUTPUT);
15
16     Serial.begin(9600);
17 }
18
19 void loop() {
20
21     // Send ultrasonic pulse
```

Output Serial Monitor X


Message (Enter to send message to 'Arduino UNO' on 'COM5')

New Line

9600 baud

```
Distance: 19.93 cm
Distance: 19.91 cm
Distance: 19.05 cm
Distance: 19.93 cm
Distance: 19.91 cm
Distance: 19.05 cm
Distance: 19.81 cm
Distance: 19.07 cm
Distance: 19.89 cm
Distance: 19.91 cm
```

Arduino UNO on COM5 3



Arduino UNO

Parking_sensor_based_hardware.ino

```
1  const int trigPin = 9;
2  const int echoPin = 10;
3
4  const int greenLED = 2;
5  const int yellowLED = 3;
6  const int redLED = 4;
7
8  void setup() {
9      pinMode(trigPin, OUTPUT);
10     pinMode(echoPin, INPUT);
11
12     pinMode(greenLED, OUTPUT);
13     pinMode(yellowLED, OUTPUT);
14     pinMode(redLED, OUTPUT);
15
16     Serial.begin(9600);
17 }
18
19 void loop() {
20
21     // Send ultrasonic pulse
```

Output Serial Monitor X


Message (Enter to send message to 'Arduino UNO' on 'COM5')

New Line

9600 baud

```
Distance: 7.13 cm
Distance: 7.24 cm
Distance: 7.60 cm
Distance: 7.70 cm
Distance: 7.72 cm
Distance: 7.61 cm
Distance: 7.24 cm
Distance: 7.60 cm
Distance: 8.06 cm
Distance: 7.72 cm
```

Arduino UNO on COM5 3



Arduino UNO

Parking_sensor_based_hardware.ino

```
1  const int trigPin = 9;
2  const int echoPin = 10;
3
4  const int greenLED = 2;
5  const int yellowLED = 3;
6  const int redLED = 4;
7
8  void setup() {
9      pinMode(trigPin, OUTPUT);
10     pinMode(echoPin, INPUT);
11
12     pinMode(greenLED, OUTPUT);
13     pinMode(yellowLED, OUTPUT);
14     pinMode(redLED, OUTPUT);
15
16     Serial.begin(9600);
17 }
18
19 void loop() {
20
21     // Send ultrasonic pulse
```

Output Serial Monitor X

Message (Enter to send message to 'Arduino UNO' on 'COM5')

New Line

9600 baud

```
Distance: 4.72 cm
Distance: 4.72 cm
Distance: 4.72 cm
Distance: 4.63 cm
Distance: 4.72 cm
Distance: 4.72 cm
Distance: 4.72 cm
Distance: 4.72 cm
Distance: 4.72 cm
Distance: 4.61 cm
Distance: 4.72 cm
```

Arduino UNO on COM5 3

News for you
Cabinet approve...

Search

4:38 PM
9/16/2026

