Cucumber Report

Start : May 05, 10:51:22.628 AM | **End : May 05, 10:53:00.364 AM** | **Duration : 1 m 37.736 s**

Features	Scenarios	Steps

PASSED - 0	PASSED - 6	PASSED - 26
FAILED - 1	FAILED - 5	FAILED - 5
SKIPPED - 0	SKIPPED - 0	SKIPPED - 5

1   11   36

0 %   54 %   72 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
login to a website	1 m 37.736 s	11	6	5	0	36	26	5	5

#	Feature Name	Scenario Name
1	*login to a website*	*user login to the website*
2		*user login to the website*
3		*user login to the website*
4		*user login to the website*
5		*user login to the website*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Regression	5	0	5	0	1	0	1	0
@SmokeTests	5	5	0	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	login to a website	11	6	5	0	1 m 37.736 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	login to a website	open the browser and direct to the webpage	1	1	0	0	9.022 s
2		user login to the website	4	2	1	1	6.293 s
3		user login to the website	4	2	1	1	6.215 s
4		user login to the website	4	2	1	1	6.215 s
5		user login to the website	4	2	1	1	6.262 s
6		user login to the website	4	2	1	1	7.050 s
7		invalid credentials	3	3	0	0	11.283 s
8		invalid credentials	3	3	0	0	11.314 s
9		invalid credentials	3	3	0	0	11.369 s
10		invalid credentials	3	3	0	0	11.289 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	login to a website	invalid credentials	3	3	0	0	11.318 s

login to a website

FAILED	DURATION - 1 m 37.736 s	Scenarios		Steps	
		Total - 11		Total - 36	
/ 10:51:22.628 AM // 10:53:00.364 AM /		Pass - 6	11	Pass - 26	36
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 5	

open the browser and direct to the webpage

PASSED	DURATION - 9.022 s		Steps	
			Total - 1	
/ 10:51:22.633 AM // 10:51:31.655 AM /			Pass - 1	1
login to a website			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User enters the URL in the browser window	PASSED	9.013 s

user login to the website

FAILED	DURATION - 6.293 s		Steps	
			Total - 4	
/ 10:51:31.676 AM // 10:51:37.969 AM /			Pass - 2	4
login to a website			Fail - 1	
@Regression			Skip - 1	

#	Step / Hook Details	Status	Duration
1	And User enters the "student" and "Password123"	PASSED	3.151 s
2	When user clicks on login button	PASSED	3.080 s

| #	Step / Hook Details	Status	Duration
3	Then user redirects to the login page	FAILED	0.051 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//*[contains(text(),'Logged In Successfully')])[3]"} (Session info: chrome=113.0.5672.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ca70a44ddaaf9ee1b4db1a54fd96ef73, findElement {using=xpath, value=(//*[contains(text(),'Logged In Successfully')])[3]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.63, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\Prateek\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:54041}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54041/devtoo. .., se:cdpVersion: 113.0.5672.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ca70a44ddaaf9ee1b4db1a54fd96ef73
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	   at stepdefinitions.stepdefinition.userRedirectsToTheLoginPage(stepdefinition.java:49)
	   at ?.user redirects to the login page(file:///D:/cucumberProject/src/main/resources/features/login.feature:10)
	* Not displayable characters are replaced by '?'.		

4	And user clicks on logout button	SKIPPED	0.000 s

user login to the website

FAILED	DURATION - 6.215 s

/ 10:51:37.980 AM // 10:51:44.195 AM /

login to a website

@Regression

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	And User enters the "student" and "Password123"	PASSED	3.094 s
2	When user clicks on login button	PASSED	3.072 s
3	Then user redirects to the login page	FAILED	0.047 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//*[contains(text(),'Logged In Successfully')])[3]"}   (Session info: chrome=113.0.5672.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ca70a44ddaaf9ee1b4db1a54fd96ef73, findElement {using=xpath, value=(//*[contains(text(),'Logged In Successfully')])[3]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.63, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\Prateek\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:54041}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54041/devtoo. .., se:cdpVersion: 113.0.5672.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ca70a44ddaaf9ee1b4db1a54fd96ef73

   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
   at stepdefinitions.stepdefinition.userRedirectsToTheLoginPage(stepdefinition.java:49)

#	Step / Hook Details	Status	Duration
	at ?.user redirects to the login page(file:///D:/cucumberProject/src/main/resources/features/login.feature:10) * Not displayable characters are replaced by '?'.		
4	And user clicks on logout button	SKIPPED	0.000 s

user login to the website

FAILED	DURATION - 6.215 s
/ 10:51:44.212 AM // 10:51:50.427 AM /	
login to a website	
@Regression	

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

4

#	Step / Hook Details	Status	Duration
1	And User enters the "student" and "Password123"	PASSED	3.110 s
2	When user clicks on login button	PASSED	3.075 s
3	Then user redirects to the login page	FAILED	0.020 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//*[contains(text(),'Logged In Successfully')])[3]"} (Session info: chrome=113.0.5672.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ca70a44ddaaf9ee1b4db1a54fd96ef73, findElement {using=xpath, value=(//*[contains(text(),'Logged In Successfully')])[3]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.63, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\Prateek\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:54041}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54041/devtoo. .., se:cdpVersion: 113.0.5672.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ca70a44ddaaf9ee1b4db1a54fd96ef73
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at stepdefinitions.stepdefinition.userRedirectsToTheLoginPage(stepdefinition.java:49) at ?.user redirects to the login page(file:///D:/cucumberProject/src/main/resources/features/login.feature:10) * Not displayable characters are replaced by '?'.		
4	And user clicks on logout button	SKIPPED	0.007 s

user login to the website

FAILED	DURATION - 6.262 s
/ 10:51:50.429 AM // 10:51:56.691 AM /	
login to a website	
@Regression	

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

4

#	Step / Hook Details	Status	Duration
1	And User enters the "student" and "Password123"	PASSED	3.115 s
2	When user clicks on login button	PASSED	3.101 s
3	Then user redirects to the login page	FAILED	0.043 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//*[contains(text(),'Logged In Successfully')])[3]"} (Session info: chrome=113.0.5672.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ca70a44ddaaf9ee1b4db1a54fd96ef73, findElement {using=xpath, value=(//*[contains(text(),'Logged In Successfully')])[3]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.63, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\Prateek\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:54041}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54041/devtoo. .., se:cdpVersion: 113.0.5672.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ca70a44ddaaf9ee1b4db1a54fd96ef73		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at stepdefinitions.stepdefinition.userRedirectsToTheLoginPage(stepdefinition.java:49) at ?.user redirects to the login page(file:///D:/cucumberProject/src/main/resources/features/login.feature:10) * Not displayable characters are replaced by '?'.		
4	And user clicks on logout button	SKIPPED	0.000 s

user login to the website

FAILED	DURATION - 7.050 s
/ 10:51:56.707 AM // 10:52:03.757 AM /
login to a website
@Regression

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

| #	Step / Hook Details	Status	Duration
1	And User enters the "student" and "Password123"	PASSED	3.931 s
2	When user clicks on login button	PASSED	3.092 s
3	Then user redirects to the login page	FAILED	0.022 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//*[contains(text(),'Logged In Successfully')])[3]"} (Session info: chrome=113.0.5672.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver		

#	Step / Hook Details	Status	Duration
	Command: [ca70a44ddaaf9ee1b4db1a54fd96ef73, findElement {using=xpath, value=(//*[contains(text(),'Logged In Successfully')])[3]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.63, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\Prateek\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:54041}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54041/devtoo. .., se:cdpVersion: 113.0.5672.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ca70a44ddaaf9ee1b4db1a54fd96ef73 　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) 　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) 　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) 　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) 　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) 　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) 　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) 　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) 　at stepdefinitions.stepdefinition.userRedirectsToTheLoginPage(stepdefinition.java:49) 　at ?.user redirects to the login page(file:///D:/cucumberProject/src/main/resources/features/login.feature:10) * Not displayable characters are replaced by '?'.		
4	And user clicks on logout button	SKIPPED	0.000 s

invalid credentials

PASSED	DURATION - 11.283 s		Steps	
/ 10:52:03.766 AM // 10:52:15.049 AM /			Total - 3	
login to a website			Pass - 3 Fail - 0	3
@SmokeTests			Skip - 0	

#	Step / Hook Details	Status	Duration
1	And invalid "student1" and "Password123"	PASSED	5.174 s
2	When user clicks on login button	PASSED	3.064 s
3	Then error occured	PASSED	3.042 s

invalid credentials

PASSED	DURATION - 11.314 s		Steps
/ 10:52:15.055 AM // 10:52:26.369 AM /			Total - 3
			Pass - 3
login to a website			Fail - 0
			Skip - 0
@SmokeTests			

#	Step / Hook Details	Status	Duration
1	And invalid "student2" and "Password123"	PASSED	5.169 s
2	When user clicks on login button	PASSED	3.078 s
3	Then error occured	PASSED	3.064 s

invalid credentials

PASSED	DURATION - 11.369 s		Steps
/ 10:52:26.372 AM // 10:52:37.741 AM /			Total - 3
			Pass - 3
login to a website			Fail - 0
			Skip - 0
@SmokeTests			

#	Step / Hook Details	Status	Duration
1	And invalid "student3" and "Password123"	PASSED	5.222 s
2	When user clicks on login button	PASSED	3.064 s
3	Then error occured	PASSED	3.081 s

invalid credentials

PASSED	DURATION - 11.289 s
/ 10:52:37.746 AM // 10:52:49.035 AM /	
login to a website	
@SmokeTests	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	And invalid "student4" and "Password123"	PASSED	5.158 s
2	When user clicks on login button	PASSED	3.064 s
3	Then error occured	PASSED	3.065 s

invalid credentials

PASSED	DURATION - 11.318 s
/ 10:52:49.046 AM // 10:53:00.364 AM /	
login to a website	
@SmokeTests	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	And invalid "student5" and "Password123"	PASSED	5.169 s
2	When user clicks on login button	PASSED	3.073 s
3	Then error occured	PASSED	3.073 s