YUN PERFUME

Infrastructure Setup & Handover Guide

Cloudflare Pages • Cloudflare D1 • Cloudflare R2 • Razorpay • Resend

Version 2.0 | Prepared by development team

NOTE

This guide walks you through creating and owning all accounts, credentials, and infrastructure for the YUN Perfume website. All accounts must be under your name or your company's name. Your developer will never hold sole ownership of any production system.

SECTION 1 — Overview

What you are setting up

This guide covers the complete cloud infrastructure for the YUN Perfume e-commerce website. In this version, the entire stack runs inside Cloudflare — including the database. This means one account, one dashboard, and zero external dependencies.

Service	Purpose
Cloudflare Pages	Hosts the website globally with automatic HTTPS and CDN. Free.
Cloudflare D1	SQLite database built into Cloudflare. Stores products, orders, users. Free tier: 5 GB.
Cloudflare R2	Stores product images and media files. Free tier: 10 GB per month.
Cloudflare KV	Fast session and cache store. Keeps users logged in. Free tier: 100k reads/day.
Razorpay	Payment gateway for UPI, GPay, cards, net banking. No monthly fee — 2% per transaction only.
Resend	Sends order confirmations and login emails. Free tier: 3,000 emails/month.
GitHub	Code repository. Developer pushes code here; Cloudflare auto-deploys it within 60 seconds.

DONE

Monthly infrastructure cost at launch: ₹0. Razorpay charges 2% only when a sale is made. Every other service listed above is free at your expected launch volume.

Why everything is inside Cloudflare

In the previous version of this plan, the database was hosted on a separate service called Neon. We have switched to Cloudflare D1, which is Cloudflare's own built-in database. This means:

- One account to create and manage, not two.
- No external connection strings or database passwords to secure.
- The database sits physically next to your website on the same network, making every page faster.
- 5 GB of free storage, which comfortably handles thousands of products and tens of thousands of orders.

NOTE

D1 is ideal for YUN Perfume's launch profile: a curated catalogue, steady order flow, and no simultaneous flash sales. It is the simplest and most cost-effective choice for where you are right now.

SECTION 2 — GitHub

Step 1: Create a GitHub account

GitHub stores the website code. Cloudflare connects to GitHub and automatically updates the live site whenever your developer pushes a change.

Create your account

1. Go to github.com and click Sign Up.
2. Use your company email address (e.g. hello@yunperfume.com).
3. Choose a username such as yunperfume or yun-perfume-official.
4. Select the Free plan. No credit card needed.
5. Verify your email address.

NOTE

Share your GitHub username with your developer after creating the account. They will create the code repository and send you an invitation to be the owner. Accept that invitation.

What your developer will do

- Create a private repository called yun-perfume inside your GitHub account.
- You will receive an email invitation to be a repository owner. Accept it.
- From this point, every code update goes through GitHub and deploys to your live site automatically.

SECTION 3 — Cloudflare (all infrastructure)

Step 2: Create a Cloudflare account

Cloudflare is the single platform that runs your website, stores your database, serves your images, and manages your domain. Creating one account here replaces what would otherwise require three or four separate services.

Create your account

6. Go to cloudflare.com and click Sign Up.
7. Use your company email address.
8. Choose the Free plan. No credit card needed.
9. Verify your email address.

2a — Add your domain

If you own a domain (e.g. yunperfume.com), connect it to Cloudflare. This gives you free SSL, a global CDN, and DDoS protection automatically.

10. In the Cloudflare dashboard, click Add a Site.
11. Enter your domain name and click Add Site.
12. Select the Free plan.
13. Cloudflare scans your existing DNS records automatically.
14. Cloudflare gives you two nameserver addresses, for example:

Example nameservers (yours will be different)

```
ada.ns.cloudflare.com
kim.ns.cloudflare.com
```

15. Log in to your domain registrar (GoDaddy, Namecheap, BigRock, etc.) and replace the existing nameservers with Cloudflare's.
16. Back in Cloudflare, click Done, check nameservers. DNS propagation takes 30 minutes to 24 hours.

NOTE No domain yet? Your site works immediately at yun-perfume.pages.dev for free. You can connect a custom domain at any time.

2b — Connect Cloudflare Pages to GitHub

This step enables automatic deployment. Every code push by your developer goes live in under 60 seconds.

17. In the Cloudflare dashboard, go to Pages in the left sidebar.
18. Click Create a project, then Connect to Git.
19. Authorise Cloudflare to access your GitHub account.
20. Select the yun-perfume repository.
21. Set the build settings as follows:

Setting	Value
Framework preset	Next.js
Build command	npm run pages:build
Build output directory	.vercel/output/static
Node.js version	20

22. Click Save and Deploy. The first build runs immediately.

DONE

Every pull request your developer creates gets its own preview URL. You can review the changes before they go live on your real domain.

2c — Create the D1 database

D1 is Cloudflare's built-in database. It lives inside Cloudflare alongside your website — no external account or connection string needed. Your developer will run one command to create it, and then bind it to your Pages project.

What your developer does (reference only — you do not need to run this)

Developer runs once to create the database

```
wrangler d1 create yun-perfume-db
```

This command creates the database and prints a database ID. Your developer will add it to the project configuration. You can see the database in your Cloudflare dashboard under Workers & Pages > D1.

23. After your developer creates the database, go to your Cloudflare dashboard.
24. Navigate to Workers & Pages > D1.
25. You should see a database named yun-perfume-db listed there. This confirms it was created correctly under your account.

NOTE

All customer data, orders, and product information will live in this database. It is fully owned by your Cloudflare account. Your developer cannot delete or access it without your Cloudflare login.

2d — Create the R2 bucket for images

R2 stores your product photos and any other media files. It serves them globally via Cloudflare's CDN at no egress cost.

26. In the Cloudflare dashboard, go to R2 in the left sidebar.
27. Click Create bucket.
28. Name it exactly: yun-perfume-assets
29. Leave all other settings as default and click Create bucket.
30. Share this bucket name with your developer.

DONE

Free tier: 10 GB storage, 1 million upload operations, and 10 million download operations per month. A full product catalogue of high-resolution images typically uses under 1 GB.

2e — Create the KV namespace for sessions

KV is Cloudflare's key-value store. It keeps users logged in and caches data for fast page loads.

31. In the Cloudflare dashboard, go to Workers & Pages > KV.
32. Click Create a namespace.
33. Name it: YUN_SESSIONS
34. Click Add.
35. Note the Namespace ID shown next to it and share it with your developer.

SECTION 4 — Razorpay

Step 3: Create a Razorpay account

Razorpay is your payment gateway. It handles UPI, PhonePe, GPay, debit and credit cards, and net banking. There is no monthly fee — Razorpay charges 2% only when a transaction is successful.

Create your account

36. Go to razorpay.com and click Sign Up.
37. Enter your business details. You will need:
    - Business name (legal name or trade name)
    - Business type (Proprietorship, Private Limited, LLP, etc.)
    - PAN number of the business or proprietor
    - Bank account number and IFSC code for settlements
    - GST number (optional at signup, required before going live)
38. Complete email and phone verification.

KYC and activation

Razorpay requires KYC verification before you can accept live payments. This typically takes 1–3 business days.

- Upload your business registration document.
- Upload a cancelled cheque or recent bank statement.
- Upload PAN card of the business or proprietor.
- Upload address proof.

NOTE You can test payments immediately without KYC using Razorpay's Test Mode. Your developer uses test mode during development. Live mode is only needed before launch.

Get your API keys

39. In the Razorpay dashboard, go to Settings > API Keys.
40. Click Generate Test Key. Two values appear:

Key	Description
Key ID	Starts with rzp_test_ — semi-public, used in browser code.
Key Secret	A long random string — private, never exposed to the browser.

41. Copy both values and share them securely with your developer (use WhatsApp, Signal, or a password manager link — not plain email).
42. Before going live: Settings > API Keys > Generate Live Key. Repeat with the live keys.

Settlement settings

- Go to Settings > Settlements.
- Set settlement cycle to T+1 (next working day).
- Confirm your bank account details are correct.
- Enable automatic settlements.

Configure the webhook

A webhook is a URL that Razorpay calls on your server the moment a payment succeeds. Your developer will provide the exact URL after deployment. It will follow this format:

Razorpay webhook URL

```
https://yunperfume.com/api/payment/webhook
```

43. In Razorpay dashboard, go to Settings > Webhooks.
44. Click Add New Webhook.
45. Paste the URL your developer provides.
46. Under Events, enable payment.captured and order.paid.
47. Click Save.

IMPORTANT

The webhook is the most important integration step. It is how your website knows a payment was successful and marks the order as confirmed. Do not skip this step before going live.

SECTION 5 — Resend (Email)

Step 4: Create a Resend account

Resend sends all transactional emails from your website: order confirmations, login links, and shipping updates. The free tier covers 3,000 emails per month, which is enough for several hundred orders.

Create your account

48. Go to resend.com and click Sign Up.
49. Sign up with your GitHub account or company email.
50. Verify your email.

Add and verify your sending domain

Emails must be sent from your own domain (e.g. orders@yunperfume.com) to avoid landing in spam folders.

51. In the Resend dashboard, go to Domains.
52. Click Add Domain and enter your domain: yunperfume.com
53. Resend gives you DNS records to add. Since your domain is on Cloudflare:

- Go to Cloudflare dashboard > your domain > DNS.
- Add each record Resend provides (TXT and CNAME records).
- Return to Resend and click Verify. Usually verifies within 5 minutes.

Get your API key

54. In Resend dashboard, go to API Keys.
55. Click Create API Key.
56. Name it: yun-perfume-production
57. Set Permission to Sending Access only.
58. Click Add. The key starts with re_. Copy it immediately.
59. Share it securely with your developer.

IMPORTANT

The Resend API key is shown only once. Save it in a password manager immediately. If you lose it, you must generate a new one.

SECTION 6 — Secrets Handover

Sharing credentials with your developer

Your developer needs the following values to configure and deploy the website. Use a password manager (1Password, Bitwarden) or a secure sharing method such as WhatsApp or Signal. Never send secrets by plain email.

Secret name	Where to get it
RAZORPAY_KEY_ID	Razorpay Key ID (test first, then live before launch)
RAZORPAY_KEY_SECRET	Razorpay Key Secret (test first, then live before launch)
NEXT_PUBLIC_RAZORPAY_KEY_ID	Same as RAZORPAY_KEY_ID — used in the browser checkout
RESEND_API_KEY	Resend API key from Section 5

DONE

Notice that DATABASE_URL is no longer on this list. With Cloudflare D1, the database is bound directly to your Pages project inside Cloudflare. There is no password or connection string to manage — this is one of the key advantages of using D1.

How your developer stores them

Your developer runs the following commands to store secrets encrypted inside Cloudflare. You do not need to do this yourself — it is shown here for your reference.

Commands your developer runs (reference only)

```
wrangler secret put RAZORPAY_KEY_ID
wrangler secret put RAZORPAY_KEY_SECRET
wrangler secret put NEXT_PUBLIC_RAZORPAY_KEY_ID
wrangler secret put RESEND_API_KEY
```

NOTE

Each command prompts for the value interactively in the terminal. The secret is encrypted and stored by Cloudflare. It is never written to any file and never committed to GitHub.

SECTION 7 — Going Live Checklist

Pre-launch checklist

Before accepting real customer orders, confirm every item below is complete.

Cloudflare

- Custom domain is connected and shows as Active in Cloudflare Pages.
- SSL certificate is Active (padlock appears in all browsers).
- D1 database yun-perfume-db is visible in Workers & Pages > D1.
- R2 bucket yun-perfume-assets is created and confirmed by developer as connected.
- KV namespace YUN_SESSIONS is created and confirmed by developer as connected.
- At least one product has been added via the admin panel with an image, price, and stock quantity.

Razorpay

- KYC documents have been submitted and approved by Razorpay.
- Live API keys have been generated and shared with developer (not test keys).
- Webhook URL has been added in Razorpay dashboard under Settings > Webhooks.
- A real test transaction of ₹1 has been completed and the settlement received in your bank.

Resend

- Domain yunperfume.com is verified and shows as Active in Resend.
- A test order confirmation email has been received at your email address.
- Emails are not going to the spam folder.

General

- Admin panel is accessible and at least one admin user account is set up.
- A complete end-to-end test order has been placed: add to cart, checkout, pay, receive email, check admin panel.
- The order success page appears correctly after payment.

IMPORTA

Do not go live until a real end-to-end test has passed: add product to cart, complete checkout, pay with a real card or UPI (even ₹1), receive the order confirmation email, and confirm the order appears in the admin panel.

N
T

SECTION 8 — Ongoing Ownership

What you own and maintain

Once setup is complete, you are the sole owner of everything below. Your developer may be given collaborator access when needed but should never be the primary owner of any account.

Account	Your responsibility
GitHub	Code repository. Developer has write access; you are the owner.
Cloudflare	Website hosting, database (D1), image storage (R2), sessions (KV), domain DNS. All infrastructure is here.
Razorpay	Payment processing, settlements, refunds, and dispute management.
Resend	Email delivery. Monitor delivery rates in the Resend dashboard.
Domain registrar	Your domain name. Set renewal to auto-renew immediately.

Monthly maintenance (5 minutes)

- Cloudflare D1: Check storage usage in Workers & Pages > D1. Free limit is 5 GB. You will not approach this for years.
- Cloudflare R2: Check storage in R2 dashboard. Free limit is 10 GB. A full image catalogue typically stays under 2 GB.
- Resend: Check email volume. Free limit is 3,000 per month. Each order generates 1 email.
- Razorpay: Confirm all weekly settlements have been received in your bank account.

When to upgrade

Trigger	Action
D1 storage approaches 4 GB	Contact your developer. Data archiving may be enough. Paid D1 plan starts at ~₹400/month.
R2 storage exceeds 8 GB	Pay per GB used (₹15/GB/month) or upgrade to Cloudflare Pro.
Resend emails exceed 2,500/month	Upgrade to Resend Pro (₹1,600/month) for 50,000 emails.
Order volume scales significantly	Razorpay handles this automatically. No action needed on your side.

DO At a typical launch volume of 50–200 orders per month, you will not need to upgrade any service. The free tier comfortably supports the first 12–18 months of operation.

N
E

SECTION 9 — Support & Contacts

Support resources

Service	Contact
Cloudflare (Pages, D1, R2, KV)	support.cloudflare.com — Community forum is excellent. D1 docs at developers.cloudflare.com/d1
Razorpay	+91-76793-06370 — Also available via dashboard chat. Response within 4 hours on business days.
Resend	resend.com/docs — Documentation is comprehensive. Email hi@resend.com for billing issues.
GitHub	support.github.com — For repository access and account issues.

—

End of document