

WTL ASSIGNMENT 08

Design a login page with entries for name, mobile number email id and login button.

Use struts and perform following validations

- Validation for correct names
- Validation for mobile numbers
- Validation for email id
- Validation if no entered any value
- Re-display for wrongly entered values with message Congratulations and welcome page upon successful entries

Code:

login.java

```
<%@ page language="java" contentType="text/html; charset=UTF-8"
pageEncoding="UTF-8"%>
<%@ taglib prefix="s" uri="/struts-tags" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Login Page</title>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65
VohhpuuCOMLASjC"
crossorigin="anonymous">
<style>
.center-form {
position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
width: 30%;
}
</style>
</head>
<body>
<div class="container">
<div class="center-form">
<s:form action="login" method="post">
```

```

<s:textfield name="fullName" label="Full Name" cssClass="form-control my-4" placeholder="Enter Full Name" required="true" />
<s:textfield name="mobileNumber" label="Mobile Number" cssClass="form-control my-4" placeholder="Enter Mobile Number" required="true" />
<s:textfield name="emailId" label="Email ID" cssClass="form-control my-4" placeholder="Enter Email ID" required="true" />
<s:submit value="Submit" cssClass="btn btn-primary mt-4 px-4" />
<s:reset value="Reset" cssClass="btn btn-secondary mt-4 px-4" />
</s:form>
</div>
</div>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXntWtIax
VXM"
crossorigin="anonymous"></script>
<s:if test="hasActionErrors()">
<script>
alert('<s:actionerror/>');
</script>
</s:if>
</body>
</html>

```

Welcome.java

```

<%@ page language="java" contentType="text/html; charset=UTF-8"
pageEncoding="UTF-8"%>
<%@ taglib prefix="s" uri="/struts-tags" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Welcome Page</title>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65
VohhpuuCOMLASjC"
crossorigin="anonymous">
</head>
<body>
<div class="container my-4 display-1">Welcome to this page !</div>

```

```
</body>  
</html>
```

LoginAction.java

```
package com.example;  
import com.opensymphony.xwork2.ActionSupport;  
public class LoginAction extends ActionSupport {  
    private static final long serialVersionUID = 1L;  
    private String fullName;  
    private String mobileNumber;  
    private String emailId;  
    public String getFullName() {  
        return fullName;  
    }  
    public void setFullName(String fullName) {  
        this.fullName = fullName;  
    }  
    public String getMobileNumber() {  
        return mobileNumber;  
    }  
    public void setMobileNumber(String mobileNumber) {  
        this.mobileNumber = mobileNumber;  
    }  
    public String getEmailId() {  
        return emailId;  
    }  
    public void setEmailId(String emailId) {  
        this.emailId = emailId;  
    }  
    public String execute() {  
        if (fullName.equals("Kunal Pisolkar") && mobileNumber.equals("7058892395")  
&&  
            emailId.equals("kpisolkar24@gmail.com")) {  
            return SUCCESS;  
        } else {  
            addActionError("Invalid input. Please try again.");  
            return INPUT;  
        }  
    }  
}
```

web.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<web-app xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://java.sun.com/xml/ns/javaee"
xsi:schemaLocation="http://java.sun.com/xml/ns/javaee
http://java.sun.com/xml/ns/javaee/web-app_3_0.xsd"
id="WebApp_ID" version="3.0">
  <display-name>p8Final</display-name>
  <welcome-file-list>
    <welcome-file>login.jsp</welcome-file>
  </welcome-file-list>
  <filter>
    <filter-name>struts2</filter-name>
    <filter-class>
      org.apache.struts2.dispatcher.filter.StrutsPrepareAndExecuteFilter
    </filter-class>
  </filter>
  <filter-mapping>
    <filter-name>struts2</filter-name>
    <url-pattern>/*</url-pattern>
  </filter-mapping>
</web-app>
```

Output:

Full Name

Atul Rajpoot

Mobile Number

9182991858

Email ID

atual.Rajpoot@gmail.com

Submit

Reset

localhost:8080 says
Invalid input. Please try again.

OK

Full Name

Atul Rajpoot

Mobile Number

9182991858

Email ID

atual.Rajpoot@gmail.com

Submit

Reset

Full Name

Kunal Pisolkar

Mobile Number

7058892395

Email ID

kpisolkar24@gmail.com

Submit

Reset

Welcome to this page !