CHAARGOLD WEBSITE CHANGES

1. HOME PAGE - Increase logo size and add name next to it. The name - CHAARGOLD with tagline Crafting Carbon Perfection is not given any prominence here, so make it visible and eye-catching. So remove the name and tagline beneath the logo, increase logo size and add the name with tagline next to it, so it remains prominent.

2. HOME PAGE - Put the WhatsApp chat button in the bottom right, or wherever you think necessary so it shows up on all pages.

3. HOME PAGE - Instead of this picture on the front page - please use the below picture. And t

REPLACE THIS -



WITH THIS-

4. HOME PAGE - Now, move the first photograph of the kiln which says 100+ kilns installed below, and replace the below image.

5. HOME PAGE - The main page, this below image is repeated, replace with the one provided below.



REPLACE WITH

6. HOME PAGE - Use the below picture for GOLD FLAME on home page

GOLD FLAME

SIGNATURE CHARCOAL BRIQUETTE STOVE

7. HOME PAGE - Use below image on home page for wood vinegar

8. HOME PAGE - Replace “smoke oil” anywhere in the website with “coal tar”

9. HOME PAGE - Description on home page under GOLD FLAME - Designed for more than just grilling and barbecuing, our signature charcoal briquette stoves are ideal for everyday cooking.

10. WHO WE ARE page - replace with the below image

11. WHO WE ARE PAGE - Make the diamond also same size as the others so there is uniformity and OUR CORE VALUES aligns with the wordings - our mission and our vision



12. LUMP CHARCOAL - In this page, add the below image with this text, wherever you deem suitable.

At CHAARGOLD, we explore a diverse range of biomass resources as raw materials for carbon production, including Prosopis Juliflora, bamboo, coconut shells, cotton stalks and other suitable agricultural and forestry residues. Each biomass source offers distinct physical and chemical properties, making it suitable for different carbonisation applications. As per customer requirements and by evaluating factors such as carbon content, moisture, ash content, availability and yield, we identify potential feedstocks that support efficient production and consistent product quality. Our approach focuses on unlocking the value of naturally available resources and transforming biomass into valuable carbon-based materials.



13. Send us an ENQUIRY - Can they leave a message directly on the website by filling up name, contact number, company name (optional) and message. Let it not route to open an email again.

14. HEXAGONAL BRIQUETTE - Add two more applications as Tandoor, Poultry Farm Heating

15. HONEYCOMB BRIQUETTE - Add one more application as Poultry Farm Heating

16. BIOCHAARGOLD - Under Products, when we click on BIOCHAARGOLD Premium Biochar let it take us to the main BIOCHAARGOLD Page directly, instead of saying explore more.

17. BIOCHAARGOLD Page - Centre the BIOCHAARGOLD logo on the page.

18. BIOCHAARGOLD Page - Can you please work on font size and layout, there are 2 different font styles, you can use the lower font for all the information and adjust the layout properly.

Bio-ChaarGold's Biochar is a premium carbon-rich material produced through the controlled thermal conversion of biomass using advanced pyrolysis technology in a low-oxygen environment. Unlike conventional charcoal, which is primarily intended as a fuel source, our biochar is specifically engineered and tested for beneficial applications in agriculture, environmental management, carbon sequestration, and industrial systems.

Developed through years of research, engineering expertise, and practical field experience, BioChaarGold Biochar is designed to enhance soil health, improve resource efficiency, and support long-term sustainability goals. Its highly porous structure creates an ideal habitat for beneficial soil microorganisms while improving water retention, nutrient availability, and soil aeration.

One of biochar's most remarkable attributes is its ability to capture and store carbon in a stable form for centuries, and in many cases, millennia. Through the pyrolysis process, atmospheric carbon absorbed by plants during growth is converted into a durable carbon structure that resists decomposition. When incorporated into soil, this carbon remains locked away rather than being released back into the atmosphere, making biochar one of the most promising nature-based solutions for long-term carbon sequestration and climate change mitigation.

At BioChaarGold, we view biochar as more than just a product — it is a tool for regeneration. By transforming agricultural and forestry biomass into valuable carbon resources, we help create a circular economy where waste becomes wealth, soils become healthier, and carbon becomes a resource rather than a liability.

19. Keep the word “BiochaarGold” together as it is one word.

20. Biochaargold Page - Please remove the r after Biochaargold, as it is still not registered.

PARAMETER	TYPICAL VALUE
Product Name	BIO-CHAARGOLD® Biochar

21. Pyrolysis Kilns and Retort Page - Too much gap in the below layout. Please use below text to fill the gap and use same font size for both paragraphs.

At ChaarGold, we specialise in the design and manufacture of advanced pyrolysis kilns engineered to transform biomass into high-value carbon products through efficient, controlled thermal conversion. Built on years of engineering expertise, practical operational experience, and continuous technological innovation, our kilns combine robust construction with carefully designed thermal processes to ensure reliable performance, efficient heat utilisation, and consistent output quality. Every system is developed with a focus on operational efficiency, resource optimisation, durability, and the ability to process a range of biomass feedstocks to meet diverse industrial requirements.

Beyond charcoal and biochar production, ChaarGold Pyrolysis Kilns offer the potential to recover and utilise valuable by-products generated during the pyrolysis process, including wood vinegar and charcoal tar. This integrated approach enables greater utilisation of the biomass feedstock while creating opportunities to derive multiple value-added products from a single process. Designed to accommodate varying production capacities and operational requirements, our pyrolysis solutions bring together engineering precision, process efficiency, and resource recovery to support the evolving needs of the carbon manufacturing industry.

At ChaarGold, we design and manufacture advanced pyrolysis kilns that transform biomass into high-value carbon products through efficient and controlled thermal conversion. Developed through years of engineering expertise, operational experience, and continuous innovation, our kilns are built to deliver superior performance, operational reliability, and maximum resource utilization.

Whether producing charcoal, biochar, wood vinegar, smoke oil, or other value-added by-products, ChaarGold Pyrolysis Kilns provide an integrated solution for sustainable carbon manufacturing.

ENGINEERED FOR EXCELLENCE

Manufactured in-house by our

22. Pyrolysis Kilns and Retort Page - Use this below image somewhere in the page where it creates an impact.

23. The space on the left is empty. I've given you more content below to use.

ChaarGold Pyrolysis Kilns are engineered to accommodate a wide range of production capacities, biomass feedstocks and industrial requirements. Whether you are establishing a new charcoal manufacturing unit or expanding an existing facility, our kilns can be customised to align with your production targets, operational objectives and site-specific requirements. Every system is designed with a focus on process efficiency, reliable performance, thermal management and effective utilisation of raw materials.

Designed Around Your Production Needs

ChaarGold offers flexible pyrolysis solutions with configurations tailored to your manufacturing requirements, including:

- **Multiple Capacities:** Kiln configurations to suit varying production scales and output requirements.
- **Feedstock Compatibility:** Solutions designed around different biomass types and their processing characteristics.
- **Customised Engineering:** Equipment specifications and configurations aligned with individual project requirements.
- **Operational Efficiency:** Focus on controlled thermal conversion, heat utilisation and process consistency.
- **Integrated By-product Recovery:** Configurations that can accommodate the recovery of valuable by-products such as wood vinegar and charcoal tar.

With ChaarGold, you get pyrolysis technology designed around your process, your capacity and your business goals.

23.

TECHNICAL SPECIFICATIONS

Built to your requirement

ChaarGold Pyrolysis Kilns are available in multiple capacities and can be customized to suit production requirements, feedstock types, and operational objectives.

PARAMETER	SPECIFICATION
Kiln Type	Batch
Production Technology	Controlled Pyrolysis
Feedstock Compatibility	Hard-Wood, Bamboo, Coconut Shell, Agricultural Residues, Forestry Biomass
Primary Products	Charcoal, Biochar
Secondary Products	Wood Vinegar, Tar
Operating Temperature	350°C – 700°C
Carbonization Efficiency	High Yield Optimized Design
Construction Material	Heavy-Duty Mild Steel / Custom Grades
Condensation System	Optional Wood Vinegar & Tar Recovery
Installation Type	Fixed / Portable
Operational Life	Long Service Life with Proper Maintenance

Available capacity option

MODEL	BIOMASS INPUT CAPACITY	APPROXIMATE CHARCOAL OUTPUT
CG-1000	4 MT/batch	1 – 1.5 MT/batch

Output varies depending on feedstock type, moisture content, operating conditions, and process parameters.

24. Charcoal Briquette Stove page - Replace dark image of GOLDFLAME with the light one provided.



25. Charcoal Briquette Stove page - Text below Fuelled by smarter choices is not very visible, change font colour please.



25. Charcoal Briquette Stove page - Keep the word option in the same line, just like start.

26. The below space is empty. Use this image and caption - **Honeycomb Charcoal Briquettes in Action** – Experience a steady, long-lasting burn with ChaarGold’s Honeycomb Briquettes, delivering consistent heat for efficient and economical cooking in ChaarGold's Signature Charcoal Briquette Stoves.

businesses another fuel option to consider as part of a broader approach to energy resilience and responsible biomass utilisation.

GoldFlame by ChaarGold offers a practical alternative to conventional cooking fuels through charcoal briquette stoves designed for everyday cooking needs. From households and outdoor cooking to food businesses and commercial kitchens, GoldFlame brings together fuel flexibility, functionality and a forward-looking approach to cooking.

27. Use the below image for the placeholder and the description

Signature ChaarGold Charcoal Briquette Stove – A rendering of our signature charcoal briquette stove, featuring a convenient pull-out ash tray for easy cleaning and maintenance. Powered by ChaarGold honeycomb charcoal briquettes, the stove showcases a practical cooking solution designed for steady heat, efficient fuel consumption and convenient everyday use.

28. Wood Vinegar Page - Keep font style and size same here. Use below text, I've added more information.



ChaarGold's Wood Vinegar, also known as Pyroligneous Acid, is a natural liquid by-product obtained during the controlled pyrolysis of biomass in our advanced carbonisation systems. It is produced through the condensation and collection of smoke generated during the thermal decomposition of biomass under controlled conditions. Wood vinegar contains a complex blend of naturally occurring organic compounds, including organic acids and other carbon-based constituents, which have been widely studied and recognised for their potential applications in agriculture, horticulture and various environmental practices. Its composition and characteristics may vary depending on the type of biomass used and the conditions maintained during the pyrolysis process, making the selection of suitable feedstock and controlled production parameters important to its quality.

At ChaarGold, our wood vinegar is carefully recovered and processed from sustainably sourced biomass, with an emphasis on product quality, consistency and effective resource utilisation. Depending on its composition, concentration and quality specifications, wood vinegar can be explored for a range of agricultural, horticultural and industrial applications. Its potential uses include soil management, plant-care practices and other value-added applications, subject to appropriate testing and suitability for the intended purpose. By recovering this valuable liquid alongside our primary carbon products, ChaarGold aims to make more effective use of biomass resources, minimise process waste and unlock additional value from the pyrolysis process. This reflects our broader commitment to responsible production, resource efficiency and developing sustainable solutions from every stage of biomass conversion.

29. Please mention - "Rosy Brown" in Appearance



30. Wood Vinegar page - Use below image instead of the machinery picture.

HOW IT IS PRODUCED

From smoke to soil

During pyrolysis, biomass is heated in a low-oxygen environment, producing biochar, gases, and vapors. These vapors are captured and condensed to produce wood vinegar — a nutrient-rich liquid containing organic acids, phenols, esters, alcohols, and other beneficial compounds.

Through careful collection and maturation, ChaarGold Wood Vinegar is transformed into a versatile natural product with multiple applications.

31. Mention the email and contact number like you have here on every page wherever this type of need information is placed.



32. Sustainability Page - can remove future generations or try putting it in one line, as its taking more space in the second line.



33. Make the background of the logo black too, so it blends with the background. This is in the bottom of all pages.



34. Instead of Bengaluru, Karnataka….mention - We ship all over India.

Make the entire line more prominent and visible.

35. GALLERY - ADD MORE OF THE BELOW PICS

Coal Tar Collection - The collection of condensed tar released during the biomass pyrolysis process, captured directly from the kiln through a controlled discharge system.

Coconut Shell Loading into Pyrolysis Kilns - Carefully loading coconut shells into the pyrolysis kilns, preparing the biomass for controlled thermal conversion into valuable carbon-rich products such as biochar. This marks the beginning of the transformation of renewable biomass into sustainable resources.

Unloading & Collection of Finished Coconut Shell Charcoal - The final stage of the pyrolysis process, where carbon-rich charcoal produced from coconut shells is unloaded from the kilns and collected for further processing. The finished material is carefully handled and gathered for subsequent grading, processing and packaging.

Charcoal Unloading - Freshly unloaded charcoal produced from Prosopis Juliflora, marking the completion of charcoal Pyrolysis journey.

Carefully Packed & Ready to Ship

Our premium charcoal briquettes are neatly packed in sturdy cartons, ensuring safe handling and convenient transportation. Each batch is carefully arranged, quality-checked and prepared for dispatch, ready to reach our customers.

Pillow Briquette Drying

Our pillow briquettes are spread evenly in a dedicated drying shed to facilitate natural air drying and reduce moisture content. This process helps achieve consistent drying while preserving the briquettes' natural structure, shape and durability.

Natural Lump Charcoal - Our natural lump charcoal is produced through the controlled carbonisation of selected wood, resulting in high-carbon charcoal with a natural structure and distinctive irregular shapes. Carefully processed to deliver reliable heat performance.

Bamboo Raw Material Stock - We maintain a dedicated stock of bamboo at our factory premises, ensuring a steady supply of raw material for our biochar production operations. Carefully sourced and stored bamboo serves as a renewable biomass resource for conversion into high-quality biochar and other value-added products.

36. Please put Blog before contact us. Also, please make slightly more bold and all headings in CAPS. Please add TM next to BIOCHAARGOLD™



37. Gap in the line in FAQ



38. Can remove the word - question here in FAQ