




Top #1 in Coding resources 

@web_development_legend

ALL STATUS CODES



LIKE



SAVE



SHARE



Top #1 in Coding resources 

@web_development_legend

100	Continue	The server has received the request headers, the client can proceed to send the body.
101	Switching Protocols	The server is switching protocols as requested by the client.
102	Processing	The server is processing the request, but no response is available yet.
103	Early Hints	Provides hints to the client about resources to preload before the final response.
200	OK	The request has succeeded.
201	Created	The request has succeeded and a new resource has been created.
202	Accepted	The request has been accepted for processing, but is not yet complete.
203	Non-Authoritative Information	The returned meta-information is not from the origin server.



LIKE



SAVE



SHARE

01





Top #1 in Coding resources 

@web_development_legend

204	No Content	The request has succeeded but there is no content to return.
205	Reset Content	Instructs the client to reset the document view.
206	Partial Content	Partial response (used for partial downloads).
207	Multi-Status	Multiple status codes for different operations.
208	Already Reported	The elements have already been reported in a previous response.
226	IM Used	The server has fulfilled a request for the resource, using HTTP Delta Encoding.
300	Multiple Choices	The resource has multiple options to choose from.
301	Moved Permanently	The resource has been permanently moved to a new location.



LIKE



SAVE



SHARE



Top #1 in Coding resources 

@web_development_legend

302	Found	Temporary redirection.
303	See Other	Redirect to another resource via GET.
304	Not Modified	The resource has not been modified since the last request.
305	Use Proxy	The resource must be accessed through a proxy (deprecated).
307	Temporary Redirect	The resource is temporarily moved to a different location.
308	Permanent Redirect	The resource is permanently moved to a new location.
400	Bad Request	The server could not understand the request due to invalid syntax.
401	Unauthorized	Authentication is required to access the resource.



LIKE



SAVE



SHARE

03





Top #1 in Coding resources 

@web_development_legend

402	Payment Required	Reserved for future use.
403	Forbidden	Access to the resource is forbidden.
404	Not Found	The resource could not be found.
405	Method Not Allowed	The HTTP method is not allowed for the requested resource.
406	Not Acceptable	The requested resource is not available in a format acceptable to the client.
407	Proxy Authentication Required	Authentication with a proxy is required.
408	Request Timeout	The server timed out waiting for the request.
409	Conflict	The request conflicts with the current state of the resource.



LIKE



SAVE



SHARE

04





410	Gone	The resource is no longer available and will not return.
411	Length Required	The request must specify the content length.
412	Precondition Failed	One or more conditions given in the request header fields evaluated to false.
413	Payload Too Large	The request entity is larger than the server is willing or able to process.
414	URI Too Long	The URI requested is too long to be processed.
415	Unsupported Media Type	The media type is not supported by the server.
416	Range Not Satisfiable	The requested range cannot be satisfied.
417	Expectation Failed	The server could not meet the expectation given in the request's Expect header.



LIKE



SAVE



SHARE



Top #1 in Coding resources 

@web_development_legend

418	I'm a teapot	A humorous response code from RFC 2324.
421	Misdirected Request	The request was directed to a server that is not able to produce a response.
422	Unprocessable Entity	The request is well-formed but cannot be processed.
423	Locked	The resource is locked.
424	Failed Dependency	The request failed because it depended on another request and that request failed.
425	Too Early	The server is unwilling to process the request because it might be replayed.
426	Upgrade Required	The client should switch to a different protocol.
428	Precondition Required	The server requires the request to be conditional.



LIKE



SAVE



SHARE



Top #1 in Coding resources 

@web_development_legend

429	Too Many Requests	The user has sent too many requests in a given amount of time.
431	Request Header Fields Too Large	The request's header fields are too large.
451	Unavailable For Legal Reasons	The resource is unavailable due to legal reasons.
500	Internal Server Error	The server encountered an internal error and could not complete the request.
501	Not Implemented	The server does not support the functionality required to fulfill the request.
502	Bad Gateway	The server received an invalid response from the upstream server.
503	Service Unavailable	The server is currently unable to handle the request due to temporary overload or maintenance.
504	Gateway Timeout	The upstream server failed to send a request in time.



LIKE



SAVE



SHARE

07





Top #1 in Coding resources 

@web_development_legend

505	HTTP Version Not Supported	The server does not support the HTTP version used in the request.
506	Variant Also Negotiates	Error in content negotiation.
507	Insufficient Storage	The server is unable to store the representation needed to complete the request.
508	Loop Detected	The server detected an infinite loop while processing the request.
510	Not Extended	Further extensions to the request are required.
511	Network Authentication Required	The client needs to authenticate to gain network access.



LIKE



SAVE



SHARE

08

