

PowerProtect Data Manager 19.20 Message Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARO0506	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database.	The restore request is unsuccessful because the agent cannot update the spfile parameters in the pfile.	To resolve this issue: 1. Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later. 2. Make sure that the database exists in the system with the same SID, and files from the previous unsuccessful restore have been removed. 3. Make sure that the system has sufficient memory. 4. Make sure that the database is in the shutdown state. Rename the existing spfile under \$ORACLE_HOME/dbs, and resubmit the restore request.	Critical	Restore
ADHP0012	Unable to obtain the correct credential ID.	The GET Credential operation is unsuccessful. A resource with the specified ID is not detected.	Verify the credential ID and retry the operation.	Critical	Discover
ARO0014	PowerProtect Data Manager Oracle agent cannot perform the disaster recovery for the Oracle database because the database is not started in the nomount state.	The disaster recovery is unsuccessful because the database is not started in the nomount state.	To resolve this issue, make sure that the database is started in the nomount state.	Critical	Restore
DISC0001	A discovery of this asset source is already running.	The discovery cannot be completed because a discovery for this asset source is already in progress.	Review the details in the Jobs window to determine when the current discovery is complete, and then retry the operation.	Informational	Discover
ARO0542	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database.	The restore request is unsuccessful because the OCI query cannot obtain the backup tag for mounting the storage unit for the online database recovery operation.	To resolve this issue: 1. Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later. 2. Make sure that an existing Oracle Incremental Merge restore job is not running for the selected asset. 3. Make sure that the system has sufficient memory.	Critical	Restore
CSME0005	Error occurred while processing of Cloud Snapshot Manager job.	Unable to successfully complete Cloud Snapshot Manager job.	Contact Cloud Snapshot Manager Support team.	Critical	System
ABMS0003	Unable to update the copy retention time for the selected copies of the asset <assetName> because an error occurred in the PowerStore <powerStoreName>.	Updating copy retention time for selected copies was unsuccessful because an error occurred in the PowerStore.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information to troubleshoot the error, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ADS0004	Incremental discovery of the virtual machine asset on the vCenter <vCenterName> failed.	Incremental discovery of the virtual machine asset on the vCenter Server was unsuccessful because of unrecoverable error conditions. Review the details in the Jobs window for more information.	Check the connection between PowerProtect Data Manager and vCenter. Verify that the provided credentials are valid. Start a manual discovery to discover all virtual machine assets, or wait for PowerProtect Data Manager to perform the next scheduled discovery. If the issue persists, contact Dell Customer Support.	Critical	Discover
IAMADT3004	The password for user <arg1> has been changed successfully.			Informational	Security
EPERR0001	Unable to complete the request because an unexpected error occurred.	This request cannot be completed because an unexpected error occurred while invoking the scheduler service.	Contact Dell Customer Support.	Critical	Protection Policy
ASPU0026	Update of all agents is unsuccessful.	The push update operation is unsuccessful because the update of all the agents on the host is unsuccessful.	Click export log and review the log file. If export logs are unavailable then check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information. Manual intervention is required.	Critical	Push Update
AHC0002	Unable to send the host configuration request to the host <hostName> because of an agent issue.	The host configuration cannot be completed because of an agent issue.	1. Create a configuration file named global_config.json in the following directory location On Windows : INSTALL_DIR\AgentService\AddOns\global_config.json On Linux and AIX: /opt/dpsapps/agentsvc/AddOns/global_config.json Where INSTALL_DIR is the directory on the user machine where the agent service is installed. 2. Add the following contents to this file: { "settings": { "ddboostEncryptionSettings": { "encryptionOverTheWire": true, "encryptionLevel": "HIGH" } } }	Critical	App Host Configuration
ABA0007	<plc>: Unable to backup <assetType> asset <asset> on host <hostName> because of a certificate issue.	The protection policy backup was unsuccessful because of an issue with the certificate.	Reregister the agent host with PowerProtect Data Manager, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABNA0031	Unable to complete slice list creation for the asset <assetName> because required asset mount attributes cannot be detected.	The slice list cannot be created for this asset because either the asset protocol or export path details are missing, or the attributes were not detected due to a network connectivity or packet loss issue.	Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
SYS0071	An unexpected error occurred during the health check for <name>.	This system health check cannot be completed because an unexpected execution error occurred.	Restart the system health check.	Warning	System
ADT0117	SecurID multi-factor authentication configuration for name '<name>' with client ID '<clientId>' is created.		No action required.	Informational	Security
MON0003	Email address <emailAddress> is unable to receive email from the email server <emailServer>.	An email notification was not successfully sent to the recipient email address. The recipient may have blocked the sender email address or domain.	To resolve this issue: (1) Verify that the recipient email address is correct. (2) Verify that the recipient email address can receive emails from PowerProtect Data Manager. (3) Send a test email to verify network connectivity with the email server.	Critical	System
ABA0018	<plc>: The protection policy backup is unsuccessful for <assetType> asset <asset> on host <hostName> because the backup type is non-full.	The protection policy backup is unsuccessful because the backup type for the selected asset must be full after an incarnation number property change.	To resolve this issue, promote the backup type to full.	Warning	Protection
ADT5012	The schedule time for the Restore Plan '<planName>' is canceled.		No action required.	Informational	Restore Plan
ARSD0055	Unable to create the volume or volume group during the restore because the specified volume or volume group resource already exists.	An error occurred while attempting to create the volume or volume group because a volume or volume group with the same name already exists.	Ensure that the volume or volume group does not already exist on the array. If it does, try using a different prefix. To troubleshoot this issue: 1) Use a different prefix for this volume or volume group. 2) Review the log files at /var/log/brs/sdmng/sdmng.log for additional troubleshooting information, then retry the operation.	Warning	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ASSD0010	Unable to complete the local snapshot for the asset <assetName> because a required resource cannot be located in the PowerStore <powerStoreName>.	The local snapshot for this asset cannot be completed because a resource required for this operation is unavailable in the PowerStore system.	To troubleshoot this issue: 1) Review the extended message for more information about the missing resource. 2) Verify that the required resource has not been deleted. 3) Run a manual discovery of the asset source in PowerProtect Data Manager, and then retry the operation.If the issue persists, contact Dell Customer Support.	Critical	Protection
ABA0021	<plc>: Unable to backup/restore <assetType> asset <asset> on host <hostName> to storage target <target>.	The protection policy backup was unsuccessful as the monitoring was running for more than the threshold time (3 Days).	This can happen if the backup/restore is running slow on the host. Please check the application host's system resource utilization.	Critical	Protection
ABHV0030	Unable to start the operation because another operation for the virtual machine with GUID <vmGuid> is already in progress.	The requested operation cannot be started because another conflicting operation for the virtual machine with the same GUID is currently in progress.	To troubleshoot the issue: 1. Review the error messages in the log files. 2. Retry after the current operation completes.	Critical	Protection
ABG0008	Unable to backup <asset> on the host <hostName> because the PowerProtect Data Domain <ddHost> is not accessible.	The backup cannot be completed because of an issue with accessing the PowerProtect Data Domain.	To resolve the issue, verify the PowerProtect Data Domain details.	Critical	Protection
ABVSD0008	Unable to complete the <operation_name> of the asset <asset_name> because the data mover cannot identify the allocated or changed blocks.	The operation cannot be completed for this asset because an error occurred while identifying the allocated or changed blocks of the asset.	To troubleshoot this issue: 1) Verify network connectivity to the storage array of the asset. 2) Make sure the snapshot of the asset are valid and exists on storage array. 3) Ensure that the array is operating on a supported version of microcode and that the appropriate patch version is installed. 4) Retry the operation.	Warning	Protection
ACSD0019	Unable to complete the array configuration for the management interface <managementName> because of non trustable host.	The configuration cannot be completed because the data domain (host) ip is not available in the trust store	Use the trusted Data domain server(host).If the issue persists, contact Dell Customer Support.	Critical	Protection
ACHP0008	Unable to complete the agent deployment.	The agent deployment process encountered an error.	Check the logs, and retry the operation.	Critical	Protection Policy
ASMO0001	Unable to start the AgentService process on <client> after <count> attempts. System resource utilization: Memory: <memory> %, CPU: <cpu> %. The AgentService restarts the process to automatically fix the issue. It is recommended to review the AgentService logs and system logs on the client machine to determine the cause and troubleshoot the issue.	Please check the client machine's agentService logs, system logs to resolve the issue.	Possible causes for this service disruption can include the following: 1) There are insufficient resources on the client machine, which might require an update or optimization of resources. 2) Process creation is being blocked, possibly due to interference from antivirus software or firewall settings, which require configuration changes for proper exclusions. 3) For Windows, it is recommended that you carefully review the Event Viewer logs. On other operating systems, the system logs should be consulted to trace the instances of the job becoming unresponsive.	Warning	System
CSM0028	Unrecognized informational alert received from Cloud Snapshot Manager for tenant <tenant_id>.	Unrecognized alert received.	Review the alert in Cloud Snapshot Manager Dashboard.	Informational	System
ACSD0020	Unable to complete the array configuration for the management interface <managementName> because of no certificates are retrieved from powerstore for given DD(host).	The configuration cannot be completed because the powerstore has returned the empty certificates for the given DD(host).	Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. If the issue persists, contact Dell Customer Support.	Critical	Protection
CSM0021	Cloud Snapshot Manager restore failed for blob container <container_id> of <account_name>(<account_number>) cloud account for tenant <tenant_id>.	The cloud provider service(s) failed to create a new container or blobs because the required conditions were not met.	Contact backup administrator with Cloud Snapshot Manager access.	Critical	Restore
ASPU0004	The specified software repository named "repos" is not a directory.	The push update operation is unsuccessful. "Repos" repository in the agent service home path is not a directory.	Check whether the repos directory is present in AGENT_SERVER_HOME folder. Delete the repos directory. Clean out repository and retry the operation.	Critical	Push Update
ARG0009	Unable to restore the <assetType> asset <asset> to the restore path <restorePath> because of invalid credentials.	The restore cannot be completed because the Run As user credentials (username or password) are invalid.	To resolve the issue, verify the Run As user credentials.	Critical	Restore
ABNA0009	Unable to complete the backup action for the asset <assetName>. Marking Delete Snapshot as failed.	The backup cannot be completed because one of the backup snapshot jobs was unsuccessful. The Delete Snapshot step has been marked as Failed.	Export the backup log files and review the logs for more information and to troubleshoot the issue. After troubleshooting, retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABSD0010	Unable to back up the asset <assetName> because a required resource cannot be located in the PowerStore <powerStoreName>.	The backup of this asset cannot be completed because a resource required for this operation is unavailable in the PowerStore system.	To troubleshoot this issue: 1) Review the extended message for more information about the missing resource. 2) Verify that the required resource has not been deleted. 3) Run a manual discovery of the asset source in PowerProtect Data Manager, and then retry the operation.If the issue persists, contact Dell Customer Support.	Critical	Protection
ADSD0010	PowerStore discovery for <powerstoreIp> cannot be completed because the PowerStore is unavailable.	The PowerStore discovery operation was unsuccessful because the PowerStore cannot be detected.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running.	Critical	Discover
ADRS0005	Unable to perform the server disaster recovery for policy <policyName> because an internal server error occurred while processing the request in the PowerStore <powerStoreName>.	The server disaster recovery cannot be completed for this policy because an internal server error occurred while processing the request in the PowerStore system.	To troubleshoot this issue: 1) Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 2) Retry the operation at a later time.If the issue persists, contact Dell Customer Support.	Critical	Protection
ARNA0027	Unable to complete the <sessionType> operation because of an unknown exception.	The NAS agent cannot execute the input command.	Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARF0040	The <operationName> operation received an invalid SSL port value to mount the Active Directory database.	The mount operation cannot be completed because the specified SSL port number is invalid.	To troubleshoot the issue: 1) Make sure that the specified SSL port falls within the valid range for the SSL connections. 2) Confirm that the specified SSL port is not already in use by another process or service. 3) Verify that the SSL settings and certificates are correctly configured for secure communication. 4) Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. If the issue persists, contact Dell Customer Support.	Critical	Restore
SYS0070	Unable to perform PowerProtect Data Manager system health checks.	PowerProtect Data Manager system health checks cannot be completed because an internal server error occurred.	Restart the system health check.	Warning	System

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABE0002	Backup operation is unsuccessful because the database <databaseName> is either renamed or deleted.	Database is unavailable and skipped during the backup. The database is renamed or deleted. For information, refer to msagentsv.log on Exchange Server.	Make sure that the databases are available and online for the backup to proceed.	Critical	Protection
EPERR0008	Unable to complete the request because the job creator service is unavailable.	This request cannot be completed because the job creator service cannot be reached.	Retry the operation at a later time.	Critical	Protection Policy
ASSD0017	Unable to process the local snapshot for the asset <assetName> because the asset is no longer protectable as a stand-alone volume.	The local snapshot operation was unsuccessful for this asset because the asset has been added to a volume group and is no longer protectable as a stand-alone volume.	To troubleshoot the issue, remove the non-protectable asset from the protection policy. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABE0010	Backup is unsuccessful because of an application agent issue. DAG information is unavailable from the query.	Unable to query the Exchange Server for DAG information when checking for a DAG backup. An exception occurred. Refer to msagentsv.log for more information on Exchange Server.	Check that the Exchange shell is available and the administration configuration tool is configured.	Critical	Protection
ARK0002	Unable to restore namespace 'asset-' to Kubernetes cluster 'k8sClusterName-' because of a data mover issue.	The restore of this namespace to the destination Kubernetes cluster was not successful because the data mover pod did not start up.	Review the CSI driver logs to verify that the CSI driver is fully functional, and then use the command line tool kubectl or an equivalent tool to verify that all of the CSI driver pods in the cluster are running.	Critical	Restore
ACO0502	PowerProtect Data Manager Oracle agent cannot perform the configuration for the Oracle database.	The configuration request with nfs protocol is unsuccessful because the Oracle user is unavailable.	Make sure that the Oracle username is entered correctly and submit the configuration request.	Critical	App Host Configuration
ABO0001	PowerProtect Data Manager Oracle agent cannot perform protection the backup for the Oracle database <SID> with database ID <DBID> because the specified backup level is unsupported.	The protection backup request was is unsuccessful because the specified backup level is unsupported.	Enter the supported backup level Full, Incremental Cumulative, Incremental, Differential, or Log.	Critical	Protection
ABV0007	VM Direct engine 'cvproxy-' is unable to back up the virtual machine 'vmNames-' on vCenter 'cvCenterName-' because of an SQL agent issue.	The VM Direct engine cannot complete the backup of this virtual machine because the SQL agent operation was unsuccessful.	If there is too much activity on the vSphere and the guest virtual machine, wait until some activities complete and then retry the operation.	Critical	Protection
CPLE0001	Compliance validation for asset <asset> in the protection policy <plc> completed with <count> Service Level Objectives not met.	Service Level Objective (SLO) compliance validation was unsuccessful for this asset because one or more objectives were not met.	To troubleshoot this issue: 1) Verify that the compliance Service Level Agreement (SLA) configuration and protection policy configuration(for example, the schedule, retention period, and activity window) are aligned. 2) Check whether the protection job completed successfully. If the issue persists, contact Dell Customer Support.	Warning	Compliance
ABN0045	Issues occurred during the post-backup operations, the update of metadata for disaster recovery during the backup for task <taskId>, and the cleanup of export rule <exportRuleId> from export policy <exportPolicy>.	Unable to delete the export rule and update the of the metadata for disaster recovery during the cleanup operations.The protection is not impacted.	Manual cleanup of the export rule from the corresponding volume export policy is required from the NetApp UI. To update the disaster recovery metadata, run a server DR backup. If any issues persist, contact Dell Customer Support.	Critical	Protection
SYS0061	<username> canceled the <task> update package download.	The download of this update package was unsuccessful because the operation was cancelled by the specified user.	Retry the update package download operation in the PowerProtect Data Manager UI: 1) Click the Settings icon from the top-right menu, and then select Software Update. 2) Click Download.	Informational	System
NASRS0003	Unable to reserve proxy for Restore job.	Unable to reserve vproxy for Restore job. Please check the log for details.	Please check if NAS vproxy is installed and any other NAS job is running. If any other job is running wait until that job is finished and try again.If the issue persists, contact your system administrator.	Critical	Restore
ABVSD0006	Unable to start the <operation_name> because PowerProtect is unable to access the asset <asset_name>.	This operation cannot be started because an error occurred while attempting to access the asset, or the asset could not be detected.	To troubleshoot this issue: 1) Verify that the asset is accessible. 2) Check the connectivity to the storage array that contains the asset. 3) Retry the operation.	Warning	Protection
ARO0547	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database.	The restore is unsuccessful because the agent cannot unmount the storage unit for the online database recovery operation.	Make sure that the mounted pathname is not unmounted by the user manually during the restore.	Critical	Restore
ABG0004	Unable to backup <asset> because the PowerProtect Data Domain target directory already exists.	The backup cannot be completed because the PowerProtect Data Domain target directory already exists.	To resolve the issue, verify the PowerProtect Data Domain target directory is not present and retry the backup.	Critical	Protection
ABV0036	VM Direct engine 'cvproxy-' is unable to back up the virtual machine 'vmNames-' on the vCenter 'cvCenterName-' because of a connectivity issue between vCenter and the ESXi host 'esxHostname-'. The DPD service health status on the ESXi host is 'dpdStatus-'.	The VM Direct engine cannot complete the backup of this virtual machine because of an issue with the connection between the vCenter Server and the ESXi host. There might be a problem with the status of the DPD service on the ESXi host.	To troubleshoot this issue: 1) Check the connectivity between the vCenter and the ESXi host. 2) Make sure that the DPD service is running on the ESXi host 'esxHostname-'. When the issue is resolved, retry the operation.	Critical	Protection
ARV0027	VM Direct engine is unable to restore the virtual machine 'vmNames-' on vCenter 'cvCenterName-' because storage migration cannot be disabled.	The VM Direct engine cannot complete the restore of this virtual machine because the disabling of storage migration was unsuccessful.	To troubleshoot this issue: 1) Verify that there is not another storage migration operation in progress for this virtual machine. 2) Verify that there are no data protection operations in progress for this virtual machine.	Critical	Restore
ARO0553	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore is unsuccessful for the agent cannot start the database with the restored pfile and set the database name.	To resolve this issue: 1. Enable the debug logs. check for any RMAN or Oracle utility error that starts with RMAN- or ORA- in the Details > Errors > Read More section of the unsuccessful protection job, perform the appropriate action.	Critical	Restore
ABK0021	Unable to back up namespace 'assets-' in Kubernetes cluster 'k8sClusterName-' because of a vCenter API issue.	The backup of this Kubernetes namespace was not successful because a vCenter API operation cannot be completed.	To troubleshoot this issue: Verify that the vCenter can be reached. If the vCenter is busy, wait for some activities to complete and then retry the operation.	Critical	Protection
ABG0003	Unable to backup <asset> because mounting the PowerProtect Data Domain target directory <devicePath> on the host with BoostFS technology is unsuccessful.	The backup cannot be completed because of an issue with mounting the PowerProtect Data Domain target directory on the host with BoostFS technology.	To resolve the issue, verify the permissions on the BoostFS directory on the host and make sure space is available that the host.	Critical	Protection
AHC0007	Unable to send the host configuration request because of a certificate issue on the agent host <hostName>.	The host configuration cannot be completed because of an issue with the certificate.	Re-register the agent host with PowerProtect Data Manager, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	App Host Configuration
ABO0531	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup request is unsuccessful because the agent cannot parse the input parameters.	To resolve this issue, make sure that the PowerProtect Data Manager and RMAN agent are version 19.13 or later.	Critical	Protection
SYS0100	Unable to automatically increase memory size to <memorySize> MB and CPU count to <cpuCount> during the Server DR.	After Cloud Disaster Recovery (CDR) is enabled, the memory and CPU is automatically increased on the virtual machine to perform the Server DR. If the PowerProtect Data Manager system is unable to increase these values automatically, you need to adjust them manually to the desired size to avoid impacts to system performance.	Manually increase the memory size and CPU count for this PowerProtect Data Manager virtual machine.	Warning	System
SYS0086	The parent vCenters of the following Reporting nodes are unavailable, <hostName>: <nodeName>.	One or more Reporting nodes do not have a parent vCenter Server added as an asset source in PowerProtect Data Manager. Some of these Reporting node instances might be invalid.	Remove the Reporting nodes for which there is no parent vCenter asset source in PowerProtect Data Manager.	Warning	System
ABO0526	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup request is unsuccessful because of any of the following reasons: The agent cannot perform the unmount of the PowerProtect DD system storage unit for the Oracle Incremental Merge backup. The agent cannot obtain the pluggable database value because the Oracle database is unavailable.	To resolve this issue: 1. Make sure that the IP addresses or hostnames of the PowerProtect DD system and selected asset source are accessible. 2. Make sure that the Oracle database is available and resubmit the backup request	Critical	Protection
ASPU0002	Unable to process the download software request because the request is invalid.	The package download session is unsuccessful. Received an invalid request.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information.	Critical	Push Update

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABA0006	<plc>: Unable to back up the <assetType> asset <asset> on host <hostName> to storage target <target> because the storage node is unavailable.	The protection policy backup is unsuccessful because the storage node is unavailable or cannot be detected.	To resolve this issue: 1. Verify that the PowerProtect Data Domain is up and running. 2. Verify that all the required ports are open on PowerProtect Data Domain. 3. Check the network connectivity between PowerProtect Data Domain and the agent host.	Critical	Protection
CSME0002	Error in generating Authorization token for tenant <tenant_id>.	Unable to reach Cloud Snapshot Manager Services to generate Authorization token.	Contact Cloud Snapshot Manager Support team.	Critical	System
ADT0202	Protection Policy <plcName> has been deleted.		No action needed.	Informational	Protection Policy
SYN0003	An existing sync instance job started at: <startTime> for <srchost> and <dsthost> is still in progress.	An existing sync instance job is still in progress. Please view the Jobs page for more details.	A new sync instance job will not be run.	Informational	Protection
ABA0016	<plc>: Protection Policy backup was unsuccessful for <assetType> asset <asset> on host <hostName> to target <target> because multiple Data Domain path addresses were detected for the host.	The protection policy backup was unsuccessful because multiple Data Domain path addresses were detected for the host, and the agent version used for backup is not the latest version.	To resolve this issue, upgrade the agent service on the agent host to the latest version.	Critical	Protection
ADSD0018	Unable to discover the PowerMax system <powerMaxId> because the specified storage user does not have sufficient privileges.	The PowerMax discovery operation was unsuccessful because the specified Unisphere user does not have sufficient privileges to perform this operation.	To resolve this issue: 1. In the Unisphere for PowerMax management interface, verify that this user has the Storage Admin privilege. 2. Retry the discovery operation after specifying a valid user with sufficient access privileges in the Credentials list, or provide the user with the required access privilege in Unisphere. 3. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error.	Critical	Discover
ACSH0008	Unable to configure the database <asset> that belongs to the instance <instance> located on <host> because with the given credentials connection to the database can not be established.	The configuration is unsuccessful either due to incorrect credentials or database is offline.	Make sure that the SAPANA Database credentials provided in Policy configuration is correct. Verify the credentials by attempting to connect to the database from the client machine using the following steps:	Critical	System
ADT5008	<count> asset(s) are unassigned from the Restore Group '<groupName>' in the Restore Plan '<planName>'.		No action required.	Informational	Restore Plan
ABV0001	<plc>: Protection Policy backup failed for Virtual Machine <asset> on vCenter <vCenterName> to <target>.	Protection job failed for the virtual machine.	Check the Jobs Monitor for details and/or contact the backup administrator.	Warning	Protection
ARF0023	Unable to perform a file-level restore with asset-level parallelism for the block-based backup performed at <backupTime> because the following error occurred: <errString>.	The restore cannot be completed because an error occurred when spawning the recovery processes.	Re-try the file-level restore with one backup copy at a time.	Critical	Restore
ABV0002	<plc>: Protection Policy backup failed for Virtual Machine <asset> on vCenter <vCenterName> to <target> due to protection engine failure.	Protection job failed for the virtual machine due to protection engine failure.	Check the Jobs Monitor for details and/or contact system administrator.	Critical	Protection
ARO0515	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>'.	The restore request is unsuccessful because the agent cannot disable the change block tracking for the Oracle database of the selected asset.	To resolve this issue: 1. Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later. 2. Check for any RMAN or Oracle utility error that starts with RMAN- or ORA- in the Details > Errors > Read More section of the unsuccessful protection job, perform the appropriate action, and resubmit the restore request.	Critical	Restore
ARO0017	PowerProtect Data Manager Oracle agent cannot perform the online archive log database restore, restore validate/restore preview for the Oracle database because the archive log restore is unsuccessful.	The restore is unsuccessful because the agent cannot perform the archive log restore, restore validate and restore preview.	To troubleshoot this issue: 1) Make sure that the SCN/timestamp/log-sequence database target path specified for the restore is correct. 2) Verify network connectivity between the client host and the DD system. 3) Verify that the system has sufficient memory to perform the operation. 4) Make sure that the database is not shut down during the restore.	Critical	Restore
ABHV0031	Unable to backup changed extents for the file '<fileName>' to the target storage.	The datamover operation cannot be completed because backup of changed extents to the target storage was unsuccessful.	To troubleshoot the issue: 1. Review the error messages in the log files. 2. The job failure may be due to an ongoing VM migration (storage, live, or quick migration). Please wait for the migration to complete before retrying the operation. 3. Verify that the storage resources are available, network connections are stable, and then retry the operation. 4. If the issue persists, perform a full backup.	Critical	Protection
UPG0066	There are unacknowledged critical alerts.		View and acknowledge any critical alert(s), taking appropriate action to resolve the issue(s).	Warning	System
EPERR0005	Unable to complete the request because an unexpected error occurred.	This request cannot be completed because an unexpected error occurred while invoking the job creator service.	Contact Dell Customer Support.	Critical	Protection Policy
ADT0204	Protection Policy <plcName> is disabled.		No action needed.	Informational	Protection Policy
AIA0001	Deleting the exported Oracle database Instant Access copies: <copies>.			Informational	Instant Access
ASDS0011	An exception occurred while discovering missing Application Systems for AddOn <AddOnName> on host <hostName>: <errors>.	The discovery of missed Applications System was unsuccessful.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ABHV0032	Unable to back up the virtual machine because a File Level Restore operation is in progress, or a stale disk from a previous File Level Restore session is still attached to virtual machine <vmName>.	The backup operation cannot be completed because as the system detected that a FLR operation is already in progress for the specified virtual machine, or a disk from a previous FLR session remains attached.	To resolve the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue.	Critical	Protection
ABVSD0007	Unable to start the <operation_name> for the asset <asset_name> because an internal error occurred.	This operation cannot be started because an internal error occurred during the create operation instance for this asset.	Verify that the asset and DD system details are correct, and then retry the operation.	Warning	Protection
IAMADT3014	Multi-factor authentication bypass account configuration for local account locator, <arg1>, is created.			Informational	Security
ARO0018	PowerProtect Data Manager Oracle agent cannot perform the online database restore, restore validate and restore preview for the Oracle database because the agent cannot create the database restore scripts.	The restore request is unsuccessful because the agent cannot create the scripts to perform the Oracle online database restore, restore validate and restore preview scripts.	To resolve the issue, perform the following steps to submit the restore request. 1. If the dry run option is enabled in the UI, make sure that the RMAN_AGENT_HOME/tmp directory has the available space to create the scripts. 2. Make sure that the /tmp directory has the available space and the required user rights to create the scripts. 3. Submit the restore request. If the issue still persists, contact Dell Customer Support.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABF0006	Unable to perform the backup because the PowerProtect DD System hostname, device path, or username is missing in the backup command <cmdString>.	The backup cannot be completed because either the PowerProtect DD System hostname, device path, or username is missing in the backup command.	Run the backup command again, and provide the required parameters in the following format: '-a DFA_SI_DD_HOST=the_hostname -a DFA_SI_DEVICE_PATH=the_path -a DFA_SI_DD_USER=the_username'	Critical	Protection
SYS0081	The Search cluster is disabled on the host <hostName>.	A Search cluster is installed in PowerProtect Data Manager but is not enabled.	Enable the Search Cluster. The PowerProtect Data Manager Administration and User Guide provides instructions.	Warning	System
ABNA0044	Unable to complete the <sessionType> operation because the snapshot path of the share <assetName> for snapshot <snapshotName> cannot be updated.	Update of the snapshot access path for the asset cannot be completed because an error occurred.	To troubleshoot this issue: 1) Check the array to ensure that no errors occurred during path creation. 2) Verify that a valid NAS server user name has been specified. 3) Review the vendor specific message for more details and to address the error.	Critical	Protection
AGRA0008	Registration refresh is initiated on the agent host <hostName> as host certificate is about to expire in 30 days.			Informational	System
ARK0013	Unable to restore namespace '<asset>' to Kubernetes cluster '<k8sClusterName>' because the pods using the volumes to be recovered cannot be scaled down.	The restore of this Kubernetes namespace was unsuccessful because the pods that use the volumes to be recovered cannot be scaled down automatically.	Use the command kubectl, or an an equivalent command, to manually scale down the pods in the target namespace, and then retry the operation.	Critical	Restore
ADT0122	Access provision has been deleted for user <username>.		No action required.	Informational	Security
ADT3003	Configured the report node <reportNodeName>.		No action needed.	Informational	Reporting
ABV0021	VM Direct engine '<vproxy>' is unable to back up the virtual machine '<vmName>' on vCenter '<vCenterName>' because of an unsupported virtual machine configuration.	The VM Direct engine cannot complete the backup of this virtual machine because of one of the following reasons: 1) There are too many virtual machine snapshots. 2) The virtual machine requires disk consolidation.	To troubleshoot this issue: 1) Determine if the virtual machine has too many snapshots(, and remove snapshots as necessary). 2) Perform disk consolidation for the virtual machine, if required.	Critical	Protection
ABA0017	<plc>: Backup was successful for the <assetType> asset <asset> on the host <hostName> but the copy metadata information is currently unavailable.	The backup of this asset was successful but PowerProtect Data Manager has not yet discovered or created the copy metadata. If the 'Replication immediately upon backup completion' option is enabled for this protection policy, the replication job for the copy might appear in the Unknown or Cancel state. After PowerProtect Data Manager discovers or creates the copy metadata, the copy will be replicated.	This issue can happen due to a timeout during copy discovery. The copy discovery will be retried again. To determine when the copy discovery is complete, review the backup copy details in the View Copies pane of the PowerProtect Data Manager UI Infrastructure > Assets window. If the issue persists across multiple jobs of the same agent host then follow the below steps to determine the issue: 1. Export the log for the job using "Export Log" option and verify that the agent host can be reached. 2. f connectivity issues identified in the logs then check the consistency of the network connectivity between PowerProtect Data Domain and the agent host.	Warning	Protection
ARN0007	Unable to process the restore request because the NAS Protection Engine version <proxyVersion> is not compatible with the PowerProtect Data Manager version <ppdmVersion>.	The restore cannot be completed because there is a version mismatch between PowerProtect Data Manager and the NAS Protection Engine(s).	Make sure that the NAS Protection Engine version is compatible with the PowerProtect Data Manager version. If there is a version mismatch, update the NAS Protection Engine(s) to a version supported by this release of PowerProtect Data Manager, and then retry the operation.	Critical	Restore
IAMADT3019	Verification email sent for <arg1>.			Informational	Security
ARO0001	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database because the Oracle database home pathname is incorrect.	The restore request is unsuccessful because the specified Oracle database home pathname is incorrect.	To resolve this issue, make sure that the specified Oracle database home pathname is correct.	Critical	Restore
ARK0019	Unable to restore namespace '<asset>' to Kubernetes cluster '<k8sClusterName>' because communication with the Kubernetes API server cannot be established.	The restore of this Kubernetes namespace was unsuccessful because an error occurred in communication between the PowerProtect Data Manager Controller and the Kubernetes API server.	Verify that the Kubernetes API server can respond to requests.	Critical	Restore
NR0013	Data migration is started on the Reporting Engine <reportingEngine>.	The reporting data migration activity started on the Reporting Engine after upgrade to 19.19 or later. The Reporting Engine will be in maintenance mode until the activity is completed. This may take several minutes (5 to 120 minutes) depending on data size.	No action is required.	Informational	Reporting
UPG0108	Failed to execute bin file while initiating Kubernetes Protection Engines update.		Contact Dell Customer Support.	Critical	System
ADA0005	Unable to discover <resourceType> on host <hostName> because of an agent host connection or agent service issue.	The application discovery was unsuccessful because either the agent host cannot be reached or the agent service is not running.	To resolve this issue: 1. Verify that the agent host can be reached. 2. Verify that the agent service is running on the agent host. If the issue persists, contact Dell Customer Support.	Critical	Discover
ARO0536	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore is unsuccessful because the agent cannot unmount the Fast Copy folder.	Make sure that the mounted pathname is not unmounted manually during the restore.	Critical	Restore
ADT6024	The configuration '<configName>' for script option applied to '<policyName>' has been changed.			Informational	Protection
ABSD0024	Unable to back up the asset <assetName> because the asset is no longer protectable as a stand-alone volume.	The backup operation cannot be completed because the asset has been added to a volume group and is no longer protectable as a stand-alone volume.	To troubleshoot the issue, remove the non-protectable asset from the protection policy. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABS0019	Backup of the database is unsuccessful.	Backup of the database is unsuccessful because of a Microsoft SQL Server provider error: The transaction log for database is full due to 'LOG_BACKUP'. Possible reasons for this issue: 1. Log is not being truncated. 2. Disk volume is full. 3. Log size is set to a fixed maximum value or autogrow is disabled. 4. Replication or availability group synchronization cannot be completed.	To resolve the issue, check the Microsoft documentation for 'Troubleshoot a full transaction log(SQL Server Error 9002)'	Critical	Protection
ASSD0008	Unable to complete the local snapshot for <assetName> because of a certificate issue with PowerStore <powerStoreName>.	The local snapshot operation was unsuccessful because of an issue with the certificate.	To resolve the issue: 1. Verify that the PowerProtect Data Manager certificate matches the PowerStore certificate. 2. Make sure that the certificates have not expired. 3. If a certificate update is required, review the procedure in the PowerProtect Data Manager Security Configuration Guide. 4. Reregister the PowerStore system with the PowerProtect Data Manager system, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
IAMADT3030	User <arg1> has been granted the role(s): <arg2>.			Informational	Security
SYN0001	The sync operation cannot be performed on the destination PowerProtect Data Manager server <dstPPDMHost>.	The scheduled sync job cannot run because the destination PowerProtect Data Manager server is not available.	Verify that the destination PowerProtect Data Manager server is operational and that the network connection to the destination PowerProtect Data Manager server is correct.	Critical	System
UPG0068	An internal server error occurred during taking snapshot: <exception>.		Retry the operation. If the issue persists, download the logs and contact Dell Customer Support.	Critical	System
APU0020	Status of the operation is updated to FAILED because this operation has been running for more than <maxTimeoutDuration> minutes.	This operation exceeded the maximum timeout. As a result, the status of the operation has been changed to FAILED, and the operation has been ended.	To resolve this issue, retry the job once. If the issue persists, click export log and review the agent logs for more details.	Critical	Push Update
ADHP0017	Unable to discover the Hyper-V server or cluster.	Discovery of the Hyper-V server or cluster is unsuccessful. A possible reason is that the Windows Management Instrumentation (WMI) service is not running.	Make sure that the WMI service is running. Verify and start the WMI service.	Critical	Discover

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ACT0012	<plc>: Cloud Tier was unsuccessful for <assetType> <asset> on <host> because there is no cloud unit associated with the storage unit.	The backup copies cannot be cloud tiered because the storage unit does not have a cloud unit assigned.	Verify that the storage system associated with the storage unit has a cloud unit set up. If a cloud unit has not been set up on the storage system associated with the storage unit: 1) From the PowerProtect DD System Manager UI, select Data Management > File System > Cloud Units > Add. 2) After setting up the cloud unit, retry the operation. The PowerProtect DD System User Guide provides more information about setting up the cloud unit.	Warning	Cloud Tier
ABSD0034	Unable to get the masking view <maskingView> for the asset <assetName>.	The masking view for this asset could not be obtained from the host or host group.	To troubleshoot this issue: 1. Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2. Confirm that all the arrays managed by Unisphere are connected and working properly. 3. Verify proxy host zoning with array and check the masking view exists or not for the proxy storage group 4. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 5. Retry the operation at a later time.	Critical	Protection
ASDRK003	Unable to complete cloud-native data management server disaster recovery for policy <plc>, because the following error occurred: <err>.	The cloud-native data management server disaster recovery is unsuccessful because an error occurred.	To troubleshoot the error, review the logs by either of the following methods: 1.Export the logs by selecting the job, clicking Export Log, and downloading. 2.Select the gear icon, go to System Settings > Logs, and download the log bundle. If the issue persists, contact Dell Customer Support.	Informational	Cndm Server Dr
ADT6020	The script options based on '<scriptName>' have been created for '<policyName>'.			Informational	Protection
CFG0009	<plc>: Protection policy configuration is unsuccessful because of an agent issue.	Configuration of the protection policy cannot be completed because of an agent issue.	Click export log and review the log file to determine the status of the job or check agent logs for more details.	Critical	Protection Policy
ARSD0005	Unable to restore the backup to <assetName> because a socket timeout error occurred while communicating with the PowerStore <powerStoreName>.	The restore operation was unsuccessful for this asset because a socket timeout error occurred while communicating between PowerProtect Data Manager and the PowerStore system.	To troubleshoot the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Restore
AIC0001	Live mount session cleanup is unsuccessful because of an internal error for asset <asset> on host <host>.	Live mount session cleanup cannot be completed because of an internal error.	To resolve this issue: 1. Retry the deletion of the live mount session. 2. If the live mount session is not available under the restore session, follow the steps in the documentation to clean up the live mount session from the target host. 3. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARN0001	Unable to restore NAS asset <asset> because the following error occurred: <error> The job started at <startTime> and completed at <endTime>.	The restore job for this NAS asset cannot be completed because an error occurred during the operation.	To troubleshoot this issue: 1) Confirm whether the backup copy exists. 2) Check the Protection Engine health. If there is an issue with the state of the Protection Engine, redeploy the engine. 3) Review the log files at /var/log/brs/nasdm/nasdm.log for more details. If the issue persists, contact Dell Customer Support.	Critical	Restore
ADHP0014	Operating system version is unsupported.	The operating system is not Windows Server 2016 or later.	Update the operating system to a supported version, Windows Server 2016 or later, and retry the operation.	Critical	Discover
MON0035	Unable to discover the following systems: <systemsNames>	The discovery of one or more systems was unsuccessful because the latest discovery operation unexpectedly did not complete.	Check the connectivity between PowerProtect Data Manager and the remote system(s). If the issue persists, contact Dell Customer Support.	Warning	System
ABV0003	<plc>: Protection Policy backup failed for Virtual Machine <asset> on vCenter <vCenterName> to <target> due to vCenter failure.	Protection job failed for virtual machine due to host failure.	Contact system administrator.	Critical	Protection
ADT0133	Host <hostName> connection information has been created.		No action required.	Informational	Security
ABV0004	VM Direct engine '<vproxy>' is unable to back up the virtual machine '<vmName>' on vCenter '<vCenterName>' because of a protection storage issue.	The VM Direct engine cannot complete the backup of this virtual machine because of an issue on the DD host.	Verify that the protection storage '<storageSystem>' is fully functional.	Critical	Protection
ARV0038	VM Direct engine is unable to restore the virtual machine '<vmName>' on vCenter '<vCenterName>' because the virtual machine registration was unsuccessful.	The VM Direct Engine cannot complete the restore of this virtual machine because the virtual machine cannot be successfully registered on the vCenter server.	Verify that a virtual machine with the same name does not already exist on the vCenter server and that the datastore has sufficient space. If an instant restore is being performed, verify that the storage unit on the PowerProtect DD has sufficient space.	Critical	Restore
ABV0005	<plc>: Protection Policy backup failed for Virtual Machine <asset> on vCenter <vCenterName> to <target> due to credential failure.	Protection job failed for the virtual machine due to credential failure.	Contact system administrator.	Critical	Protection
ARO0013	PowerProtect Data Manager Oracle agent cannot perform the disaster recovery for the Oracle database because the agent cannot create the open database scripts.	The disaster recovery request is unsuccessful because the agent cannot create the scripts to open the database.	To resolve the issue, perform the following steps to submit the restore request. If the issue still persists, contact Dell Customer Support. 1) If the dry run option is enabled in the UI, make sure that the RMAN_AGENT_HOME/tmp directory has the available space to create the scripts. 2) Make sure that the /tmp directory has the available space and the required user rights to create the scripts. 3) Submit the restore request.	Critical	Restore
ARF0021	Unable to perform an image-level restore when more than one backup ID is specified in a single restore command <cmdString>.	The image-level restore cannot be completed because specifying multiple backup copies in a single restore command is unsupported.	Specify one backup copy at a time in the restore command.	Critical	Restore
ABO0516	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because the agent cannot delete the obsolete datafiles.	To resolve this issue, perform the following steps to submit the backup request.If the issue still persists, contact Dell Customer Support. 1. Perform a self-service operation to delete the obsolete datafiles. 2. Resubmit the backup request.	Critical	Protection
ACSH0001	Unable to configure the SAP HANA database agent located on <host> because the asset information is not provided to the agent in the configuration request.	The configuration is unsuccessful because the asset information is unavailable in the input configuration request.	Test by creating another protection policy with the same PowerProtect DD system and assets.Trigger the configuration command again by clicking "Set Lockbox".If this procedure does not resolve the issue, contact Dell Customer Support.	Critical	System
ADNC0006	Unable to process the NAS Server Disaster Recovery for protection policy <plcid> because the following error occurred: <error>.	Review the log files at /var/log/brs/nasdm/nasdm.log for more details information and to troubleshoot the error. If the issue persists, contact Dell Customer Support.	The NAS Server Disaster Recovery operation for this protection policy cannot be completed because the resource is not available in the ES database.	Critical	Nas Server Dr
RMS0006	Protection Rule name <name> is changed to <newName>.	This protection rule was successfully updated to the new name.	No action required.	Informational	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
SYN0005	Quick Recovery cannot configure the destination server because the source server version <srcVersion> is not compatible with the destination server version <destVersion>.	Quick Recovery can only sync between compatible PowerProtect Data Manager versions.	Make sure the source PowerProtect Data Manager version is compatible with the destination PowerProtect Data Manager version.	Informational	System
ACF0003	Unable to configure the <assetName> located on <hostName> because the parameter <parameter> required for configuration is not provided to the Agent in the configuration request. <errString>.	Test by creating another protection policy with the same PowerProtect DD System and assets. Also check the PPDMD logs. If the issue persists, contact Dell Customer Support.	The configuration is unsuccessful because the parameter required for configuration is not provided to the Agent in the configuration request.	Critical	System
APU0016	Unable to <operationType> because this operation is unsupported.	Perform precheck on host cannot be completed because this operation is not supported on the host when the ItemPoint option is selected.	Refer summary section of details pane to check agent error message. Review the agent installation to determine if the ItemPoint option is selected, and if so, update the agent manually.	Warning	Push Update
ASPU0013	Unable to enable the maintenance mode because self-service jobs are in progress.	The call attempt to enable the maintenance mode is unsuccessful as self-service jobs are in progress.	Click export log and review the log file. If export logs are unavailable then check the log files at at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information. You can retry the operation after self-service jobs are complete.	Critical	Push Update
ADR50008	Unable to complete the server disaster recovery for policy <policyName> because of a certificate issue with the PowerStore <powerStoreName>.	The server disaster recovery operation was unsuccessful for this policy because of an issue with the PowerStore system certificate.	To resolve the issue: 1. Verify that the PowerProtect Data Manager certificate matches the PowerStore certificate. 2. Make sure that the certificates have not expired. 3. If a certificate update is required, review the procedure in the PowerProtect Data Manager Security Configuration Guide. 4. Reregister the PowerStore system with the PowerProtect Data Manager system, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
AMGHV0015	The Hyper-V Agent version installed on the Hyper-V Server doesn't support file level restore.	The Hyper-V Agent version is not 19.20 or higher.	Update the Hyper-V Agent on the Hyper-V Server to 19.20 or higher and retry the operation.	Critical	Restore
ARO0019	PowerProtect Data Manager Oracle agent cannot perform the online database restore, restore validate and restore preview for the Oracle database because the online database restore, restore validate and restore preview is unsuccessful.	The restore is unsuccessful because the agent cannot perform the online database restore/restore validate/restore preview.	To troubleshoot this issue: 1) Enable the debug logs to obtain more information about the failure. 2) Make sure that the paths specified for the database directories are valid, and that the database is mounted. 3) Make sure that the SCN/timestamp/log-sequence database target path specified for the restore is correct. 4) Verify network connectivity between the client host and the DD system. 5) Verify that the system has sufficient memory to perform the operation. 6) Make sure that the database is not shut down during the restore.	Critical	Restore
ABF0003	The backup command <cmdString> does not specify a valid list of assets <assetList>.	The backup for this asset cannot be completed because the assets specified in the backup command are invalid.	Make sure the assets are valid. If the issue persists, contact Dell Customer Support.	Critical	Protection
CFG0008	<plc>: Protection policy configuration is unsuccessful.	Configuration of the protection policy cannot be completed because an error occurred during the request to the agent host.	Configuration of the protection policy may have failed for a few hosts which are part of this policy. To resolve this issue: 1. Retry the configuration job by selecting the job and clicking on Restart button. 2. If the issue still persists, export the logs by selecting the job and clicking on Export Log. Review the logs for the list of hosts where the configuration has failed. Search for exceptions in exported logs and take necessary actions depending on the error, and then retry the configuration job. 3. If the issue still persists, Contact Dell Customer Support.	Critical	Protection Policy
ASDS0030	Unable to configure the policy because of an error on the application agent.	Configuration of this protection policy cannot be completed because an error occurred on the application agent host.	To resolve this issue: 1. Delete the files in the following directories: On Windows, \INSTALL_DIR\AGENTSERVICECONFIG. On Linux and AIX, /opt/dpsapps/agentsvc/config. 2. In the PowerProtect Data Manager UI, go to Protection > Protection Policies, select this policy, and click Set Lockbox. If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
APU0011	Unable to cancel <operationType> because the agent cannot complete this request.	Cancellation of this job cannot be completed on the agent. The job might have completed before the cancel was started.	Review the agent logs at INSTALLDIR\DPSAPPS\AGENTSERVICE\logs for more details.	Warning	Push Update
ABK0022	Unable to back up namespace <assets> in the Kubernetes cluster 'ck8sClusterName' because the vCenter <vCenterName>' credentials are invalid.	The backup of this Kubernetes namespace was not successful because the username or password entered for the vCenter is not valid.	Reenter the username and password for the vCenter, and then retry the operation.	Critical	Protection
ABD0004	<plc>: Protection Policy backup failed for <assetType> assets on <host> to <target> due to storage failure.	Protection job failed for database assets due to storage failure.	Contact system administrator.	Critical	Protection
ABSD0051	Unable to complete the backup request for the volume <volume> because the block volume protection engine is too busy. Maximum retry duration of <maxRetryProxy> was exceeded.	The backup request for this volume was unsuccessful because the block volume protection engine is too busy to serve backup requests.	To troubleshoot this issue: 1. Make sure protection engines are available for the backup operation. 2. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 3. Wait until the protection engine is not too busy, and then retry the operation.	Critical	Protection
ADT0801	Adhoc backup request received for <assetName>.			Informational	Protection
ABN0043	An issue occurred during the post-backup operations and cleanup of the export rule <exportRuleId> from export policy <exportPolicy> and snapshot <snapshotName>.	Unable to delete the export rule and snapshot during the cleanup operations. The protection is not impacted. However, for NetApp, the inability to clean up the snapshot before the next scheduled backup can lead to unsuccessful backups.	Manual cleanup of the export rule from the corresponding volume export policy and manual cleanup of the snapshot from the corresponding volume are required from the NetApp UI.	Critical	Protection
SYS0087	Unable to delete network <networkName> with IP address <ip> because the following error occurred: <underlineError>.	Deletion of this network was unsuccessful.	Ensure that the network is not in use and then retry the operation. If the issue persists, contact Dell Customer Support..	Critical	System
ARSH0008	Unable to restore the database <sourceAsset> in the instance <sourceInstance> to the target database <targetAsset> in the instance <targetInstance> on the host <host> because the parameter <parameter> required to connect to the SAP HANA database is unavailable in the restore request.	The restore is unsuccessful because the parameter required to connect to the SAP HANA database is unavailable in the restore request.	Make sure that the credentials are set properly in the protection policy settings in PowerProtect Data Manager. If this procedure does not resolve the issue contact Dell Customer Support.	Critical	Restore
IAMADT3227	Identity Provider <arg1> de-registered by user <arg2>.			Informational	System
ABD0003	<plc>: Protection Policy backup failed for <assetType> assets on <host> to <target> due to host failure.	Protection job failed for database assets due to host failure.	Contact system administrator.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABMS0005	Unable to update the copy retention time for the selected copies of the asset <assetName> because a connection with the PowerStore <powerStoreName> cannot be established.	Updating copy retention time for selected copies was unsuccessful because a connection with the PowerStore system cannot be established.	To troubleshoot this issue: 1) Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2) Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3) Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARA0004	Unable to restore the <assetType> asset <asset> on agent host <hostName> because of a certificate issue.	The restore is unsuccessful because PowerProtect Data Manager is unable to securely connect to the agent host due to a certificate issue.	To troubleshoot this issue: 1. Make sure that the certificate is not expired. 2. If a certificate update is required, follow the procedure in the PowerProtect Data Manager Security Configuration Guide.	Critical	Restore
ARP0011	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because the target storage unit was not detected.	The backup copies cannot be replicated because the storage unit on the target storage system might be unavailable.	Validate that the storage unit exists on the target storage system. Confirm in the system jobs that the initial policy configuration job for replication was successful. Validate the replication stage in the protection policy is using the desired storage unit on the target storage system. Then retry the replication job.	Critical	Replication
ASDS0015	An exception occurred while marking missed Application Systems as deleted on host <hostName>: <errors>.	Marking missed Application Systems as deleted was unsuccessful.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ARA0033	Unable to restore the <assetType> asset <asset>.	Storage unit is not managed by PowerProtect Data Manager. As a result, the backup copy(s) cannot be obtained from the PowerProtect DD to initiate the restore.	Use self-service restore command to restore these copies.	Critical	Restore
ABG0016	Unable to backup <asset> on the host <hostName> because the application agent cannot upload metadata files to the PowerProtect Data Domain <devicePath>.	The backup cannot be completed because the application agent cannot upload the metadata files to PowerProtect Data Domain from local host.	To resolve the issue, verify the PowerProtect Data Domain target directory path to upload the metadata files.	Critical	Protection
CPM0018	Dependent copies are missing for <copyCount> backup copies of the asset <assetName> created between <fromDate> and <toDate> on host the <hostName>. <missingObjects>	The dependent copies of one or more backup copies of the specified asset could not be detected.	Perform log backup if not performed already.	Warning	System
SYS0017	Failed to un-register extension with vCenter <vCenterName>.	To support integration with the vSphere client UI, PPDM must register extensions with the vCenter. If this un-registration fails, these features will continue to operate until the un-registration succeeds.	The attempt will be retried until it succeeds, or the vSphere integration setting is changed for this vCenter. If the vCenter was removed from PPDM, the extension(s) should be removed manually.	Warning	System
ABO0019	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database <SID> with database ID <DBID> because the Oracle database system ID is not set.	The backup is unsuccessful because the Oracle database system ID is not set.	Make sure that the database and agent service are running during the backup. Retry the discovery and the backup.	Critical	Protection
ARSGHV0001	Unable to obtain the status of the <sessionType> session because there has been no update on the task for <taskMonitoringThresholdDuration> minutes.	An updated progress and status could not be obtained for this session because the task monitoring timed out.	To troubleshoot this issue: 1. Log in to the Hypervisor Server and check the logs to verify the status of the session. 2. If the task did not complete successfully, restart the task manually, or wait for the next scheduled job.	Critical	Protection
ABD0001	<plc>: Protection Policy backup failed for <assetType> assets on <host> to <target>.	Protection job failed.	Contact backup administrator.	Warning	Protection
ARA0006	Unable to restore <assetType> asset <asset> because of a host connection or agent service issue on agent host <hostName>.	The restore was unsuccessful because either the host cannot be reached or the agent service is not running.	To resolve this issue: 1. Verify that the agent host can be reached. 2. Verify that the agent service is running on the agent host. If the issue persists, contact Dell Customer Support.	Critical	Restore
SYS0065	Expiration for the operating system user account 'userAccount' on host <hostName> is not changed.	An update to the expiration day for this operating system user account was unsuccessful during the initial configuration.	In the PowerProtect Data Manager UI: 1) Select Infrastructure > Networks. 2) On the Networks window, select the network and click Edit. 3) In the Edit Network wizard, go to the Routes page to update the route, and then click Next. 4) Click Finish to save the changes, and then retry the operation.	Warning	System
SYN0006	The destination server <dstPPDMHost> does not share a protection storage system with the source server.	Quick Recovery can only sync when the protection storage system is attached to both the source PowerProtect Data Manager server and the destination PowerProtect Data Manager server.	Make sure the source PowerProtect Data Manager server and the destination PowerProtect Data Manager server share the same protection storage system.	Warning	System
MON0021	System support is not configured.	There are no system support options configured for PowerProtect Data Manager customer support.	Follow the procedure in the PowerProtect Data Manager Administration and User Guide to configure one or more system support options.	Warning	System
APU0004	Unable to <operationType> because a connection with the host cannot be established.	This operation cannot be completed because the host cannot be reached or is temporarily unavailable.	To resolve this issue: 1. Retry the job after some time. 2. If the issue persists, PowerProtect Data Manager is unable to establish a connection to the agent host. Check the network connectivity between PowerProtect Data Manager and the agent host. 3. Verify that the agent service is running on the agent host.	Critical	Push Update
ABHV0008	Unable to back up the virtual machine 'vmNames' because it has unsupported characters 'nameCharacters' in the name or 'pathCharacters' in the file paths.	The backup cannot be completed because the virtual machine has unsupported characters in the name or file path.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. Remove the unsupported characters from the name or from the file path of virtual machine and retry the backup operation.	Critical	Protection
SYS0035	The update from Secure Remote Services to SupportAssist is only partially successful.	During the update from Secure Remote Services to SupportAssist, the Gen3 key is updated successfully. However, the update is incomplete for one or more of the following reasons: 1) SupportAssist was not enabled. 2) Secure Remote Services was not deleted. 3) Connection testing of SupportAssist was unsuccessful.	Contact Dell Customer Support.	Warning	System
UPG0132	Data reindexing is required as part of this update. The reindexing is estimated to add <estimatedTime> minutes to the duration of the update.		You must complete a VM snapshot or DR backup before the update.	Warning	System
ASDS0018	Discovery of Assets failed on the host <hostName> for AddOn <AddOnName>.	The Asset discovery was unsuccessful because the Application System resources could not be obtained.	Check the log files at: 1. On Windows, INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. 2. On Linux or AIX, /opt/dpsapps/agentsvc/logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Warning	Discover

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
APSH0002	Unable to perform the delete operation for the database <asset> belonging to the instance <instance> located on <host> because the parameter <parameter> is not provided to the agent in the delete request.	The delete request is unsuccessful because one or more required parameters are unavailable in the delete request.	Contact Dell Customer Support.	Critical	System
CDR0003	Failed to connect to cloud account.	There is connectivity issue to cloud account.	Check that the cloud account credentials are correct and that there is connection to the account. If connectivity works, and the key is correct, contact support.	Critical	System
ADT6027	The anomaly report for copy of the asset 'cassetName' having id 'cassetid' with 'severity' anomaly severity has been downloaded. This backup was taken at 'backupTime'.			Informational	Protection Copy
ADSD0001	PowerStore discovery cannot be completed because a connection with the PowerStore management address/interface <powerstoreip> cannot be established.	The PowerStore discovery operation was unsuccessful because either the management interface or the user credentials are invalid.	Provide a valid PowerStore management interface and user credentials, and then retry the operation.	Critical	Discover
ARSD0007	Unable to restore the backup to <assetName> because the user credentials for the PowerStore <powerStoreName> are invalid.	The restore operation was unsuccessful for this asset because the provided PowerStore credentials are invalid.	To troubleshoot the issue: 1. Verify that the PowerStore credentials are correct. 2. If incorrect, update the PowerStore credentials in Administration -> Credentials. 3. Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ACF0002	Unable to configure the <assetName> located on <hostName> because the node <node> required for configuration is not provided to the Agent in the configuration request. <errString>.	Test by creating another protection policy with the same PowerProtect DD System and assets. Also check the PPDm logs. If the issue persists, contact Dell Customer Support.	The configuration is unsuccessful because node required for configuration is not provided to the Agent in the configuration request.	Critical	System
ARF0028	Unable to restore for the backup performed at <backupTime> using the overwrite mode 'i n' in the restore command <cmdString>.	The image-level restore cannot be completed because the overwrite mode 'i n' is not supported in the restore command.	For image-level restores, specify the 'i y' overwrite option in the restore command.	Critical	Restore
ARNA0023	Unable to complete the <sessionType> operation because the asset <assetName> cannot be mounted to the target path <targetMountPath>.	Mounting the asset/snapshot to the export path on the NAS protection engine container cannot be completed because an error occurred.	To troubleshoot this issue: 1) Ensure that the share is mountable. 2) Check whether the protection engines have access to the assets. 3) For CIFS assets, validate the credentials being used. 4) Confirm whether the path for share exists. 5) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ADT0234	Setting 'settingName' is changed.		No action required.	Informational	Protection
MON0006	Unable to send an email notification to the email address <emailAddress> because an error occurred on the email server <emailServer>.	An email notification was not successfully sent to the recipient email address. This may be because of a missing subject or content in the email, an invalid or missing email server, or an invalid SMTP configuration.	To resolve this issue: (1) Go to System Settings > Support > Email Setup to verify that the email server is set up correctly. (2) Send a test email to verify network connectivity with the email server. (3) Check the monitoring component logs, located at /var/log/brs/monitoring, for more details.	Critical	System
ARF0039	The <operationName> operation received an invalid port value to mount the Active Directory database.	The mount operation cannot be completed because the specified port value is invalid.	To troubleshoot the issue: 1) Verify that the port is within the valid range. 2) Make sure that the specified port is not in use by another service. 3) Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. 4) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARSH0003	Unable to perform the restore. The agent cannot fetch the name of the target database from the restore request for the job running on host <host>.	Unable to perform the restore because the restore request sent to the agent does not include the essential fields.	Contact Dell Customer Support.	Critical	Restore
IAMADT3008	Registered <arg1> with server address <arg2>, user attribute <arg3>.			Informational	Security
ARF0019	Unable to obtain the PowerProtect DD System password from the restore command <cmdString>.	One or more parameters are invalid or missing from the restore command string.	If the parameter '-h DFA_SI_DD_PASSWORD=the_password' is not specified, the password will be obtained from the lockbox path '-h DFA_SI_DD_LOCKBOX_PATH=the_lockbox_path'. Either of the two parameters shall be specified. Retry the restore with the correct parameters.	Critical	Restore
UPG0112	Duplicate hotfix was found.		Upload another package.	Critical	System
EPERR0006	Unable to complete the request because the job creator service is busy.	This request cannot be completed because the job creator service is currently processing too many requests.	Wait until the job creator service is not busy, and then retry the request.	Critical	Protection Policy
ABK0023	Unable to back up namespace 'assets' in Kubernetes cluster '<k8sClusterNames>' because of a VDDK issue.	The backup of this Kubernetes namespace was not successful because a VDDK operation cannot be completed.	To troubleshoot this issue: Verify that the NBD port on the ESXi host is open. If the ESXi host is busy, wait for some activities to complete and then retry the operation.	Critical	Protection
ADT0103	User <username> has been updated.		No action required.	Informational	Security
ACSD0013	Unable to complete the configuration for asset <assetName> because the PowerStore <powerStoreName> is unavailable.	The asset configuration was unsuccessful because the PowerStore system cannot be reached.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Protection
ACO0504	PowerProtect Data Manager Oracle agent cannot perform the configuration for the Oracle database.	The configuration request is unsuccessful because the Oracle Incremental Merge technology is not supported on an AIX platform.	To resolve the issue, select the Application Direct backup when you create the protection policy and resubmit the configuration request. If the issue persists, contact Dell Customer Support.	Critical	App Host Configuration
NASBK0002	Snapshot and Slice activity Started for nas asset <asset> to <target>.	Snapshot and Slice activity started for nas asset.	No action needed.	Informational	Protection
ASAP0001	Unable to perform the copy deletion on the host <hostName>.	The deletion request is unsuccessful possibly because the database is in a passive state or unavailable on the active node.	Make sure that the database is available on the active node. Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Protection Copy
SYS0006	OS user account password for <userAccount> on host <hostName> is expired.	The password for this operating system (OS) user account is expired and must be changed or reset immediately.	In the PowerProtect Data Manager UI: 1) Click the System Settings icon and select Authentication. 2) For the System Users, review the Password Expiration column to identify the OS user account that requires a password change. 3) Select this account, and then click Edit or Reset. 4) Update the password for the user, and then click Save. If you cannot change or reset the password, contact Dell Customer Support.	Critical	System

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARF0051	Unable to parse the request JSON	The restore operation cannot be completed because the specified JSON is invalid.	To troubleshoot the issue: 1) Click export log. 2) Check the export logs from PowerProtect Data Manager. 3) Review the log file for more details. If the issue persists, contact Dell Customer Support.	Critical	Restore
ADSSD0011	Unable to delete the snapshot <snapshotName> on the PowerStore <powerStoreName> because the snapshot cannot be detected.	This snapshot cannot be deleted on the PowerStore system because it cannot be located. This issue can occur when the snapshot is deleted directly from the PowerStore system. The copy catalog will be deleted.	Login to PowerStore system to determine if the snapshot still exists, and then delete it manually.	Warning	Protection
UPG0073	The update of all PowerProtect Data Manager sub-components is successfully completed.	The PowerProtect Data Manager sub-component update completed successfully for all disruptive and non-disruptive components.		Informational	System
ABN0040	There was a failure observed while executing post-backup operation and clean-up of snapshot/export Policy:Rule <entityName>.	Backup for the NAS asset cannot proceed as there was some failure observed during backup commit/cleanup action	Manual Cleanup might be required 1) For Dell Arrays like Unity, PowerScale and PowerStore, manual clean up is required for the snapshots created on NAS Appliance - Check job logs for the snapshot details 2) For NetApp Array, Cleanup of Snapshot and Export Rule from Volume export Policy will be needed. 3) If there are successful session(s) as part data rollover operation, then cleanup of stale entries in DD might be need as well. Look through logs for more details	Critical	Protection
ALA0006	Unable to monitor the log download session on the host <hostName> because of an agent host connection or agent service issue.	Monitoring of this log download session cannot be completed because of a connection issue with the agent service/application host. This issue occurs when there is a temporary failure in the agent service/application host. Note that the log download session might be running on the client.	If the issue persists, Check the logs manually at INSTALLDIR\DPSAPPS\AGENTSERVICE\logs and INSTALLDIR\DPSAPPS\MSAPPAGENT\logs on the host where the operation was performed.	Warning	Export Log
SYN0004	The destination PowerProtect Data Manager server is unreachable for the sync operation.	The scheduled sync job cannot run due to the destination PowerProtect Data Manager server being unreachable.	Please check if the destination server is operational and the network connection between this server and the destination server is working properly	Warning	Protection
ASSD0012	Unable to complete the local snapshot for <assetName> because the asset is a replica asset and is not protectable.	The local snapshot was unsuccessful because the asset is a replica asset and is not protectable. This might be due to a recent change in the replication direction of that asset in the PowerStore system.	To troubleshoot this issue: 1) Initiate a discovery of PowerStore. 2) Remove the replica asset from the protection policy. 3) Verify that the primary asset is added to the protection policy. 4) Retry the operation.	Critical	Protection
APO0010	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database because the system ID is unavailable.	The required 'DBID' information is not available in the delete request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and the PowerProtect Data Manager version are compatible.	Critical	Protection Copy
ARF0010	Unable to create the restore target <targetPath> on the host <hostName>.	The restore of this object in the backup copy cannot be completed because either there are problems with the integrity of the backup copy or the object status is corrupt.	Verify that the target path for the restore exists.	Critical	Restore
ADT0627	Network "<names>" expansion in progress.			Informational	System
ADT0626	Network "<names>" deletion in progress.			Informational	System
ARSD0035	Unable to perform the restore because there were no volumes detected in the target asset <assetName>.	To troubleshoot this issue: 1) Verify that the target asset contains the number of volumes required to perform this operation. 2) Perform a manual discovery of the target asset's storage system. 3) Retry the operation. 4) Perform the restore to an alternate location on the storage system.	The restore operation for this asset was unsuccessful because PowerProtect was unable to detect any volumes in the target asset.	Critical	Restore
ADT0894	The lazy migration process was initiated manually.		No action required.	Informational	System
SYN0008	Server Sync is not successful because the source server version <srcVersion> is not compatible with the destination server version <destVersion>.	Server Sync cannot be completed because Quick Recovery can only sync between compatible PowerProtect Data Manager versions.	Make sure the source PowerProtect Data Manager version is compatible with the destination PowerProtect Data Manager version.	Critical	System
UPG0084	The updated PowerProtect Data Manager version is compatible with Secure Connect Gateway (SCG) version <minimumGatewayVersion> or higher.		Update the Secure Remote Services (SRS) or SupportAssist Enterprise (SAE) gateway or Secure Connect Gateway (SCG) to a version compatible with the SCG version. Refer to the eLab Navigator for the most up-to-date software compatibility information for PowerProtect Data Manager, available at https://elabnavigator.dell.com/eln/modernHomeDataProtection .	Critical	System
ADT1026	Server disaster recovery completed the restore of the backup <backup_name> : <id> with an expired certificate tree.	The disaster recovery completed the restore of the backup with an expired root certificate tree. The customer accepted the risks of restoring the backup.	No action is needed.	Informational	Server Dr
ABV0023	VM Direct engine '<vproxy>' is unable to back up the virtual machine '<vmNames>' on vCenter '<vCenterName>' because of a connection issue.	The VM Direct engine cannot complete the backup of this virtual machine because a connection cannot be established between the VDDK and the ESXi host.	To troubleshoot this issue: 1) Verify that the NBD port on the ESXi host is open. 2) If the ESXi host is busy, wait for some activities to complete and then retry the operation.	Critical	Protection
UPG0140	Detected a mismatch of the AD or LDAP server hostname <hostname> with the certificate CN/SAN entries.		Security enhancements do not allow the mismatch between an AD or LDAP server hostname and the CN/SAN entries of the AD or LDAP certificate. Resolve the mismatch between the AD or LDAP server hostname and the certificate CN/SAN entries, and then retry the update precheck.	Critical	System
ADT0910	System firewall outbounds have been updated.			Informational	System
ADT0620	Request initiated to change the status of <componentDisplayName> to <newStatus>.			Informational	System
ADT0203	Protection Policy <plcName> is enabled.		No action needed.	Informational	Protection Policy
ABNA0043	Unable to complete the <sessionType> operation because the snapshot path of the share <assetName> for snapshot <snapshotName> cannot be detected.	Creation of the snapshot access path for the asset cannot be completed because an error occurred.	To troubleshoot this issue: 1) Check the array to ensure that no errors occurred during path creation. 2) Verify that a valid NAS server user name has been specified. 3) When the NAS server is configured to the AD domain, verify that the NAS backup user is configured with a single identifier (user@domain) in the protection policy. For example, for the NAS server credential User@domain.com, also use "User@domain" during the policy and asset level configuration. 4) Review the vendor specific message for more details and to address the error.	Critical	Protection
ALA0010	Unable to obtain the progress of the export log job because a component restart occurred.	The progress of the export log job cannot be obtained because an unexpected component restart occurred during the session. However, the export log session might still be in progress or might have completed on the agents.	Check agent logs for more details.	Warning	Export Log

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARNA0002	Unable to complete the <sessionType> operation because no slices were detected for the asset <assetName> with backup copy ID <txnId>.	The NAS agent cannot detect the slice details for the backup copy from the metadata file on the PowerProtect DD System.	To troubleshoot this issue: 1) Check and address the vendor specific message for more details. 2) Retry the operation.If the issue persists, contact Dell Customer Support.	Critical	Restore
CSM0009	Cloud Snapshot Manager failed to generate <report_type> for tenant <tenant_id>.	The Cloud Snapshot Manager service failed to generate the report due to an internal error.	Contact backup administrator with Cloud Snapshot Manager access.	Critical	System
ADT0227	Manual <objectiveType> triggered for <num> protection group(s) under protection policy <plcName> to target storage <storages>, with configuration: default retention time <retentionTime>, specified retention time: <extendedRetentionTime>.		No action required.	Informational	Protection
SYS0023	Another server on network "<networkName>" uses the IP address <ip>.		Replace the IP address entry with another available address for network and try again.	Critical	System
ACE0001	Unable to verify the DD Boost credentials for access to the DD storage unit <StorageUnit> on DD host <DDHost>.	Microsoft Exchange Server application agent was unable to verify the DD Boost credentials from PowerProtect Data Manager.Possible reasons for the issue: 1. PowerProtect DD might be turned off. 2. The password for PowerProtect DD device host might have been updated after the set lockbox request. 3. PowerProtect DD might have been disabled.	1. Turn on the PowerProtect DD if it is turned off. 2. Retry the set lockbox request. 3. Log in to the DD device host and run the ddboost enable command. If the problem persists, contact Dell Customer Support.	Critical	App Host Configuration
ADT5005	The attribute '<attributeName>' is changed in the Restore Plan '<planName>'.		No action required.	Informational	Restore Plan
ARF0055	An error occurred during the local mount operation.	Unable to mount the Active Directory database.	To troubleshoot the issue: 1) In the command line, verify that the necessary parameters are correctly specified. 2) Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. 3)Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ADS0016	<discoveryType> vApp asset discovery on the Cloud Director '<cloudDirectorName>' is unsuccessful.	Discovery of the vApp assets on the Cloud Director cannot be completed because PowerProtect Data Manager is unable to process the discovered assets.	To troubleshoot this issue: 1. Review the log file <var/log/brs/cdvappdm/cdvappdm-discovery.log> to determine if other issues exist. 2. Wait for PowerProtect Data Manager to perform the next scheduled discovery.	Critical	Discover
CERT0008	Regeneration of the root certificate and associated host certificates is completed with a status of <result>.	Root certificate regeneration can have one of the following statuses: -FAILED - The process failed before it could replace certificates. -PARTIAL - the process has successfully regenerated the certificates, but the post certificate regeneration steps for one or more components failed. -SUCCESS - The process has successfully regenerated the certificates.	If the status is SUCCESS, no action is required. If the status is PARTIAL or FAILED, retry the certificate regeneration request.	Informational	Security
ARO0537	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore is unsuccessful because of the following reasons: The restore target database current incarnation does not matched the Fast Copy backup incarnation. The agent cannot create the OCI connection for the mounted database.	To resolve this issue: 1. Make sure that the specified database recovery options are valid. 2. Select the valid backup copy and provide the appropriate System Change Number, Time Stamp, or Log Sequence. 3. Resubmit the restore request.	Critical	Restore
ADT0115	SecurID multi-factor authentication configuration is updated.		No action required.	Informational	Security
ARSH0009	Unable to restore the database <sourceAsset> in the instance <sourceInstance> to the target database <targetAsset> in the instance <targetInstance> on the host <host> because the parameter <parameter> required for restore is unavailable in the restore request.	The restore is unsuccessful because the parameter required for restore is unavailable in the restore request.	Create another protection policy for testing, and include the same assets.If this procedure does not resolve the issue contact Dell Customer Support.	Critical	Restore
ARO0513	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>'.	The restore request is unsuccessful because the agent cannot start the database with the pluggable database parameter set to the true value.	To resolve this issue: 1. Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later. 2. Make sure that the pluggable database of the Oracle database for the selected asset is available and running. 3. Check for any RMAN or Oracle utility error that starts with RMAN- or ORA- in the Details > Errors > Read More section of the unsuccessful protection job, perform the appropriate action, and resubmit the restore request.	Critical	Restore
ABSH0005	Unable to protect the database <asset> belonging to the instance <instance> located on <host> as the agent cannot trigger the hdbsqi backup command.	The protection request is unsuccessful because of an agent error.	Bring the SYSTEMDB and Target DB databases online by using either SAP HANA Studio or the hdbsqi command.If this procedure does not resolve the issue, contact Dell Customer Support.	Critical	Protection
APU0015	Unable to <operationType> because of an Application Data Management Service restart.	The operation cannot be completed because an Application Data Management Service restart occurred while processing the operation.	Wait for the component Application Data Management Service restart to complete, and then retry the operation.	Critical	Push Update
ARO0554	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore request is unsuccessful because the Oracle incremental Merge restore is unable to crosscheck, restore validate and restore preview the datafile backups.	To resolve this issue: 1. Enable the debug logs, check for any RMAN or Oracle utility error that starts with RMAN- or ORA- in the Details > Errors > Read More section of the unsuccessful protection job, perform the appropriate action. 2. Make sure that the specified pathnames for the selected database directories are valid. 3. Make sure that the system has sufficient memory. 4. Make sure that the specified database recovery options for the System Change Number, Time Stamp, or Log Sequence are valid. 5. Make sure that the IP addresses or hostnames of the selected asset source and PowerProtect Data system are accessible. 6. Make sure that the database is not shutdown during the restore.	Critical	Restore
UPG0123	Cannot perform the update because this package has not been prechecked at least once.		Make sure precheck has been triggered and passed before update.	Critical	System
ARV0016	VM Direct engine is unable to restore the virtual machine '<vmName>' on vCenter '<vCenterName>' because of a protection storage issue.	The VM Direct engine cannot complete the restore of this virtual machine because of an issue on the PowerProtect DD.	Verify that the protection storage '<storageSystem>' is fully functional.	Critical	Restore
UPG0141	Unable to reach the AD or LDAP server with hostname <hostname> during the update.		During the update, some IAM related processes require all AD and LDAP servers to be reachable for communication. Make sure that the AD or LDAP server is online and reachable, and then retry the update precheck.	Critical	System

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ACSD0028	Unable to complete the array configuration for the asset source <managementName> because of an issue with the DPIAM user management credentials for <ddManagementUser>.	The array configuration for this asset source was unsuccessful because there is an issue with the management credentials of this user.	To troubleshoot this issue: 1. Make sure that the password is not expired and is up-to-date in PowerProtect Data Manager Appliance. 2. If the password is expired, then you must first change the password of this user in the DM5500 system. Update the same password of the corresponding user in the DM5500 system. 3. Make sure that user <ddManagementUser> is not deleted in the DM5500 system. If the user is deleted, create the same user with the role "user". Update the credentials in the PowerProtect Data Manager Application UI under Administration->Credentials. If the issue persists, contact Dell Customer Support.	Critical	Protection
ACF0006	Unable to configure the <assetName> located on <hostName> because access to the PowerProtect DD System <DDHostName> is not allowed. <errString>.	Make sure the configuration of the PowerProtect DD System is done correctly and it is reachable. Also check if the credentials for PowerProtect DD System is valid. If this procedure does not resolve the issue, contact Dell Customer Support.	The configuration is unsuccessful because access the PowerProtect DD System is not allowed.	Critical	System
ADT0612	System License capacity has been updated.		No action needed.	Informational	System
RMS0005	Protection Rule <name> is created.	The protection rule was successfully created.	No action required.	Informational	Protection
ABD0002	<plc>: Protection Policy backup failed for <assetType> assets on <host> to <target> due to AppAgent failure.	Protection job failed for database assets due to AppAgent failure.	Contact system administrator.	Critical	Protection
ABO0020	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database because the database ID is not set.	The required 'DBID' information is not available in the backup request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection
SYS0060	Backup of SupportAssist is unsuccessful.	Backup of SupportAssist is unsuccessful for one of the following reasons: 1) Unable to generate the SupportAssist gz file. 2) The size of backup is 0B.	If the issue persists, contact Dell Customer Support.	Warning	System
ABD0005	<plc>: Protection Policy backup failed for <assetType> assets on <host> to <target> due to credential failure.	Protection job failed for database assets due to credential failure.	Contact system administrator.	Critical	Protection
ARSD0023	The instant access operation on the asset <assetName> failed because the proxy volume count does not match with the number of volumes in the volume group.	The Instant Access operation was unsuccessful for this asset because the proxy volume count and the number of volumes in the volume group does not match.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
UPG0048	The update of all disruptive PowerProtect Data Manager sub-components is successfully completed.	The PowerProtect Data Manager disruptive sub-component update completed successfully. The update of some non-disruptive sub-components might continue in the background, however, PowerProtect Data Manager is returned to Operational mode.	No action is required. To monitor the update progress of non-disruptive sub-components, use the PowerProtect Data Manager UI Jobs window.	Informational	System
ADT0106	Agent auto allowlist is enabled.		No action needed.	Informational	Security
ADT0534	Agent <ip> rejected from allowlist.		No action needed.	Informational	Protection Infrastructure
ADT0533	Agent <ip> approved and added to allowlist.		No action needed.	Informational	Protection Infrastructure
ADT0532	Agent <ip> removed from allowlist.		No action needed.	Informational	Protection Infrastructure
ADT0107	Agent auto allowlist is disabled.		No action needed.	Informational	Security
ADT0403	A new objective <slsName> added to <slsName>.		No action needed.	Informational	Compliance
ADSD0021	Unable to discover the Unisphere server <u4pip> because a Unisphere connectivity issue occurred.	The Unisphere discovery operation was unsuccessful because of a connectivity issue with the Unisphere server.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2. Confirm that there is no packet loss between PowerProtect Data Manager and Unisphere. 3. Confirm that all the arrays managed by Unisphere are connected and working properly. 4. Make sure that the Unisphere server is running. 5. Make sure that Gatekeeper devices are configured properly. 6. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error.	Critical	Discover
ABO0038	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database '<SID>' with database ID '<DBID>' because the unique ID is not set.	The backup is unsuccessful because of an agent error.	Make sure that the Agent Service version is the same or later than the Oracle RMAN Agent version.	Critical	Protection
ABN0002	Delete Snapshot stage for the backup job with NAS asset <asset> and target <target> completed successfully. The job started at <startTime> and completed at <endTime>.	The Delete Snapshot stage is complete for the NAS backup job. The backup job consists of three steps, or stages: Snapshot And Slice-The NAS asset is broken into multiple chunks so that these chunks can be backed up in parallel. Backup Snapshot-The actual backup data rollover is performed. Delete Snapshot: The backup is committed, and then clean up is performed.	No action needed.	Informational	Protection
HMPR0006	Unable to complete the restore job for <FAILED> assets.	Unable to complete the restore job <ACTIVITY> for <FAILED> assets.	In the PowerProtect Data Manager UI, go to Jobs > Protection Jobs or the Alerts window for more information about jobs that did not complete successfully.	Critical	Protection
ARSD0047	Unable to create the storage group on the PowerMax storage array <storageName>.	An error occurred while creating the storage group.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information to troubleshoot the error, and then retry the operation.	Warning	Restore
PTPP0001	<errorMsg>			Critical	System
ADT0407	Service Level Agreement <slsName> is enabled.		No action needed.	Informational	Compliance
ABF0019	Skipping the backup for asset <assetName>. Unable to initialize the block-based backup on the host <hostName> because the following error occurred: <errString>.	The backup of this asset cannot be completed because an error occurred when initializing the block-based backup.	Review the error message for more details. When the issue is resolved, retry the operation.	Critical	Protection
ADT0614	System time zone has been updated.		No action needed.	Informational	System
ARV0006	Instant Access session for <vmName> on vCenter '<vCenterName>' will expire at <expirationTime>.	The Instant Access session for this virtual machine will expire at the time indicated. When the session expires, the virtual machine will be removed.	To continue the Instant Access session for this virtual machine, extend the session expiration time, or vMotion the virtual machine.	Warning	Restore
CFG0001	<plc>: Unable to configure the protection policy because of the following error: <err>.	The configuration of this protection policy cannot be completed because an error occurred.	To troubleshoot this issue: 1. Retry the policy configuration job. 2. If the job fails, recreate the protection policy. If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
ADS0011	Unable to discover protection storage <storageSystem> with address <host> because the certificate is invalid.	Discovery of the protection storage system was unsuccessful because of one of the following reasons: 1.The PowerProtect Data Manager certificate and the PowerProtect DD System certificate do not match. 2.The certificates have expired.	To troubleshoot this issue: 1. Verify that the PowerProtect Data Manager certificate matches the PowerProtect DD System certificate. Make sure that the certificates have not expired. 2. If a certificate update is required, review the procedure in the PowerProtect Data Manager Security Configuration Guide.	Critical	Discover

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
CPM0001	Unable to delete copies for <asset> from protection storage <storageSystem> in storage unit <suName> because of connection issues on the storage system.	PowerProtect Data Manager was unable to delete copies for some reasons: 1) Network connection issues with the storage system. 2) The file system on the storage system is not running or the file system encountered an error. 3) The credential for the storage unit is invalid. 4) The storage unit on the storage system might be unavailable.	The copy deletion will be retried automatically at a later time. To troubleshoot this issue: 1) Verify that the storage network configuration or connection is correct. 2) Make sure that this file system is enabled on the storage system. 3) Verify that username and password for the storage unit correct. 4) Validate that the storage unit exists on the storage system. If the issue persists, contact Dell Customer Support.	Warning	Protection Copy
ABHV0029	Unable to perform checkpoint cleanup for the backup because the following error occurred: <errString>.	The deletecheckpoint operation cannot be completed because of an error.	To troubleshoot this issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. Retry the operation after the current operation completes.	Critical	Protection
AUSD0008	Unable to remove the configuration for the asset <assetName> because a required resource cannot be located in the PowerStore <powerStoreName>.	The configuration cannot be removed for this asset because a resource required for this operation is unavailable in the PowerStore system.	To troubleshoot this issue: 1) Review the extended message for more information about the missing resource. 2) Verify that the required resource has not been deleted. 3) Run a manual discovery of the asset source in PowerProtect Data Manager, and then retry the operation.If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
SYS0029	The most recent heartbeat detection with SupportAssist is unsuccessful.	SupportAssist is unable to respond to the request, and will be restarted.	If the issue persists, contact Dell Customer Support.	Warning	System
ADT0630	SMTP server settings have been <operation>.		No action required.	Informational	System
ABS0016	Backup of database <asset> on host <hostname> and instance <instance> is unsuccessful because the asset natural ID was not found.	The asset ID of the asset in the host does not match the asset ID requested for the backup. Possible reasons for the mismatch: 1. Instance or asset was deleted and re-created with the same name. 2. Disaster recovery occurred but new assets were not discovered.	To resolve the issue, rerun the discovery for the asset <asset>. 1. In the PowerProtect Data Manager UI, go to Infrastructure > Asset Sources. 2. Select the asset source <hostname>. 3. Click Discover. 4. After discovery is complete, add the new assets from the instance <instance> to the policy. 5. Rerun the backup. If the problem persists, contact Dell Customer Support.	Critical	Protection
ADT0906	Search Node <searchNodeName> has been configured.			Informational	Protection Infrastructure
SYS0078	The following VM Direct Protection Engine(s) are disabled on the host <hostName>: <vProxyNames>.	One or more VM Direct Protection Engines have been added in PowerProtect Data Manager, but some of these protection engines are not enabled, which can result in virtual machine protection issues.	Enable the VM Direct Protection Engine(s). The PowerProtect Data Manager Virtual Machine User Guide provides instructions.	Warning	System
ADSD0020	Unable to discover the PowerMax system <powerMaxId> because a Unisphere connectivity issue occurred.	The PowerMax discovery operation was unsuccessful because of a connectivity issue with the Unisphere server.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2. Confirm that there is no packet loss between PowerProtect Data Manager and Unisphere. 3. Confirm that all the arrays managed by Unisphere are connected and working properly. 4. Make sure that the Unisphere server is running. 5. Make sure that Gatekeeper devices are configured properly. 6. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error.	Critical	Discover
ASDR0013	The disaster recovery backup schedule cannot be enabled.	The server disaster recovery service is unable to enable the backup scheduler because of the scheduler service timing out.	Retry the "Enable Backup" switch on the server disaster recovery configuration page. If the issue persists, contact Dell support.	Critical	Server Dr
ARP0001	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because of network connection issues on the storage system.	The backup copies cannot be replicated because the network connection ended on the storage system.	Review the "Add Protection Storage" section in the PowerProtect Data Manager Administration Guide. Verify that the storage network configuration or connection is correct, and then retry the operation.	Critical	Replication
AAA0003	Unable to complete the archive operation because setting up the ZMQ communication is unsuccessful.	The archive operation cannot be completed because the ZMQ communication cannot be established.	To troubleshoot this issue, check the vendor-specific message for more details and address any requirements.	Critical	Protection
ACSD0030	Unable to complete the array configuration for the PowerMax array <arrayName> because there is no masking view for the storage group.	The array configuration for this PowerMax array was unsuccessful because a masking view does not exist for the storage group.	To troubleshoot this issue: 1. Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2. Confirm that all the arrays managed by Unisphere are connected and working properly. 3. Verify protection engine host zoning with the array and check the masking view exists or not for the proxy storage group 4. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 5. Retry the operation at a later time.	Critical	Protection
ARV0009	VM Direct engine is unable to restore the files to virtual machine '<vmName>' on vCenter '<vCenterName>' because no objects can be restored.	Restore of the files to this virtual machine was unsuccessful because the VM Direct engine is unable to restore any objects.	To troubleshoot this issue, perform the following and then retry the operation: 1) Verify the user has permission to the files in the target directory. 2) If the guest virtual machine is too busy, wait for some activities to complete. If the issue persists, contact Dell Customer Support.	Critical	Restore
CPL0002	Activity failed to validate a particular compliance service level objective <sloName>.	Fatal Verification Failure processing objective.	Check the compliance verification summary in Jobs Monitor for more details.	Warning	Compliance
NR0016	Unable to update the reporting engine maintenance status after data migration activity on the reporting engine <reportingEngine>.	The reporting engine status cannot be updated after the data migration activity.	Contact Dell Customer Support to move the reporting engine to the ready state.	Critical	Reporting
ADT7001	Quick-recovery configuration for the host <hostname> is successful.	The <direction> configuration is created for the host <hostname>.	No action required.	Informational	System
ABV0016	VM Direct engine '<vproxy>' is unable to back up the virtual machine '<vmName>' on vCenter '<vCenterName>' because of a vCenter API issue.	The VM Direct engine cannot complete the backup of this virtual machine because a vCenter API operation did not complete successfully.	To troubleshoot this issue: 1) Verify that the vCenter can be reached. 2) If the vCenter is busy, wait for some activities to complete and then retry the operation. 3) Verify that the virtual machine exists on the vCenter.	Critical	Protection
ADT0111	Remote access provision has been created.		No action required.	Informational	Security
ASRA0001	Unable to restore the <assetType> asset <asset> on the agent host <hostName> because of an error on the application agent.	Restore of this asset cannot be completed because a lockbox error occurred on the application agent host.	To resolve this issue: 1. Delete the files in the following directories: On Windows, \INSTALL_DIR\AGENTSERVICE\CONFIG. On Linux and AIX, /opt/dpsapps/agentsvc/config. 2. In the PowerProtect Data Manager UI, go to Protection > Protection Policies, select this restore asset's policy, and click Set Lockbox. If the issue persists, contact Dell Customer Support.	Critical	Restore
DIA0008	<count> inconsistent copies detected for asset <assetName> on asset source <assetSource> in data target <dataTarget> due to long dependency chain: <copies>	The data in these backup copies is inconsistent because dependency chain is too long.	Modify protection policy setting to shorten the dependency chain.	Critical	Compliance

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABHV0016	Unable to check for stale checkpoint entries from the previous backup because the following error occurred: <errString>.	The checkpoint operation cannot be completed because of the error during stale cleanup.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. If the error says "unable to find virtual machine with ID", verify that the virtual machine is included in the protection policy. 3. If the VM is in a "non-detected" state under the protection policy, rerun the discovery process and add the newly detected VM with the same name to the protection policy.	Critical	Protection
ABO0525	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because the RMAN process cannot perform the incremental backup.	To resolve this issue: 1. Make sure that the mounted pathname is not unmounted manually during the backup. 2. In the PowerProtect Data Manager UI, check for any RMAN or Oracle utility error that starts with RMAN- in the Details > Errors > Read More section of the failed protection job, and perform the appropriate action. 3. Resubmit the backup request.	Critical	Protection
ARP0002	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because of source copy data issues.	The backup copies cannot be replicated because of data integrity issues detected in the copy metadata.	Retry the replication job. If the issue persists, contact Dell Customer Support.	Critical	Replication
ABF0025	Skipping the backup for this asset as it is excluded.	The backup of this asset cannot be completed because it has been excluded using exclusion filters.	Review the exclusion filters applied while creating the policy for this asset.	Critical	Protection
ARP0029	<plc>: Unable to cancel the replication job for <assetType> <asset> on <host> to <target> because the job is already complete.	A cancel request cannot be processed when the job is complete.		Informational	Replication
ABS0013	Backup of <asset> is skipped from backup on <hostname> \ <instance>.	Detected no full backup of the database. Hence the backup will be skipped as 'Backup Promotion' is set to NONE or NONE_WITH_WARNINGS.	Set the 'Backup Promotion' to ALL in the protection policy. Steps: 1. Go to Protection -> Protection Policies. 2. Select the required protection policy. 3. Select 'Edit', and go to 'Options' page. 4. Select ALL for 'Backup Promotion'.	Critical	Protection
ARF0061	Unable to modify the link of the GPO: <objectDN> for <getDN>.	The operation failed with an LDAP error when trying to modify the Group Policy Object link in the Active Directory.	To troubleshoot the issue: 1) Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARA0012	Unable to obtain the progress of the restore job because a component restart occurred.	The progress of the restore job cannot be obtained because an unexpected component restart occurred during the session. The restore, however, might still be in progress or might have completed on the agents.	Click export log and review the log file to determine the status of the restore job.	Warning	Restore
ADT5006	The restore group attribute 'attributeName' is changed in the Restore Group 'groupName' of the Restore Plan 'planName'.		No action required.	Informational	Restore Plan
ADP0012	Unable to delete the catalog for backup copies <copyDeletionFailIds> because application connection information is unavailable.	The catalog for these backup copies cannot be deleted because connection information is unavailable for the PowerProtect Data Manager asset, host, and protection policy.	Make sure that valid credentials are specified for the host, asset, and protection policy.	Warning	System
ABO0540	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because the agent cannot obtain the Oracle username from the installed Oracle home provided in the backup request.	To resolve the issue, confirm the installed Oracle home and resubmit the backup request. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARP0003	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because the capacity limit is reached on the target storage system.	The backup copies cannot be replicated because the capacity limit has been reached on the storage system.	Create more capacity on this storage system, or select a new storage system, and then retry the operation.	Critical	Replication
SYS0048	Log bundle operation is canceled by the system.	PowerProtect Data Manager cancels existing log bundle jobs when the system is restarting or in a maintenance state.	To troubleshoot this issue: 1) Make sure PowerProtect Data Manager is not being updated. 2) Make sure that PowerProtect Data Manager is not restarting. 3) If the issue persists, contact Dell Customer Support.	Warning	System
ABHV0021	Unable to establish connection to the storage data target.	The datamover operation cannot be completed because establishing a connection to the storage data target was unsuccessful.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. Verify that data storage is properly configured and network connectivity is stable. 3. Make sure the maximum data storage connection limit has not been reached. 4. Retry the backup operation.	Critical	Protection
ADHP0008	Unable to run the precheck operation.	One potential reason for the precheck issue is that the WMI service is not running.	Make sure that all necessary services are active and operational on the hypervisor cluster or server.	Critical	Discover
MON0025	Unable to back up the PowerProtect Server because this backup is not configured.	The PowerProtect Server backup cannot be completed because Server Disaster Recovery is not configured.	Dell Technologies recommends configuring Server Disaster Recovery in order to protect and recover the PowerProtect Server from a disaster. Follow the procedure in the PowerProtect Data Manager Administration and User Guide to configure this system backup.	Warning	System
ABA0010	<plc>: Unable to monitor backup session of <assetType> asset <asset> in host <hostName> because of an agent host connection or agent service issue. The backup session might be running on the client.	Monitoring of this backup session cannot be completed because of a connection issue with the agent service/application host. This issue occurs when there is a temporary failure in the agent service/application host.	Click export logs to verify that the backup is running on the agent host.	Warning	Protection
IAMADT3006	User <arg1> has been updated.			Informational	Security
ABO0029	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database <SID> with database ID <DBID> because the PowerProtect DD system username and password cannot be obtained from the configuration file.	The backup request is unsuccessful because the PowerProtect DD system username and password cannot be obtained from the configuration file. The configuration lockbox file is modified or removed.	Remove the old lockbox files. To set the lockbox in the UI, select the required policy in the Protection Policies window and then click Set Lockbox. If the issue persists, create a new protection policy.	Critical	Protection
IAMADT3038	User <arg1> has successfully tested the connection for the SMTP server <arg2>.			Informational	Security
AGRA0001	Unable to register the agent because a connection to the agent host <hostName> cannot be established.	The agent registration cannot be completed because the agent host cannot be reached or is temporarily unavailable.	To troubleshoot this issue: 1) Check the network connectivity between PowerProtect Data Manager and the agent host. 2) Ping or use similar network tools on the host to check the network access to PowerProtect Data Manager. 3) Verify that the agent service is running on the agent host. If the issue persists, contact Dell Customer Support.	Critical	System
ACHP0007	Unable to fetch the agent information.	The process to fetch the agent information encountered an error.	Make sure that the agent is installed. Check the logs for more information.	Critical	Protection Policy
ABF0005	Unable to perform the backup because PowerProtect Data Manager was not able to connect to the PowerProtect DD System <DDHostName>.	The backup cannot be completed because the File System agent was unable to connect to the PowerProtect DD System. This issue occurs if the PowerProtect DD system password is either missing or invalid, and if the lockbox path was not specified.	Specify a valid password and lockbox path for the PowerProtect DD System.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ADT7021	Update of a quick-recovery configuration for the host <hostname> is successful.	The <direction> configuration for the host <hostname> is updated.	No action required.	Informational	System
ASDS0024	An exception occurred while marking missed Assets as deleted on host <hostName>: <errors>.	Marking missed Assets as deleted was unsuccessful.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ABSD0054	Unable to link the snapshot of source volume(s) <sourceVolumes> with the target volume(s) <targetVolumes> on the PowerMax storage array <storageSystem> for the backup of the asset <assetName>.	The linking operation for the specified source snapshot and target volume(s) was unsuccessful because an internal server error occurred while processing the request in the PowerMax storage array.	To troubleshoot this issue: 1. Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2. Confirm that all the arrays managed by Unisphere are connected and working properly. 3. Verify that the volume(s) exists in the storage group. 4. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 5. Retry the operation at a later time.	Critical	Protection
ABSD0002	Unable to backup the asset <assetName> because a socket timeout error occurred while connecting with the PowerStore <powerStoreName>.	The backup was unsuccessful because a socket timeout error occurred while querying the data from the PowerStore system.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABS0008	Backup of <asset> is skipped from backup on <hostname> \ <instance>.	Backup of the database will be excluded as it is part of Always On availability group. Backups ignore the databases which are part of an Always On availability group unless they are run as federated backup.	Backup is not supported for database <asset> which is a part of an Always On availability group, except for federated backups. Perform federated backup.	Critical	Protection
ADGHV0002	Unable to complete the discovery of the <plugin-service> machine.	The discovery job cannot be completed because a connection with the plugin service cannot be established.	To resolve this issue: 1. Verify that the hypervisor plugin service is running. 2. Verify that the hypervisor plugin service network configuration or connection is correct. Click Export Logs to for more information about the error.	Critical	Discover
ADT0112	Remote access provision <subject> has been granted the role(s): <roleAfter>		No action required.	Informational	Security
ABK0020	Unable to back up namespace 'asset' in Kubernetes cluster 'k8sClusterName' because the protection storage is too busy.	The backup of this Kubernetes namespace was not successful because there is too much activity in progress on the protection storage.	Reduce the number of concurrent backups, or wait for some activities to complete and then retry the operation.	Critical	Protection
ABN0030	Unable to process the NAS backup request because the DD network interface <networkInterface> assigned to asset <asset> for this backup job is not compatible with the NAS Server/network pool IP addresses configured for NAS Share/Export on the Storage Array.	The NAS backup request cannot be completed because the DD network interface that was selected in the protection policy or at the asset level is incompatible with the NAS Server/network pool IP addresses assigned to NAS Share/Export on the NAS Storage Array. None of the NAS server/network pool IP addresses associated with the NAS asset matches the IP version of the DD system. Communication from the NAS Protection Engine to the DD and Appliance over a different IP version is currently not supported for NAS protection.	Make sure that the IP version of the NAS Server or network pool addresses is compatible with the IP version of the DD network interface. This can be achieved through one of the following ways, in decreasing order of precedence: 1) Set the appropriate network interface at the asset level. 2) Set the appropriate network interface at the protection policy level. 3) Make sure that the NAS share or export is associated with at least one NAS Server or Network Pool address that is compatible with the selected DD Network Interface.	Critical	Protection
ADT0303	Asset copy retention lock request received for <assetName>.		No action needed.	Informational	Protection Copy
ARA0029	Unable to perform the restore of the <assetType> asset <asset> on the destination host <hostName>.	The restore is unsuccessful because the application agent version on the destination host is not supported for the restore operation with PowerProtect Data Manager.	Verify that the application agent version on the destination host is 19.15 or later to support the restore operation with PowerProtect Data Manager.	Critical	Restore
CPLE0016	Data in the following copies is inconsistent: <copyIds>	The data in these backup copies is inconsistent because one or more files in the protection storage could not be detected.	Contact Dell Customer Support.	Critical	Compliance
ABV0015	VM Direct engine 'vproxy' is unable to back up the virtual machine 'vmName' on vCenter 'vCenterName' because the protection storage is busy.	The VM Direct engine cannot complete the backup of this virtual machine because of insufficient resources on the protection storage.	To troubleshoot this issue, perform one of the following and then retry the operation: 1) Wait for some activities to complete. 2) Reduce the number of concurrent backups or restores.	Critical	Protection
ABE0013	Backup job is unsuccessful on the host <host> because the storage unit <DD_storage_unit> is unavailable.	Refer to msagentsv.log for more information on Exchange Server.	Check the storage unit availability on storage system.	Critical	Protection
APU0008	Unable to <operationType> because of an issue with the memory and disk space on the host.	This operation cannot be completed because the memory and disk space are insufficient on the host.	Make sure that there is sufficient free memory and disk space on the host. For the update, the minimum requirements are <requiredMemory> MB of memory and <requiredDiskSpace> MB of disk space.	Critical	Push Update
ADT1030	"The selector for the <plcName> protection policy's <stageType> objective is changed."		No action required.	Informational	Protection
ASDS0029	Discovery of assets for addon <AddOnName> is unsuccessful on host <hostName> because of the following errors: <errors>.	The asset discovery is unsuccessful.	Check the log files at the following locations for more information: On Windows: INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. On Linux or AIX: /opt/dpsapps/agentsvc/logs.	Critical	Discover
ARHV0008	Unable to import and apply configuration changes to the restored virtual machine <vmName> because the following error occurred: <errString>	An error occurred while importing and applying configuration changes to the restored virtual machine.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. Verify the restore options. 3. Retry the restore operation.	Critical	Restore
ABA0008	<plc>: Unable to backup <assetType> asset <asset> on agent host <hostName> because of a network connectivity issue.	The protection policy backup was unsuccessful because of an issue with the network connection.	1. There may have been a temporary connectivity issue. Retry the operation again manually. 2. If issue persist, check the network connectivity issue between PowerProtect Data manager and the agent host.	Critical	Protection
AHC0012	Unable to send the host configuration request to the host <hostName>	The host configuration cannot be completed because of an agent issue.	Contact Dell Customer Support.	Critical	App Host Configuration
ABVSD0009	Unable to complete the <operation_name> for the asset <asset_name> because a DD system internal error occurred.	This operation cannot be completed because an internal error occurred on the DD system.	To troubleshoot this issue: 1) Verify network connectivity to the DD system. 2) Make sure that the user credentials used to connect to the DD system are valid and have sufficient privileges to perform this operation. 3) Retry the operation.	Warning	Protection
ADNC0004	Server Disaster Recovery for the NAS protection policy <plcid> is partially successful.	No action needed.	The NAS Server Disaster Recovery operation for this NAS asset was completed with partial success because the .rec files could not be parsed.	Informational	Nas Server Dr
NR0002	Reporting Engine <reportingEngine> is powered off.	Reporting Engine is powered off.	Contact system administrator.	Critical	Reporting

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ASPU0003	The push update operation cannot be performed because the agent host is in an invalid state.	The push update operation cannot be performed because the versions of one or more agents or the agent service are not the same	Check the agent service logs at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for the current versions of the agents and agent service and manually update the agents or agent service to the required version.	Critical	Push Update
ARO0525	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore request is unsuccessful because the agent cannot change the database identifier (DBID) for the restored database.	Change the DBID manually for the restored database.	Critical	Restore
ABSH0011	Unable to protect the database located on <host> because the parameter <parameter> required for protection is missing in the backup request.	The protection request is unsuccessful because one or more parameters are unavailable in the backup request.	Contact Dell Customer Support.	Critical	Protection
ABA0032	<plc>: Unable to backup the <assetType> asset <asset> on the active node host <hostName> because configuration is not completed for the asset on this host.	The protection policy backup is unsuccessful because configuration is not completed for the asset on this host.	Reconfigure the policy and then retry the backup.	Critical	Protection
ABNA0028	Unable to complete the <sessionType> operation because the share <assetName> cannot be located in Unity NAS Storage <NASMgmtName>.	The share cannot be located in Unity NAS Storage because validation of the target asset share was unsuccessful.	To troubleshoot this issue: 1) Check and address the vendor specific message for more details. 2) Validate that the share exists by logging in to the Unity NAS array. 3) Run an on-demand discovery of the asset the Asset Sources window.	Critical	Protection
ADGHV0003	Unable to complete the discovery of the <plugin-service> virtual machine.	The discovery of the virtual machine cannot be completed because a socket timeout error occurred while fetching the discovery results from the plugin service.	To resolve this issue: 1) Verify that the hypervisor plugin service is running. 2) Verify that the hypervisor plugin service network configuration or connection is correct. Click Export Logs to for more information about the error.	Critical	Discover
ARO0006	PowerProtect Data Manager Oracle agent cannot perform the disaster recovery for the Oracle database because the database restore, restore validate and restore preview is unsuccessful.	The disaster recovery request is unsuccessful because the agent cannot perform the database restore, restore preview and restore validate.	To troubleshoot this issue: 1) Enable the debug logs to obtain more information about the failure. 2) Check the RMAN script logs for more details about the error. 3) Make sure that the paths specified for the database directories are valid. 4) Verify network connectivity between the client host and the DD system. 5) Verify that the system has sufficient memory to perform the operation. 6) Make sure that the database is not shut down during the restore.	Critical	Restore
ASDS0023	Unable to mark missed Assets as deleted on host <hostName> because of the following errors: <errors>.	Marking missed Assets as deleted was unsuccessful.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ARO0030	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database because the database is not in the mounted state.	The restore request is unsuccessful because the database is not in the mounted state.	To resolve this issue, make sure that the database is in the mounted state and then submit the restore request.	Critical	Restore
ABNA0022	Unable to complete the <sessionType> operation because snapshot creation of the PowerScale/Isilon share <assetName> cannot be completed.	Creation of the snapshot for the PowerScale/Isilon share cannot be completed because an error occurred.	To troubleshoot this issue: 1) Check and address the vendor specific message for more details. 2) Check the PowerScale/Isilon array to make sure no errors occurred during snapshot creation. 3) Confirm that the PowerScale/Isilon array has a license for snapshot capabilities.	Critical	Protection
ABA0020	Unable to identify the retention details for copy created on <copyCreationTime> for asset <asset> of host <hostName> with policy <plc>. The default retention of <defaultRetentionInDays> days is applied to the copy.	The copy was set with default retention value as either the retention details were not available or the policy which the asset was associated with is deleted.	To resolve this issue, Goto Infrastructure > Assets > Select the asset > View Copies > Select the Storage > Edit Retention to the retention manually from UI.	Critical	Protection
ABV0012	The VM Direct engine '<vproxy>' is unable to back up the virtual machine '<vmName>' on vCenter '<vCenterName>' because of a protection storage connection issue.	The VM Direct engine cannot complete the backup of this virtual machine because a connection with the protection storage cannot be established.	To resolve this issue: 1) Verify that the PowerProtect DD is functional and that the DD Boost ports are open. 2) Check the network connection between this VM Direct engine and the PowerProtect DD system.	Critical	Protection
ABK0008	Unable to back up namespace '<assets>' in Kubernetes cluster '<k8sClusterName>' because BackupStorageLocation does not exist.	The backup of this Kubernetes namespace was not successful because the BackupStorageLocation resource does not exist in the PowerProtect namespace on the Kubernetes cluster.	To troubleshoot this issue, verify the contents of the BackupStorageLocation resource are valid.	Critical	Protection
ADS0012	Unable to discover protection storage <storageSystem> with address <host> because authentication cannot be completed.	Discovery of the protection storage system was unsuccessful because of one or more of the following reasons: 1.The storage system username and password are invalid. 2.The account is locked because of multiple failed login attempts. 3.The host is unreachable.	To troubleshoot this issue: 1.Validate that the credentials stored in PowerProtect Data Manager match the PowerProtect DD System credentials. 2.Wait 15 minutes and then log in to the PowerProtect DD System to verify whether the account is locked. 3.If the login attempt fails, check the network connection to the PowerProtect DD System.	Critical	Discover
ACT0001	<plc>: Cloud Tier was unsuccessful for <assetType> <asset> on <host> to <cloudUnit> because the storage system data movement schedule is missing.	The cloud tiering operation cannot be completed because either the data movement schedule for the storage system is not set or the schedule cannot be retrieved. The data movement schedule on the storage system is required for moving backup copies to cloud.	Verify that a data movement schedule is set for the storage system: 1) From the PowerProtect DD System Manager UI, select Data Management > File System > Summary > Settings > Data Movement. 2) Set the schedule for data movement to the cloud. Alternatively, from the CLI, set the data movement schedule using a command in the following format: data-movement schedule set to-tier cloud days [days] time [time]. After setting the data movement schedule, retry the operation.	Warning	Cloud Tier
ACT0010	<plc>: Cloud operation was unsuccessful for copy from <assetType> <asset> created at <copySetTime> because the copy state <copyState> is not supported.	Cloud operations are only supported on copies that are in cloud tier or cloud recall state.	Verify that the copy is in cloud tier or cloud recall state, and then retry the operation.	Warning	Cloud Tier
ATO0016	Unable to perform archival operation as the reserved DD stream required for archival operation is insufficient.	Failed to perform archival operation due to insufficient reserved DD stream availability.	To troubleshoot this issue: 1. In the PowerProtect Data Manager UI, go to Infrastructure > Storage > Object Storage > Settings; and increase the percentage of available DD read stream and retry the operation. 2. If the issue persists, check the log files at /var/log/brs/cloudmgr/cloudmgr.log for more details.	Critical	Protection
ADN0003	Discovery of the NAS asset source <assetSource> is successful.	Discovery of this NAS asset completed successfully.	No action needed.	Informational	Discover
ADT0890	The external notification '<notificationName>' is created.		No action required.	Informational	Security
ARP0033	Unable to resume the stalled replication jobs because: <errorMessage>.		PowerProtect Data Manager will automatically place the replication service into maintenance mode and will restart all replication jobs. No further action required.	Critical	Replication
ADT0226	The credential <credentialName> has been updated.			Informational	Security
SYS0018	Unable to download the update package <file_name> from the backend.	Unable to detect whether PowerProtect Data Manager is updating or multiple remote update packages are assigned to PowerProtect Data Manager.	In the PowerProtect Data Manager UI: 1) Click Settings and select Software Update. 2) Click Download. If the issue persists, contact Dell Customer Support.	Informational	System
ARA0002	Unable to restore <assetType> asset <asset> because of an agent issue.	The restore was unsuccessful because of an agent issue.	Click export log and review the log file to determine the status of the job or check agent logs for more details.	Critical	Restore
AHC0018	Unable to send the certificate regeneration notification request to the host <hostName> because of an agent host connection or agent service issue.	The certificate regeneration notification request cannot be completed because either the agent host cannot be reached or the agent service is not running.	To resolve the issue restart the agent service on the host and verify that the next discovery is successful.	Critical	App Host Configuration

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ACT0002	<plc>: Cloud Tier was unsuccessful for <assetType> <asset> on <host> to <cloudUnit> because of network connection issues on the storage system.	The cloud tiering operation cannot be completed because the network connection ended on the storage system. This might have occurred because a connection was never established, or the storage system stopped responding.	Verify that the storage network configuration or connection is correct, and then retry the operation. If the issue persists, contact Dell Customer Support.	Warning	Cloud Tier
ABV0009	VM Direct engine '<vproxy>' is unable to back up the virtual machine '<vmNames>' on vCenter '<vCenterName>' because of a protection storage issue.	The VM Direct engine cannot complete the backup of this virtual machine because the protection storage operation was unsuccessful.	To resolve this issue: 1) Verify that the PowerProtect DD is functional and that the DD Boost ports are open. 2) Check the network connection between the VM Direct engine '<vproxy>' and the PowerProtect DD.	Critical	Protection
ABSD0005	Unable to backup the asset <assetName> because of a certificate issue with PowerStore <powerStoreName>.	The backup was unsuccessful because of an issue with the PowerStore system certificate.	To resolve the issue: 1. Verify that the PowerProtect Data Manager certificate matches the PowerStore certificate. 2. Make sure that the certificates have not expired. 3. If a certificate update is required, review the procedure in the PowerProtect Data Manager Security Configuration Guide. 4. Reregister the PowerStore system with the PowerProtect Data Manager system, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ADHP0003	Unable to configure the hypervisor plugin service.	The reconfiguration operation encountered an error.	Make sure that all required configuration files are present, verify the permissions. check the logs, and retry the operation.	Critical	Discover
ARF0013	Unable to create the file or directory <fileOrDirName> on the host <hostName> because the following error occurred: <errString>.	The restore cannot be completed because a system error occurred when creating the file or directory during the recovery.	Verify that you have the required permissions to restore to the target path, and that there is sufficient disk space in the restore path, and then retry the operation. Review the error details for more information.	Critical	Restore
AHC0003	Unable to send the host configuration request to the host <hostName> because of an agent host connection or agent service issue.	The host configuration cannot be completed because either the agent host cannot be reached or the agent service is not running.	To resolve the issue: 1. Verify that the agent host can be reached. 2. Verify that the agent service is running on the agent host. If the issue persists, contact Dell Customer Support.	Critical	App Host Configuration
SYS0205	Indexing job <status> as the corresponding backup job has <status>.		Check the corresponding backup job failure details. If you cannot resolve the issue after reviewing the documentation, contact Dell Customer Support.	Critical	System
ADTS009	The Restore Plan '<names>' is started.		No action required.	Informational	Restore Plan
CSM0015	Cloud Snapshot Manager resources protected exceeds entitled quantity for tenant <tenant_id>.	The Tenant is protecting more than the entitled quantity of resources.	Contact Dell Customer Support.	Warning	License
ABSD0052	Unable to create protection copy set for the asset <asset>.	The protection copy set for this asset cannot be completed because an error occurred when committing the backup to the PowerProtect Data Manager database.	To troubleshoot this issue: 1. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 2. Retry the operation at a later time.	Critical	Protection
ACT0003	<plc>: Cloud Tier was unsuccessful for <assetType> <asset> on <host> to <cloudUnit> because of invalid storage system or storage unit credentials.	The cloud tiering operation cannot be completed because the username and password for the storage system or storage unit is not valid.	Enter the correct username and password for the storage system or storage unit, and then retry the operation. If the issue persists, contact Dell Customer Support.	Warning	Cloud Tier
UPG0054	The current version of the system is incompatible with the uploaded update package version.		Upload an update package that is higher than the current version.	Critical	System
ARV0001	Unable to restore the asset <vmName> on vCenter '<vCenterName>'.	The restore of this virtual machine asset cannot be completed.	To troubleshoot this issue, review the restore job error details and summary log in the Jobs window, or export the job logs and review the log files for more information. When the issues identified are resolved, retry the restore, if the option is available. If the issues persist, contact Dell Customer Support.	Critical	Restore
IAMADT3226	Identity Provider <arg1> registered by user <arg2>.			Informational	System
ARF0042	The specified mount path is invalid.	The mount operation cannot be completed because the specified mount path is invalid.	To troubleshoot the issue: 1) Confirm that the specified mount path exists and is accessible. 2) Make sure that the user or application has the required permissions to access the mount path. 3) Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARO0531	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore request is unsuccessful because the Oracle Incremental Merge restore is not complete. The issue can be in any stage of the restore operation.	To troubleshoot this issue: 1. Make sure that there is sufficient space on the File System. 2. Set the restore configuration's troubleshooting mode to Trace. 3. Run the restore again, and then check the dbmoim debug log. If the issue persists and the reason for the failure cannot be located, contact Dell Customer Support.	Critical	Restore
AMGHV0008	Unable to complete the unmount of the backup copy for '<assetType>' asset '<asset>' because the job was canceled by the user.	The unmount of the copy has been force canceled by the user.	No action is required.	Critical	Restore
ABHV0009	Unable to back up the virtual machine '<vmNames>' because it has more than one recovery checkpoint.	The backup cannot be completed because the virtual machine has more than one recovery checkpoint.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. Make sure the virtual machine does not have more than one recovery checkpoint.	Critical	Protection
CFG0011	Unable to obtain the progress of the configuration job because a component restart occurred.	The progress of the configuration job cannot be obtained because an unexpected component restart occurred during the session. The configuration job, however, might still be in progress or might have completed on the agent.	Click export log and review the log file to determine the status of the configuration job.	Warning	Protection Policy
ARG0003	Unable to restore the <assetType> asset <asset> because of the missing restore path.	The restore cannot be completed because the restore path is not provided.	To resolve the issue, provide a path to perform the restore.	Critical	Restore
ARHV0032	The request is missing a parameter for the <operationName> operation.		To troubleshoot the issue: 1. Verify that all the parameters are specified in the request. 2. In the PowerProtect Data Manager UI, go to the Jobs window, and click Export log, and review the log file for more details. 3. Retry the operation.	Critical	Restore
UPG0037	VM Direct Protection Engines update failed: <errorMessage>.		Contact Dell Customer Support.	Critical	System
AERR0006	Task <task> was skipped after restore from a server backup.	Job was skipped because it was restored from a server backup.	No action is required.	Warning	Protection Policy
SYS0210	Cluster is in <searchClusterState> state at the time of the backup. Scan for anomaly detection will be retried after indexing gets retried within <offlineIndexInterval> hour.	Search cluster is not in operational state. Anomaly Detection and search operations will not be available.	Go to the search cluster page i.e. 'Infrastructure > Search Engine' to see the details for the cluster state. If you cannot resolve the issue after reviewing the documentation, contact Dell Customer Support.	Critical	System
NASBK0012	Delete Snapshot job Started for nas asset <asset> to <target>.	Delete Snapshot job started for nas asset. Please check the log for details.	No action needed.	Informational	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABS0017	Backup of database <asset> on host <hostname> and instance <instance> is unsuccessful.	To perform the backup of the database, connection to the Microsoft SQL server instance is required. The requested database backup cannot be performed because the Microsoft SQL server instance is not being connected. Possible reasons: The Microsoft SQL server instance is not running on the host. The Microsoft SQL server instance has incorrect credentials. The Microsoft SQL server instance does not exist or is deleted on the host.	Check that the Microsoft SQL server service for instance <instance> is running properly on the host. Try to rerun the backup for the host. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABO0514	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because the agent cannot perform the Level 0 full backup	To resolve this issue, perform the following steps to submit the backup request.If the issue still persists, contact Dell Customer Support. 1. Make sure that the IP address or hostname of the PowerProtect DD system is correct. 2. Run the /ddutil -s command from <RMAN_agent_home>/bin as the Oracle user to verify whether the lockbox is registered with the PowerProtect DD system using the IP address or hostname. Use the same IP address or hostname in the backup request.	Critical	Protection
ACO0508	The PowerProtect Data Manager Oracle agent cannot complete the configuration for the Oracle database because of an issue with the BoostFS lockbox.	The configuration is unsuccessful because the BoostFS lockbox cannot be created or updated.	Verify the IP address of the PowerProtect DD system.If a BoostFS RPM update has occurred, remove the older BoostFS lockbox and resubmit the configuration request.	Critical	App Host Configuration
ADT5007	<count> asset(s) are assigned to the Restore Group '<groupName>' in the Restore Plan '<planName>'.		No action required.	Informational	Restore Plan
SYS0019	Enable Auto Support to automatically send diagnostic and usage data like telemetry reports, alert summaries, and PowerProtect Central reports to Dell. This information enables the services and support teams to diagnose issues and improve the efficiency of your system.	When the email server is selected as Auto Support, diagnostic and usage data such as telemetry reports and alert summaries are sent to Dell. When SupportAssist is selected as Auto Support, diagnostic and usage data such as telemetry reports, alert summaries and PowerProtect Central reports are sent to Dell. This information enables the services and support teams to diagnose issues and improve the system efficiency.	In the PowerProtect Data Manager UI: 1) Click the Settings icon from the top-right menu, and then select Support. 2) In the left pane, select SupportAssist to set up SupportAssist or select Email Setup to set up the email server. 3) In the left pane, select Auto Support, and move the slider to the right to enable Auto Support.	Informational	System
ABN0001	Backup Snapshot stage for the backup job with NAS asset <asset> and target <target> completed successfully. The job started at <startTime> and completed at <endTime>.	The Backup Snapshot stage is complete for the NAS backup job. The backup job consists of three steps, or stages:Snapshot And Slice-The NAS asset is broken into multiple chunks so that these chunks can be backed up in parallel. Backup Snapshot-The actual backup data rollover is performed.Delete Snapshot: The backup is committed, and then clean up is performed.	No action needed.	Informational	Protection
ADT6004	The script name has been changed from '<previousScriptName>' to '<newScriptName>'.			Informational	Protection
ABA0028	Error while processing some copies from host <host> with storage unit <target>, because the storage unit either does not have the credentials, is not managed by PowerProtect Data Manager or is unavailable in the PowerProtect Data Manager.	Check whether this storage unit is managed by PowerProtect Data Manager. If it is managed by PowerProtect Data Manager, set the credentials for the storage unit.	To resolve this issue: 1.If the storage unit is managed by PowerProtect Data Manager, then to resolve this issue try adding the credential, Goto Infrastructure > Storage > Select storage > Update Password 2.If the storage unit is not managed by PowerProtect Data Manager, Check the setting file in the host and make sure to use the storage unit managed by PowerProtect Data Manager. 3.If the storage unit is not available in PowerProtect Data Manager, those copies will not be discovered by PowerProtect Data Manager.	Critical	Protection
ARNA0005	Unable to complete the <sessionType> operation because the NAS server name is empty for the asset <assetName> with backup copy ID <txnId>.	The NAS server name that is required for the backup asset source is empty.	To troubleshoot this issue: 1) Check and address the vendor specific message for more details. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
SYS0072	There are at least one heap dump files under path <filePath>.	At least one heap dump was discovered in the PowerProtect Data Manager system. Some components may have memory issues.	Contact Dell Customer Support.	Warning	System
UPG0110	It is recommended to have a current server DR backup before installing the update package.		Details of server DR configuration can be found in the administrator guide.	Warning	System
ARP0020	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because the data replication streams information cannot be obtained.	The backup copies cannot be replicated because PowerProtect Data Manager cannot obtain the data replication streams information from the source or target storage system.	PowerProtect Data Manager will automatically retry the replication job in the next scheduled replication window.	Informational	Replication
ADSD0004	PowerStore discovery cannot be completed because the PowerStore cluster <powerstoreId> is not configured properly.	The PowerStore discovery operation was unsuccessful because the PowerStore cluster is not in the "CONFIGURED" state.	Retry the discovery operation after the PowerStore cluster is in the "CONFIGURED" state. If the issue persists, contact Dell Customer Support.	Critical	Discover
ATO0002	Unable to complete the archival request for the asset <assetName> because the maximum retry duration of <maxRetryProxy> was exceeded.	The archival request for this asset was unsuccessful because the archival protection engine is too busy to serve archival requests.	To troubleshoot this issue: 1. Make sure that the protection engines are available for the archival operation. 2. Review the log files at /var/log/brs/cloudmgr/cloudmgr.log for more information about the error. 3. Wait until the protection engine is not too busy, and then retry the operation.	Critical	Protection
CFG0010	Unable to complete the configuration because of a component restart.	The configuration cannot be completed because a component restart occurred while processing the operation.	Wait for the component restart to complete, and then retry the operation.	Critical	Protection Policy
ADT0624	Network "<name>" creation in progress.			Informational	System
ABO0545	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because another full or synthetic full backup is in progress for the specified asset.	To resolve this issue: 1. Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later. 2. Make sure that FQDN or the hostname is updated in the selected asset source.	Critical	Protection
ARK0020	Unable to cancel the restore job <job> for namespace '<asset>' in Kubernetes cluster '<k8sClusterName>'.	The restore job for this Kubernetes namespace cannot be cancelled.	To troubleshoot this issue, review the error details and summary log in Jobs window, or export the job logs and review the log files for more information.	Warning	Restore
ASDS0003	An exception occurred while getting AddOns on host <hostName>: <errors>.	The AddOns discovery was unsuccessful because of an agent issue.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ADP0002	Unable to delete the copies <copyDeletionFaillds> because of an agent issue.	The identified backup copies cannot be deleted because of an agent issue.	To troubleshoot this issue: 1. Click the export log and review the agent log file for more details about the error. 2. Verify that the application host can be reached. Delete operations for the copies of this host will be retried on the next day.	Critical	Protection Copy
ADHP0005	Unable to run Powershell.	The Powershell operation encountered an issue.	Review the log files for more information about the issue.	Critical	Discover
UPG0035	Failed to execute bin file while initiating Agents update.		Contact Dell Customer Support.	Critical	System

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
MON0049	The activity <activityId> was not updated for an extended period of time, and has been canceled.	The activity did not receive any update for an extended period of time. To enable continued operations, the activity has been canceled.	Contact Dell Customer Support to report the issue.	Warning	System
PEN0012	PowerProtect <k8sPodType> is not running on cluster <k8sClusterName>.	PowerProtect Controller Pod failed to start.	Use the Kubernetes command line tool kubectl, or an equivalent tool, to view the events in the Kubernetes cluster's PowerProtect Controller pod and troubleshoot the failure.	Critical	Protection Infrastructure
SYS0052	Component <component_name> is restarting on host <hostName>.	This component was detected as not running on the PowerProtect Data Manager system, and has been restarted automatically on the specified host.	If the component was stopped manually, you can ignore this alert. If the component stopped without user intervention and this alert continues to appear, contact Dell Customer Support.	Critical	System
ACGHV0006	Unable to complete the proxy registration for operation <operationType> on the host <host>.	The configuration job is unsuccessful because the proxy registration for this host timed out.	To resolve the issue, follow these steps: 1. Login in to PPDM by using SSH. 2. Run "/opt/emc/vmdirect/bin/vproxymgmt get -1". 3. If the host record exists, clean up the record by running "/opt/emc/vmdirect/bin/vproxymgmt delete -vproxy_id <vproxy_id>". 4. Go to the Protection Engine page, select the host, and click Uninstall. Make sure that uninstall the is successful. 5. Rerun the configuration. If the issue persists and/or observed any issue in performing above steps, contact Dell Customer Support.	Critical	Protection Policy
ANR0009	Unable to locate the <sessionType> logs for the session ID <sessionId>.	Logs generated by the NAS agent, and the NAS REST server cannot be detected in the log folder location.	To troubleshoot this issue: 1) Connect to the NAS protection engine console to verify that there is enough available memory. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Warning	Protection
ACO0506	PowerProtect Data Manager Oracle agent cannot perform the configuration for the Oracle database.	The configuration request is unsuccessful because the agent cannot detect a BoostFS package on the specified asset source.	To resolve the issue, install the BoostFS package on the asset source and resubmit the configuration request. If the issue persists, contact Dell Customer Support.	Critical	App Host Configuration
ARN0012	Unable to process the restore request for the NAS asset <asset> because the version of the management IP <managementIPType> for the NAS Appliance is not compatible with the IP version of the DD Network Interface <networkInterface> selected for restore.	The restore cannot be completed because the PowerProtect DD network interface IP version is incompatible with the IP address of the NAS Appliance added as an asset source. Communication from the NAS Protection Engine to the DD and NAS appliance over a different IP version is currently unsupported.	Make sure that the IP version of the NAS appliance is compatible with the IP version of the PowerProtect DD network interface by performing one of the following: 1) Add the NAS appliance again, but with the same IP version as the PowerProtect DD network interface. 2) Update the network interface of the NAS asset. 3) Update the protection policy configuration.	Critical	Restore
ABNA0046	Unable to find volume information for the share <assetName>.	The system is unable to retrieve the volume information for the share, which may prevent access or operations on this share.	To resolve this issue: 1) Ensure that the volume associated with the share is properly mounted. 2) Verify that the volume is online and accessible from the system. 3) Check for any errors or misconfigurations that could affect the volume's availability. 4) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARK0014	Unable to restore namespace 'asset' to Kubernetes cluster 'k8sClusterName' because the vCenter information cannot be detected in the restore job.	The restore of this Kubernetes namespace was unsuccessful because the vCenter information is missing in the restore job.	To troubleshoot this issue, review the error details and summary log in the Jobs window, or export the job logs and review the log files for more information. If the issue persists, contact Dell Customer Support.	Critical	Restore
ABNA0039	Unable to merge the input request and metadata slices during snapshot cleanup.	The backup cannot be completed because an exception occurred while merging the metadata slices with the input slices.	Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARP0035	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because of an internal error occurred.		To troubleshoot this issue, review the error details, or export the job logs and review the log files for more information. If the issue persists, contact Dell Customer Support.	Critical	Replication
UPG0122	Cannot perform the revert because the system is not in OPERATIONAL_RUNNING/PARTIALLY_OPERATIONAL/MAINTENANCE Mod, current status is <systemStatus>.		Ensure that the system status is OPERATIONAL_RUNNING/PARTIALLY_OPERATIONAL/MAINTENANCE, and then perform the revert operation again after a few minutes.	Critical	System
ADT1001	Credential <credentialName> was deleted.		No action needed.	Informational	Security
APSH0004	Unable to perform the delete operation for the database located on <host> because the agent did not receive the database information in the delete request.	Unable to perform the delete operation for the database because the agent did not receive the database information in the delete request.	Contact Dell Customer Support.	Critical	System
PEN0007	Update the VM Direct protection engines of the vCenter Server <vCenterName> to the latest version.	A newer version of the VM Direct protection engine is available for the protection engines of this vCenter Server. Perform a manual update of these protection engines.	To manually update the Protection Engine in the PowerProtect Data Manager UI: To update the protection engines: 1) Go to Infrastructure > Protection Engines and select the VM Direct Engines tab. 2) Select the vCenter for which you want to update the protection engines, and then click Upgrade.	Informational	Protection Infrastructure
CSM0001	Cloud Snapshot Manager snapshot failed for virtual machine <vm_id> of <account_name>(<account_number>) cloud account for tenant <tenant_id>.	The cloud provider snapshot service could not generate a snapshot of the resource because the required conditions were not met.	Check jobs details or contact support.	Critical	Protection
UPG0046	Unable to complete the update because a runtime exception occurred.	The PowerProtect Data Manager update cannot be completed because of a runtime exception error. The update is canceled, and the system is returned to Operational mode.	Retry the update precheck. If the issue persists, contact Dell Customer Support.	Critical	System
APO0011	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database because the database connection information is unavailable.	The rman_agent.cfg file is removed from the \$RMAN_AGENT_HOME/config directory, or the file does not have sufficient permissions to be read by the agent.	Make sure that the rman_agent.cfg file exists in the \$RMAN_AGENT_HOME/config directory. If the file does not exist, copy the file from the installer tar file into the \$RMAN_AGENT_HOME/config directory with 660 permissions for the Oracle user.	Critical	Protection Copy
ARV0022	VM Direct engine is unable to restore the virtual machine <vmName> on vCenter <vCenterName> because of a datastore issue.	The VM Direct engine cannot complete the restore of this virtual machine because a datastore operation did not complete successfully.	Check the datastore to determine if there is enough free space for the operation.	Critical	Restore
ABA0012	Unable to obtain the progress of the backup job because a component restart occurred.	The progress of the backup job cannot be obtained because an unexpected component restart occurred during the session. The backup, however, might still be in progress or might have completed on the agents.	Click export log and review the log file to determine the status of the backup job.	Warning	Protection
ARO0035	PowerProtect Data Manager Oracle agent cannot change the database identifier (DBID) for the restored database.	The disaster recovery request is unsuccessful because the agent cannot change the DBID for the restored database.	Change the DBID manually for the restored database.	Critical	Restore
ARS0013	Full recovery is unsuccessful on <hostname> for the database <assetname> backed up at <savetime> on <ddHostName> because of an internal error in recovery.	An internal error occurred that has caused the database restore to be unsuccessful.	Select one of the following options: 1. Check msagentrc logs available in MSAPPAGENT logs directory on the host <hostname>. 2. Check the export logs from PowerProtect Data Manager for more details. If the issue is not resolved, contact Dell Customer Support.	Critical	Restore
ABE0016	Backup is unsuccessful because the asset <asset> is selected from a different policy.	Backup was started for assets that belong to different policies.	Make sure that the assets to be backed up belong to same policy.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARF0022	Unable to specify the option with the parameter <paraName> in the restore command <cmdString>	The restore cannot be completed because an unsupported parameter is specified in the restore command.	Specify '-k mount' or '-k unmount' for mount or unmount operations.	Critical	Restore
ADA0010	Unable to discover an application agent system <resourceType> on host <hostName> because the wrong stand-alone SID or wrong RAC database name is provided after the corresponding parameter change.	The application agent system discovery is unsuccessful because the wrong SID is provided for a stand-alone system or the wrong database name is provided for a RAC system after the corresponding parameter change.	Set the correct SID for a stand-alone system or the correct database name for a RAC system, and then run a manual discovery or wait for the next scheduled discovery.	Warning	System
ADT6005	The script '<scriptName>' description has been changed to '<newValues>'.			Informational	Protection
CPM0009	Unable to locate a copy to restore.	A copy cannot be detected for the restore because a restore plan does not exist.	Create a restore plan, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
SYS0044	PowerProtect Data Manager failed to automatically add DD Virtual Edition.		Add DDVE from PowerProtect Data Manager UI or contact Dell Customer Support.	Critical	System
ARP0024	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because a timeout occurred while connecting to the database.	The backup copies cannot be replicated because the request to the database took longer than expected, and the operation timed out.	If the system is too busy, wait for some activities to complete, and then retry the request. If the issue persists, contact Dell Customer Support.	Critical	Replication
SYS0010	Update package <file_name> is available for download.	New remote update package has been synced from backend to PowerProtect Data Manager and is ready for download.	To download the update package, in the PowerProtect Data Manager UI, click Settings and select Software Update.	Informational	System
ARV0036	VM Direct engine is unable to restore the virtual machine '<vmName>' on vCenter '<vCenterName>' because the import of the OVF package was unsuccessful.	The VM Direct engine cannot complete the restore of this virtual machine because the OVF package was not imported.	To troubleshoot this issue: 1) Verify that the datastore has enough free space for the operation. 2) Verify that the ESXi host can be reached. If the ESXi host is busy, wait for some activities to complete, and then retry the operation.	Critical	Restore
ADT0911	Updating Search node <searchNodeName> certificates.	Updating Search node certificates.	No action is required.	Informational	System
IAMADT3007	User <arg1> deleted.			Informational	Security
ABK0011	Unable to back up namespace '<asset>' in Kubernetes cluster '<k8sClusterName>' because of a data mover pod issue.	The backup of this Kubernetes namespace was not successful because the data mover pod did not start up.	Review the CSI driver logs to verify that the CSI driver is fully functional, and then use the command line tool kubect or an equivalent tool to verify that all of the CSI driver pods in the cluster are running.	Critical	Protection
ABN0003	Delete Snapshot stage for the backup job with NAS asset <asset> and target <target> was unsuccessful because the following error occurred: <error> The job started at <startTime> and completed at <endTime>.	The Delete Snapshot stage for the backup job cannot be completed because an error occurred during this stage.	To troubleshoot this issue: 1) Connect to the NAS protection engine console to verify that there are enough resources available. 2) Check the Protection Engine health. If there is an issue with the state of the Protection Engine, redeploy the engine. 3) Retry the operation. 4) Manually delete the snapshot on NAS storage array. 5) For, NetApp Manually delete the export rule created on the export policy assigned to volume. 6) Manually delete the stale data from the DD. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARSD0031	Unable to perform the asset restore because an error occurred while getting volumes for the target storage group <assetName> from the <storage> storage system <storageName>.	To troubleshoot this issue: 1. Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2. Confirm that all the arrays managed by Unisphere are connected and working properly. 3. Ensure that the Unisphere server is running. 4. Verify if that the target storage group exists and that the storage group contains the required number of volumes. 5. Review the log files at /var/log/bsrs/sdmng/sdmng.log for more information about the error.	The restore operation for this asset was unsuccessful because an error occurred while obtaining the target storage group volumes from the storage system.	Critical	Restore
SYS0053	Failed to configure ntp servers on PowerProtect Data Manager. <errorMessage>		Configure from PowerProtect Data Manager UI or contact Dell Customer Support.	Critical	System
ADT6025	The script '<scriptName>' parameters has been changed.			Informational	Protection
ABVSD0017	Unable to start the restore for the asset <asset_name> because a DD internal error occurred.	The restore of this asset cannot be completed because an internal DD error occurred while starting the operation.	To troubleshoot this issue: 1) Verify network connectivity to the DD system. 2) Make sure that the user credentials used to connect to the DD system are valid and have sufficient privileges to perform this operation. 3) Retry the operation.	Warning	Protection
ARV0008	VM Direct engine is unable to restore one or more files to virtual machine '<vmName>' on vCenter '<vCenterName>' because the restore of some objects cannot be completed.	Restore of the files to this virtual machine was incomplete because the engine is unable to restore some objects or security properties.	To troubleshoot this issue, perform the following and then retry the operation: 1) Verify the user has permission to the files in the target directory. 2) If the guest virtual machine is too busy, wait for some activities to complete. If the issue persists, contact Dell Customer Support.	Warning	Restore
ARNA0030	Unable to communicate with NAS appliance <NASMgmtName>.	The restore session cannot be started with the NAS appliance because the appliance did not respond as expected.	To troubleshoot the issue: 1) Verify that the NAS appliance is available. Check for connectivity between the NAS appliance, PowerProtect Data Manager, and the NAS protection engine. 2) Verify the NAS appliance and NAS server management credentials. Where required, enter the credentials on the Credentials Management page and assign it to the NAS asset.	Critical	Restore
ADS0015	<discoveryType> vApp asset discovery on the Cloud Director '<cloudDirectorName>' is unsuccessful.	Discovery of the vApp assets on the Cloud Director cannot be completed because the specified credentials are invalid.	To troubleshoot this issue: 1. Verify that the specified credentials are valid. 2. Update the credentials. 3. Retry the discovery operation, or wait for PowerProtect Data Manager to perform the next scheduled discovery.	Critical	Discover
ABO0015	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database because asset information is unavailable.	The required 'assetInfo' information is not available in the backup request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection
UPG0032	Exception occurred during Integrated Storage update: <exception>.		Check Integrated Storage cluster status or contact Dell Customer Support.	Critical	System
ASPU0021	Updating the application agent is unsuccessful.	The push update operation is unsuccessful because the agent update script is unsuccessful on the host.	Click export log and review the log file. If export logs are unavailable then check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information. Manual intervention is required.	Critical	Push Update
ARP0013	<plc>: Replication job was unsuccessful and will be retried for <assetType> <asset> on <host> to <target> because of insufficient data replication streams.	The backup copies cannot be replicated because the source and target systems do not currently have sufficient data replication streams to complete the replication. The replication job will be retried once a sufficient number of data replication streams are available.	Retry the replication job. If the issue persists, contact Dell Customer Support.	Informational	Replication
UPG0100	Failed to query running active instant access sessions. Cannot proceed update.		Check the instant access sessions before the update proceeds.	Critical	System
UPG0021	Precheck failed for subcomponents: <subComponentNames>.		Check the subcomponents for details.	Critical	System

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABO0544	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because another full or synthetic full backup is in progress for the specified asset.	To resolve the issue, confirm the completion of the backup in progress and resubmit the backup request.If the issue persists,contact Dell Customer Support.	Critical	Protection
ADT3004	Enabled the report node <reportNodeName>.		No action needed.	Informational	Reporting
ASDS0006	Discovery of Applications System failed on host <hostName> because of the following errors: <errors>.	The Application System discovery was unsuccessful due to failed initialization.	Check the log files at INSTALL_DIR\DPSPAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ABN0015	Unable to resume NAS backup job <job> for NAS asset <asset> started at <start_time>.	The NAS backup job cannot be completed because the NAS Data Manager (NASDM) service became unavailable while the job was in progress. As the NASDM service is unavailable , jobs cannot be automatically resumed.	Check the log files at /var/log/brs/nasdm/nasdm.log for more details. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABSD0066	Unable to execute the <scriptType>-script in Host Proxy <scriptAppAgentName> because user authorization issue to run the script on the Host Proxy.		To resolve the issue: 1. Verify that the Host Proxy IP, user credentials are correct. 2. Confirm that the user has necessary permission to run the script in Host Proxy. 3. Make sure that the Host Proxy and agent service is up and running.ABSD0066.detailedDescription = The script execution was unsuccessful because user authorization or permission to run the script on the Host Proxy.	Critical	Protection
ARV0002	File level restore was unsuccessful to target 'vcmNames' on vCenter 'vCenterNames'.	Review the details in the Jobs window for more information. The file level restore for this virtual machine asset cannot be completed.	To troubleshoot this issue, review the restore job error details and summary log in the Jobs window, or export the job logs and review the log files for more information. When the issues identified are resolved, retry the restore, if the option is available. If the issues persist, contact Dell Customer Support.	Critical	Restore
IAMADT3035	User <arg1> has updated RSA SecurID Server: <arg2>.			Informational	Security
ARP0018	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because the source system credentials cannot be obtained.	The backup copies cannot be replicated because PowerProtect Data Manager is unable to obtain the username and password for the source system.	Confirm in the system jobs UI page that the initial policy configuration job for protection was successful. Confirm the protection job for the policy is successful. Retry the replication job, and if the issue still persists, contact Dell Customer Support.	Critical	Replication
ACHP0005	Unable to complete the certificate renewal.	The certificate renewal process encountered an error.	Make sure that the agent is installed. Check the network connectivity, validate the CA server availability, and check the logs for more information.	Critical	Protection Policy
ABO0524	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because the agent cannot perform the unmount operation using the BoostFS protocol.	To resolve the issue, make sure that the BoostFS protocol is enabled and running in the PowerProtect DD system and resubmit the backup request.If the issue persists,contact Dell Customer Support.	Critical	Protection
ABO0518	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because the agent cannot perform cataloging of files.	To resolve this issue: 1. Make sure that the mount pathname is available and not unmounted manually during the backup. 2. Make sure that the IP addresses or hostnames of the selected asset source and PowerProtect DD system are accessible. 3. Make sure that the database is not shutdown during the backup. 4. In the PowerProtect Data Manager UI, check for any RMAN or Oracle utility error that starts with RMAN-/ORA- in the Details > Errors > Read More section of the failed protection job, and perform the appropriate action. 5. Resubmit the backup request.	Critical	Protection
ABO0021	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database <SID> with database ID <DBID> because the task ID is not set.	The required 'task ID' information is not available in the backup request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection
TEST0001	This is a test alert sent from <eCDMHostName>.	This is a test alert.	No action needed.	Warning	System
ABG0022	Skipped the backup of <asset> on the host <hostName> because Log backup is not supported.	The running of the script is skipped because the log backup level is not supported for this asset using a PostgreSQL pg_dump script on Linux.		Warning	Protection
ASDR0010	Storage unit <StorageUnit> on the Protection Storage <DataDomain> is configured with retention lock. Command to revert the retention lock : <RetentionLockCommand>	No action required. If you want to remove the retention lock on this storage unit, run the revert command specified above on the Protection Storage.	The retention lock is currently configured for this Protection Storage.	Informational	Server Dr
ADT0205	Protection Policy <plcName>'s credential has been changed.		No action needed.	Informational	Protection Policy
APO0007	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database <SID> with database ID <DBID> because the backup piece information is unavailable.	The delete is unsuccessful because the agent cannot verify the backup piece information.	Edit the required protection policy to enable the debug log. Resubmit the delete request and check the agent debug log. Make sure that the database is running and the target database is registered to the specified recovery catalog.	Critical	Protection Copy
ARP0019	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because the target system credentials cannot be obtained.	The backup copies cannot be replicated because PowerProtect Data Manager is unable to obtain the username and password for the target system.	Confirm in the system jobs UI page that the initial policy configuration job for replication was successful. Retry the replication job, and if the issue still persists, contact Dell Customer Support.	Critical	Replication
AERR0020	Task '<task>' was canceled at '<now>' the task was not completed before the activity window expired at '<dueAt>'.	This task was canceled automatically because it could not be completed within the start and end time of the protection policy activity window.	Extend the activity window by editing the protection policy's scheduled start time and end time. The PowerProtect Data Manager Administration and User Guide provides more information about editing protection policies.	Warning	Protection Policy
ARN0005	Unable to resume NAS restore job <job> for NAS asset <asset> started at <start_time>.	The NAS restore job cannot be completed because the NAS Data Manager (NASDM) service became unavailable while the job was in progress. When the NASDM service service becomes available, the job does not resume automatically.	Check the log files at /var/log/brs/nasdm/nasdm.log for more details. If the issue persists, contact Dell Customer Support.	Critical	Restore
APO0021	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database because the Oracle home parameter setting is unavailable.	The delete operation is unsuccessful because the oracle home pathname is unavailable.	Ensure that the Oracle home parameter setting is correct in the /etc/oratab file.	Critical	Protection Copy
SYS0073	The following components are temporary unavailable on the host <hostName>: <componentNames>.	One or more components are temporary unavailable in the PowerProtect Data Manager system.	Components will be restarted automatically. No action is required.	Warning	System
ASSD0013	Unable to process the local snapshot for the asset <assetName> because the replication session does not exist for this asset in the PowerStore <powerStoreName>.	The local snapshot operation was unsuccessful for this asset because the replication session does not exist on the PowerStore.	To troubleshoot the issue: 1.Verify that a replication session exists for this asset on the PowerStore system. 2.If the replication session is operating correctly, then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABNA0030	Unable to complete the <sessionType> operation because the NAS agent cannot create the metadata file for asset <assetName> on PowerProtect DD System <ddlp>.	The NAS agent cannot index the backup and create the asset level metadata record file.	To troubleshoot this issue: 1) Check and address the vendor specific message for more details. 2) Make sure there is storage available on the PowerProtect DD System. 3) Verify that the connection to the PowerProtect DD System is correct.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABVSD0011	Unable to complete the <operation_name> for the asset <asset_name> because a data write error occurred.	This operation cannot be completed because an error occurred during the data write stream.	To troubleshoot this issue: 1) Verify network connectivity to the DD system. 2) Make sure that the user credentials used to connect to the DD system are valid and have sufficient privileges to perform this operation. 3) Retry the operation.	Warning	Protection
ARA0015	Unable to perform restore for <assetType> asset <asset> because of the unavailability of the specific storage unit on DD.	Failure of the restore is because the specific storage unit is unavailable on the DD.	Check the storage that contains the copies available on the DD	Critical	Restore
AAA0008	Unable to complete the archive operation because of the signal that is received.	The archive operation cannot be completed because an interrupted signal is received.	To troubleshoot this issue: 1. Check the vendor-specific message for more details and address any requirements. 2. Retry the operation.	Critical	Protection
ABK0012	Unable to back up namespace '<asset>' in Kubernetes cluster '<k8sClusterName>' because of a data mover pod timeout.	The backup of this Kubernetes namespace was not successful because the data mover pod did not start up within the timeout window.	Review the CSI driver logs to verify that the CSI driver is fully functional, and then use the command line tool kubectl or an equivalent tool to verify that all of the CSI driver pods in the cluster are running.	Critical	Protection
UPG0044	Cannot find the certificate (or) cannot trust the certificate from the update package.		Upload a package with a valid certificate, and then try the update again.	Critical	System
ABSH0008	Unable to protect the database <asset> belonging to the instance <instance> located on <host> because the parameter <parameter> required to connect to the SAP HANA database is missing in the backup request.	The protection request is unsuccessful because one or more required parameters are unavailable in the backup request.	Make sure that credentials are set properly in PowerProtect Data Manager in the protection policy settings.If this procedure does not resolve the issue, contact Dell Customer Support.	Critical	Protection
STR0005	Used capacity on protection storage <storageSystem> has reached <percent>.	The used capacity on the storage system has reached at least 80%.	Free up space on this storage system, remove backups that are no longer required. If the issue persists, contact Dell Customer Support.	Warning	Protection Infrastructure
CFG0003	<plc>: Protection policy configuration is unsuccessful because of a network connectivity issue on agent host <hostName>.	Configuration of the protection policy cannot be completed because of an issue with the network connection.	To resolve this issue: 1.Check the network connectivity between PowerProtect Data Manager and the agent host. 2.Confirm that there is no packet loss between PowerProtect Data Manager and the agent host.	Critical	Protection Policy
ASDR0009	Server Disaster Recovery is unable to synchronize the primary source storage unit <sourceMtreePath> with the following replication target storage unit(s): <targetMtreePaths>	Synchronization of the primary source storage unit with the specified replication target storage unit(s) was unsuccessful because the Server Disaster Recovery backups might be out of sync on the replication target storage unit(s).	Verify that the primary source and replication target storage units are synchronized and that replication is enabled on the Protection Storage. The knowledge base article KB000207972 at Dell support provides instructions. If the issue persists, contact Dell Customer Support.	Critical	Server Dr
ARSD0030	Unable to restore the backup to asset <assetName> because the restore destination is a replication storage.	The restore operation was unsuccessful because planned failover and re-protect at the primary PowerStore system is required before performing a replica restore.	Perform the failover and re-protect, and then retry the operation.	Critical	Restore
ADGHV0001	Unable to complete the discovery job.	The discovery job cannot be completed because of an unexpected service restart.	Retry the operation manually from the PowerProtect Data Manager UI or wait for the next scheduled full discovery.	Critical	Discover
ABO0028	PowerProtect Data Manager Oracle Agent cannot perform the backup for the Oracle database <SID> with database ID <DBID> because instance information cannot be discovered.	The backup request is unsuccessful because instance information cannot be discovered.	Ensure that the Oracle database is available. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABNA0024	Unable to complete the <sessionType> operation because the share <assetName> cannot be located in PowerStore NAS Storage <NASMgmtName>.	The share cannot be located in PowerStore NAS Storage because validation of the asset source was not successful.	To troubleshoot this issue: 1) Check and address the vendor specific message for more details. 2) Validate that the share exists by logging in to the PowerStore NAS appliance. 3) Run an on-demand discovery of the asset from the Asset Sources window.	Critical	Protection
ARV0014	VM Direct engine is unable to restore the virtual machine '<vmName>' on vCenter '<vCenterName>' because of a protection storage connection issue.	The VM Direct engine cannot complete the restore of this virtual machine because a connection with the protection storage cannot be established.	To resolve this issue: 1) Verify that the PowerProtect DD is functional and that the DD Boost ports are open. 2) Check the network connection between the VM Direct engine '<vproxy>' and the PowerProtect DD.	Critical	Restore
ACHP0009	Unable to complete the hypervisor reconfiguration.	The reconfiguration operation encountered an error.	Make sure that all required configuration files are present, verify the permissions. check the logs, and retry the operation.	Critical	Protection Policy
ADP0001	Unable to delete the copies <copyDeletionFaillds> on host <hostName>.	The identified backup copies cannot be deleted because construction of the copy delete payload for the application agent is unsuccessful.	To troubleshoot this issue: 1. Click the export log and review the log file for more details about the error. 2. Retry the operation after few minutes. Delete operations for the copies of this host will be retried on the next day.	Critical	Protection Copy
ARSH0010	Unable to restore the database <sourceAsset> in the instance <sourceInstance> to the target database <targetAsset> in the instance <targetInstance> on the host <host>.	The restore is unsuccessful because the PowerProtect DD system details are unavailable in the restore request.	Create another protection policy for testing, and include the same DD system and assets.If this procedure does not resolve the issue contact Dell Customer Support.	Critical	Restore
ARO0524	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore request is unsuccessful because the agent cannot perform the mount of Oracle Incremental Merge and start the database with resetlogs.	To resolve the issue: 1. Make sure that the system has sufficient memory. 2. Make sure that the specified pathnames for the selected database directories are valid. 3. Make sure that the IP addresses or hostnames of the PowerProtect DD system and selected asset source are accessible.	Critical	Restore
ANOD0002	<assetName>: High severity anomalies detected in the backup copy of the asset performed on "<backupTime>" for the protection policy "<policyName>" indicate a possible ransomware attack.	Anomalies detected in asset backup indicating potential ransomware attack. Please verify with security team and take appropriate action.	Verify the backup contents with your security team by performing the following actions: 1. Download the detailed report from the "Infrastructure > Copy Management" window of the PowerProtect Data Manager UI. 2. Analyze the report with your security team. 3. After review, mark the "High" severity backup copy as "Quarantined" or "Verified Safe" as appropriate. Copy can also be deleted if required. 4. Go to "Infrastructure > Assets" page to do the necessary "Anomaly Detection Configuration" changes if required for assets to get reflected in subsequent backups. 5. Acknowledge the alert and take appropriate actions on the asset.	Critical	Anomaly Detection
ABN0016	NAS backup job <job> started at <startTime> is cancelled.	The NAS backup job was cancelled by the user.	No action needed.	Informational	Protection
ADS0013	User '<userName>' is missing one or more of the vCenter account privileges required to enable Transparent Snapshot Data Mover for data protection operations on vCenter '<vCenterName>': <missingPrivileges>.	The specified user does not have all the required privileges on vCenter to perform backup and restore operations using the Transparent Snapshot Data Mover. Data protection operations will be performed using the Vmware Virtual Disk Development Kit (VDDK) instead.	For a list of required vCenter privileges, refer to the PowerProtect Data Manager Administration and User Guide. After adding the required privileges, retry the operation.	Critical	Discover

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ADHP0002	Unable to complete the authorization.	The authorization is unsuccessful because of one or more of the following issues:	Verify the credentials provided and retry the operation. To troubleshoot this issue: 1) Make sure that you have sufficient permissions or the correct credentials. 2) Verify that the required WSMAN library is installed, the Hyper-V role configuration is correct, the necessary port is open, and the Hyper-V Server is running. and 3) Check the port and protocol version settings for compatibility or check that the certificates are configured properly.	Critical	Discover
ASSD0002	Unable to process the local snapshot for <assetName> because an internal error occurred.	The local snapshot request cannot be completed because an internal error occurred while updating the catalog metadata, even though the snapshot was created.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. If the issue persists, contact Dell Customer Support.	Critical	Protection
UPG0061	PowerProtect Data Manager update failed, due to timeout while upgrading sub components: <componentName>, completion progress: <progress>.		Contact Dell Customer Support.	Critical	System
ARSD0038	Unable to restore the backup to the asset <assetName> because the target asset volumes could not be detected.	To troubleshoot this issue: 1) Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 2) Retry the operation at a later time.	The restore operation for this asset was unsuccessful because an error occurred that prevented detection of the volumes masked to the protection engine host.	Critical	Restore
UPG0022	Timed out while running precheck.			Critical	System
ARO0514	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database. The restore is unsuccessful because the RMAN process cannot restore the spfile to the pfile.		To resolve this issue: 1. Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later. 2. Make sure that the database exists in the system with same SID. 3. Make sure that files from the previous unsuccessful restore have been removed. 4. Make sure that the system has sufficient memory. 5. Check for any RMAN or Oracle utility error that starts with RMAN- or ORA- in the Details > Errors > Read More section of the unsuccessful protection job, perform the appropriate action, and resubmit the restore request.	Critical	Restore
ARO0036	PowerProtect Data Manager Oracle agent cannot perform the restore of the Oracle RAC active/passive database <SID> with database ID <DBID>.	The restore request is unsuccessful because the node is in a passive state, which is not a supported state for a restore operation.	Perform a manual asset discovery on the current active node and rerun the restore operation.	Critical	Restore
ARO0021	PowerProtect Data Manager Oracle agent cannot perform the online database restore for the Oracle database because the agent cannot perform the recovery of the online database.	The restore is unsuccessful because the agent cannot perform the recovery of the online database.	To troubleshoot this issue: 1) Enable the debug logs to obtain more information about the failure. 2) Make sure that the paths specified for the database directories are valid, and that the database is mounted. 3) Make sure that the SCN/timestamp/log-sequence database target path specified for the restore is correct. 4) Verify network connectivity between the client host and the DD system. 5) Verify that the system has sufficient memory to perform the operation. 6) Make sure that the database is not shut down during the restore.	Critical	Restore
AMGHV0012	Unable to complete the mount of the backup copy because the job was canceled by the user.	The mount of the backup copy cannot be completed because it has been force canceled by the user.	No action is required.	Critical	Restore
ABN0037	Promoting the protection job for the asset <asset> to FULL because of a change in the slice threshold Previous Slice Threshold: Size = <previousSize>, Count = <previousCount>. Incoming Slice Threshold: Size = <incomingSize>, Count = <incomingCount>.	The protection job for this asset was automatically promoted to a FULL level backup because a change in the slice parameter was detected.	Please review the slice thresholds set for the Asset using /api/v2/assets/{assetid}.	Informational	Protection
ARS0007	Log recovery is unsuccessful on <hostname> for the database <assetname> backed up at <savetime> on <ddHostName> because of an internal error in the recovery.	An internal error occurred that has caused the database restore to be unsuccessful.	Select one of the following options: 1. Check the ddbmsqlrc logs available in MSAPPAGENT logs directory on the host <hostname>. 2. Check the export logs from PowerProtect Data Manager for more details. If the issue is not resolved, contact Dell Customer Support.	Critical	Restore
ASDR0015	The component <componentName> is currently engaged in another backup process. Please wait until all backups complete.	The Server Disaster Recovery is skipping the backup request for the component <componentName>. Please wait until all backups are completed.	If the issue persists, please contact support for further assistance.	Critical	Server Dr
AERR0004	Task <task> was skipped because the protection task was unsuccessful.	This task cannot be completed when dependent protection tasks do not complete successfully.	Review the details for the protection task in the Jobs window to troubleshoot the issue. When the issue is resolved, retry the protection job task. If the issue persists, contact Dell Customer Support.	Informational	Protection Policy
ADT0604	Log level for component <componentName> has been changed.		No action needed.	Informational	System
SYS0106	Message Bus service is unavailable.	The Message Bus service cannot be reached.	Contact Dell Customer support.	Critical	System
ABK0010	Unable to back up namespace 'assets' in Kubernetes cluster '<k8sClusterNames>' because the data mover pod creation cannot be completed.	The backup of this Kubernetes namespace was not successful because the data mover pod was not created.	To troubleshoot this issue: 1) Verify that the Kubernetes API server can respond to requests. 2) If the API server is functioning normally, review the error details and summary log in the Jobs window, or export the job logs and review the log files for more information. 3) Retry the operation after the issue is resolved.	Critical	Protection
ARSD0012	Unable to restore the backup to <assetName> because the target clone for the restore does not belong to the same family as the asset.	The restore operation was unsuccessful for this asset because the family ID of target clone does not match the family ID of the asset.	Specify a target clone with the valid family ID.	Critical	Restore
CERT0001	The certificate on <alias> has expired.	The certificate has expired and needs to be updated.	Please update certificate with new expiration date.	Critical	Security
APU0012	Unable to <operationType> because the configuration job is already running.	This operation cannot be completed because the configuration job is in progress.	Wait for the configuration job to complete, and then retry the operation.	Warning	Push Update
DIA0004	<count> copies for asset <assetName> on asset source <assetSource> in data target <dataTarget> were set default retention time due to schedule info missing: <copies>	The data in these backup copies is inconsistent because schedule info is missing.	Check and set correct retention time.	Informational	Compliance
CSME0001	The tenantId is not associated to the specific client.	Credentials provided are not associated with another tenant id.	Provide valid tenant id.	Critical	System

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABO0510	PowerProtect Data Manager Oracle agent cannot perform the backup for the database.	The backup request is unsuccessful because the agent cannot perform the initialization tasks for the database.	To resolve the issue: 1. Make sure that the IP addresses or hostnames of the PowerProtect DD system and selected asset source are accessible. 2. Make sure that the Oracle home base pathname has valid Oracle permissions. 3. Make sure that /usr/bin/fusermount has -wxr-xr-x permissions if the backup request is selected with the BoostFS protocol. 4. Make sure that the NFS export is created in the selected PowerProtect DD system if the backup request is selected with the NFS protocol. 5. Resubmit the backup request.	Critical	Protection
ACF0005	Unable to configure the <assetName> located on <hostName> because the parameter required for configuration is not provided to the Agent in the configuration request. <errString>.	Test by creating another protection policy with the same PowerProtect DD System and assets. Also check the PPDM logs. If the issue persists, contact Dell Customer Support.	The configuration is unsuccessful because the parameter required for configuration is not provided to the Agent in the configuration request.	Critical	System
ARSD0032	Unable to restore the backup to the asset <assetName> because the number of volumes present in the target asset is less than the number of volumes present in the source asset.	Select a target asset that contains the minimum number of volumes required to perform the restore.	The restore operation was unsuccessful for this asset because there is a mismatch in the volume count between the target asset and the source asset.	Critical	Restore
UPG0105	NAS Protection Engines update failed: <errorMessage>.		Contact Dell Customer Support.	Critical	System
ARF0054	Unable to establish the LDAP connection to the hosted server.	Unable to establish LDAP connection with the hosted server.	To troubleshoot the issue: 1) Make sure that the LDAP server that you are trying to connect to is running. 2) Make sure that you are connecting to the correct server, verify the hostname, IP address, and port number. 3) Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. 4) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ASDR0014	<componentErrorReasonAndRemediation>.	The Server Disaster Recovery backup cannot be completed.	Please check the component error reason and recommended remediation as indicated in the error message. For more detailed information, review the log files located at /var/log/brs/serverdr. If the issue persists, contact support for further assistance.	Critical	Server Dr
HMPRO007	Unable to complete the instant access restore job for <FAILED> assets.	Unable to complete the instant access restore job <ACTIVITY> for <FAILED> assets.	In the PowerProtect Data Manager UI, go to Jobs > Protection Jobs or the Alerts window for more information about jobs that did not complete successfully.	Critical	Protection
UPG0098	There are active tasks that should be cancelled or allowed to complete before the update proceeds.		Cancel the tasks or allow them to complete before the update proceeds.	Critical	System
NR0007	Unable to update the Reporting Engine maintenance status or start the report node after cleanup.	The Reporting Engine status could not be updated or the report node could not be started after the asset configuration cleanup activity.	Contact Dell Customer Support for bringing the Reporting Engine to Ready state.	Critical	Reporting
ARF0024	Unable to restore the block-based backup <backupTime> on the host <hostName>.	The restore of this backup copy cannot be completed because either the host operating system type is unsupported, or the write tracker driver cannot be detected on the host.	To troubleshoot this issue: 1) Review the compatibility information at https://elabnavigator.emc.com/eln/modernHomeDataProtection to verify that the host operating system is supported. 2) Install the required writer tracker driver. When the issue is resolved, retry the operation.	Critical	Restore
ARN0013	Unable to cancel the NAS restore job <jobName> because the following error occurred: <message>	The cancellation of the NAS restore job cannot be completed because of an error. As a result, the task's status is changed to UNKNOWN.	Check the log files at /var/log/brs/nasdm/nasdm.log for more details. If the issue persists, contact Dell Customer Support.	Critical	Restore
ATO0006	Unable to find the source copy's metadata file information of the asset <assetName> to perform the archival operation.	The source copy's metadata file information is unavailable to perform the archival of the asset because an error occurred.	To troubleshoot this issue: 1. Verify whether the source copy metadata file information available in PowerProtect Data Manager or not. 2. Review the log files at /var/log/brs/cloudmgr/cloudmgr.log for more information about the error. 3. Retry the operation at a later time.	Critical	Protection
ABHV0011	Unable to back up the virtual machine 'vmName' because it has one or more virtual disks with the same ID.	The backup cannot be completed because the virtual machine has one or more virtual disks with the same ID.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. Remove the disk(s) with same ID and retry the backup operation.	Critical	Protection
ARSD0011	Unable to restore the backup to <assetName> because the asset properties in the copy metadata do not match with the target asset.	The restore operation for this asset was unsuccessful because an asset property mismatch exists between the selected copy metadata and the target asset.	Perform a restore to an alternate location on the original PowerStore, or to a different PowerStore.	Critical	Restore
ASPU0023	Exiting the push update job as the maintenance status record is missing.	The push update operation is unsuccessful because the maintenance status record is unavailable.	Click export log and review the log file. If export logs are unavailable then check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information. Manual intervention is required.	Critical	Push Update
ADSSD0002	Unable to delete snapshots/catalog for the selected copies because a socket timeout error occurred while connecting to the PowerStore <powerStoreName>.	The snapshots and catalog for these expired copies cannot be deleted because a socket timeout error occurred while querying the data from the PowerStore system.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Protection
SYS0080	The parent vCenters of the following VM Direct Protection Engine are unavailable, <hostName>: <ProxyNames>.	One or more VM Direct Protection Engines do not have a parent vCenter Server added as an asset source in PowerProtect Data Manager. Some of these protection engine instances might be invalid.	Remove the VM Direct Protection Engines for which there is no parent vCenter asset source in PowerProtect Data Manager.	Warning	System
ADRS0006	Unable to complete the server disaster recovery for policy <policyName> because the PowerStore system <powerStoreName> is unavailable.	The server disaster recovery was unsuccessful for this policy because the PowerStore system cannot be detected.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABSH0003	Unable to protect the database <asset> belonging to the instance <instance> located on <host> as the agent cannot pass the parameters to SAP HANA.	The protection request is unsuccessful because the agent cannot pass the parameters to SAP HANA.	Make sure the user can create the temporary file in directory /usr/sap/<instanceName>/SYS/global/ppdmconfig/. If this procedure does not resolve the issue, contact Dell Customer Support.	Critical	Protection
STR0006	The protection storage <storageSystem> has reached its full capacity.	The used capacity on the storage system has reached 100%.	Immediately free up space on this storage system by removing backups that are no longer required, moving backups to cloud tier or expanding the storage system capacity. If the issue persists, contact Dell Customer Support.	Critical	Protection Infrastructure

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARN0010	Unable to process the NAS restore request because the DD network interface <networkInterface> assigned to asset <asset> for this restore job is not compatible with the NAS Server/network pool IP addresses configured for NAS Share/Export on the Storage Array.	The NAS restore request cannot be completed because the DD network interface that was selected in the protection policy or at the asset level is incompatible with the NAS Server/network pool IP addresses assigned to NAS Share/Export on the NAS Storage Array. None of the NAS server/network pool IP addresses associated with the NAS asset matches the IP version of the DD system. Communication from the NAS Protection Engine to the DD and Appliance over a different IP version is currently not supported for NAS protection.	Make sure that the IP version of the NAS Server or network pool addresses is compatible with the IP version of the DD network interface. This can be achieved through one of the following ways, in decreasing order of precedence:- 1) Set the appropriate network interface at the asset level. 2) Set the appropriate network interface at the protection policy level. 3) Make sure that the NAS share or export is associated with at least one NAS Server or Network Pool address that is compatible with the selected DD Network Interface.	Critical	Restore
ARO0512	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database ' <SID>' with database ID ' <DBID>'.	The restore request is unsuccessful because the agent cannot create the temporary directory for the snapshot folder pathname for the selected database recovery options.	To resolve this issue: 1. Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later. 2. Make sure that the IP addresses or hostnames of the selected asset source and PowerProtect Data system are accessible.	Critical	Restore
ABO0004	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database because the username and password of the PowerProtect DD system is not registered in the lockbox.	The backup request is unsuccessful because the PowerProtect DD system is not registered in the lockbox.	To resolve this issue: Make sure the IP/hostname of the PowerProtect DD system is correct and submit the configuration request. Run the /ddutil -s command from <RMAN_AGENT_HOME>/bin as the Oracle user to verify whether the lockbox is registered with the PowerProtect DD system using the IP address or hostname. Use the same IP address or hostname in the backup request. Complete the following steps to submit the configuration request: Select Protection > Protection Policies. Select the required asset. Select Edit > Objectives > Primary Backup. Select the PowerProtect DD system, and save the changes.	Critical	Protection
ASPU0031	Unable to complete the job because the job has been unresponsive for the past <retentionInHour> hour.	The job is unsuccessful because the job has been unresponsive and the progress has not changed for one hour, and the operation timed out. The job status is changed to failed.	For more information, review the agent service logs on the application host at the following locations Windows: INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs Linux or AIX: /opt/dpsapps/agentsvc/logs.	Critical	Push Update
ASSD0024	Unable to process the local snapshot for the asset <assetName> because an internal server error occurred while processing the request in the PowerMax storage array <storageName>.	The local snapshot cannot be completed because an internal server error occurred while processing the request in the PowerMax.	To troubleshoot this issue: 1) Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2) Confirm that all the arrays managed by Unisphere are connected and working properly. 3) Verify that the asset is present in the array. 4) Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 5) Retry the operation at a later time.	Critical	Protection
MON0001	Unable to send an email notification to <emailAddress> because the email server <emailServer> may be experiencing connection issues.	An email notification was not successfully sent to the recipient email address. This may be because of an invalid email server, an invalid recipient email address, or network connection issues.	To resolve this issue: (1) Go to System Settings > Support > Email Setup to verify that the email server is set up correctly. (2) Send a test email to verify network connectivity with the email server.	Critical	System
AERR0009	Task ' <task>' was canceled because asset(s) ' <assetName>' had been removed from protection policy.	Task was canceled because the asset(s) have been removed from the original protection policy.	In the PowerProtect Data Manager UI: 1) Go to the Administration > Audit Logs page to check details for removed asset(s). 2) Review the assets in the protection policy and add any missing asset(s) if required.	Informational	Protection Policy
ADT0142	An identity provider with serverAddress <serverAddress>, port <port>, and serverType <serverType> is updated.		No action required.	Informational	Security
ARSH0005	Unable to restore the database <sourceAsset> in the instance <sourceInstance> to the target database <targetAsset> in the instance <targetInstance> on the host <host>.	The restore is unsuccessful because the agent cannot construct the hdbsql restore command.	Contact Dell Customer Support.	Critical	Restore
SYS0204	Indexing job failed for the job ID <jobId> on the Search Cluster	Indexing job failed on the Search Cluster. Use the job ID to analyze the failure.	Please contact Dell Customer Support to analyze the failure.	Critical	System
ATO0004	Unable to cancel the archive job <job> that started at <startTime>.	The archive job cannot be canceled because the job is already in the completed state or pending cancellation state.	No action is required.	Critical	Protection
ABO0017	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database because the value of parent_session_id_str is unsupported.	The required 'parentSessionId' information is not available in the backup request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection
ARV0003	Instant Access session for <vmName> on vCenter <vCenterName> cannot be established because the NFS session limit has been reached on <esxHostname>.	The Instant Access session for this virtual machine cannot be established because the NFS session limit enforced by vSphere has been reached on the host.	Review running sessions in PowerProtect Data Manager, and delete or vMotion any existing sessions to free up NFS sessions on the host. Alternatively, in the vSphere Client, increase the NFS session limit value on the host, and then retry the operation.	Critical	Restore
ABS0003	Transaction log backup of <asset> is skipped from backup on <hostname> \ <instance>.	Database recovery model property is set to simple. Transaction log backups are not allowed if recovery model property of the database is simple.	Change the recovery model property of database <asset> to full on the SQL host <hostname>. Steps: 1. After connecting to the instance <instance> of the SQL server, in Object Explorer, click the server name to expand the server tree. 2. Expand 'Databases', and select the database. 3. Right-click the database, and then click 'Properties', which opens the 'Database Properties' dialog box. 4. In the 'Select a page' pane, click 'Options'. 5. The current recovery model is displayed in the recovery model list box. 6. To change the recovery model to full, select full from the drop-down menu. 7. Click OK.	Critical	Protection
AERR0019	This task is unsuccessful because internal issue happens at service side.	This task is unsuccessful because internal issue happens at service side.	To troubleshoot this issue: wait for some time and then retry the operation again. If the issue persists, contact Dell Customer Support.	Warning	Protection Policy
IAMADT3018	Verified email for <arg1>.			Informational	Security
EPERR0010	Unable to complete the request because the payload too large to job creator.	The request cannot be completed because the payload exceeds the maximum allowed size. This could be due to a large user-provided payload or automatically generated data during processing.	Please reduce the amount of data you are submitting or submit data in smaller batches.	Critical	Protection Policy
SYS0008	Unable to change the default Lockbox passphrase on host <hostname>.	The default passphrase for the Lockbox on this host could not be updated.	If this issue persists, contact Dell Customer Support.	Critical	System
ABN0007	Unable to create protection copy set for NAS asset <asset> because the following error occurred: <error>	The protection copy set for this NAS asset cannot be completed because an error occurred when committing the backup to the PowerProtect Data Manager database.	Check /var/log/brs/nasdm/nasdm.log for more details.	Critical	Protection
ADS0001	Virtual machine asset discovery on the vCenter <vCenterName> was unsuccessful.	Virtual machine asset discovery cannot be completed because of unrecoverable error conditions.	Check the connection between PowerProtect Data Manager and vCenter. Verify that the provided credentials are valid. Start a manual discovery to discover all virtual machine assets, or wait for PowerProtect Data Manager to perform the next scheduled discovery. If the issue persists, contact Dell Customer Support.	Warning	Discover
ADT0129	User <username> has been granted the resource group(s): <roleAfter>.		No action required.	Informational	Security

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARNA0035	Unable to complete the <sessionType> operation because the <assetName> share cannot be located in NAS Storage Array <NASMgmtName>.	The share cannot be located in NAS Storage because validation of the asset source was unsuccessful.	To troubleshoot this issue: 1) Validate that the share exists by logging in to the NAS appliance. 2) Run an on-demand discovery of the asset from the Asset Sources window. 3) Review the vendor specific message for more details and to address the error.	Critical	Restore
ABSD0040	Unable to resume the backup for the asset <assetName>.	The backup operation for this asset could not be restarted because an error occurred.	To troubleshoot this issue: 1. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 2. Retry the operation at a later time.	Critical	Protection
CPLE0017	Copy metadata migration is started.	Copy metadata migration from the old data model to the new data model is in progress.	No action needed.	Informational	Compliance
ABE0012	Backup job is unsuccessful on the host <host> because of insufficient storage on the disk.	Refer to msagentsv.log for more information on Exchange Server.	Add additional storage to the disk. If the issue persists, contact Dell Customer Support.	Critical	Protection
UPG0135	Archival Protection Engines update failed: <errorMessage>.		Contact Dell Customer Support.	Critical	System
ADT0116	SecurID multi-factor authentication configuration for name '<name>' with client ID '<clientId>' is deleted..		No action required.	Informational	Security
SYS0013	The Secure Remote Services connection has been cleaned up as part of an update or restore operation.	Cleanup of a Secure Remote Services connection can occur after upgrading the PowerProtect Data Manager or when a server disaster recovery is performed.	Add the Secure Remote Services connection.	Warning	System
ABSD0016	Unable to complete the backup for <assetName> because the asset is a replica asset and is not protectable.	The backup was unsuccessful because the asset is a replica asset and is not protectable. This might be due to a recent change in the replication direction of that asset in the PowerStore system.	To troubleshoot this issue: 1) Initiate a discovery of PowerStore. 2) Remove the replica asset from the protection policy. 3) Verify that the primary asset is added to the protection policy. 4) Retry the operation.	Critical	Protection
ADT3012	Restore started for the report node <reportNodeName> with backup <backup id>.		No action needed.	Informational	Reporting
ARP0030	<plc>. Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because of data movement error.	The backup copies cannot be replicated because data movement for the copies on the storage system was unsuccessful.	Review the 'Troubleshooting failed replication jobs' section in the Administrator Guide for further remediation actions.	Critical	Replication
ARA0001	Unable to restore the <assetType> asset <asset> on host <hostName>.	The restore is unsuccessful because an error occurred during the request to the agent host.	To troubleshoot this issue: 1. Verify that the application host can be reached. 2. Verify that the agent service is running on the agent host.	Critical	Restore
ABA0014	Unable to cancel the backup job for <assetType> asset <asset> because cancel is not supported on the installed version of the agent host <hostName>.	Cancellation of this job cannot be completed because the cancel operation is not supported on the installed version of the agent host.	To resolve this issue, upgrade the agent on the host to the latest version.	Warning	Protection
ADT0802	Job <activityName> has been requested for retry.			Informational	Protection
ABNA0048	Unable to secure the security-style with 'unix' or 'mixed' type for the NFS share <assetName>.	The system has detected that the security-style for the NFS share is not set to either 'unix' or 'mixed'. This configuration may result in improper access control or security issues.	To resolve this issue: 1) Make sure that the security-style for the NFS share is configured to either 'unix' or 'mixed'. 2) Review and adjust the share's security settings to align with your organization's security policies. 3) Verify that the changes take effect and that the share is accessible with the correct permissions. 4) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ADT0101	New user <username> created.		No action needed.	Informational	Security
ABN0012	Snapshot and Slice completed for nas asset <asset> to <target>.	Snapshot and Slice job completed for nas asset. Check the log for details.	No action needed.	Informational	Protection
ADT0223	<countOfAssets> asset(s) has/have been marked as DELETED due to the removal of <vcenterName>.		No action needed.	Informational	Protection Infrastructure
ABF0010	Skipping the backup for asset <assetName>. Unable to find a valid the previous backup for the asset.	The backup of this asset cannot be completed because the File System agent is unable to locate a previous backup, or the previous backup is invalid.	Make sure that the specified previous backup copy of the asset is valid.	Critical	Protection
CPLE0012	Compliance verification is not performing <slos> SLO check in <slas> for <assetType> <asset> in <plc> protection policy. The asset type does not support the SLO that requires <opTypes> copy type.	Compliance verification is skipped because of an unsuitable SLA applied to the protection-policy asset type. Assets with only a full-copy asset type cannot have a Log, Differential, or Cumulative SLA applied.	Make sure the SLA applied matches the protection-policy asset type. If the issue persists, contact Dell Customer Support.	Informational	Compliance
ABV0030	VM Direct engine '<vproxy>' is unable to back up the virtual machine '<vmName>' on vCenter '<vCenterName>' because the vCenter snapshot was unsuccessful.	The VM Direct engine cannot complete the backup of this virtual machine because the vCenter snapshot operation was unsuccessful.	To troubleshoot this issue: 1) If the vCenter is busy, wait for some activities complete and then retry the operation. 2) Check the datastore to determine if there is enough free space for the operation. 3) Perform disk consolidation for the virtual machine, if required. 4) Determine if any foreign snapshots have already been taken by PowerProtect Data Manager for the virtual machine. 5) If this is a quiesced backup, verify that there is not too much activity on the guest virtual machine.	Critical	Protection
AHD0001	Unable to remove the asset source <host> from PowerProtect Data Manager.	This asset source cannot be removed because a failure occurred when removing the host and its related assets and application servers from the PowerProtect Data Manager catalog.	Retry the operation. If the issue persists, Contact Dell Customer Support.	Warning	System
ADHP0013	Unable to complete the invalid request.	The VM discovery request was sent for the environment, which is not a Hyper-V cluster.	Send the request to the API for the correct environment of the Hyper-V cluster.	Critical	Discover
ARSD0041	Unable to restore the backup to the asset <assetName> because a protection engine error occurred.	To troubleshoot this issue: 1) Verify that there is an eligible protection engine available and has been enabled. 2) Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 3) Retry the operation at a later time.	The restore operation for this asset was unsuccessful because there was an error on the protection engine.	Critical	Restore
ACSD0026	Failed to create a remote system on the PowerStore system <pstName> because the credentials with the name "PST-DD-USER-CREDS" are not present in PowerProtect Data Manager.	Please create credentials with the name "PST-DD-USER-CREDS" in PowerProtect Data Manager. Use the username and password that are used in DDBost, and then retry the operation.	The remote system operation was unsuccessful because the credentials with the name "PST-DD-USER-CREDS" do not exist for the DM5500 in PowerProtect Data Manager.	Critical	Protection
APSH0008	Unable to perform the delete operation on the database <asset> belonging to the instance <instance> located on <host> because PowerProtect DD system details are not provided to the agent in the delete request.	The delete request is unsuccessful because PowerProtect DD system details are unavailable in the delete request.	Make sure the IP address of the PowerProtect DD system is correct and reachable.If this procedure does not resolve the issue, contact Dell Customer Support.	Critical	System
ABN0036				Critical	Protection
ABV0042	Unable to install protection-engine agent for the virtual machine '<vmName>' on vCenter '<vCenterName>' because the user does not have sufficient privileges.	This operation cannot be completed because the user does not have sufficient privileges.	To troubleshoot this issue: 1) Provide the system administrator permissions to the user of the virtual machine.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARK0017	Unable to restore namespace '<asset>' to Kubernetes cluster '<k8sClusterName>' because no VM Direct engine is available.	The restore of this Kubernetes namespace was unsuccessful because there is no VM Direct engine with Kubernetes as the supported protection type available to perform the restore.	Add a VM Direct engine for Kubernetes guest cluster protection. The PowerProtect Data Manager Administration and User Guide provides more information about adding protection engines. If a VM Direct engine has already been added for this purpose, retry the operation at a later time.	Critical	Restore
NR0001	Reporting Engine Services are not running on Reporting Engine <reportingEngine> .	The Reporting Engine Services are stopped or in an unstable state.	Contact system administrator.	Critical	Reporting
ABSD0026	Unable to protect the asset group because not all the volumes of the Meditech Universe are present in the asset group <assetGroupName>.	The backup of these assets cannot be completed, because not all the volumes of the Meditech Universe are present in the asset group.	To troubleshoot this issue: 1). Verify that all the volume groups/volumes containing the volumes of the Meditech Universe are added to the asset group.	Critical	Protection
ADA0004	Unable to discover <resourceType> on host <hostName> because of a network connectivity issue.	The application discovery was unsuccessful because of an issue with the network connection.	To resolve this issue: 1.Check the network connectivity between PowerProtect Data Manager and the agent host. 2.Confirm that there is no packet loss between PowerProtect Data Manager and the agent host.	Critical	Discover
ASSD0021	Unable to complete the snapshot operation for asset <assetName> because an internal server error occurred.	The snapshot operation was unsuccessful because an internal server error occurred while processing the request on the PowerProtect Data Manager server.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information to troubleshoot the error, and then retry the operation.	Critical	Protection
ABO0534	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup request is unsuccessful because the agent cannot send the backup report.	The backup request is unsuccessful because the agent cannot send backup report.	Critical	Protection
ABHV0026	Unable to backup the file '<fileName>' to the target storage.	The datamover operation cannot be completed because backup of file to the target storage was unsuccessful.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. The job failure may be due to an ongoing VM migration (storage, live, or quick migration). Please wait for the migration to complete before retrying the operation. 3. Verify that the storage resources are available, network connections are stable, and then retry the operation.	Critical	Protection
ASSD0016	Unable to complete the local snapshot for asset <assetName> because the replication sync session for this asset is busy with another sync operation on the PowerStore system <powerStoreName>.	The local snapshot operation was unsuccessful because the snapshot cannot be synced to the replica asset. A sync operation is already running between the primary and replica asset on the PowerStore system.	Wait for the existing replication sync session to complete on the PowerStore system, and then retry the operation in PowerProtect Data Manager. To check the status of the replication sync session, complete the following steps: 1) Log in to the PowerStore system. 2) From the Storage menu, select either Volume or Volume Group based on the asset type. 3) Find and select the asset, and then click the Protection tab. 4) Click the Replication tab to view progress for the sync operation.	Critical	Protection
APSH0003	Unable to perform the delete operation for the database <asset> belonging to the instance <instance> located on <host> because the delete request does not include the backups to be deleted.	The delete request is unsuccessful because the delete request does not include the backups to be deleted. Some other node may have deleted the backups, so there are no backups to be deleted.	Contact Dell Customer Support.	Critical	System
UPG0069	Agents precheck failed: <reason>.		Check Agents version and status by going to Infrastructure > Application Agents from PowerProtect Data Manager UI.	Critical	System
ABN0032	Unable to process the NAS backup request for the NAS asset <asset> because the version of the management IP <managementIPType> for the NAS Appliance is not compatible with the IP version of the DD Network Interface <networkInterface> selected for backup.	The backup cannot be completed because the PowerProtect DD network interface IP version is incompatible with IP address of the NAS Appliance added as an asset source. Communication from the NAS Protection Engine to the DD and NAS appliance over a different IP version is currently unsupported.	Make sure that the IP version of the NAS appliance is compatible with the IP version of the PowerProtect DD network interface by performing one of the following: 1) Add the NAS appliance again, but with the same IP version as the PowerProtect DD network interface. 2) Update the network interface of the NAS asset. 3) Update the protection policy configuration.	Critical	Protection
ARA0034	Unable to restore the <assetType> asset <asset>.	Storage unit is not managed by PowerProtect Data Manager. As a result, the backup copy(s) cannot be obtained from the PowerProtect DD to initiate the restore.	Use self-service restore command to restore this backup copy.	Critical	Restore
ARF0004	Unable to restore the backup performed at <backupTime> to the invalid target location <locationPath> on the host <hostName> because the restore path is invalid.	The restore of this backup copy cannot be completed because the destination path for the restore cannot be validated.	Specify a valid path for the restore.	Critical	Restore
ARV0031	VM Direct engine is unable to restore the virtual machine '<vmName>' on vCenter '<vCenterName>' because of the virtual machine platform is unsupported.	The VM Direct engine cannot complete the restore of this virtual machine because the engine is unable to verify that the operating system platform of the virtual machine is supported.	Verify that the virtual machine is running on a supported operating system platform and version, and then retry the operation.	Critical	Restore
ARA0026	Unable to perform the restore operation for <assetType> asset <asset> because the primary host is unavailable or unresponsive to PowerProtect Data Manager.	The restore is unsuccessful because the primary host is unavailable or unresponsive to PowerProtect Data Manager.	Check the agent service logs for more details.	Critical	Restore
ARO0034	PowerProtect Data Manager Oracle agent cannot perform the disaster recovery for the Oracle database because the agent cannot disable the block change tracking after restoring the control file.	The disaster recovery request is unsuccessful because the agent cannot disable the block change tracking after restoring the control file.	Disable progress monitoring, and then retry the operation.	Critical	Restore
AHC0017	Unable to send the host configuration request because of an unknown host exception.	Unable to send the host configuration request due to an unknown host exception. There is an issue with DNS name resolution or host details are not available.	To resolve the issue: 1.Verify the external DNS server is able to resolve the hostnames. 2.Verify DNS information is present in the /etc/resolv.conf file. If the problem persists, contact Customer Support.	Critical	App Host Configuration
ADT0804	A retry has been requested for the activity <activityName>, job ID <activityId>.			Informational	Protection
ABK0017	Unable to back up the namespace '<asset>' in the Kubernetes cluster '<k8sClusterName>' because the volume snapshot IDs cannot be located.	The backup of this Kubernetes namespace is unsuccessful because the volume snapshot IDs cannot be located within the Velero backup.	To troubleshoot this issue, use either of the following methods: 1.Review the Velero backup job error details and summary in the Jobs window of the PowerProtect Data Manager UI 2.Review the logs by either method: - Export the logs by selecting the job, clicking Export Log, and downloading. - Select the gear icon, go to System Settings > Logs, and download the log bundle. If the issue persists, contact Dell Customer Support.	Critical	Protection
APO0020	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database <SID> with database ID <DBID> because the authentication mode is unsupported.	The delete operation is unsuccessful because the authentication mode is unsupported.	The supported authentication modes for recovery catalog databases are database user authentication and wallet user authentication.	Critical	Protection Copy
ABK0025	Unable to cancel the backup job <job> for namespace '<asset>' in Kubernetes cluster '<k8sClusterName>'.	The backup job for this Kubernetes namespace cannot be cancelled.	To troubleshoot this issue, review the error details and summary log in Jobs window, or export the job logs and review the log files for more information. If the issue persists, contact Dell Customer Support.	Warning	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ADSSD0003	Unable to delete snapshots/catalog for the selected copies because a timeout occurred while connecting to the PowerStore <powerStoreName>.	The snapshots and catalog for these expired copies cannot be deleted because the PowerStore connection timed out.	To resolve this issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running.If the issue persists, contact Dell Customer Support.	Critical	Protection
UPG0134	Failed to execute bin file while initiating Hyper-V Protection Engines update.		Contact Dell Customer Support.	Critical	System
ARV0042	Restore of <vmName> on vCenter <vCenterName> was unsuccessful because the PowerProtect DD <storageSystem> is unreachable.	The restore of this virtual machine cannot be completed because a connection with the PowerProtect DD cannot be established. This can occur because of a system connectivity issue, or because of invalid system credentials.	Check the network connection between PowerProtect Data Manager and the PowerProtect DD, and verify that the username and password are valid.	Critical	Restore
AERR0026	Unable to create these jobs because an internal error occurred.	These jobs were unsuccessful because of an unexpected internal error.	Contact Dell Customer Support.	Critical	System
ADT0102	User <username> deleted.		No action needed.	Informational	Security
ADS0002	Incremental discovery of the virtual machine asset on the vCenter <vCenterName> was unsuccessful.	Incremental discovery of the virtual machine asset on the vCenter Server cannot be completed because of unrecoverable error conditions.	If the job details indicate a timeout or a connection issue with the vCenter, check the connection between PowerProtect Data Manager and vCenter, and verify that the provided username and password are valid. Start a manual discovery to discover all virtual machine assets, or wait for PowerProtect Data Manager to perform the next scheduled discovery. If issues with discovery persist, contact support for further assistance.	Critical	Discover
ASBA0001	Unable to back up the <assetType> asset <asset> on the agent host <hostName> because of an error on the application agent.	Backup of this asset cannot be completed because a lockbox error occurred on the application agent host.	To resolve this issue: 1. Delete the files in the following directories: On Windows, \INSTALL_DIR\AGENTSERVICE\CONFIG. On Linux and AIX, /opt/dpsapps/agentsvc/config. 2. In the PowerProtect Data Manager UI, go to Protection > Protection Policies, select this backup asset's policy, and click Set Lockbox. If the issue persists, contact Dell Customer Support.	Critical	Protection
MON0034	The protection policy contains <outOfCompliance> assets that are non-compliant and <inCompliance> assets that are compliant with the configured Service Level Agreement.	One or more protected assets are non-compliant with the protection policy's Service Level Agreement (SLA).	Dell Technologies recommends making sure that all of the assets in the protection policy are compliant with the policy's SLA in order to protect and restore assets successfully. Review the SLA Compliance window in the PowerProtect Data Manager UI for more information.	Warning	System
ASBA0006	Unable to start the backup job because the pre-script could not be run.	The backup job cannot be started on the application agent host because the pre-script run could not be completed.	Go to Jobs > Protection Jobs to review the job step details, or the check the log files at the following locations for more information about the pre-script failure. On Windows: INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. On Linux or AIX: /opt/dpsapps/agentsvc/logs.	Critical	Protection
PEN0002	Virtual Machine Proxy <vproxy> on vCenter <vCenterName> is unreachable or unresponsive.		Contact system administrator.	Critical	Protection Infrastructure
IAMADT3033	User <arg1> has added RSA SecurID Server: <arg2>.			Informational	Security
ARO0031	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database because the agent cannot update the advanced spfile parameters.	The restore request is unsuccessful because of an internal error.	To resolve this issue, perform the following steps to submit the restore request. 1) Select the restore spfile option in the UI. 2) Make sure that the Advance spfile Parameters option is selected with the appropriate values, and then submit the restore request.	Critical	Restore
ADT0504	PowerProtect DD Management Center <name> deleted.		No action needed.	Informational	Protection Infrastructure
MON0036	Space usage has exceeded <percentage> of the total <tier> tier capacity.	Lack of space can result in loss of file system functionality or missing important logs.	Free space in the specified tier or unit by deleting unneeded items and running cleaning on the tier. If items cannot be deleted, storage must be added to the appropriate tier. If you need assistance recovering space, contact your contracted support provider. To purchase additional storage, please contact your Dell sales representative or channel partner.	Warning	System
ABSD0025	Unable to protect the asset group because not all the volumes of the Meditech Universe are present in the asset group <assetGroupName>.	The backup of these assets cannot be completed, because not all the volumes of the Meditech Universe are present in the asset group.	To troubleshoot this issue: 1) Verify that all the storage groups containing the volumes of the Meditech Universe are added to the asset group.	Critical	Protection
ADS0014	<discoveryType> vApp asset discovery on the Cloud Director <cloudDirectorName> failed.	Cloud Director vApp asset discovery cannot be completed because of unrecoverable error conditions.	To troubleshoot this issue: 1. Check the connection between PowerProtect Data Manager and Cloud Director. 2. Verify that the specified credentials and user role are valid. 3. Start a manual discovery to discover all Cloud Director vApp assets, or wait for PowerProtect Data Manager to perform the next scheduled discovery. If the issue persists, contact Dell Customer Support.	Critical	Discover
UPG0113	The current system <applianceVersion> is not allowed to apply this hotfix. Only system <minimumVersion> is allowed.		Upload another package.	Critical	System
ADT0608	Alert retention has been changed.		No action needed.	Informational	System
ABSD0020	Unable to back up the asset <assetName> because the replication session does not exist for this asset in the PowerStore <powerStoreName>.	The backup operation was unsuccessful for this asset because the replication session does not exist on the PowerStore.	To troubleshoot the issue: 1.Verify that a replication session exists for this asset on the PowerStore system. 2.If the replication session is operating correctly, then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ACT0011	<plc>: Cloud tier job was unsuccessful for <assetType> <asset> on <host> to <cloudUnit> because one or more files from the copy created at <copySetTime> cannot be detected.	The backup copy cannot be cloud tiered because PowerProtect Data Manager is unable to locate one or more files from the copy on the storage system. These files might have been modified or deleted from the copy.	Follow the procedure in the PowerProtect Data Manager Administration and User Guide to create a log bundle, and then contact Dell Customer Support.	Warning	Cloud Tier
MON0028	Unable to update external component <componentDescription>.	The external component update cannot be completed. A temporary error might have occurred.	To troubleshoot the issue: 1. Generate the PowerProtect Data Manager log bundle. 2. Review the log at the path /var/log/brs/monitoring/monitoring.log within the bundle. If the issue persists, contact Dell Customer Support.	Warning	System
APO0019	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database <SID> with database ID <DBID> because either the entered username and password cannot be validated or the database is unavailable	The delete operation is unsuccessful for one or more of the following reasons: 1)Oracle database username and password cannot be validated. 2)The TNS name and TNS administrator details cannot be validated for the database or wallet user. 3)The database or wallet user does not have the required user rights. 4)The Oracle database is unavailable.	Verify that the database is available. For OS user authentication, verify the entered username and password. For database or wallet user authentication, make sure that the user has all the required user rights.	Critical	Protection Copy

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARA0025	Unable to perform the restore operation for <assetType> asset <asset> because the application agent version on the destination host <hostName> is incompatible with PowerProtect Data Manager.	The restore is unsuccessful because the application agent version on the destination host is incompatible with PowerProtect Data Manager.	Verify that the application agent version on the destination host is 19.13 or later to support an AAG restore with PowerProtect Data Manager.	Critical	Restore
ARSD0002	Unable to restore the backup to <assetName> because an error occurred in the PowerStore <powerStoreName>.	The restore operation was unsuccessful for this asset because an error occurred in the PowerStore.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information to troubleshoot the error, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ANR0004	Unable to complete the <sessionType> operation because the NAS agent cannot be started for the session ID <sessionId>.	To start the backup or restore operation, the NAS REST server spawns the NAS agent binary. This operation is unsuccessful when the Python module is unable to start the process.	Retry the operation.If the issue persists, contact Dell Customer Support.	Critical	Protection
ABVSD0002	Unable to start the <operation_name> for the asset <asset_name> because the storage array <array_name> is unsupported.	This operation cannot be started for this asset because the specified storage array is not supported. Only PowerMax storage arrays are supported for this operation.	Use an asset belonging to a supported storage array for this operation.	Warning	Protection
ARSD0008	Unable to restore the backup to <assetName> because a required resource cannot be located in the PowerStore <powerStoreName>.	The restore of this asset cannot be completed because a resource required for this operation is unavailable in the PowerStore system.	To troubleshoot this issue: 1) Review the extended message for more information about the missing resource. 2) Verify that the required resource has not been deleted. 3) Run a manual discovery of the asset source in PowerProtect Data Manager, and then retry the operation.If the issue persists, contact Dell Customer Support.	Critical	Restore
ADT3013	Deleted the report node backup <backup id>.		No action needed.	Informational	Reporting
NASRS0002	Restore failed for nas asset <asset>.	Restore failed for nas asset. Please check the log for details.	Please check logs for more details to fix the issue and retry once the issue fixed. If the issue persists, contact your system administrator.	Critical	Restore
UPG0060	PowerProtect Data Manager update failed, puppet configuration has failed at: <failFactKey>.		Contact Dell Customer Support.	Critical	System
ADT6026	The anomaly detection information for the copy <assetName> is modified.			Informational	Protection Copy
ADT0507	NAS asset source <name> has been deleted.			Informational	Protection Infrastructure
SYS0089	Cloud DR Server password is invalid on the host <hostName>.	The password for the Cloud DR Server on this host is invalid.	Update the Cloud DR Server password in Power Protect Data Manager.	Warning	System
ABSD0060	Unable to perform the HBA rescan during the cleanup for the <operation> of the asset <assetName> on the following host(s): <hostNames>	The cleanup operation for this asset was unsuccessful because there was an error during the rescan of the host bus adapter on the protection engine host.	Rescan the host bus adapter on the protection engine host.	Warning	Protection
SYS0067	SupportAssist is not connected.	After a SupportAssist update, the SupportAssist connection is not successful because an error occurred.	Retry the SupportAssist configuration.	Critical	System
ABSD0009	Unable to backup the asset <assetName> because the remote snapshot session in the PowerStore <powerStoreName> is not in "COMPLETED" state.	The backup was unsuccessful because the PowerStore system returned an unknown state for the remote snapshot session.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABF0013	Skipping the backup for asset <assetName>. Unable to determine the block backup chain consistency for the asset on the host <hostName> due to because the following error occurred: <errString>.	The backup was unsuccessful due to encounter of this asset cannot be completed because an error occurred when validating the block backup chain consistency for the incremental block-based backup.	Force a full backup. If the issue persists, contact Dell Customer Support.	Critical	Protection
SYS0076	Unable to complete the <operation> for Data Manager, because <reason>.	An issue with the Data Manager power operation occurred.	Retry the operation, or contact Dell Customer Support.	Critical	System
ASBA0008	The backup job completed with warnings because the post-script could not be run.	The backup job completed successfully but with a warning because the post-script run could not be completed.	Go to Jobs > Protection Jobs to review the job step details or check the log files at the following locations for more information about the post-script failure. On Windows: INSTALL_DIR\DPSPAPPS\AGENTS\SERVICELOGS. On Linux or AIX: /opt/dpsapps/agentsvc/logs.	Warning	Protection
SYS0093	Unable to install the Extension service and UI plugin with CloudDirector '<CloudDirectorName>'.	PowerProtect Data Manager requires installation of the Extension service and the UI plugin with Cloud Director. If this installation is unsuccessful, these features will be unavailable. However, PowerProtect Data Manager will continue to work normally.	1. Review the log file /var/log/brs/cdvappdm/cdvappdm-plugin.log to determine if other issues exist. 2. Check the connection between PowerProtect Data Manager and Cloud Director. 3. Verify that the specified credentials and user role are valid. If the issue persists, contact Dell Customer Support.	Critical	System
ADT0137	Storage system <ssName> network interface has been updated.		No action required.	Informational	Security
SYS0211	Transient software error occurred during indexing.Indexing will be retried after <offlineIndexInterval> hours.		No action required.	Critical	System
ADT3014	Update started for the report node <reportNodeName>.		No action needed.	Informational	Reporting
ABSH0002	Unable to perform the backup as the agent cannot fetch the database name from the backup request for the database located on <host>.	Unable to perform the backup because the backup request sent to the agent does include the essential fields.	Contact Dell Customer Support.	Critical	Protection
ADT1004	Deleted assets: <assetsName>.	Assets deleted.	No action needed.	Informational	Protection
ARO0527	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore request is unsuccessful because the agent cannot send the backup report after parsing the Oracle Incremental Merge response.	To resolve the issue, Make sure that the /tmp directory has enough space and re-submit the restore request.	Critical	Restore
ANR0006	Unable to cancel the <sessionType> operation because the ppdmnasagent process cannot be detected for the snapshot <snapshotName> from the session ID <sessionId>.	The cancel request for this operation cannot be completed because the ppdmnasagent process exited before the request was received.	If the snapshots were deleted by the process, no action is required. If there are any stale snapshots in the appliance, follow the procedure in the PowerProtect Data Manager NAS User Critical Guide to manually delete the stale snapshots mentioned in the error message.	Critical	Protection
ABO0546	The PowerProtect Data Manager Oracle agent is unable to perform the backup for the instance <SID> with the database ID <DBID> because the database is not running in any of the cluster backup nodes or none of the selected cluster backup nodes are reachable.	The backup request cannot be completed because the database is not running in any of the cluster backup nodes or cluster backup nodes are not reachable.	To resolve this issue: 1. Make sure that the database is up and running in at least one of the nodes from cluster backup nodes. 2. Make sure that the provided service name and port are valid for the selected cluster backup nodes. 3. If the database is not running in the selected cluster backup nodes, set up the backup cluster nodes where the database is running. 4. Resubmit the Oracle backup request.	Critical	Protection
ATO0020	Unable to perform archival operation because of DD connectivity issue.	Failed to perform the archival operation because of DD connectivity issue.	To troubleshoot this issue: 1. Make sure the connectivity is proper between Power Protect Data Manager and the DD. 2. If the issue persists, check the log files at /var/log/brs/cloudmgr/cloudmgr.log for more details.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
SYS0032	Unable to transmit telemetry data to Dell by <transporter>.	Telemetry data cannot be successfully transmitted because the transmission timed out or an error occurred during transmission.	To troubleshoot this issue: 1) Review the firewall configuration to make sure the following default outbound ports are not blocked: -443 for SupportAssist direct connection, -9443 for SupportAssist gateway connection -25 for Email Server. 2) Verify that an internet connection is available. If the issue persists, contact Dell Customer Support.	Warning	System
SYS0012	The trial license on the system <hostname> expires in <days_left> days.	In the case of a trial license, an alert appears 30 days from the end of the 90 day evaluation period. An alert appears again at 14 days, 7 days, and 1 day prior to expiration.	Update the host system with a permanent license to continue using the software. In the PowerProtect Data Manager UI: 1) Click the Settings icon from the top-right menu, and then select License. 2) To upload the license, click Upload File. 3) Click Apply.	Warning	License
ARO0546	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database.	The restore is unsuccessful because the Oracle Incremental Merge restore cannot perform the mount operation.	To resolve the issue: 1. Make sure that the IP addresses or hostnames of the PowerProtect DD system and selected asset source are accessible. 2. Make sure that the Oracle home base pathname has valid Oracle permissions. 3. Make sure that /usr/bin/fusermount has -rwsr-xr-x permissions if the restore request is selected with the BoostFS protocol. 4. Make sure that the NFS export is created in the selected PowerProtect DD system if the restore request is selected with the NFS protocol.	Critical	Restore
ABN0031	DD network interface address <FQDN> selected in the protection policy <policy> resolves to multiple IP addresses belonging to both the IPv4 and IPv6 family.	The DD network interface address selected in this protection policy resolves to multiple IP addresses. If there is an IP version mismatch between these addresses, the NAS protection engine will be unable to process the backup request.	To troubleshoot this issue: 1) Select the IP address from the target DD network interface, or 2) Add an entry to /etc/hosts to resolve the FQDN to an IP address.	Critical	Protection
ABSH0001	Unable to protect the database <asset> belonging to the instance <instance> located on <host> because the database is offline.	The protection request is unsuccessful because the database is offline.	Bring the database online by using either SAP HANA Studio or the hdbsql command, and then retry the ad-hoc backup.If this procedure does not resolve the issue, contact Dell Customer Support.	Critical	Protection
ACGHV0001	Unable to cancel the configuration job for <assetType> asset <asset>.	The asset configuration job cannot be canceled because the job is already in the completed state.	No action is required.	Critical	Protection Policy
CSM0012	Cloud Snapshot Manager operation <operation> for type <resource_type> has failed for <account_term> <account_name>(<account_number>) of tenant <tenant_id> due to insufficient permission. Check your cloud account permissions.	The cloud provider service API call could not succeed because the provided cloud account does not have sufficient permissions.	Contact backup administrator with Cloud Snapshot Manager access.	Critical	System
ATO0014	Unable to perform archival of copies for File system AIX asset <assetName> as it is not supported.	Failed to perform archival of copies for File system AIX asset <assetName> as it is not supported.	Refer the admin guide to check the list of supported asset and then retry the archival operation.	Warning	Protection
AERR0014	Task <task> could not be resumed back when workflow service started.	Task could not be resumed back when workflow service started.	To troubleshoot this issue, restart the task for retry.	Warning	Protection Policy
SYS0047	Log bundle operation is manually canceled by <username>.	Log bundle operation is unsuccessful when the user manually cancels it.	Retry the log bundle operation.	Informational	System
ABN0041	There was an issue observed while executing post-backup operation and clean-up of export rule <exportRuleId> created onexport Policy <exportPolicy> during backup.	The deletion of export Rule failed during clean up operation.Please note the protection is not impacted by the failure.	Manual Cleanup of export rule from corresponding Volume export policy will be needed from NetAPP UI.	Warning	Protection
ASDS0026	An exception occurred while checking for undiscovered copies for new Assets added on host <hostName>; <errors>.	Unable to check the undiscovered copies for new Assets added.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ADT0901	Search Node <searchNodeName> has been added to <searchClusterName> Cluster.			Informational	Protection Infrastructure
ARV0037	VM Direct engine is unable to restore the virtual machine <vmName> on vCenter <vCenterName> because the virtual machine reconfiguration was unsuccessful.	The VM Direct engine cannot complete the restore of this virtual machine because the reconfiguration of the virtual machine on the vCenter cannot be successfully completed.	Verify that the datastore has enough free space for the operation.	Critical	Restore
ARA0031	Unable to restore <assetType> asset <asset>.	The restore is unsuccessful because the restore of backup copies that were performed before the agent host was registered in PowerProtect Data Manager is not supported.	Use self-service restore command to restore these copies.	Critical	Restore
AERR0017	Task <task> failed because it kept receiving 429 response and retry times has reached the max number.	This task failed because it kept receiving 429 response and retry times has reached the max number.	Check the resources and make sure there's enough capacity for this task and retry again.	Warning	Protection Policy
CERT0007	ICA replacement and regeneration of the root certificate and associated host certificates is completed with a status of <result>.	ICA certificate replacement can have one of the following statuses: -FAILED - The process failed before it could replace certificates. -PARTIAL - The process has successfully replaced the certificates, but the post certificate replacement steps for one or more components failed. -SUCCESS - The process has successfully replaced the certificates.	If the status is SUCCESS, no action is required. If the status is PARTIAL or FAILED, retry the ICA replacement request.	Informational	Security
ABF0016	Skipping the backup for asset <assetName>. Unable to persist the metadata of changed blocks on the host <hostName> because the following error occurred: <errString>	The block-based backup of this asset cannot be completed because the File System agent was unable to persist the metadata of the changed blocks.	To resolve this issue, force a full backup or reboot the system and then retry the operation.	Critical	Protection
ARSH0001	Unable to restore the database <sourceAsset> in the instance <sourceInstance>to the target database <targetAsset> in the instance<targetInstance> on the host <host>.	The restore is unsuccessful because the target database is online.	Bring the target database offline by using either SAP HANA Studio or the hdbsql command and then retry the restore.If this procedure does not resolve the issue contact Dell Customer Support.	Critical	Restore
ASSD0011	Unable to process the local snapshot for the asset <assetName> because an internal error occurred while fetching the Replication session information from the PowerStore <powerStoreName>.	The local snapshot was unsuccessful because an internal error occurred while fetching the Replication session information.	To resolve this issue: 1. Verify that the replication pair has not been deleted. If deleted you need to add a replication pair,run a manual discovery of the asset source in the PowerProtect Data Manager UI, and then retry the operation. 2. Check the replication state, Wait until the state changes to "Synchronizing", "System_Paused" or "OK" in the PowerStore system,and then retry the PowerStore Block Volume backup job. 3. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error and to troubleshoot the issue.If the issue persists, contact Dell Customer Support.	Critical	Protection
ABF0007	Unable to obtain the backup volume <volumeName> on the host <hostName> to back up the asset.	The backup of this asset cannot be completed because the File System agent was unable to obtain the backup volume. This issue occurs if the backup path is null, or if an unsupported non-VSS backup was performed for a Windows deduplication volume.	To resolve this issue: 1) Make sure that the input path is valid. 2) Restart the VSS service, and then retry the operation.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
APO0028	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database <SID> with database ID <DBID> because of an agent host issue.	The delete request is unsuccessful for any of the following reasons: 1) The Oracle database is unavailable. 2) The TNS name and TNS administrator details cannot be validated for the database or wallet user.	Make sure that the database is available. In case of database and wallet authentication, also make sure that the TNS name and TNS administrator details are validated. If the issue persists, contact Dell Customer Support.	Critical	Protection Copy
UPG0139	Detected a deprecated SSO configuration in the system during the update precheck.		After the update, the SSO must be reconfigured through the required procedure in the UI. Go to Administration > Access Control > Single Sign-On in the UI. Then map the role to the SSO group through Administration > Access Control > Users/Groups.	Warning	System
AMGHV0009	Unable to detect a valid host to mount the 'assetType' asset 'asset'.	Mounting of this asset cannot be completed because a valid host cannot be located. The Hyper-V agent might not be installed on the host.	Make sure that the Hyper-V agent is installed on the Hyper-V Server. If this is a clustered environment, make sure that the Hyper-V agent is installed on the current owner node <host> of the VM asset.	Critical	Restore
CSM0017	Cloud Snapshot Manager file level recovery failed for <resource_type> <resource_id> of <account_name>{<account_number>} cloud account for tenant <tenant_id>.	The cloud provider service failed to create a new resource because the required conditions were not met.	Contact backup administrator with Cloud Snapshot Manager access.	Critical	Restore
PEN0011	PowerProtect <k8sPodType> is not running on cluster <k8sClusterName>.	PowerProtect Velero Pod failed to start.	Use the Kubernetes command line tool kubectl, or an equivalent tool, to view the events in the Kubernetes cluster's Velero pod and troubleshoot the failure.	Critical	Protection Infrastructure
IAMADT3003	<arg1> locked out due to failed password attempts.			Informational	Security
ADT0902	Search Node <searchNodeName> has been deleted from <searchClusterName> Cluster.			Informational	Protection Infrastructure
ADN0001	Unable to discover the NAS asset source <assetSource> because the following internal configuration error occurred: <error>.	Discovery of this NAS asset source cannot be completed because of an internal configuration error.	To resolve the issue: 1) Check the network connectivity between PowerProtect Data Manager and the NAS appliance. 2) Make sure that the NAS appliance is running. 3) Check the log files at /var/log/brs/discovery-service/discovery-service.log for more details. If the issue persists, contact Dell Customer Support.	Critical	Discover
ABSD0036	Unable to get the host <hostName> from the <storage> array <arrayId>.	This host could not be obtained from the storage array because an error occurred while getting the initiators.	To troubleshoot this issue: 1. Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2. Confirm that all the arrays managed by Unisphere are connected and working properly. 3. Verify host exists or not on the array 4. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 5. Retry the operation at a later time.	Critical	Protection
UPG0125	The update package cannot be installed, because the system is configured to use an SMIS server. PowerProtect Data Manager no longer supports SMIS servers as an asset source.		To install the update package, contact Dell Customer Support.	Critical	System
ARSD0029	Unable to restore the backup to <assetName> because a restore operation using the same backup is already in progress.	The request to restore the asset cannot be processed because a restore operation is already in progress for the asset.	Retry the operation after the current restore operation completes.	Critical	Restore
ADT0120	Multi-factor authentication bypass account configuration for local account locator, 'localAccount', is disabled.		No action required.	Informational	Security
ARNA0036	Unable to find volume information for the share <assetName>.	The system is unable to retrieve the volume information for the share, which may prevent access or operations on this share.	To resolve this issue: 1) Ensure that the volume associated with the share is properly mounted. 2) Verify that the volume is online and accessible from the system. 3) Check for any errors or misconfigurations that could affect the volume's availability. 4) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
APO0008	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database <SID> with database ID <DBID> because the credential information cannot be processed.	The delete operation is unsuccessful because the agent cannot process the credential information from the configuration request.	To resolve this issue: 1) Enter the correct username and password of the Oracle database in the configuration request. 2) Make sure that the Oracle user has the sysbackup user rights.	Critical	Protection Copy
ARG0012	Unable to restore the <assetType> asset <asset> to the restore path <restorePath> as the restore path already contains the restored data from a previous restore.	The restore cannot be completed because the host already contains the data to be restored.	To resolve the issue, 1) Provide an alternative restore path 2) Clean up the restore path before retrying the restore.	Critical	Restore
ASDS0022	An exception occurred while discovering missed Assets for AddOn <AddOnName> on host <hostName>; <errors>.	The discovery of missed Assets was unsuccessful.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ABNA0038	Unable to validate the read access state of the target share <assetName> and cannot proceed with the <sessionType> operation.	Either the export/share path is empty or the target backup asset does not have read permissions.	To troubleshoot this issue: 1) Grant read access to the target backup asset. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
SYS0036	AutoSupport is disabled because an unexpected issue is detected during telemetry EULA update.	AutoSupport is disabled because of an inability to verify that the telemetry EULA is updated.	In the PowerProtect Data Manager UI: 1) Click the Settings icon from the top-right menu, and then select Support. 2) In the left pane, select Auto Support, and move the slider to the right to enable Auto Support. If the issue persists, contact Dell Customer Support.	Warning	System
AERR0015	Task 'tasks' failed because the Apps service is unavailable.	The service is unavailable for some reason: 1) Service is in the process of preparation after new installation or service restart. 2) Service is shut down by user or unexpected error.	Retry the operation later. If the issue still persists, contact Dell Customer Support.	Warning	Protection Policy
ADA0015	Unable to complete the asset discovery because of the unknown host exception.	Unable to complete the asset discovery due to an unknown host exception. There is an issue with DNS name resolution or host details are not available.	To resolve the issue: 1. Verify the external DNS server is able to resolve the hostnames. 2. Verify DNS information is present in the /etc/resolv.conf file. If the problem persists, contact Customer Support.	Critical	System

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABSD0030	Unable to create a storage group for provisioning the target devices to link the snapshot for the asset <assetName> because an internal server error occurred while processing the request in the PowerMax storage array <storageName>.	Creation of a storage group with the target devices to link the snapshot was unsuccessful because an internal server error occurred while processing the request in the PowerMax storage array.	To troubleshoot this issue: 1. Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2. Confirm that all the arrays managed by Unisphere are connected and working properly. 3. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 4. Retry the operation at a later time.	Critical	Protection
ABO0025	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database because Oracle bus writer cannot connect to libzmq library.	The backup request is unsuccessful because the Oracle bus writer cannot connect to the libzmq library. Possible causes of the issue: a) The libzmq library was not initialized. b) The libzmq process was stopped during the backup.	Make sure that the \$RMAN_AGENT_HOME/lib/libzmq.so.5 file exists. Make sure that the libzmq process is not stopped forcefully. Reinstall the agent.	Critical	Protection
ADSD0005	PowerStore discovery for <powerstorelp> cannot be completed because the replication sessions are unavailable.	The PowerStore discovery operation was unsuccessful because the query to PowerStore for the replication session details cannot be detected.	Contact Dell Customer Support.	Critical	Discover
ARV0020	VM Direct engine is unable to restore the virtual machine <vmName> on vCenter <vCenterName> because of invalid vCenter credentials.	The VM Direct engine cannot complete the restore of this virtual machine because the username or password entered for the vCenter is not valid.	Reenter the username and password for the vCenter <vCenterName>, and then retry the operation.	Critical	Restore
PTPP0011	Unable to locate the asset ID <assetID> in the Avamar server.	The asset ID cannot be found in the Avamar server. The reason may be that the asset ID is incorrect or improperly formatted, or the asset does not exist on the Avamar server.	To resolve this issue, verify that the asset ID <assetID> is correct and properly formatted. Check that the asset exists on the Avamar server and the asset ID is accurate. If the issue persists, contact Dell Customer Support.	Critical	Migrate
ADT0104	User <username> password has been changed.		No action needed.	Informational	Security
ABSH0007	Unable to protect the database <asset> belonging to the instance <instance> located on <host> because essential fields are not provided to the agent in the backup request.	The protection request is unsuccessful because the agent did not receive the essential fields in the backup request.	Try launching the ad-hoc backup.If this procedure does not resolve the issue, contact Dell Customer Support.	Critical	Protection
ARF0032	Unable to perform a file-level restore at <backupTime> to the target volume <volumeName> because the third party component <cmpName> produced the following error: <errString>.	The restore of this backup copy cannot be completed because an operation by a third party component was unsuccessful.	To troubleshoot this issue: 1) Verify that there is sufficient disk space in the target volume. When the issue is resolved, retry the operation. 2) Backup source may have been unmounted due to a timeout, with the default duration. The PowerProtect Data Manager FS user guide provides more information about increasing the timeout.	Critical	Restore
ARSD0043	HBA rescan on the protection engine host(s) <hostNames> has failed.	There was an error while performing HBA rescan on the protection engine host(s) during restore cleanup activity.	1) Perform manual HBA rescan on the protection engine host(s). 2) Ensure that the volumes are no longer visible on the host(s).	Warning	Restore
ABNA0010	Unable to communicate with NAS appliance <NASmgmtName>.	The backup session cannot be started with the NAS appliance because the appliance did not respond as expected.	To troubleshoot the issue: 1) Verify that the NAS appliance is available. Check for connectivity between the NAS appliance, PowerProtect Data Manager, and the NAS protection engine. 2) Verify the NAS appliance and NAS server management credentials. Where required, enter the credentials, on the Credentials Management page and assign it to the NAS asset.	Critical	Protection
DIA0001	<count> inconsistent copies detected for asset <assetName> on asset source <assetSource> in data target <dataTarget> due to data file missing: <copies>	The data in these backup copies is inconsistent because one or more files in the protection storage could not be detected.	Contact Dell Customer Support.	Critical	Compliance
ABF0018	Skipping the backup for asset <assetName>. Unable to allocate memory for the object <objectName> in the process "dfssv".	The backup of this asset cannot be completed because an error occurred when allocating memory.	Check the system memory. When it is determined that enough memory can be allocated for the backup, retry the operation.	Critical	Protection
ARS0010	Unable to restore the backup copy on <hostname> from <assetname> (created at <savetime>) to <assetname>. The restore is unsuccessful because of issues with the tail-log in the backup.	Tail-log backup is unsuccessful for the database because of some internal error in the backup. Hence recovery will not be performed.	Select one of the following options: 1. Check the ddbmsqlsv logs available in MSAPPAGENT logs directory on the host <hostname>. 2. Check the export logs from PowerProtect Data Manager for more details. 3. Run the recovery without the tail-log option.	Critical	Restore
ARN0011	DD network interface address <FQDN> selected in the protection policy <policy> resolves to multiple IP addresses. If there is an IP version mismatch between these addresses, the NAS protection engine will be unable to process the backup request.	The DD network interface address selected in this protection policy resolves to multiple IP addresses. If there is an IP version mismatch between these addresses, the NAS protection engine will be unable to process the backup request.	To troubleshoot this issue: 1) Select the IP address from the target DD network interface, or 2) Add an entry to /etc/hosts to resolve the FQDN to an IP address.	Critical	Restore
ADT0805	Cancellation has been requested for the activity <activityName>, job ID <activityID>.			Informational	Protection
SYS0024	The route "<source>/<netmask>" for network "<networkName>" conflicts with an existing route.		Update the route for network and try again.	Critical	System
APO0014	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database <SID> with database ID <DBID> because the copy information is unavailable.	The required 'copylson' information is not available in the delete request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection Copy
SYS0059	Unable to restore the SupportAssist backup because the backup cannot be detected.	Restore of the SupportAssist backup was unsuccessful because the backup could not be located.	Reconfigure the SupportAssist from UI. 1) Click the Settings icon from the top-right menu, and then select Support. 2) In the left pane, select SupportAssist 3) Select connection method. 4) If Connect via gateway is selected, set gateway IP/Hostname. 5) Set Access Key and PIN, and click connect button. If the issue persists, contact Dell Customer Support.	Warning	System
ADSD0009	PowerStore discovery for <powerstorelp> cannot be completed because there is a connectivity issue between PowerStore and PowerProtect Data Manager.	The PowerStore discovery operation was unsuccessful because a connection cannot be established between PowerStore and PowerProtect Data Manager.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running.	Critical	Discover
ABO0003	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database because PowerProtect DD system information is not specified in the request.	The backup request is unsuccessful because the DD hostname is not specified in the request.	To resolve this issue: Make sure the IP/hostname of the PowerProtect DD system is correct and submit the configuration request. Then submit the backup request. Complete the following steps to submit the configuration request: 1.Select Protection > Protection Policies. 2. Select the required asset. 3. Select Edit > Objectives > Primary Backup. 4.Select the PowerProtect DD system, and save the changes.	Critical	Protection
ARF0003	Unable to obtain volume information for the restore target volume <volumePath> on the host <hostName>.	Information for the volume cannot be obtained because the specified restore target path does not exist, or the volume has not been mounted.	Verify that the restore target path exists and that the volume is mounted. If the issue persists, contact Dell Customer Support.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABO0011	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database <SID> with database ID <DBID> because the value of parallelism is unsupported.	The backup is unsuccessful because the value of parallelism is unsupported.	Enter the correct integer value between 1 to 255 for parallelism in the backup request.	Critical	Protection
ABO0023	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database because DD Boost initialization is unsuccessful.	The backup request is unsuccessful because an error occurred during the DD Boost initialization. Possible causes of the error: a) Library is not found. b) Memory is insufficient to create a new process. c) An issue exists with the ddboost library.	Make sure that the \$RMAN_AGENT_HOME/lib/libDDBoost.so file exists. Make sure that there is sufficient free memory. Reinstall the Oracle RMAN agent.	Critical	Protection
SYS0057	Issues found in PowerProtect Data Manager configuration file. <errorMessage>		Configure from PowerProtect Data Manager UI or contact Dell Customer Support.	Critical	System
ADSD0015	Unable to discover the PowerMax system <powerMaxId> because an internal error occurred.	The PowerMax discovery operation was unsuccessful because of an internal error.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2. Confirm that there is no packet loss between PowerProtect Data Manager and Unisphere. 3. Confirm that all the arrays managed by Unisphere are connected and working properly. 4. Make sure that Gatekeeper devices are configured properly. 5. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error.	Critical	Discover
ABSD0067	Unable to execute the <scriptType>-script in Host Proxy <scriptAppAgentName> because internal error in Host Proxy.		To resolve the issue: 1. Validate the Host Proxy IP address, name, user credentials and status in PowerProtect Data Manager. 2. Validate the script execution enabled in Host Proxy. Verify that the script's syntax is correct and the timeout setting is appropriate. 3. Verify that the Host Proxy is up and running.ABSD0067.detailedDescription = The script execution was unsuccessful due to invalid script, script timeout or internal error in Host Proxy.	Critical	Protection
SYS0101	Unable to complete the log export operation.	An unknown error occurred during the log export operation.	To troubleshoot this issue, from the PowerProtect Data Manager UI, either: 1. Retry the log export operation. 2.Go to System Settings and click Logs to create a log bundle. If the issue persists, contact Dell Customer Support.	Critical	System
ARO0534	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore is unsuccessful because the request has been canceled for the Oracle Incremental Merge restore jobId <job_id>.	To resolve this issue: 1. Make sure that the Oracle RMAN agent package is installed and the dbmoim binary file exists under the installed Oracle RMAN agent home pathname. 2. Make sure that all the input parameters specified in the protection policy are valid and resubmit the backup request.	Critical	Restore
AAA0011	Unable to complete the archive operation because archiving one or more files is unsuccessful.	The archive operation cannot be completed because one or more files cannot be archived.	To troubleshoot this issue: 1. Check the vendor-specific message for more details and address any requirements. 2. Verify that the provided user has the permission to read and write the data in the DD or cloud.	Critical	Protection
ARSH0002	Unable to perform the restore. The agent cannot fetch the name of the source database from the restore request for the job running on host <host>.	Unable to perform the restore because the restore request sent to the agent does not include the essential fields.	Contact Dell Customer Support.	Critical	Restore
ATO0021	Unable to perform archival operation for asset <assetName> because of an issue in the agent.	Failed to perform archival operation because of an issue in the agent.	To troubleshoot this issue, review the log files at /var/log/brs/cloudmgr/cloudmgr.log for more information about the error.	Critical	Protection
ARO0550	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore is unsuccessful for the Oracle database because of an unknown exception.	Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later.	Critical	Restore
ABVSD0005	Unable to start the <operation_name> because a connection to the storage array <array_name> cannot be established.	This operation cannot be started because an error occurred while establishing a connection to the storage array.	To troubleshoot this issue: 1) Verify network connectivity to the storage array. 2) Make sure that the user credentials used to connect to the storage array are valid and have sufficient privileges to perform this operation. 3) Retry the operation.	Warning	Protection
IAMADT3002	Login failed for <arg1>.			Informational	Security
ARA0022	Unable to perform the post restore for <assetType> asset <asset> because the primary host is unavailable or unresponsive to PowerProtect Data Manager.	The post restore request to the primary host is unsuccessful because the primary host is unavailable or unresponsive to PowerProtect Data Manager.	Check that the primary host is registered properly with PowerProtect Data Manager.	Critical	Restore
ABO0523	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because the agent cannot perform the umount operation using the NFS protocol.	To resolve the issue, make sure that the NFS protocol is enabled in the PowerProtect DD system and resubmit the backup request.If the issue persists,contact Dell Customer Support.	Critical	Protection
AMGHV0011	Unable to detect a valid host to mount the asset.	Mounting of this asset cannot be completed because a valid host cannot be located. The Hyper-V agent might not be installed on the host.	Make sure that the Hyper-V agent is installed on the Hyper-V Server. If this is a clustered environment, make sure that the Hyper-V agent is installed on the current owner node of the VM asset.	Critical	Restore
ARV0040	VM Direct engine is unable to restore the files to virtual machine '<vmName>' on vCenter '<vCenterName>' because of a connection issue with the File Level Restore agent.	Restore of the files to this virtual machine was unsuccessful because a connection with the File Level Restore agent cannot be established.	To troubleshoot this issue, perform the following and then retry the operation once a connection is re-established: 1) Verify that the guest virtual machine is running and can be reached on the network. 2) If the guest virtual machine is too busy, wait for some activities to complete. 3) Verify that the guest virtual machine IP can be reached from the VM Direct engine. If the issue persists, contact Dell Customer Support.	Critical	Restore
MON0043	The activity <activityId> end time was synthetically changed because of an invalid end time. This will affect the total duration of the activity.	There was an internal error with the initial value of the activity's end time. In order to prevent any issues with completing the activity, the end time was synthetically changed. This will affect the activity total duration.	Verify NTP server settings. If the issue persists, contact Dell Customer Support.	Warning	System
CDR0001	CDRS sub-component upgrade has failed.	To support Disaster Recovery to the cloud, the CDRS sub-component must be upgraded. If this upgrade fails, the Cloud Disaster Recovery functionality may not be available. However, PPDM will continue to work normally.	Go to CDRS UI, upgrade screen and try to initiate the upgrade from there. If there is an active DR wait for it to complete or cancel it.	Warning	System
APU0010	Unable to cancel <operationType> because cancellation of this operation is unsupported.	Cancellation of this job cannot be completed on the host because Cancel is not supported for this job type.	No action is required.	Warning	Push Update

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARNA0025	An unknown exception occurred while running <sessionType> operation.	The NAS agent cannot process json input.	To troubleshoot this issue: 1) Check and address the vendor specific message for more details. 2) Retry the operation. If the issue persists, contact Dell Customer Support	Critical	Restore
ARHV0033	Unable to perform the attach operation because the following error occurred: <errString>		To troubleshoot the issue: 1. In the PowerProtect Data Manager UI, go to the Jobs window, and click Export log, and review the log file for more details. 2. Retry the operation.	Critical	Restore
ABVSD0003	Unable to validate the details provided for the <operation_name> of the asset <asset_name>.	This operation cannot be completed for this asset because the provided details for the asset cannot be validated.	Verify that the asset details are correct, and then retry the operation.	Warning	Protection
ARC0005	<plc>: Protection policy reconfiguration is unsuccessful because of an error in the working directory cleanup and NFS export deletion for the asset <asset> on protection storage <target> for host <host>.	Protection policy reconfiguration cannot be completed because both the working directory cleanup and NFS export deletion are unsuccessful.	To resolve this issue: 1. Verify that the NFS service is running in the PowerProtect Storage. 2. Follow the steps in the documentation to clean up the NFS export manually. 3. Follow the steps in the documentation to clean up the working directory manually. 4. If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
ARF0041	The <operationName> operation received an invalid 'allow upgrade' option.	The upgrade process failed because of an incorrect syntax error, an unsupported value, or the option was deprecated in the current version or configuration.	To troubleshoot the issue: 1) Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
SYS0095	<clusterName> status is red.	The <clusterName> status is red. because one or more primary shards are unassigned. As a result, some data is unavailable.	Contact Dell Customer Support.	Critical	System
ASDS0008	Discovery of Applications System for AddOn <AddOnName> failed on host <hostName> because of the following errors: <errors>.	The Application System discovery was unsuccessful.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ABA0027	<plc>: Unable to set the retention lock for the copies created by the protection policy on storage unit <suName>.	The retention lock cannot be enabled for the copies created by this protection policy because the retention lock on storage unit is disabled.	To resolve the issue: 1. On PowerProtect DD system, run the following command to enable the retention lock on the storage unit. command: mtree retention-lock enable mode governance mtree <mtree path>. 2. Start the discovery for this PowerProtect DD system from the PowerProtect Data Manager UI Infrastructure > Storage window by Selecting the PowerProtect DD and clicking Discover. If the issue persists, contact Dell Customer Support.	Critical	Protection
AADA0001	Unable to cancel the discovery job on host <hostName> because cancel operation is not supported.	Cancellation of this job cannot be completed because the cancel operation is not supported.	Cancel operation not supported.	Warning	System
NASBK0018	Protection copy Set creation failed for <plc>.	Protection copy Set creation failed for nas asset. Please check the log for details.	Please check logs for more details to fix the issue and retry once the issue fixed. If the issue persists, contact your system administrator.	Critical	Protection
ADSD0022	Unable to discover the Unisphere server <u4pip> because an http server error occurred.	The Unisphere discovery operation was unsuccessful because of a http server error.	To resolve the issue: 1. Make sure that the sdmng service is running. 2. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error.	Critical	Discover
ABO0014	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database because the PowerProtect DD system username and password cannot be obtained from the lockbox.	The backup is unsuccessful because the lockbox is not registered.	To resolve this issue: 1) Make sure the IP/hostname of the PowerProtect DD system is correct. 2) Run the ./ddutil -s command from <RMAN_AGENT_HOME>/bin as the Oracle user to verify whether the lockbox is registered with the PowerProtect DD system using the IP address or hostname. Use the same IP address or hostname in the backup request.	Critical	Protection
ABN0005	Snapshot and Slice stage for the backup job with NAS asset <asset> and target <target> started at <start_time>..	The Snapshot And Slice stage is started for the NAS backup job. The backup job consists of three steps, or stages: Snapshot And Slice-The NAS asset is broken into multiple chunks so that these chunks can be backed up in parallel. Backup Snapshot-The actual backup data rollover is performed. Delete Snapshot: The backup is committed, and then clean up is performed.	No action needed.	Informational	Protection
ABV0034	VM Direct engine is unable to configure protection for the virtual machine <vmName> on vCenter <vCenterName>.	The VM Direct engine cannot configure protection of this virtual machine because the virtual machine contains managed snapshots.	Verify that no managed snapshots exist for the virtual machine, and then retry the configuration job from the System Jobs window of the PowerProtect Data Manager UI.	Critical	Protection
ABO0024	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database because DD Boost connection is unsuccessful.	The backup request is unsuccessful because the DD Boost connection is unsuccessful.	DD Boost connection failed with an error: ERROR. Error code: <ERRCODE>.	Critical	Protection
ABO0536	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because the Oracle Incremental Merge backup operation has been canceled for job ID <m_taskID> and instance <strInstance>.	To resolve this issue: 1. Make sure Make sure that the Oracle RMAN agent package is successfully installed and the ddbmoim binary file exists under the installed Oracle RMAN agent home pathname. 2. Make sure that all the input parameters specified in the protection policy are valid and resubmit the backup request.	Critical	Protection
AERR0024	Unable to run the Restore Plan '<restorePlanName>' because this plan is not ready.	This job has been skipped because the Restore Plan is not ready. Configuration of one or more Restore Groups for this Restore Plan might be incomplete.	To troubleshoot this issue: 1) Review the Restore Groups within this Restore Plan to complete the configuration. 2) When the Restore Plan is ready, update the schedule for this restore, or start the restore manually.	Warning	Restore Plan
ABF0015	Skipping the backup for asset <assetName>. Unable to initialize the write tracker during a block-based backup on the host <hostName>.	The backup was unsuccessful due to encounter error(s) The block-based backup of this asset cannot be completed because one or more errors occurred when initializing the writer tracker driver.	The write tracker may be serving another backup program. Retry the backup later or perform a force a full backup.	Critical	Protection
IAMADT3026	Multifactor authentication <arg1>.			Informational	Security
NR0012	Unable to connect to the Reporting Node <reportingEngine> because the node is unavailable.	The Reporting Node cannot be reached because either the node has been removed or there is a network connectivity issue.	Verify that the Reporting Node VM is available in the vCenter Server. If the Reporting Node VM has been deleted from the vCenter Server, also delete the node from PowerProtect Data Manager: 1. In the PowerProtect Data Manager UI, go to Reports >Reporting Engine. 2. Select the node and then click Delete.	Critical	Reporting

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ADRS0004	Unable to complete the server disaster recovery for policy <policyName> because a socket timeout error occurred while connecting to the PowerStore <powerStoreName>.	The server disaster recovery operation was unsuccessful for this policy because a socket timeout error occurred while querying the data from the PowerStore system.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running.If the issue persists, contact Dell Customer Support.	Critical	Protection
ADT5000	VM Direct Protection Engine '<protectionEngineName>' has been updated by operation '<operationTypes>'.	VM Direct Protection Engine '<protectionEngineName>' has been updated by operation '<operationTypes>'.	No action needed.	Informational	Protection
ABO0026	PowerProtect Data Manager Oracle Agent cannot perform the backup for the Oracle database because the Oracle database type is not set.	The required 'type' information is not available in the backup request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection
NASBK0019	Backup job failed for nas asset <asset> to <target>.	Backup job failed for nas asset. Please check the log for details.	Please check logs for more details to fix the issue and retry once the issue fixed. If the issue persists, contact your system administrator.	Critical	Protection
UPG0104	During the update, the memory of the PowerProtect Data Manager virtual machine will be increased to 36GB, or to 40GB if Cloud Disaster Recovery is enabled.		Make sure there is enough memory in your ESXi host.	Warning	System
ABE0015	Backup operation is unsuccessful because the msagentsv process exited incorrectly.	The msagentsv program stopped running. Refer to msagentsv.log for more information on Exchange Server.	Retry the backup operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ADT0206	Protection Policy <plcName>'s encryption is enabled.		No action needed.	Informational	Protection Policy
RMS0012	<num> asset(s) unassigned from <plcName> by protection rule <ruleName>.		No action required.	Informational	Protection Policy
ASDS0012	Unable to mark missed Assets as deleted for deleted Application Systems on host <hostName> because of the following errors <errors>.	Marking missed Assets as deleted for deleted Application Systems was unsuccessful.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ABS0018	Backup of the database <asset> is unsuccessful.	Backup of the database is unsuccessful because of an internal server error.	To resolve the issue, check the error message in the agent logs directory, DPSAPPS\MSAPPAGENT\logs. If the problem persists, contact Dell Customer Support.	Critical	Protection
UPG0052	An internal server error occurred during precheck, failed to start upgrade manager: <exception>.		Contact Dell Customer Support.	Critical	System
ABSD0044	Unable to locate credentials for the Unisphere server <u4pip> while performing the asset backup using vpod.	Credentials for the Unisphere server could not be detected during the vpod asset backup.	To troubleshoot this issue: 1. Verify the credentials used during the Unisphere registration on PowerProtect Data Manager. 2. Retry the operation with valid credential. 3. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error.	Critical	Protection
ABV0010	The VM Direct engine '<vproxy>' is unable to back up the virtual machine '<vmName>' on vCenter '<vCenterName>' because the credentials for the protection storage unit '<suName>' on '<storageSystems>' are invalid.	The VM Direct engine cannot complete the backup of this virtual machine because the username or password entered for the protection storage is not valid.	Reenter the username and password for the protection storage unit, and then retry the operation.	Critical	Protection
ABSD0045	Unable to locate an eligible protection engine for the backup of the asset in the storage array <storageName>.	An eligible protection engine could not be detected for the backup of the asset because an error occurred.	To troubleshoot this issue: 1. Verify whether the backup eligible protection engine are available or not. 2. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 3. Retry the operation at a later time.	Critical	Protection
APO0024	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database <SID> with database ID <DBID> because PowerProtect DD information is unavailable.	Unable to initialize the lockbox library. The lockbox initialization might fail if the root user has installed the Oracle RMAN agent and the Oracle user does not have permissions to read the lockbox file. Alternatively, the lockbox library might be removed from the default location.	Make sure that the Oracle RMAN agent is installed by the Oracle user and the Oracle user has permissions to read the lockbox file. Make sure that the SRMAN_AGENT_HOME/lib/liblockbox.so file is available and this file and its permissions are not modified. If the lockbox library file is modified, replace it with the original file from the installer tar file. Configure a new backup protection policy.	Critical	Protection Copy
ADT0889	Job <activityName> has been force cancelled.		No action required.	Informational	Security
ABF0002	Unable to use a single command <cmdString> to back up the cluster shared volumes with other volumes or disks.	The backup cannot be completed because a single backup command is being used to back up multiple cluster shared volumes.	Use a separate backup command for each volume type.	Critical	Protection
ADT0893	Multi-factor authentication for file-level restore with user '<username>' on virtual machine '<vmName>' <status>.		No action required.	Informational	Security
ABK0002	Unable to back up namespace '<assets>' in Kubernetes cluster '<k8sClusterName>'.	The backup of this Kubernetes cluster namespace was not successful.	Review the error details and summary log in the Jobs window, or export the job logs and review the log files for more information. If the issue persists, review the Troubleshooting section of the PowerProtect Kubernetes User Guide.	Critical	Protection
ADNC0005	Server Disaster Recovery for the NAS protection policy <plcid> is successful.	No action needed.	The NAS Server Disaster Recovery operation for this NAS asset completed successfully.	Informational	Nas Server Dr
ARP0028	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because the retention-unit is not in the correct format.	The backup copies cannot be replicated because the specified retention-unit is not in the following format: [DAY,WEEK,MONTH,YEAR].	Enter a valid format for the retention-unit, and then retry the operation.	Critical	Replication
UPG0080	New product EULA has not been accepted.		Accept new product EULA to proceed the update.	Critical	System
ASDS0021	Discovery of missed Assets for AddOn <AddOnName> failed on host <hostName> because of the following errors: <errors>.	The discovery of missed Assets was unsuccessful.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ADT7022	Update of a quick-recovery configuration for the host <hostname> is unsuccessful.	The <direction> configuration for the host <hostname> is not updated.	No action required.	Informational	System
ARF0056	Unable to mount using iSCSI.	Unable to mount the Active Directory database.	To troubleshoot the issue: 1) Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ADT0138	Storage system <ssName> network interface has been deleted.		No action required.	Informational	Security
ABO0527	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup request is unsuccessful because the agent cannot validate the backup as the tag file status is in progress.	To resolve the issue, run a synthetic full backup when the ongoing process is complete.If the issue persists,contact Dell Customer Support.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABSD0049	Unable to rescan the HBA on ESXi host on which the protection engine is deployed.	The HBA Rescan operation cannot be completed because an error occurred.	To troubleshoot this issue: 1. Make sure that the storage group "PPDM_BV_PROXY_SG" is created in the PowerMax array, and configure the masking view so that the volumes in this storage group are visible to the ESXi host where the block volume protection engine is deployed. 2. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 3. Retry the operation at a later time.	Critical	Protection
SYS0025	Unable to apply the update to network '<networkName>' with the IP address <ip> because the following error occurred: <underlineError>.	The network configuration update cannot be applied. There might be an IP address conflict or a system environment configuration issue, such as a missing device name.	Verify that there are no IP address conflicts, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	System
ASSD0003	Unable to create the local snapshot for <assetName> in the PowerStore system for <powerStoreName>.	The local snapshot creation was unsuccessful while creating the snapshot in the PowerStore system.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. If the issue persists, contact Dell Customer Support.	Critical	Protection
CPM0014	Unable to detect any copies or data targets associated with the following copies: <copies>	Disabling retention lock in governance mode for the specified copies was unsuccessful because the copy IDs are invalid or there are no data targets associated with the provided copy IDs.	Verify that the specified copy IDs are available with the corresponding data targets, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection Copy
ARF0002	Unable to restore the backup performed at <backupTime> to the read-only volume <volumeName> on the host <hostName>.	The restore of this backup copy cannot be completed because the storage target is a read-only volume.	Check the access permissions of the target volume. If the volume is read-only, use another volume for the restore.	Critical	Restore
ABV0022	VM Direct engine '<vproxy>' is unable to back up the virtual machine '<vmNames>' on vCenter '<vCenterNames>' because of a VDDK issue.	The VM Direct engine cannot complete the backup of this virtual machine because a VDDK operation was unsuccessful.	To troubleshoot this issue: 1) Verify that the NBD port on the ESXi host is open. 2) If the ESXi host is busy, wait for some activities to complete and then retry the operation.	Critical	Protection
ABG0018	Unable to backup <asset> on the host <hostName> because application agent cannot write the copy discovery response to a file.	There are no successful backups to write the copy discovery response to a file.	To resolve the issue, verify space is available on the host or restart the Agent service and retry the backup.	Critical	Protection
ABO0042	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database '<SID>' with database ID '<DBID>' because of a database incarnation mismatch.	The backup request is unsuccessful because the incarnation of the Oracle database does not match the incarnation obtained in the backup request.	Perform manual discovery and run a full backup.	Critical	Protection
NASBK0009	Unable to reserve vproxy for Backup job for <job>.	Unable to reserve vproxy for Backup job. Please check the log for details.	Please check if NAS vproxy is installed and any other NAS job is running. If any other job is running wait until that job is finished and try again. If the issue persists, contact your system administrator.	Critical	Protection
UPG0092	Unable to skip the update of subcomponent <subComponentName> when updating the software.		Skipping the update of this subcomponent is not supported. Retry the PowerProtect Data Manager software update without skipping this component.	Critical	System
IAMADT3036	User <arg1> has performed test connection for RSA SecurID Server: <arg2>.			Informational	Security
ACSD0021	Unable to complete the configuration for the asset <assetName> because the remote_system for the PowerStore <powerStoreName> was not created.	The asset configuration was unsuccessful because the remote_system is unavailable.	To resolve the issue: 1. Verify that the Array_Config job is completed successfully. 2. When the job completes, retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABV0037	VM Direct engine '<vproxy>' is unable to back up the virtual machine '<vmNames>' on vCenter '<vCenterNames>' because another product is performing an operation on the virtual machine.	The VM Direct engine cannot complete the backup of this virtual machine because protection for this virtual machine is currently being performed by another product.	Disable protection of this virtual machine by the other product, and then reconfigure protection of this virtual machine with PowerProtect Data Manager.	Critical	Protection
ABNA0029	Unable to complete the <sessionType> operation because the snapshot path of the Unity share <assetName> for snapshot <snapshotName> cannot be located.	Creation of the snapshot access path for the Unity asset cannot be completed because an error occurred	To troubleshoot this issue: 1) Check and address the vendor specific message for more details. 2) Check the Unity array to ensure that no errors occurred during path creation.	Critical	Protection
AERR0021	Skipping job '<task>' because the scheduled activity window conflicts with another higher priority schedule in the policy.	This job has been skipped because its schedule conflicts with one or more additional schedules in this policy that have a higher priority. Schedule occurrences can conflict with each other when the activity windows are identical or occur entirely within the same time range.	Edit the activity window of the schedule configured in the protection policy so that it does not conflict with other schedules in this policy.	Warning	Protection Policy
ADA0021	Manual discovery is skipped for the host with the Generic Application asset.	Discovery for the Generic Application asset is not supported.	Do not try to perform a manual discovery for a Generic Application asset.	Warning	System
ABNA0032	Unable to complete the <sessionType> operation because of an exception while processing JSON input.	The NAS agent cannot process JSON input as it contains invalid parameters.	To troubleshoot this issue: 1) Check and address the vendor specific message for more details. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARNA0015	Unable to complete the <sessionType> operation because an empty mount/destination path prevented mounting of the asset <assetName>.	The operation cannot be completed because an internal error occurred when mounting the asset due to the mount/destination path.	To troubleshoot this issue: 1) Check and address the vendor specific message for more details. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ADP0008	Unable to complete the deletion because of a component restart.	The deletion cannot be completed because a component restart occurred while processing the operation.	Wait for the component restart to complete, and then retry the operation.	Critical	System
SYS0099	Catalog Store runtime settings have been changed.	The Catalog Store runtime configuration settings from API /_cluster/settings have been modified. Changes to these settings might affect PowerProtect Data Manager performance.	Restore the dynamic configurations.	Warning	System
ACHP0002	Unable to complete the agent installation because an installation session is currently running.	An existing installation is already in progress, causing a conflict with the agent installation.	Wait for the current installation to complete. Check the Task Manager or Activity Monitor for ongoing installations, and make sure that no other installations are pending or suspended. Reboot the system, if needed.	Critical	Protection Policy
AUSD0011	Unable to delete the snapshot <snapshotName> from the PowerMax storage array <storageSystemName> for the asset <assetName>.	Deletion of this snapshot could not be performed during the protection policy unconfiguration operation.	Delete the snapshot manually from the storage system.	Critical	Protection Policy
ABK0016	Unable to back up namespace '<assets>' in Kubernetes cluster '<k8sClusterNames>' because the Velero backup was not successful.	The backup of this Kubernetes namespace was not successful because the Velero backup did not complete within the timeout window.	To resolve the issue: Verify that the Velero pod is running in the Kubernetes cluster. Use the command kubect logs (velero pod name) -n (velero namespace), or an equivalent command, to troubleshoot the failure.	Critical	Protection
SYS0049	Unable to complete the log bundle operation.	An unknown error occurred during the log bundling.	Retry the log bundle operation. If the issue persists, contact Dell Customer Support.	Critical	System
ADRS0001	Unable to complete the server disaster recovery for policy <policyName> because an internal error occurred.	The server disaster recovery operation was unsuccessful for this policy because an internal error occurred in the PowerProtect Data Manager system.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information to troubleshoot the error, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
UPG0042	Cloud Disaster Recovery is not configured. Cloud Disaster Recovery Server will not be updated.			Informational	System
APO0025	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database <SID> with database ID <DBID> because of an internal error.	The Oracle RMAN agent cannot perform the delete operation.	Check the SBTIO logs for a possible cause of the issue. Make sure that the database is running during the delete operation.	Critical	Protection Copy
ACF0007	Unable to configure the <assetName> located on <hostName> because credentials for the PowerProtect DD System cannot be stored on the client machine. <errString>.	Make sure the configuration of the PowerProtect DD System is done correctly and it is reachable. Trigger the configuration command again by clicking Set Lockbox.	The configuration is unsuccessful because credentials for the PowerProtect DD System cannot be stored on the client machine.	Critical	System

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARA0014	Unable to cancel the restore job for <assetType> asset <asset> because cancel is not supported on the installed version of the agent host <hostName>.	Cancellation of this job cannot be completed because the cancel operation is not supported on the installed version of the agent host.	To resolve this issue, upgrade the agent on the host to the latest version.	Warning	Restore
ARO0549	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database. The restore is unsuccessful for the Oracle database because of an internal error.		To troubleshoot this issue: 1. Make sure that the Agent Service version is the same or later than the Oracle RMAN Agent version. 2. Set the restore configuration's troubleshooting mode to Trace. 3. Run the restore again, and then check the dbmoim debug log. If the issue persists and the reason for the failure cannot be located, contact Dell Customer Support.	Critical	Restore
RMS0009	Priority of protection rule <name> is changed.	The priority of this protection rule was successfully updated.	No action required.	Informational	Protection
ABSD0069	Unable to execute the <scriptType>-script in Host Proxy <scriptAppAgentName> because of a certificate issue with the Host Proxy.		To resolve the issue: 1. Verify that the PowerProtect Data Manager certificate matches the Host Proxy. 2. Make sure that the certificates have not expired. 3. If a certificate update is required, review the procedure in the PowerProtect Data Manager Security Configuration Guide. 4. Reregister the Host Proxy with the PowerProtect Data Manager system, and then retry the operation.ABSD0069.detailedDescription = The script execution was unsuccessful because of an issue with the Host Proxy certificate.	Critical	Protection
ASDS0014	Unable to mark missed Application Systems as deleted on host <hostName> because of the following errors: <errors>.	Marking missed Application Systems as deleted was unsuccessful.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
APO0001	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database <SID> with database ID <DBID> because the asset ID value is unavailable.	The required 'naturalids' information is not available in the delete request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection Copy
UPG0085	The updated PowerProtect Data Manager version is compatible with Secure Connect Gateway (SCG) version <minimumGatewayVersion> or higher. The gateway version in use is {gatewayVersion}.		Update the Secure Remote Services (SRS) or SupportAssist Enterprise (SAE) gateway or Secure Connect Gateway (SCG) to a version compatible with the SCG version. Refer to the eLab Navigator for the most up-to-date software compatibility information for PowerProtect Data Manager, available at https://elabnavigator.dell.com/eln/modernHomeDataProtection .	Critical	System
ADSSD0009	Unable to delete the snapshots and catalog for the selected copies because the PowerStore <powerStoreName> is unavailable.	The snapshots and catalog for these expired copies cannot be deleted because the PowerStore system cannot be reached.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running.If the issue persists, contact Dell Customer Support.	Critical	Protection
ADA0020	Unable to monitor the discovery task due to an internal error. The discovery session may still be running on the host.	The discovery task cannot be completed due to an internal error during monitoring. The discovery session may still be running on the host.	To troubleshoot the issue, retry the discovery manually in the PowerProtect Data Manager UI at a later time using the following steps: 1. Go to Infrastructure > Asset Sources. 2. Select the host and click Discover. 3. Click Yes to perform a manual discovery or select the Initiate a Full Discovery option, and then click Yes to perform a full discovery.	Warning	System
ARN0006	NAS restore job <job> started at <startTime> is cancelled.	The NAS restore job was cancelled by the user.	No action needed.	Informational	Restore
ARV0007	VM Direct engine is unable to restore the virtual machine 'vmName' on vCenter 'cvCenterName'.	Restore of this virtual machine to the destination vCenter was unsuccessful.	Review the error details and summary log in the Jobs window, or export the job logs and review the log files for more information. If the issue persists, contact Dell Customer Support.	Critical	Restore
ALA0008	Unable to cancel the log export job for <assetType> on host <hostname> because the agent is unable to complete this operation. The log export job might have completed before the cancel operation was started.	Agent denied the cancel request.	Check agent logs for more details.	Warning	Export Log
ABNA0016	Unable to complete the <sessionType> operation because the share path <assetSourcePath> could not be mounted at <targetMountPath>.	PowerProtect Data Manager cannot mount a share on the defined path.	To troubleshoot this issue: 1) For CIFS, check the share credentials. 2) For NFS, verify whether the share can be mounted and NAS protection engine has access to that share. 3) For generic assets, cookie authorization is not supported. Generic assets only support basic authentication. 4) Connect to the generic NAS and verify that the share exists. Also, verify the manually added share name on the Asset Source page of the PowerProtect Data Manager.	Critical	Protection
ADT0710	An object storage with name <objectStorageName> of type <objectStorageType> has been <operation>.		No action required.	Informational	Protection Infrastructure
ARNA0006	Unable to complete the <sessionType> operation because the target path for the recovery operation cannot be located for the source asset <assetName> with backup copy ID <txnId>.	The target destination path that is required for performing recovery is empty.	To troubleshoot this issue: 1) Check and address the vendor specific message for more details. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
PTPP0006	Unable to start the migration because of <numberOfEnabledGroups> enabled Avamar backup policies.	PowerProtect Data Manager requires that all Avamar backup policies be disabled before starting the migration process. The precheck found the enabled Avamar backup policies, which must be disabled.	To resolve this issue, disable all Avamar backup policies and then retry the precheck. Make sure that all policies are in a disabled state before you start the migration. For assistance with disabling policies or questions about migration, contact Dell Customer Support.	Critical	Migrate
AAA0006	Unable to complete the archive operation because initializing the DD Boost library is unsuccessful.	The archive operation cannot be completed because the DD Boost library cannot be initialized.	To troubleshoot this issue: 1. Check the vendor-specific message for more details and address any requirements. 2. Make sure that the DD Boost library is available.	Critical	Protection
ASDR0016	The component <componentName> encountered an error during the backup process with Backup ID: <backupId>. The following issue was identified: <errorReason>	The Server Disaster Recovery was unable to complete the backup due to an unexpected error in the component <componentName>. Please review the error details and take appropriate action.	If the issue persists, please contact support for further assistance.	Critical	Server Dr
ABE0005	Backup is unsuccessful because storage unit <storage_unit_name> is deleted.	Refer to msagentsv.log for more information on Exchange Server.	Add a DD storage unit.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ALA0003	Unable to export application agent log on the host <hostName> because of a network connectivity issue.	Export of the application agent log cannot be completed because an issue with the network connection occurred during the operation..	To resolve this issue: 1. Check the network connectivity between PowerProtect Data Manager and the agent host. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the agent host.	Warning	Export Log
HMPRO005				Warning	Protection Infrastructure
ARK0005	Unable to restore namespace '<asset>' to Kubernetes cluster '<k8sClusterName>' because the target namespace '<targetNamespaces>' cannot be detected.	A restore to the original or another existing namespace cannot be completed when the target namespace does not exist in the Kubernetes cluster.	Verify that the target namespace exists and is available. If this namespace does not exist, add the namespace or choose an existing namespace for the restore target, and then retry the operation.	Critical	Restore
ABO0535	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup request is unsuccessful because the agent cannot send the backup report after parsing the Oracle Incremental Merge output response.	To troubleshoot this issue: 1. Make sure that there is sufficient space on the File System. 2. Set the protection policy's troubleshooting mode to Trace. 3. Run the backup again, and then check the dbmoim debug log. If the issue persists and the reason for the failure cannot be located, contact Dell Customer Support.	Critical	Protection
NASBK0011	Backup Snapshot job completed for nas asset <asset> to <target>.	Backup Snapshot job completed for nas asset. Please check the log for details.	No action needed.	Informational	Protection
ABN0022	Unable to index the metadata for the task <taskId> as Search Engine is disabled.	Metadata indexing for the backup is not completed as Search Engine is either failed or in disabled state. Enable the Search Engine to index the metadata of subsequent backups.	Review the log files at /var/log/brs/nasdm/nasdm.log for more information and to troubleshooting the error. If the issue persists, contact Dell Customer Support.	Critical	Protection
ADT0236	An objective <objectiveType> removed from <plcName>.		No action required.	Informational	Protection Policy
ADA0007	Unable to process the discovered <resourceType> on host <hostName> because of an internal server error.	The application discovery was unsuccessful because of an internal server error.	Check if ES is running. If the issue persists, contact Dell Customer Support.	Critical	System
ASPU0025	The push update job is unsuccessful as the agent service worker could not be spawned.	The push update operation is unsuccessful as the agent service worker spawning is unsuccessful.	Click export log and review the log file. If export logs are unavailable then check the log files at INSTALL_DIR\DP_APPS\AGENTSERVICE\logs for more information. Manual intervention is required.	Critical	Push Update
ACSD0029	Unable to complete the array configuration for the PowerMax array <arrayName> because an eligible block volume protection engine is not configured for this array.	The array configuration for this PowerMax array was unsuccessful because there were no eligible block volume protection engines detected to backup or restore the assets of this array.	To troubleshoot this issue: 1. Make sure that the Block Volume protection engine(s) are deployed and configured properly. 2. Confirm that the Block Volume protection engine(s) are in running state. 3. Make sure that the PowerMax array is zoned with the ESXi host(s) where the Block Volume protection engine(s) are deployed. 4. Make sure that the storage group "PPDM_BV_PROXY_SG" is created in the PowerMax array and configure the masking view such that the volumes in this storage group is visible to the ESXi host(s) where Block Volume protection engine(s) are deployed. 5. Review the log files at /var/log/brs/sdmng/sdmng.log for more information to troubleshoot the error.	Critical	Protection
ADT0214	A stage <stageType> removed from <plcName>.		No action needed.	Informational	Protection Policy
ABO0539	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because the selected asset is not protected using an appropriate protocol.	To resolve the issue, select the appropriate protocol and submit the backup request. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARF0030	Unable to restore the backup performed at <backupTime> because the third party component <cmpName> produced the following error: <errString>.	The restore of this backup copy cannot be completed because an operation by a third party component was unsuccessful.	Review the vendor's error log <logFile> for more information about the issue.	Critical	Restore
ACSD0011	Unable to complete the configuration for asset <assetName> because a socket timeout error occurred while connecting to the PowerStore <powerStoreName>.	The asset configuration was unsuccessful because a socket timeout error occurred while querying the data from the PowerStore system.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Protection
PEN0003	Virtual Machine Proxy <vproxy> update failed on vCenter <vCenterName>.		Contact system administrator.	Critical	Protection Infrastructure
ARO0007	PowerProtect Data Manager Oracle agent cannot perform the disaster recovery for the Oracle database because the database startup is unsuccessful.	The disaster recovery request is unsuccessful because the agent cannot start the database with resetlogs.	To troubleshoot this issue: 1) Enable the debug logs to obtain more information about the failure. 2) Check the RMAN script logs for more details about the error. 3) Make sure that the SCN/timestamp/log-sequence database target path specified for the restore is correct. 4) Verify network connectivity between the client host and the DD system. 5) Verify that the system has sufficient memory to perform the operation. 6) Make sure that the database is not shut down during the restore.	Warning	Restore
ADTS002	The Restore Plan '<name>' is deleted.		No action required.	Informational	Restore Plan
AHC0019	Unable to send the certificate regeneration notification request to the host <hostName>.	The certificate regeneration notification request cannot be completed because an error occurred during the request to the agent host.	Check the export logs from PowerProtect Data Manager for more details. Re-register the client manually after certificate re-generation.	Critical	App Host Configuration
ABSD0073	Unable to clean up one or more protection engines used during the backup of the asset <assetName> because the session timed out after <sessionCancelTimeout> minutes.	Cleanup of the protection engines used during the backup of this asset was unsuccessful because the cancellation of one or more proxy sessions could not be completed within the timeout period.	To troubleshoot this issue: 1. Clean up the protection engines manually in the Unisphere for PowerMax UI. 2. Review the Troubleshooting section of the PowerProtect Data Manager PowerMax Storage Array User guide for instructions on restoring the impacted protection engines to a valid state. 3. When the issue is resolved, retry the backup.	Critical	Protection
AERR0022	Skipping the job '<task>' because the database role is unexpected.	This job has been skipped or canceled because the database role is unexpected for the backup strategy that is configured for the Oracle Data Guard.	Verify the database role and backup strategy.	Warning	Protection Policy
AERR0029	Job '<task>' is unsuccessful because another request is currently in progress, which causing a conflict with the current operation.	This job is failed because another request is currently in progress, which causing a conflict with the current operation.	To troubleshoot this issue: wait for some time and then retry the operation again. If the issue persists, contact Dell Customer Support.	Informational	Protection Policy
NR0015	Unable to complete data migration on the Reporting Engine <reportingEngine>.	Reporting Engine data migration, which occurs automatically after updating to PowerProtect Data Manager 19.19 or later, could not be completed.	Migration activity will automatically retry after 3 hours. During this period, the report engine will be in maintenance mode. To recover the Reporting Engine immediately, please contact Dell Customer Support.	Critical	Reporting

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ATO0024	Unable to obtain the archival job status because the task has not been updated for <taskMonitoringThresholdDuration> minutes.	An updated progress and status could not be obtained for this archival job because the task monitoring timed out.	To troubleshoot this issue: 1. Log in to the Archival Proxy host and check the logs to verify the status of the session. 2. If the task did not complete successfully, restart the task manually, or wait for the next scheduled job.	Critical	Protection
IAMADT3032	User <arg1> has disabled RSA SecurID MFA.			Informational	Security
ARP0010	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because the source storage unit was not detected.	The backup copies cannot be replicated because the storage unit on the source storage system might be unavailable.	Validate that the storage unit exists on the source storage system. Validate the primary stage in the protection policy is using the desired storage unit on the source storage system. Confirm in the system jobs that the initial policy configuration job for protection was successful. Confirm the protection job for the policy is successful. Verify the asset's primary copy via the assets copy map to ensure the copy exists on desired storage unit. Then retry the replication job.	Critical	Replication
ADT3007	Powered off the report node <reportNodeName>.		No action needed.	Informational	Reporting
UPG0131	Failed to run update precheck: <failReason>.		Retry later or contact Dell Customer Support.	Critical	System
ASBA0009	The backup job completed with warnings because the pre-script timed out.	The backup job completed successfully but with a warning because a pre-script timeout occurred.	To resolve the issue, increase the pre-script timeout value and then retry the operation.	Warning	Protection
ABV0033	VM Direct engine '<vproxy>' is unable to back up the virtual machine '<vmName>' on vCenter '<vCenterName>' because of insufficient space on the datastore.	The VM Direct engine cannot complete the backup of this virtual machine because of a datastore capacity issue.	Check the datastore to determine if there is enough free space for the operation. If the available space is insufficient, free up space on the datastore.	Critical	Protection
ABS0004	Backup of <asset> is skipped from backup on <hostname> and instance <instance>.	Database must be in the online state for a backup to occur. The current state of the database does not allow backup and may be one of the following states: offline, recovering, restoring, emergency, suspect.	State of database <asset> on the SQL host <hostname> needs to be changed to online. Steps: 1. After connecting to the instance <instance> of the SQL server, in Object Explorer, click the server name to expand the server tree. 2. Expand 'Databases', and select the database. 3. Right-click the database, click 'Tasks', and select 'Take Online'.	Critical	Protection
SYS0102	Unable to process system logs during the log export operation.	When more than 90% of the Data Manager disk partition is used, the log export operation fails.	To troubleshoot this issue, from the PowerProtect Data Manager UI, go to System Settings and click Logs to create a log bundle. If the issue persists, contact Dell Customer Support.	Critical	System
MON0019	PowerProtect Data Manager license is invalid.	The PowerProtect Data Manager license expiration date is passed or the allowed capacity is exceeded.	To continue using the software, update the host system with a permanent license. In the PowerProtect Data Manager UI: 1) Click the Settings icon and select License. 2) Click Upload File to browse to and select the license file. 3) Click Save.	Warning	System
ARO0533	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore request is unsuccessful because of any of the following reasons: Oracle database username and password cannot be validated. The TNS name and TNS administrator details cannot be validated for the database or wallet user. The database or wallet user does not have the required user rights. The Oracle database is unavailable.	To resolve this issue: 1. For OS user authentication, verify the entered username and password. 2. For database or wallet user authentication, make sure that the user has all the required user rights.	Critical	Restore
ADT0401	Service Level Agreement <slaName> has been created.		No action needed.	Informational	Compliance
ADA0019	Unable to monitor the discovery task because the execution time exceeded 10 minutes. The discovery session may still be running on the host.	The discovery task cannot be completed because it exceeded the 10-minute threshold. The discovery session may still be running on the host.	To troubleshoot the issue, retry the discovery manually in the PowerProtect Data Manager UI at a later time using the following steps: 1. Go to Infrastructure > Asset Sources. 2. Select the host and click Discover. 3. Click Yes to perform a manual discovery or select the Initiate a Full Discovery option, and then click Yes to perform a full discovery.	Warning	System
ARSD0053	Unable to create the volume or volume group on the PowerStore storage array <storageName>.	An error occurred while creating the volume or volume group.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information to troubleshoot the error, and then retry the operation.	Warning	Restore
ADT0219	Changed the <stageType> objective preferred interface ID for policy <plcName> to <preferredInterfaceId>.		No action required.	Informational	Protection Policy
ADHP0006	Unable to obtain the network addresses.	The DNS entry for the cluster or server is unavailable.	Make sure that a DNS entry exists for the respective cluster or server.	Critical	Discover
IDX0044	Indexing job failed due to an internal server error.		Verify if the backup has already been deleted. The catalog file was not found on the Data Domain server. If the issue persists, please contact Dell Support.	Critical	System
PTPP0010	Migration of Avamar asset <assetName> was partially successful. Out of <totalCopies> total copies, only <migratedCopies> were migrated to PowerProtect Data Manager.	The migration for the Avamar asset did not complete as expected, resulting in only some of the copies being migrated to PowerProtect Data Manager. This partial migration success may be caused by various issues, such as network connectivity issues, data corruption, or configuration problems.	To resolve this issue, review the migration logs to identify specific errors or warnings during the migration process. If the issue persists, you may need to restart the migration for the remaining copies or contact Dell Customer Support for assistance.	Critical	Migrate
ASDR0001	Server Disaster Recovery backup was unsuccessful on host <host> to storage target <target>.	The Server Disaster Recovery backup cannot be completed.	Make sure that the Protection Storage and the shared storage device paths are accessible from the PowerProtect Data Manager appliance.	Warning	Server Dr
ARSD0042	Unmasking of volume(s) <volumeNames> from the protection engine storage group <storageGroup> on the <storage> storage array <storageName> has failed.	There was an error while unmasking volume(s) from protection engine storage group during restore cleanup activity.	1) Manually remove the volume(s) from protection engine storage group. 2) Perform HBA rescan on the protection engine host(s) <hostNames>. 3) Ensure that the volume(s) are no longer visible on the protection engine host(s).	Warning	Restore
ASDS0032	Unable to complete the request <request_path> because the following error occurred: <error> This request cannot be processed because the access token authentication was unsuccessful.		To troubleshoot this issue: 1. Verify that your application host's time settings are accurate and synchronized with the server's time. 2. Retry the operation. 3. Review the log files at the following locations for more information: On Windows: INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. On Linux or AIX: /opt/dpsapps/agentsvc/logs.	Critical	Security
ADT1025	Disaster Recovery backup(s) <id> have been deleted for <system>.		No action needed.	Informational	Server Dr
UPG0025	An error occurred during sub component precheck: <exception>.		Contact Dell Customer Support.	Critical	System
CFG0004	<plc>: Protection policy configuration is unsuccessful because of an agent host connection or agent service issue.	Configuration of the protection policy cannot be completed because either the agent host cannot be reached or the agent service is not running.	To resolve this issue: 1. Verify that the agent host can be reached. 2. Verify that the agent service is running on the agent host. If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
ADA0012	The asset discovery is unsuccessful because of an internal server error.	Unable to perform the asset discovery for the protection group because of an internal server error.	Check whether the Elastic Search service is running in PowerProtect Data Manager. If the issue persists, contact Dell Customer Support.	Warning	System
ARS0011	Recovery is unsuccessful on <hostname> for the database <assetname> backed up at <savetime> on <ddHostName> as lookup for backup was unsuccessful.	Unable to query the backup information for the database from the application catalog on PowerProtect DD.	Select one of the following options: 1. Check the msagentrc logs available in MSAPPAGENT logs directory on the host <hostname>. 2. Check the export logs from PowerProtect Data Manager for more details.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
CPM0011	Unable to locate a copy in the restore group <restoreGroupName> for the restore plan <restorePlanName>.	The copy cannot be detected because the asset is unavailable or does not exist.	Verify that the asset is available, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ALA0001	Unable to export application agent log on the host <hostName>.	Export of the application agent log cannot be completed because an error occurred during the operation.	Refer summary section of details pane to check agent error message. Retry the operation. If the issue persists, Check the logs manually at INSTALLDIR\DPSAPPS\AGENTSERVICE\logs and INSTALLDIR\DPSAPPS\MSAPPAGENT\logs on the host where the operation was performed.	Warning	Export Log
CPL0003	Activity failed to complete copy promotion since primary stage setting was missing.	Promotion failed due to no primary stage setting for the promotion stage.	Check policy configuration if promotion stage base on a valid stage.	Warning	Compliance
MON0031	System health score helps you determine the most significant health issues impacting your system, based on the following core factors: <healthCategories>.	The system's health score will continue to be impacted by the value of the issue with the highest deduction until action is taken to resolve health issues.	No action required.	Informational	System
ARC0003	<plc>: Protection policy reconfiguration is unsuccessful because of an error in the NFS export creation for asset <asset> on protection storage <target> for host <host>.	Protection policy reconfiguration cannot be completed because an error occurred during creation of the NFS export. The NFS export was being created for a protocol change.	To resolve this issue: 1. Verify that the NFS service is running in the PowerProtect Storage. 2. Make sure that NFS is enabled on the protection storage. 3. Retry the configuration. 4. If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
SYS0016	Failed to register extension with vCenter <vCenterName>.	To support integration with the vSphere client UI, PPDM must register extensions with the vCenter. If this registration fails, these features will be unavailable. However, PPDM will continue to work normally.	The attempt will be retried until it succeeds, or the vSphere integration setting is changed for this vCenter.	Warning	System
ATO0019	Unable to <operationType> copy dependent metadata due to I/O operation failure.	Failed to perform the operation for copy dependent metadata due to I/O operation failure.	To troubleshoot this issue, review the log files at /var/log/bsr/cloudmgr/cloudmgr.log for more information about the error.	Critical	Protection
ARA0003	Unable to restore <assetType> asset <asset> because of invalid credentials.	The restore was unsuccessful because the destination host username or password is invalid.	Specify valid credentials for the destination host, and then retry the operation.	Critical	Restore
ABK0019	Unable to back up namespace '<asset>' in the Kubernetes cluster '<k8sClusterName>' because the credentials for the protection storage unit '<suName>' on '<storageSystem>' are invalid.	The backup of this Kubernetes namespace was not successful because the username or password entered for the protection storage is not valid.	Reenter the username and password for the protection storage unit, and then retry the operation.	Critical	Protection
ACT0005	<plc>: Cloud Tier job was unsuccessful for <assetType> <asset> on <host> to <cloudUnit> because the storage unit is missing.	The backup copies cannot be cloud tiered because the storage unit on the storage system might be unavailable.	Validate that the storage unit exists on the storage system. If the storage unit does not exist, contact Dell Customer Support to troubleshoot the issue.	Warning	Cloud Tier
ADT0302	<num> copy(s) deletion initiated for asset <assetName> by user. Options:<options>.			Informational	Protection Copy
ABNA0006	Unable to complete the backup for the asset <assetName> without slice details. Skipping metadata updates and unable to perform partial slice cleanup.	The backup cannot be committed because slice details were not received from NASDM during the snapshot deletion stage. The cleanup cannot be performed without slice details from the NAS agent.	Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
UPG0109	An update has been triggered for a subset of PowerProtect Data Manager components.	The system will remain in Operational mode while the updates proceed in the background. Details and progress of the updates can be found in the System jobs view.		Informational	System
ABG0005	Unable to backup <asset> because the execution of the backup script failed with error <error>.	The backup cannot be completed because the execution of the backup script failed.	To resolve the issue: 1) Verify the backup script. 2) Verify that the parameters of the backup script are valid.	Critical	Protection
NR0018	Unable to initiate data migration on the reporting engine <reportingEngine> because it is currently powered off.	The reporting engine data migration cannot be completed when the reporting engine is powered off.	Migration will be automatically retried after 3 hours. In the meantime, the reporting engine is in maintenance mode. To recover the reporting engine immediately, contact Dell Customer Support.	Critical	Reporting
ABNA0041				Critical	Protection
DIA0002	<count> inconsistent copies detected for asset <assetName> on asset source <assetSource> in data target <dataTarget> due to dependent logs missing: <copies>	The data in these backup copies is inconsistent because dependent logs are missing in copy metadata.	Contact Dell Customer Support.	Critical	Compliance
ARP0021	Unable to delete the file in the replicated copy for <assetType> <asset> on <host> to <target> because an error occurred.	PowerProtect Data Manager was unable to delete the copy file because of one of the following reasons: 1) The file is retention-locked. 2) The file does not exist.	Confirm whether the replicated copy is retention locked. If the replicated copy being deleted is retention-locked, then please wait until the retention lock period has expired before deleting the replicated copy. Otherwise, contact Dell Customer Support.	Critical	Replication
ADHP0007	Unable to create a connection to one or more nodes in the cluster.	The connection was unsuccessful because of weak network connectivity, an improper winrm configuration, or invalid credentials.	Make sure that the credentials enable the access to all nodes, correct the winrm configuration on all nodes, and retry the operation.	Critical	Discover
ABO0511	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because the agent cannot perform the mount operation using the NFS protocol.	To resolve the issue, make sure that the NFS protocol is enabled in the PowerProtect DD system and resubmit the backup request.If the issue persists, contact Dell Customer Support.	Critical	Protection
ABSD0068	Unable to execute the <scriptType>-script in Host Proxy <scriptAppAgentName> because a required resource or script cannot be located in the Host Proxy.	The script execution was unsuccessful because a required resource or script cannot be located in the Host Proxy.	To resolve the issue: 1. Verify that the Host Proxy is up and running. 2. Validate the resource, file, folder are exist to run the script in the Host Proxy.	Critical	Protection
ASDR0002	Server Disaster Recovery backup was unsuccessful on host <host> to storage target <target>.	The Server Disaster Recovery backup cannot be completed.	Contact Dell Customer Support.	Critical	Server Dr
ARNA0016	Unable to complete a <sessionType> operation because the share path <assetSourcePath> could not be mounted at the target path <targetMountPath>.	PowerProtect Data Manager cannot mount a share on the target path.	To troubleshoot this issue: 1) Check if the share exists or if it is not in the environment. 2) For CIFS, check the share credentials. 3) For NFS, verify that the share can be mounted. 4) Verify that the NAS protection engine has access to the share.	Critical	Restore
NR0010	Reporting Engine <reportingEngine> root partition is more than 90% full.		Remove files to release space.	Critical	Reporting
ADSSD0007	Unable to delete the snapshots and catalog for the selected copies because SDNG service has restarted.	The snapshots and catalog for these expired copies cannot be deleted because SDNG service has restarted.	Restart the job.	Critical	Protection
MON0037	User force canceled the activity.	The activity has been force canceled by the user.	No actions required.	Informational	System
ABA0031	<plc>: Unable to backup the <assetType> asset <asset> on the host <hostName> because PowerProtect Data Manager could not obtain the scripts information.	The backup of this asset cannot be completed because PowerProtect Data Manager was unable to include the scripts information that is provided in the protection policy when sending the backup request to the host.	Please ensure all the PowerProtect Data Manager services are up and running and retry the operation.	Critical	Protection
SYS0046	SupportAssist backup is not deleted successfully.	Backup of SupportAssist is not deleted successfully for one of the following reasons: 1) Backup cannot be found. 2) Do not have permission to delete the backup.	If the issue persists, contact Dell Customer Support.	Warning	System
ADT6007	The script '<scriptName>' owner has been changed.			Informational	Protection
ARSD0052	Unable to restore this asset to the PowerMax storage array <storageName> because the storage group could not be persisted.	The restore operation was unsuccessful for this asset because the information for the new storage group created during the restore couldn't be persisted.	Review the log files at /var/log/bsr/sdmng/sdmng.log for more information and to troubleshoot the error, and then retry the operation.	Warning	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
SYS0015	The update package <file_name> has been downloaded from the backend.	The new update package has been downloaded and is available to install.	To install the downloaded package, in the PowerProtect Data Manager UI: 1) Click Settings and select Software Update. 2) Click Install.	Informational	System
ABGHV0004	Unable to complete the backup of '<assetType>' asset '<asset>' because the job was canceled by the user.	The backup of this asset has been force canceled by the user.	No action is required.	Critical	Protection
ASSD0018	Unable to complete the local snapshot for the asset group <assetGroupName> because an error occurred during quiescing.	The snapshot operation cannot be completed because an error occurred while the quiesce was in progress.	To troubleshoot the issue: 1. Verify that the Agent service is running. 2. Wait for a few minutes and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARF0014	Unable to obtain valid metadata from the backup performed at <backupTime> from to the PowerProtect DD System <DDHostName> for the asset <assetName> because the following error occurred: <errString>.	The backup metadata from this copy cannot be validated because either there are problems with the integrity of the backup copy or the metadata is invalid or missing.	Verify the integrity of the backup and review the error details for more information.	Critical	Restore
ARP0012	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because the asset cannot be found.	The backup copies cannot be replicated because the asset scheduled for replication is unavailable.	Verify that <asset> has not been deleted, and then do the following: 1) If the asset still exists, run a discovery of the asset source, and then retry the replication for <plc>. 2) If the asset has been deleted, remove it from the protection policy.	Critical	Replication
ABHV0028	Unable to perform conversion of backup checkpoint to referencepoint because the following error occurred: <errString>.	The referencepoint operation cannot be completed because of an error.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. The job failure may be due to an ongoing VM migration (storage, live, or quick migration). Please wait for the migration to complete before retrying the operation.	Critical	Protection
IAMADT3005	New user <arg1> created.			Informational	Security
ABK0028	Unable to back up namespace '<asset>' in Kubernetes cluster '<k8sClusterName>' because the data mover cannot read all of the files in the Persistent Volume Claim.	The backup of this Kubernetes namespace was unsuccessful because the data mover does not have permission to read all of the files in the Persistent Volume Claim (PVC).	To troubleshoot this issue: 1) Verify that the data mover (cProxy) has permission to run as root and has access to all of the files in the PVC. 2) For NFS storage classes with root client access disabled, verify that a mapping to root client access enabled storage class is provided for configmap pppdm-root-access-storage-class-mapping in the powerprotect namespace. The PowerProtect Kubernetes User Guide provides instructions. 3) Export the job logs and review the log files for more information.	Critical	Protection
ABSD0004	Unable to backup the asset <assetName> because the PowerStore <powerStoreName> is unavailable.	The backup was unsuccessful because the PowerStore system cannot be reached.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running.If the issue persists, contact Dell Customer Support.	Critical	Protection
UPG0093	Unable to update the software because an internal error occurred during the skipping of a component update.		Contact Dell Customer Support.	Critical	System
ARV0012	VM Direct engine is unable to restore the virtual machine '<vmName>' on vCenter '<vCenterName>' because of invalid protection storage credentials.	The VM Direct engine cannot complete the restore of this virtual machine because the username or password entered for the protection storage is invalid.	Reenter the username and password for the protection storage unit '<suName>' on '<storageSystem>', and then retry the operation.	Critical	Restore
AHC0013	Unable to send the host configuration request to the host <hostName> because the Application Host Configuration with Host Credential Push is supported on Application agents running version PowerProtect Data Manager 19.11 or later.	The host configurations credential management request cannot be completed because the Application Agents running version is lower than the expected.	To resolve this issue, upgrade the agent service on the agent host to the latest version.	Critical	App Host Configuration
ADT0892	The external notification '<notificationName>' is deleted.		No action required.	Informational	Security
UPG0070	Cloud Disaster Recovery Server is not deployed. Cloud Disaster Recovery Server will not be updated.			Informational	System
APU0005	Unable to <operationType> because of an issue on the agent.	This operation cannot be completed because an error occurred while processing the request.	To resolve this issue, retry the job once. If the issue persists, click Export Log and review the agent logs for more details.	Critical	Push Update
CPM0008	Unable to delete the files in the <copyCount> copies for <asset> from protection storage <storageSystem> in storage unit <suName> because an error occurred.	PowerProtect Data Manager was unable to delete the files in the copies for some reasons: 1) The file is retention-locked. 2) The user of the storage unit does not have permission to delete the file.	The copy deletion will be retried automatically at a later time. To troubleshoot this issue: 1) Verify the file retention lock status. 2) Verify the file and the storage unit permissions. If the issue persists, contact Dell Customer Support.	Informational	Protection Copy
ARF0044	An error occurred during the mount operation. Error number: <errCode>.	The mount operation cannot be completed because the Active Directory cannot mount the backup.	To troubleshoot the issue: 1) Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARSH0006	Unable to restore the database <sourceAsset> in the instance <sourceInstance> to the target database <targetAsset> in the instance <targetInstance> on the host <host>.	The restore is unsuccessful because the agent cannot run the hdbsql restore command .	Contact Dell Customer Support.	Critical	Restore
ARA0023	Unable to perform the post restore for <assetType> asset <asset> because the primary host <hostName> is unregistered with PowerProtect Data Manager.	The post restore is unsuccessful because the primary host is unregistered with PowerProtect Data Manager.	Check that the primary host is registered properly with PowerProtect Data Manager.	Critical	Restore
ADSD0012	PowerStore discovery for <powerstoreip> cannot be completed because a Secure Socket Layer internal error occurred.	The PowerStore discovery operation was unsuccessful because a Secure Socket Layer (SSL) internal error occurred while querying the data from the PowerStore.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running.	Critical	Discover
ABNA0019	Unable to complete a <sessionType> operation because there was no suitable backup list for asset <assetName>. Unable to create a slice list for the backup because <apiError>.	The asset cannot be sliced.	Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ADT0114	Application agent push update session has been <type>.		No action required.	Informational	Push Update
ADHP0009	Unable to obtain the required information for some VMs.	The information could not be obtained because of a PowerShell command issue or invalid credentials.	To troubleshoot this issue review the log files at <var>/log/brs/hvpluginsevice/hvpluginsevice.log for more information about the error and retry the operation.	Critical	Discover

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARV0047	Unable to restore the tags for virtual machine <vmName> on vCenter <vCenterName> because the user <username> requires all of the following privileges to complete the operation: <requiredPrivileges>	The restore of virtual machine tags cannot be completed because this user is missing one or more of the vCenter privileges required to perform this operation.	Review the section "Creating a dedicated vCenter user account" in Chapter 5 of the PowerProtect Data Manager Administration and User Guide to make sure that the provided vCenter user has all of the necessary tag privileges. Once the proper privileges are added within vCenter, retry the restore operation.	Critical	Restore
ASPU0009	The push update operation is unsuccessful because of an issue with the software bundles	The push update operation is unsuccessful because the software bundles to be installed are not in the correct format.	Clean out the repository at INSTALL_DIR\DPSAPPS\AGENTSERVICE\repos and check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information. Retry the operation.	Critical	Push Update
SYS0083	The following Search node(s) are unavailable on the host <hostName>: <nodeNames>.	One or more Search nodes are installed in PowerProtect Data Manager but cannot be reached.	Ensure that the Search node(s) are operational. The PowerProtect Data Manager Administration and User Guide provides troubleshooting information.	Warning	System
AHD0007	Unable to send the data deletion request to host <host> because the host is decommissioned or unregistered.	The existing standalone deployment backup copy cannot be deleted from the PowerProtect DD System, and the catalog on the host cannot be deleted, because the host is decommissioned and/or unregistered from PowerProtect Data Manager. Even though the data will not be deleted from the PowerProtect DD System, the backup copy will be marked as "Deleted" and removed from PowerProtect Data Manager.	Manually delete the data for the expired backup copy from the existing standalone deployment. The PowerProtect Data Manager user guides for specific application agents provide instructions. Click export log to view the failed copy ids.	Warning	System
ADSSD0001	Unable to delete snapshots/catalog for the selected copies because an internal error occurred in the PowerStore <powerStoreName>.	The snapshots and catalog for these expired copies cannot be deleted because an internal server error occurred while processing the request in the PowerStore system.	To troubleshoot this issue: 1) Create the log bundle and review the log files for more information. 2) Retry the operation at a later time.If the issue persists, contact Dell Customer Support.	Critical	Protection
AMGHV0003	Unable to complete the mount of the backup copy.	The mount of the backup copy is unsuccessful because of an unknown agent error.	To troubleshoot the issue: 1.Retry the mount job by selecting the job and clicking Restart. 2.If the issue persists, export the logs by selecting the job and clicking Export Log. Review the logs for the reason that the mount is unsuccessful or review the agent logs for more details.	Critical	Restore
ASDR0012	The following hotfixes detected during the disaster recovery might need to be re-applied: <patchList>	The Server Disaster Recovery completed successfully. However, hotfix patches that were detected during the recovery might need to be re-applied to PowerProtect Data Manager.	Contact Dell Customer Support to determine if these hotfix patches apply to your current PowerProtect Data Manager deployment.	Critical	Server Dr
ASDR0003	Server DR replication failed on host <host> to target <target> due to host failure.	An issue on the host is causing replication to fail.	Check network connectivity from host to target, and configurations.	Critical	Server Dr
ASDR0004	Server DR replication failed on host <host> to target <target> due to storage failure.	Storage failure on the target has caused replication to fail.	Check configurations, connections, and storage capacity on the target.	Critical	Server Dr
ARGHV0001	Unable to cancel the restore for 'assetType' asset 'asset:'.	The asset restore cannot be canceled because the job is already in the completed state.	To troubleshoot the issue: 1.Retry the restore job by selecting the job and clicking Restart. 2.If the issue persists, export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the restore issue.	Critical	Restore
ADT0207	Protection Policy <plcName>'s encryption is disabled.		No action needed.	Informational	Protection Policy
SYS0108	Unable to sync email settings to DPIAM service after system upgrade.	The problem may be unable to obtain email credentials from Lockbox or unable to connect to DPIAM service.	To resolve this issue: Go to System Settings > Support > Email Setup to setup the email server again to force sync email settings to DPIAM service.	Warning	System
ADT0110	Password requirements have been updated.		No action required.	Informational	Security
ARO0544	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database.	The restore is unsuccessful because the agent cannot detect a BoostFS package on the specified asset source.	To resolve the issue, manually delete any previous instant access recovery or run the command "/bin/dbdmoim -o livemount_cleanup", and resubmit the restore request.If the issue persists, contact Dell Customer Support.	Critical	Restore
ADT0130	Resource group <resourceGroupName> has been created.	Successfully create a new resource group.	No action required.	Informational	Security
ARHV0005	Unable to post restore file to the pool because of a datamover issue.	The restore file cannot be posted to the pool because the data mover encountered an issue while trying to transfer the restored virtual machine data to the designated storage pool.	To resolve the issue, confirm that storage availability and network connectivity are correctly configured and operational, and then retry the operation.	Critical	Restore
ACSD0004	Unable to complete the array configuration for asset source <managementName> because the PowerStore <powerStoreName> is unavailable.	The array configuration was unsuccessful because the PowerStore system cannot be reached.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running.If the issue persists, contact Dell Customer Support.	Critical	Protection
AAA0010	Unable to complete the archive operation because the connection to the cloud is unsuccessful.	The archive operation cannot be completed because the cloud provider connection cannot be established.	To troubleshoot this issue: 1. Check the vendor-specific message for more details and address any requirements. 2. Verify that the cloud provider connection exists. 3. Make sure that the credentials and certificate provided for the cloud provider are valid.	Critical	Protection
ABNA0037	Unable to backup because of missing attributes for the asset <assetName>.	The backup operation cannot be performed for this asset because either the task ID or command type details are missing, or the attributes were not detected due to network connectivity or packet loss issue.	Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
MON0046	Post upgrade migration of activities process has started.	Post upgrade migration of activities process has started. This process runs in the background, allowing you to continue using the application without any interruptions.	If there are any issues during the process, contact Dell Customer Support.	Informational	System
ADT0888	User <username> has been granted the role(s): <roleAfter>		No action required.	Informational	Security
UPG0050	An update has been triggered for PowerProtect Data Manager.	During the update, the PowerProtect Data Manager system is transitioned to Maintenance mode. After entering Maintenance mode, services are shut down and a system restart might occur.		Informational	System
ABNA0049	Unable to secure the root volume security-style with 'unix' or 'mixed' type for the NFS share <assetName>.	The system has detected that the root volume security-style for the NFS share is not set to either 'unix' or 'mixed'. This configuration may result in improper access control or security vulnerabilities.	To resolve this issue: 1) Make sure that the root volume security-style for the NFS share is configured to either 'unix' or 'mixed'. 2) Review and adjust the root volume's security settings to comply with your organization's security policies. 3) Verify that the changes take effect and that the root volume is properly secured with the correct permissions. 4) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
CSM0020	Cloud Snapshot Manager snapshot failed for blob container <container_id> of <account_name>{<account_number>} cloud account for tenant <tenant_id>.	The cloud provider snapshot service could not generate a snapshot of the blob container because the required conditions were not met.	Contact backup administrator with Cloud Snapshot Manager access.	Critical	Protection
ASSD0020	Unable to complete the snapshot for the asset group <assetGroupName> because the quiescing operation timed out.	The snapshot creation for this asset group was unsuccessful because the quiescing timeout was reached.	Increase the quiescing timeout value, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARV0046	Unable to restore the following tags for virtual machine <vmName> on vCenter <vCenterName>; <missingObjects>.	The restore of one or more of these virtual machine tags was unsuccessful.	Review the error message or the log files at /var/log/brs/vmdm to determine the tags that were not restored properly. To manually add the tags that were not restored, log in to the vCenter and complete the following steps. 1) Create the category and/or tag, if necessary. 2) Browse for the object in the vCenter Client. 3) In the Summary tab or Manage tab, assign the tag to the virtual machine. Repeat this process for all the unsuccessful tag attachments.	Critical	Restore
ABSD0056	Unable to unlink the snapshot from the target volume(s) <targetVolumes> on the PowerMax storage array <storageSystem> because an error occurred during cleanup for the following: Asset: <assetName> Storage group: <workingStorageGroupName> Snapshot name: <snapshotName> Snapshot ID: <snapshotId>	The unlinking operation of snapshot from the target volume(s) was unsuccessful because an error occurred during the cleanup activity.	Perform the following steps to clean up the target device(s): 1. Perform the unlinking operation of the snapshot from the target device(s). 2. Delete the storage group. 3. Delete the volume(s).	Warning	Protection
IDX0050	Indexing job failed due to unsupported volume configuration or encrypted disk		Refer to Search and Indexing support in PowerProtect Data Manager Compatibility guide. Verify 1. The version of OS in the virtual machine is supported. 2. File system is supported. 3. Disk is not encrypted.	Informational	System
ABN0008	Unable to back up NAS asset <asset> to <target> because the following error occurred: <error> The job started at <startTime> and completed at <endTime>.	The backup job for this NAS asset cannot be completed because an error occurred during the operation.	To troubleshoot this issue: 1) Review the log files at /var/log/brs/nasdm/nasdm.log for more details. 2) Check the Protection Engine health. If there is an issue with the state of the Protection Engine, redeploy the engine. If the issue persists, contact Dell Customer Support.	Critical	Protection
ACHP0003	Unable to complete the agent uninstallation.	The agent uninstallation process encountered an error.	Review the error message, check the permissions, and make sure that no agent processes are running. Stop any related services. Use vendor-provided uninstallation tools, and reboot the system, if needed.	Critical	Protection Policy
ARO0532	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore request is unsuccessful because the Oracle Incremental Merge instant access recovery is unsuccessful with an unknown error.	To troubleshoot this issue: 1. Make sure that there is sufficient space on the File System. 2. Set the restore configuration's troubleshooting mode to Trace. 3. Run the restore again, and then check the dbmoim debug log. If the issue persists and the reason for the failure cannot be located, contact Dell Customer Support.	Critical	Restore
ABN0024	Unable to create index in the Search Cluster because the Search Cluster node is not configured.	Index creation in the Search Cluster cannot be completed because the Search Cluster node is not configured or the configuration is incomplete.	Verify that the Search Cluster node is properly configured, and then retry the operation.	Warning	Protection
ASPU0016	The system is not in maintenance mode.	The push update operation cannot be performed until the system is in maintenance mode.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information.You can retry the push update operation.	Critical	Push Update
ARO0502	PowerProtect Data Manager Oracle agent cannot perform the instant access recovery for the Oracle database '<SID>'.	The restore request is unsuccessful because the provided database name for the Oracle database already exists.	To resolve the issue, provide a different database name and submit the restore request.If the issue persists,contact Dell Customer Support.	Critical	Restore
ATO0015	Unable to perform archival operation as the total DD stream required for archival operation is insufficient.	Failed to perform archival operation due to insufficient DD stream availability.	To troubleshoot this issue: 1. Make sure that sufficient DD stream are available as required for the archival operation. 2. Retry the operation. If the issue persists, check the log files at /var/log/brs/cloudmgr/cloudmgr.log for more details.	Critical	Protection
IAMADT3031	User <arg1> has enabled RSA SecurID MFA.		To resolve this issue: 1. In the PowerProtect Data Manager UI Infrastructure > Application Agents window, verify that the agent host is updated to the latest agent version. 2. Retry the job once. If the issue persists, click Export Log and review the agent logs for more details.	Informational	Security
APU0006	Unable to <operationType> because of an agent host connection issue or agent service issue.	Monitoring of this operation cannot be completed because of a connection issue with the application host. This issue can occur when the application host connection fails temporarily.The session might be running on the client.	To resolve this issue: 1. In the PowerProtect Data Manager UI Infrastructure > Application Agents window, verify that the agent host is updated to the latest agent version. 2. Retry the job once. If the issue persists, click Export Log and review the agent logs for more details.	Critical	Push Update
ARA0037	Unable to perform restore for <assetType> asset <asset> because of the unavailability of the specific storage unit on object storage.	Failure of the restore is because the specific storage unit is unavailable on the object storage.	Check the storage that contains the copies available on the object storage	Critical	Restore
ADT0210	<plcName> <stageType> retention to <target> has changed.		No action needed.	Informational	Protection Policy
ASD00017	Discovery of Assets failed on host <hostName> for AddOn <AddOnName>.	The Asset discovery was unsuccessful because the Application System name could not obtained.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ARK0018	Unable to restore namespace '<asset>' to Kubernetes cluster '<k8sClusterName>' because the Kubernetes cluster certificate cannot be located.	The restore of this Kubernetes namespace was unsuccessful because the Kubernetes cluster certificate cannot be located in the PowerProtect Data Manager trust store.	Add the certificate authority for the Kubernetes cluster by using the pdmtool on the PowerProtect Data Manager host. The PowerProtect Data Manager Administration and User Guide provides instructions.	Critical	Restore
SYS0075	None of the specified DNS servers are accessible.	One or more DNS servers are specified in the PowerProtect Data Manager settings, but none of these servers can be reached.	Check the network connectivity and verify that at least one specified DNS server is available.	Critical	System
ABG0015	Unable to backup <asset> on the host <hostName> because the application agent cannot create the metadata files on the host.	The backup cannot be completed because the Generic Application agent cannot create the metadata files in /opt/dpsapps/GenericApplicationAgent/tmp directory.	To resolve the issue, verify that the application agent installation directory has the required permissions.	Critical	Protection
UPG0128	Cannot process the update as update was interrupted.		Retry the update or upload a new package.	Critical	System
SYS0041	DD Virtual Edition automatic configuration success.			Informational	System
ARSD0001	Unable to restore the backup to <assetName> because an internal error occurred.	The restore operation was unsuccessful for this asset because an internal error occurred in the PowerProtect Data Manager system.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information to troubleshoot the error, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARF0009	Unable to restore to the target <targetPath> on the host <hostName>.	The restore cannot be completed because the specified restore target path is invalid.	Verify that the target path for the restore exists, and that you have the required permissions to restore to this path.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABNA0023	Unable to complete the <sessionType> operation because the <assetName> cannot be mounted to path <targetMountPath>.	Mounting the asset or snapshot to the export path on the NAS protection engine container cannot be completed because an error occurred.	To troubleshoot this issue: 1) Make sure that the NAS share is mountable. 2) Check whether the protection engines have access to the assets. 3) For CIFS assets, validate the credentials being used. 4) For generic assets, check that the asset path matches the actual export or share path. 5) Confirm whether the path exists for the export or share and snapshot. 6) When the NAS server is configured to the AD domain, provide then AD credentials. 7) Enable the "Show the Snapshot copies directory to clients" option in the NetApp configuration interface. 8) Make sure that the "Allow clients to access snapshot copies directory" option is enabled for the share. 9) Make sure that the Snapshot copies directory is accessible for all shares on this volume.	Critical	Protection
ARO0538	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore request is unsuccessful because the OCI query cannot obtain the Fast Copy pathname from the restored control file.	To resolve this issue: 1. Make sure that the specified database recovery options System Change Number, Time Stamp, and Log Sequence are valid. 2. Make sure that the asset source has sufficient memory. 3. Make sure that the target database is not shutdown during restore operation.	Critical	Restore
AMGHV0004	Unable to complete the mount of the backup copy for '<assetType>' asset '<asset>' because the job was canceled by the user.	The mount of the backup copy cannot be completed because it has been force canceled by the user.	No action is required.	Critical	Restore
ADHP0011	Unable to obtain the VM information on the server or cluster.	The VM information could not be obtained because of errors in the PowerShell command or a connectivity issue.	To troubleshoot this issue review the log files at /var/log/brs/hvplugin/hvplugin.log for more information about the error and retry the operation.	Critical	Discover
ABO0031	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database <SID> with database ID <DBID> because of an internal error.	The selected protocol is not supported for Application Direct backups. Alternatively, the required information is not available in the backup request.	For Application Direct backups, make sure that the protocol is DDBOOST. Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection
CFG0014	Unable to perform configuration on the host <hostName> because the agent update is in progress.	The protection policy configuration cannot be completed because an agent update is in progress.	Wait for the agent update job to complete, and then retry the operation.	Warning	Protection Policy
SYS0200	The used capacity on the Search node <searchNodeName> has reached <percentUsage>.	The Search cluster node has almost reached the storage capacity limit. The PowerProtect documentation provides information on managing the Search cluster capacity.	If you cannot resolve the issue after reviewing the documentation, contact Dell Customer Support.	Warning	System
MON0032	Most recent system disaster recovery backup is in <backupState> state.	The latest system disaster recovery backup is not reliable. A temporary error might have occurred, resulting in the system backup not completing successfully.	To troubleshoot the issue: 1. Generate the PowerProtect Data Manager log bundle. 2. Review the log at the path /var/log/brs/monitoring/monitoring.log within the bundle. Dell Technologies also recommends manually performing a new system disaster recovery backup. In the PowerProtect Data Manager UI: 1) Click the Settings icon and select Disaster Recovery. 2) Go to Manage Backups and click "BACK UP NOW". If the issue persists, contact Dell Customer Support.	Warning	System
AUSD0010	Unable to remove the configuration for the asset <assetName> because a connection with the PowerStore <powerStoreName> cannot be established.	The configuration cannot be removed for this asset because a connection with the PowerStore system cannot be established.	To troubleshoot this issue: 1) Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2) Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3) Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
ABS0010	Backup of <asset> is skipped from backup on <hostname> \ <instance>.	The database recovery model property may have changed since the last full backup.	Perform a full backup for the database <asset> and then perform the log backup.	Critical	Protection
ABV0011	The VM Direct engine '<vproxy>' is unable to back up the virtual machine '<vmName>' on vCenter '<vCenterName>' because the credentials for protection storage unit '<csuName>' on '<storageSystems>' do not have sufficient user rights.	The VM Direct engine cannot complete the backup of this virtual machine because the user entered for the protection storage does not have the rights to perform this operation.	Enter credentials with sufficient user rights, and then retry the operation.	Critical	Protection
ARF0011	Unable to restore the object <objectName> from the backup performed at <backupTime> because the object is invalid.	The restore of this object in the backup copy cannot be completed because either there are problems with the integrity of the backup copy or the object status is corrupt.	Verify the integrity of the backup copy.	Critical	Restore
ARGHV0007	Unable to start the restore for the '<assetType>' asset '<asset>' because the capacity required to restore the asset is '<requiredCapacity>' but the maximum capacity available on the target Hyper-V Server is '<maxCapacity>'.	The restore of this asset cannot be completed because a host with the minimum required capacity to perform this operation was not detected.	To resolve the issue: 1.Make sure that the Hyper-V Server has sufficient capacity to perform the restore. 2.When there is sufficient space on the Server, select the job and click Restart to retry the restore.	Critical	Restore
ACSD0007	Unable to complete the array configuration for managementInterface <managementName> because an internal server error occurred on the PowerProtect Data Manager server.	This operation cannot be completed because an internal server error occurred on the PowerProtect Data Manager server while processing the request.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. If the issue persists, contact Dell Customer Support.	Critical	Protection
IAMADT3042	User Self Password Reset via email has <ARG1> on the appliance.			Informational	Security
ARN0016	Unable to retain the hierarchy for the NAS restore job <job> because the protection engine version <proxyVersion> is not fully supported with the PowerProtect Data Manager version <ppdmVersion>. The selected files and folders will be restored to the custom path <path>, and files with the same name will be overwritten.	The deployed version of the NAS protection engine is not fully supported with this version of PowerProtect Data Manager. As a result, some PowerProtect Data Manager features that are new to this release, such as retaining the folder hierarchy and avoiding overwrites of files with the same name, are not available.	To take advantage of the latest PowerProtect Data Manager functionality, update the protection engine to a version that is fully supported by the installed version of PowerProtect Data Manager, and then retry the operation.	Informational	Restore
ARF0031	Unable to restore the volume level backup performed at <backupTime> to the target volume <volumeName> on the host <hostName> because of insufficient space.	The restore of this volume level backup cannot be completed because the size of the source volume is greater than the size of the target volume for the restore.	To troubleshoot this issue: 1) Verify that there is sufficient disk space in the target volume. 2) Ensure that the size of the target volume is greater than the size of source volume. When the issue is resolved, retry the operation.	Critical	Restore
NASBK0016	Delete Snapshot job Ended for nas asset <asset> to <target>.	Delete Snapshot job ended for nas asset. Please check the log for details.	No action needed.	Informational	Protection
ASDR0005	Server Disaster Recovery restore was unsuccessful on host <host>.	The Server Disaster Recovery restore cannot be completed.	Contact Dell Customer Support.	Critical	Server Dr

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
NASBK0013	Delete Snapshot job failed for nas asset <asset> to <target>.	Delete Snapshot job failed for nas asset. Please check the log for details.	Please check logs for more details to fix the issue and retry once the issue fixed. If the issue persists, contact your system administrator.	Critical	Protection
ABNA0045	Unable to access the NetApp snapshot copies directory for the share <assetName> because access is not enabled.	The client systems are unable to access the Snapshot copies directory for the share because the access is not enabled.	To resolve this issue: 1) Enable the "Show the Snapshot copies directory to clients" option in the NetApp configuration interface. 2) Ensure that the "Allow clients to access snapshot copies directory" option is enabled for the share. 3) Ensure that the Snapshot copies directory is accessible for all shares on this volume. 4) Verify that there are no issues with the NetApp array that could prevent access to Snapshot directories. 5) Verify that the HA pairs associated with this FlexGroup volume on the NetApp array are healthy. 6) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARP0034	<plc>. Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because the protection policy validation for the replication stage cannot be completed.	Validation cannot be completed for the replication job because the protection policy's replication stage has retention lock enabled, but retention lock is disabled on the destination storage unit.	Review and confirm the protection policy configuration. If retention lock on the replication stage is enabled, then ensure that the destination storage unit has retention lock enabled. Then retry the replication job.	Critical	Replication
ARG0001	Unable to restore the <assetType> asset <asset> to the restore path <restorePath> from the storage target <target> because of invalid credentials.	The restore cannot be completed because the target storage system username or password is invalid.	To resolve the issue, specify valid credentials for the target storage system.	Critical	Restore
ABSD0059	Unable to delete the snapshot for the following asset on the PowerMax storage array <storageSystem> because an error occurred during cleanup for the following: Asset: <assetName> Snapshot name: <snapshotName> Snapshot ID: <snapshotId>	Deletion of the snapshot for the specified asset was unsuccessful because an error occurred during the cleanup activity.	Delete the snapshot that was used during the backup operation.	Warning	Protection
ARA0017	Unable to restore the <assetType> asset <asset>.	Storage unit is not managed by PowerProtect Data Manager. As a result, the backup copy(s) cannot be obtained from the PowerProtect DD to initiate the restore.	Use the native tools to restore the backup copy.	Critical	Restore
ARO0519	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore is unsuccessful because the agent cannot mount the Fast Copy folder.	To resolve the issue: 1. Make sure that the IP addresses or hostnames of the PowerProtect DD system and selected asset source are accessible. 2. If the source host Oracle home base pathname exists on the target host, make sure that the base pathname has valid Oracle permissions. 3. Make sure that /usr/bin/fusemount has -rwsr-xr-x permissions if the backup request is selected with the BoostFS protocol. 4. Make sure that the NFS export is created in the selected PowerProtect DD system if the backup request is selected with the NFS protocol.	Critical	Restore
AGT0001	Agent update failed for <agent> on <host>.			Warning	Protection Infrastructure
SYS0050	Memory and free swap space available on host <hostName> is low. Available memory is currently <capacity>.	The available memory and free swap space on the host is less than 20%.	If the issue with low memory persists, add additional 4GB memory. For help optimizing memory, contact Dell Customer Support.	Warning	System
ADA0009	Unable to discover an asset <resourceType> on host <hostName> because the wrong stand-alone SID or wrong RAC database name is provided after the corresponding parameter change.	The asset discovery is unsuccessful because the wrong SID is provided for a stand-alone system or the wrong database name is provided for a RAC system after the corresponding parameter change.	Set the correct SID for a stand-alone system or the correct database name for a RAC system, and then run a manual discovery or wait for the next scheduled discovery.	Warning	System
CSM0027	Unrecognized warning alert received from Cloud Snapshot Manager for tenant <tenant_id>.	Unrecognized alert received.	Review the alert in Cloud Snapshot Manager Dashboard.	Warning	System
ARF0038	The JSON input specified for the <operationName> operation is invalid.	This operation cannot be completed because the format of the JSON file input is invalid.	To troubleshoot the issue: 1) Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
HMPRO003				Warning	Protection
NR0020	Unable to register the reporting engine component in the server disaster recovery backup components list.	The reporting engine component cannot be registered in the components list.	Contact Dell Customer Support to register the reporting engine component in the server disaster recovery backup components list.	Informational	Reporting
ADS0010	The user '<username>' does not have the following required privileges on the vCenter '<vCenterName>': <missingPrivileges>. Some privileges might also be missing for sub-entities of the vCenter. For the full list of missing privileges, review the logs at '/var/log/brs/vmdm/vmdm-discovery.log'.	The specified user does not have all the required privileges at the top level of the vCenter to perform all available functions of PowerProtect Data Manager.	For a list of required vCenter privileges, refer to the PowerProtect Data Manager Administration and User Guide. After adding the required privileges, retry the operation.	Critical	Discover
ASSD0005	Unable to complete the local snapshot for <assetName> because a socket timeout error occurred while connecting with the PowerStore <powerStoreName>.	The local snapshot operation was unsuccessful because a socket timeout error occurred while querying the data from the PowerStore system.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABNA0036	Unable to complete the <sessionType> operation because of an exception while processing JSON input.	The NAS agent cannot process JSON input as it contains invalid parameters.	To troubleshoot this issue: 1) Check and address the vendor specific message for more details. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARN0008	Unable to process the NAS restore request because the PowerScale/Isilon destination asset <asset> does not have the zone name and path configured.	The NAS restore request cannot be completed because the zone name and path of the destination asset are not configured, or the configuration is incorrect.	Make sure the zone name and path are properly configured for the asset, and then run an asset source discovery before retrying the restore request.	Critical	Restore
ADRS0010	Unable to complete the server disaster recovery because SDNG service has restarted.	The server disaster recovery was unsuccessful for this policy because SDNG service has restarted.	Restart the job.	Critical	Protection
ADN0004	Unable to discover the NAS asset source <assetSource> because the following error occurred: <error>.	Discovery of this NAS asset cannot be completed because an error occurred during asset summary generation.	Review the log files at /var/log/brs/discovery-service/discovery-service.log for more details information and to troubleshoot the issue. If the issue persists, contact Dell Customer Support.	Critical	Discover

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABSD0042	Unable to find the details of protection engine ESXi while preparing the backup request.	Protection engine Esxi details could not be obtained during the backup request because an error occurred.	To troubleshoot this issue: 1. Verify proper masking view exists for the proxy storage group 2. Verify whether proxy esxi host is working properly or not 3. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 4. Retry the operation at a later time.	Critical	Protection
PTPP0012	Migration precheck job <displayJobID> is unsuccessful.	The unsuccessful result of the migration precheck job indicates that one or more migration prerequisites are not met.	To resolve this issue, refer to job ID <displayJobID> in the system jobs for detailed error messages and troubleshooting information. Review the job logs to identify the specific cause of migration precheck issue, and take corrective action. For more assistance, contact Dell Customer Support.	Critical	Migrate
ABHV0017	Unable to fetch the active VHD chain list for the virtual machine.	The checkpoint operation cannot be completed because fetching the active VHD chain failed.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue.	Critical	Protection
ABA0033	<plc>: Unable to backup the asset <asset> from the protection policy because the host <hostName> is not reachable.	The protection policy backup was unsuccessful because the host is not reachable for the specified asset.	To resolve this issue: 1. Verify that the Agent host is properly configured and reachable. 2. Verify that the Agent Service process/service is running on the application host.	Critical	Protection
ASDS0028	Discovery of some application systems for addon <AddOnName> is unsuccessful on host <hostName> because of the following errors: <errors>.	The application system discovery is unsuccessful.	Check the log files at the following locations for more information: On Windows: INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. On Linux or AIX: /opt/dpsapps/agentsvc/logs.	Critical	Discover
ARF0047				Critical	Restore
ADT0131	Resource group <resourceGroupName> has been updated.	Successfully update an existing resource group.	No action required.	Informational	Security
ARV0035	VM Direct engine is unable to restore the virtual machine 'vcmName' on vCenter 'vCenterName' because of an ESXi host issue.	The VM Direct engine cannot complete the restore of this virtual machine because of an issue on the ESXi host.	To troubleshoot this issue, check the status of the ESXi host, and do the following: 1) Verify that there is a connection to the host. 2) Make sure the host is powered on and is not in maintenance mode.	Critical	Restore
ABF0011	Skipping the backup for asset <assetName>. Unable to generate VHD file of for the block-based backup for of the asset on the host <hostName>.	The backup of this asset cannot be completed because one or more errors occurred when generating the VHD file for the block-based backup.	Review the dfssv.log for more information about the error.	Critical	Protection
ADT0501	PowerProtect DD <name> added.		No action needed.	Informational	Protection Infrastructure
ADT0502	PowerProtect DD <name> deleted.		No action needed.	Informational	Protection Infrastructure
ALA0012	Unable to export the application agent log because this operation is not supported for Restore to All Replicas.	Export of the application agent log cannot be completed because log exports for Restore to All Replicas are not supported by PowerProtect Data Manager version.	For more information, review the logs at \INSTALLDIR\DPSAPPS\AGENTSERVICE\logs and \INSTALLDIR\DPSAPPS\MSAPPAGENT\logs on the host where the operation was performed.	Warning	Export Log
ADSD0007	PowerStore discovery for <powerstoreId> cannot be completed because the volume or volume groups of the PowerStore appliances are unavailable.	The Powerstore discovery operation was unsuccessful because the PowerStore cluster appliance's volume and/or volume groups information cannot be detected.	Contact Dell Customer Support.	Critical	Discover
SSS0051	Memory and free swap space available on host <hostName> is very low. Available memory is currently <capacity>.	The available memory and free swap space on the host is less than the 5% required by PowerProtect Data Manager.	If the issue with low memory persists, contact Dell Customer Support.	Critical	System
ADT7042	Deletion of a quick-recovery configuration for the host <hostname> is unsuccessful.	The <direction> configuration for the host <hostname> is not deleted.	No action required.	Informational	System
UPG0087	Transparent Snapshot Data Mover precheck failed: <errorMessage>.		Check Transparent Snapshot Data Mover status by going to Infrastructure > Protection Engines > Transparent Snapshot Data Movers from PowerProtect Data Manager UI.	Critical	System
ABVSD0016	Unable to start the backup for the asset <asset_name> because a DD internal error occurred.	The backup of this asset cannot be completed because an internal DD error occurred while starting the operation.	To troubleshoot this issue: 1) Verify network connectivity to the DD system. 2) Make sure that the user credentials used to connect to the DD system are valid and have sufficient privileges to perform this operation. 3) Retry the operation.	Warning	Protection
ADT0213	A stage <stageType> added to <plcName>.		No action needed.	Informational	Protection Policy
HMPRO012	CNDM Proxy <PROXY> failed.	CNDM Proxy <PROXY> failed.	Contact system administrator.	Critical	Protection Infrastructure
ADT0702	System restore has been initiated. The data changes after <serverBackupTime> will be lost.		No action needed.	Informational	Server Dr
MON0038	Unable to retrieve components information for native monitoring.	Components cannot be obtained for native monitoring. The resources of these components might be out of date.	This action will be retried automatically at a later time. If the issue persists, contact Dell Customer Support.	Warning	System
CPLE0015	Several copies creation times are ahead of Power Protect Data Manager configured system time.	The copies creation times are ahead of Power Protect Data Manager system time because the agent time is not synced with Power Protect Data Manager.	Check that the relevant agent's clock is synced up with Power Protect Data Manager.	Informational	Compliance
ADN0008	The following network interfaces that were in NOT_DETECTED state are no available for discovery: <interfaces>		No Action Needed.	Informational	Discover
ABN0023	Unable to create index in the Search API for the task <taskId> because a connection timeout occurred.	Index creation in the Search API cannot be completed for this task because a timeout occurred while establishing a connection with the Search API.	Retry the request. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARP0026	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because the specified retention-time exceeds the maximum value.	The backup copies cannot be replicated because the specified retention-time exceeds the max- retention-period of 70 years (25550 days).	Enter a retention period that is within the minimum and maximum limits (1 to 25550 days), and then retry the operation.	Critical	Replication
ARV0043	VM Direct engine 'vproxy' is unable to restore the virtual machine 'vcmName' on vCenter 'vCenterName' because cold-migration of the virtual machine is in progress.	The VM Direct engine cannot complete the restore of this virtual machine because a cold migration is in progress. A cold migration is the migration of powered off or suspended virtual machines between hosts across clusters, data centers, and vCenter Server instances.	Wait for the cold migration to complete, and then retry the operation.	Critical	Restore
UPG0079	Make sure that a virtual machine snapshot has been performed before updating the PowerProtect Data Manager software.		The VMware documentation provides instructions. Note that this is not required if the Hosting vCenter is configured in System Settings. If a VM snapshot is taken, it should only be reverted if the core Data Manager update fails. Reverting after that may cause unexpected results. If required, a Disaster Recovery backup can be restored instead. Remove the VM snapshot after successful update for best performance.	Warning	System
NR0011	Reporting Engine <reportingEngine> root partition is more than 75% full.		Remove files to release space.	Warning	Reporting
ARS0009	Recovery is unsuccessful on <hostname> for the database <assetname> backed up at <savetime> on <ddHostName> as lookup for file list or savetime was unsuccessful.	Unable to retrieve the files list or savetime for the database from the application catalog on PowerProtect DD.	Select one of the following options: 1. Check the msagentrc logs available in MSAPPAGENT logs directory on the host <hostname>. 2. Check the export logs from PowerProtect Data Manager for more details.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ACO0008	PowerProtect Data Manager Oracle agent cannot perform the configuration for the Oracle database because DD Boost initialization is unsuccessful.	The configuration is unsuccessful because the initialization of DD Boost is unsuccessful.	Make sure the IP of the PowerProtect DD system is correct and submit the configuration request.	Critical	App Host Configuration
ACP0001	<plc>: Protection Policy compliance verification check failed for <asset> on <host>.	Compliance verification check failed for the asset.	Check the compliance verification summary in Jobs Monitor for more details.	Warning	Compliance
HMPRO011	NAS Proxy <PROXY> failed.	NAS Proxy <PROXY> failed.	Contact system administrator.	Critical	Protection Infrastructure
ADA0006	Unable to process the discovered <resourceType> on host <hostName> because of related application system records not found.	The application discovery was unsuccessful because related application system records not found.	Rediscover the application system or wait for next scheduled discovery.	Critical	System
RMS0001	File rule <ruleName> is created.	The file rule was successfully created.	No action required.	Informational	Protection
UPG0126	Unable to update one or more disruptive PowerProtect Data Manager sub-components. <reason>.		Refer to the product documentation or engage Dell Support for remediation steps.	Critical	System
ARSD0025	Unable to restore the backup to <assetName> because an Instant Access session is running on the PowerStore <powerStoreName>.	The restore operation was unsuccessful for this asset because an Instant Access session is running on the PowerStore system.	If an Instant Access operation is running on the PowerStore system, then delete the Instant Access session and retry the operation.	Critical	Restore
ABG0007	Unable to backup <asset> on the host <hostName> because /data directory is not empty.	The backup cannot be completed because the /data directory of the /opt/dpsapps/GenericApplicationAgent/mount_path/ is not empty.	To resolve the issue, verify whether /data inside /mount_path is empty of the application agent	Critical	Protection
ADSSD0010	Unable to delete the snapshots and catalog for the selected copies because a connection with the PowerStore <powerStoreName> cannot be established.	The snapshots and catalog for these expired copies cannot be deleted because a connection with the PowerStore system cannot be established.	To troubleshoot this issue: 1) Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2) Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3) Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Protection
AERR0005	Task <task> was canceled because it was overdue.	Task (and Job) was canceled because it was overdue before being able to be executed.	Please check whether policy configuration is successful or ensure that the activity windows defined in the protection policy schedule are sufficient to accommodate the job.	Warning	Protection Policy
UPG0031	Internal server error while copying the Integrated Storage binary.		Contact Dell Customer Support.	Critical	System
AERR0025	Skipping the job for asset <assetName> because the last discovery status was DELETED under current protection policy.	This job has been skipped because the asset under current protection policy is unavailable.	To troubleshoot this issue, go to the Infrastructure > Assets page to check status for asset(s). If the asset has been deleted , remove it from the protection policy.	Warning	Protection Policy
ARO0008	PowerProtect Data Manager Oracle agent cannot perform the disaster recovery for the Oracle database because the agent cannot create the spfile restore scripts.	The disaster recovery request is unsuccessful because the agent cannot create the scripts to perform the spfile restore.	To resolve the issue, perform the following steps to submit the restore request. If the issue still persists, contact Dell Customer Support. 1) If the dry run option is enabled in the UI, make sure that the RMAN_AGENT_HOME/tmp directory has the available space to create the scripts. 2) Make sure that the /tmp directory has the available space and the required user rights to create the scripts. 3) Submit the restore request.	Critical	Restore
ACSD0022	Unable to complete the array configuration for the selected asset source because SDNG service has restarted.	The array configuration for this asset source cannot be completed because SDNG service has restarted.	Restart the job.	Critical	Protection
ADT0240	Protection Policy <plcName> <field> is changed from <previous> to <new>.		No action required.	Informational	Protection Policy
ALA0004	Unable to export application agent log on the host <hostName> because of an agent host connection or agent service issue.	Export of the application agent log cannot be completed because either the agent host cannot be reached or the agent service is not running.	To resolve this issue: 1.Verify that the agent host can be reached. 2.Verify that the agent service is running on the agent host. If the issue persists, Check the logs manually at INSTALLDIR\DPSAPPS\AGENTSERVICE\logs and INSTALLDIR\DPSAPPS\MSAPPAGENT\logs on the host where the operation was performed.	Warning	Export Log
ARV0048	Unable to perform restore because DRS is not enabled on the selected cluster and a host was not specified.	Automatic host selection for VM restore requires DRS to be enabled on the selected cluster.	Either enable DRS on the cluster, or try the restore operation again with a specified host.	Critical	Restore
ASPU0007	The agent service state is <serviceStatusState> instead of RUNNING.	The Agent Service state is not the expected RUNNING state.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information.	Warning	Push Update
RMS0013	Rules with consistency issues <issueTypesFound> were detected and successfully resolved.	Rules with consistency issues were detected and successfully resolved.	No action required.	Informational	Protection
ADHP0004	Unable to detect the credential ID.	The credential ID has not been provided.	Specify either the credential ID or the user credentials.	Critical	Discover
ARV0010	VM Direct engine is unable to restore the files to virtual machine 'vName' on vCenter 'vCenterName' because the vifrd service is shutting down.	Restore of the files to this virtual machine was unsuccessful because an issue with the vifrd service on the VM Direct engine caused the service to shut down.	Run the command "systemctl restart vifrd" on the VM Direct engine to restart the service. After the restart, verify that the vifrd service is running successfully, and then retry the operation.	Critical	Restore
ABO0039	PowerProtect Data Manager Oracle agent cannot synchronize with the recovery catalog after the backup of the Oracle database <SID> with database ID 'cDBID'.	The backup request is unsuccessful because the backup is successful but synchronization with the recovery catalog failed.	To resolve this issue: 1)Enter the correct username and password of the Recovery Manager catalog database in the backup request. 2) Make sure that the Recovery Manager catalog is accessible.	Critical	Protection
CSME0003	Error in processing Cloud Snapshot Manager Jobs and Alerts for tenant <tenant_id>.	Unable to process Cloud Snapshot Manager Jobs and Alerts.	Contact Cloud Snapshot Manager Support team.	Critical	System
SYS0082	The Search Cluster on the host <hostName> is unavailable.	A Search cluster is installed in PowerProtect Data Manager but is not in operational status.	Ensure that the Search cluster is operational. The PowerProtect Data Manager Administration and User Guide provides troubleshooting information.	Warning	System
PEN0001	<protectionEngineType> Protection Engine: <protectionEngineName> with IP address <protectionEngineIpAddress> is unreachable or unresponsive.		Contact system administrator.	Critical	Protection Infrastructure
ARO0543	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database.	The restore is unsuccessful because the agent identified previous mount information for the Oracle database.	To resolve the issue, install the BoostFS package on the asset source and resubmit the restore request.If the issue persists, contact Dell Customer Support.	Critical	Restore
AERR0028	The job was manually canceled while in the queue.	The job was manually canceled while in the queue.	This is a standard operation. This message will not be shown on the user interface.	Informational	Protection Policy
RMS0010	Protection Rule <name> is deleted.	The protection rule was successfully deleted.	No action required.	Informational	Protection
ABO0034	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database because the PowerProtect DD system storage unit is not specified.	The backup request is unsuccessful because the PowerProtect DD system storage unit is not specified in the request.	To resolve this issue: 1)Make sure the IP/hostname of the PowerProtect DD system is correct. 2)Run the ./ddutil -s command from <RMAN_AGENT_HOME>/bin as the Oracle user to verify whether the lockbox is registered with the PowerProtect DD system using the IP address or hostname. Use the same IP address or hostname in the backup request.	Critical	Protection
ADT0235	An objective <objectiveType> added to <plcName>.		No action required.	Informational	Protection Policy
ARE0002	Recovery is unsuccessful for the database <asetname>.	The database cannot be overwritten during recovery, which has caused the unsuccessful database recovery.	1. Check if the Microsoft Exchange services are running properly and if the database is in a healthy state. 2. Overwrite the database manually and then rerun the recovery.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ANR0003	Unable to complete the <sessionType> operation because the following fields were not detected in the request body:taskId, type	The NAS REST server creates a file name using the "taskId" and "type" from the input JSON payload.This file is then provided as an input to the NAS agent to start the backup or restore. If the input JSON payload does not contain both of these fields, the NAS REST server is unable to create the file name, and so the process cannot be completed.	Retry the operation.If the issue persists, contact Dell Customer Support.	Critical	Protection
ARO0509	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore request is unsuccessful because the Oracle incremental Merge did not query the Fast Copy folder pathname for the selected database recovery options.	To resolve this issue: 1. Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later. 2. Make sure that thespecified database recovery options are valid. In the PowerProtect Data Manager UI, select the valid backup copy and specify the appropriate System Change Number, Time Stamp, or Log Sequence. 3. Make sure that the system has sufficient memory. 4. Make sure that the database is running during the restore. 5. Perform a full backup with Oracle RMAN agent version 19.13 and resubmit the restore request.	Critical	Restore
ARE0006	Recovery is unsuccessful for the database <assetname>	An internal server error occurred, which has caused the unsuccessful database recovery. Additionally, database replication cannot be resumed on the passive nodes of the DAG during recovery.	1. Check the msagentrc logs available in the MSAPPAGENT logs directory on the host <hostname>. 2. Check the export logs from PowerProtect Data Manager for more details. 3. Resume the database replication manually on all passive nodes of the DAG.	Critical	Restore
AAA0002	Unable to complete the archive operation because the logger initialization is unsuccessful.	The archive operation cannot be completed because the logger cannot be set up.	To troubleshoot this issue: 1. Check the vendor-specific message for more details and address any requirements. 2. Make sure that the log folder has sufficient permission for creating the log file.	Critical	Protection
ABNA0033	Unable to complete the <sessionType> operation because of an unknown exception.	The NAS agent cannot process JSON input as it contains invalid parameters.	Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABO0513	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup request is unsuccessful because the agent cannot update the backup tag information for the selected asset.	To resolve this issue: 1. Make sure that the PowerProtect Data Manager and RMAN agent are of version 19.13 version or higher later. 2. Make sure that the IP address or hostname of the PowerProtect DD system is accessible and the storage unit is not modified during the backup. 3. Resubmit the Oracle Incremental Merge backup request.	Critical	Protection
ABN0025	Unable to update the metadata for Disaster Recovery during the backup operation for the task <taskId>.	The metadata update for Disaster Recovery was unsuccessful during the backup operation for this task.	Retry the Disaster Recovery operation. If this issue persists, contact Dell Customer Support.	Critical	Protection
ABG0001	Unable to backup <assetType> <asset> on the host <hostName> to the storage target <target> because of invalid credentials.	The backup cannot be completed because the target storage system username or password is invalid.	Specify valid credentials for the target storage system.	Critical	Protection
UPG0056	Failed to execute bin file while initiating Search Engine update.		Contact Dell Customer Support.	Critical	System
ARA0009	Unable to monitor restore session for <asset> of type <assetType> due to connection issue with agent service. The restore session might be running on the client.	Unable to monitor restore session due to connection issue with agent service. This issue occurs when there is a temporary failure in agent service/application host.	Click export logs to verify that the restore is running on the agent host.	Critical	Restore
ABO0529	Deprecated message. PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	Deprecated message. The backup request is unsuccessful because of any of the following reasons: The agent cannot create the Oracle Incremental Merge backup command. The selected asset source is unavailable.	Deprecated message. Contact Dell Customer Support.	Critical	Protection
UPG0107	Failed to execute bin file while initiating NAS Protection Engines update.		Contact Dell Customer Support.	Critical	System
ADA0003	Unable to discover <resourceType> on host <hostName> because of a certificate issue.	The application discovery was unsuccessful because of an issue with the certificate.	Reregister the agent host with PowerProtect Data Manager, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Discover
NASBK0017	Protection copy Set created for nas asset <plc>.	Protection copy Set created for nas asset.	No action needed.	Informational	Protection
CFG0019	<plc>: Unable to configure the protection policy because of the following error: <err>.	The configuration of this protection policy cannot be completed because an error occurred.	To troubleshoot this issue: 1. Delete any unused storage units/MTrees. 2. Review the storage system's administration guide to run garbage collection on the storage system to free up space. 3. Retry the policy configuration job. 4. If the job fails, recreate the protection policy. If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
ADT6022	The configuration '<configNames>' for PRE scripts used by <policyName> has been changed.			Informational	Protection
RMS0011	<num> asset(s) assigned to <plcName> by protection rule <ruleName>.		No action required.	Informational	Protection Policy
ASLB0001	Unable to create the session in the datastore because an error occurred on an application host.	The session creation is unsuccessful because an error occurred during the information retrieval from the lockbox.	To resolve the issue: 1. Delete the files in the following directories \INSTALL_DIR\AGENTSERVICE\CONFIG on Windows. /opt/dpsapps/agentsvc/config on Linux and AIX. 2. In the PowerProtect Data Manager UI, go to Protection > Protection Policies, select this backup asset's policy, and click Set Lockbox.	Critical	System
CDR0002	Failed to connect to Cloud DR Server.	There is an issue with connecting to Cloud DR Server.	Check if Cloud DR Server is up and accessible and that there is network connectivity. If they are OK, contact support.	Critical	System
ABA0002	<plc>: Unable to backup <assetType> asset <asset> on host <hostName> to storage target <target> because of an agent issue.	The protection policy backup was unsuccessful because of an agent issue.	Refer summary section of details pane to check agent error message. Click export log and review the log file to determine the status of the job or check agent logs for more details.	Critical	Protection
CERT0002	The certificate on <alias> expires in less than <days> days.	The certificate will be expired soon.	Please update certificate with new expiration date.	Critical	Security
ARO0015	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database because the target database credentials belong to a different database or the database is in the shutdown state.	The restore is unsuccessful because the target database credentials belong to a different database or the database is in the shutdown state.	To resolve the issue, perform the following steps to submit the restore request. If the issue still persists, contact Dell Customer Support. 1) For OS user authentication, verify the entered username and password. 2) For database or wallet user authentication, make sure that the user has all the required user rights. 3) If the restore spfile option is not selected, verify that the spfile exists on the clientand the database is in the nomount state. 4) Start the database, and submit the restore request.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABO0521	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because the creation of the catalog is unsuccessful.	To resolve this issue: 1. Make sure that the IP addresses or hostnames of the selected asset source and PowerProtect DD system are accessible. 2. Make sure that the database is not shutdown during the backup. 3. In the PowerProtect Data Manager UI, check for any RMAN or Oracle utility error that starts with RMAN - in the Details > Errors > Read More section of the failed protection job, and perform the appropriate action. 4. Resubmit the backup request.	Critical	Protection
ASPU0019	All addons are already updated to the requested version.	All addons are already updated. Skipping the requested update.	Click export log and review the log file. If export logs are unavailable then check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information.	Warning	Push Update
ABA0005	<plc>: Unable to backup <assetType> asset <asset> on host <hostName> to storage target <target> because of invalid credentials.	The protection policy backup was unsuccessful because the target storage system username or password is invalid.	Specify valid credentials for the target storage system. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABN0027	Unable to process the backup request because the NAS Protection Engine version <proxyVersion> is not compatible with the PowerProtect Data Manager version <ppdmVersion>.	The backup cannot be completed because there is a version mismatch between PowerProtect Data Manager and the NAS Protection Engine(s).	Make sure that the NAS Protection Engine version is compatible with the PowerProtect Data Manager version. If there is a version mismatch, update the NAS Protection Engine(s) to a version supported by this release of PowerProtect Data Manager, and then retry the operation.	Critical	Protection
ATO0018	Unable to <operationType> copy dependent metadata due to RPC connection failure.	Failed to perform the operation for copy dependent metadata due to RPC connection failure.	To troubleshoot this issue: 1. Make sure NTP server is configured for the PPDM. 2. If the issue persists, check the log files at /var/log/brs/cloudmgr/cloudmgr.log for more details.	Critical	Protection
ADT1005	Restore triggered for <assetType> asset <assetName>, the restore type is <restoreType>.		Check the status of restoring copy in Protection Jobs.	Informational	Protection
ADT0201	Protection Policy <plcName> has been created.		No action needed.	Informational	Protection Policy
SYS0206	<indexActivityErrorMsg>		If the issue persists, contact Dell customer support.	Critical	System
ARV0049	One or more errors occurred during the restore of storage policies for virtual machine <vmName> on vCenter <vCenterName>.	The restore for this virtual machine completed but the storage policy restore was unsuccessful because one or more errors occurred.	In the vSphere Client, check the virtual machine in the vCenter inventory to verify the storage policy configuration status. If there is an issue with the storage policy configuration then you can attempt to fix it manually.	Warning	Restore
ARO0540	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database ' <SID>' with database ID ' <DBID>'.	The restore is unsuccessful because the agent cannot detect boostfs package in the specified asset source.	To resolve the issue, please install boostfs package in the asset source. and re-submit the restore request.If the issue persists, contact Dell Customer Support.	Critical	Restore
ABGHV0006	Unable to back up the '<assetType>' asset '<asset>'.	The backup of this asset cannot be completed because no valid hosts were detected to perform the operation.	To resolve this issue: 1. Make sure that the Hypervisor Data Movers agent is configured and the credential is set on the Hypervisor server. 2. In a clustered environment, make sure the Hypervisor Data Movers agent is configured and credentials are set on at least one of the Hypervisor servers.	Critical	Protection
UPG0023	Internal server error occurred while extracting and processing the update package: <exception>.		Contact Dell Customer Support.	Critical	System
CPL0013	Copies of asset <asset> in the protection policy <plc> do not meet the Recover Point Objective requirement of the Service Level Agreement <sla>.	The copies of this asset do not meet the Recover Point Objective (RPO) compliance requirement because the interval of time between the most recent backup and the compliance check is greater than the maximum allowable value.	To troubleshoot this issue: 1) Verify that the RPO configuration and protection policy configuration are aligned. 2) Check whether the protection job completed successfully. If the issue persists, contact Dell Customer Support.	Warning	Compliance
ARP0016	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because the protection policy validation for the replication stage cannot be completed.	Validation cannot be completed for the replication job because the protection policy replication stage ID cannot be detected.	Review the protection policy configuration and enter a valid replication stage ID, and then retry the operation. If the issue persists, recreate the protection policy.	Critical	Replication
ARK0009	Unable to restore namespace '<asset>' to Kubernetes cluster '<k8sClusterName>' because the Velero BackupStorageLocation does not exist.	The restore of this Kubernetes namespace was unsuccessful because the BackupStorageLocation resource does not exist in the Velero namespace on the Kubernetes cluster.	To initiate the creation of missing resources for the next restore operation, do the following: 1.Delete the BackupStorageLocation resource in the PowerProtect namespace storage target. 2.To obtain the resources, use the command kubectl get backupstoragelocations.powerprotect.dell.com -n powerprotect, or an equivalent command. 3.Review the resource names to identify the resource corresponding to the storage target, and then delete this resource using the command kubectl delete backupstoragelocations.powerprotect.dell.com (name) -n powerprotect.	Critical	Restore
ARP0027	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because the minimum retention time is not specified.	The backup copies cannot be replicated because the minimum replication retention-interval must be higher than 0.	Enter a replication retention-interval value that is higher than 0, and then retry the operation.	Critical	Replication
UPG0053	An internal server error occurred during precheck, failed to invoke precheck API for update package <upgradePackageId>: <exception>.		Contact Dell Customer Support.	Critical	System
PTPP0004	Unable to connect to the Avamar server <avamarName>.	PowerProtect Data Manager cannot establish a connection to the Avamar server <avamarName> using the provided credentials. This issue may be caused by incorrect credentials, network connectivity issues, or Avamar server unavailability.	To resolve this issue, verify that the provided credentials are correct and have the necessary permissions to access the Avamar server <avamarName>. Check the network connectivity and ensure that the Avamar server is available and responding. Retry the precheck after confirming the credentials and network connectivity. If the issue persists, contact Dell Customer Support.	Critical	Migrate
ABE0001	Backup operation is unsuccessful because the database <databaseName> is unmounted.	Database is unavailable and skipped during the backup. The database is unmounted. For information, refer to msagentsv.log on Exchange Server.	Verify the database availability and mount status. Verify that information store services are running.	Critical	Protection
ADP0014	Unable to complete the deletion because of an unknown host exception.	Unable to complete the deletion due to an unknown host exception. There is an issue with DNS name resolution or host details are not available.	To resolve the issue: 1.Verify the external DNS server is able to resolve the hostnames. 2.Verify DNS information is present in the /etc/resolv.conf file. If the problem persists, contact Customer Support.	Critical	Push Update
ADSD0006	PowerStore discovery for <powerstoreIp> cannot be completed because the PowerStore appliances are unavailable.	The Powerstore discovery operation was unsuccessful because the PowerStore cluster appliances information cannot be detected.	Contact Dell Customer Support.	Critical	Discover
ARK0016	Unable to restore the namespace '<asset>' to the Kubernetes cluster '<k8sClusterName>' because the Velero restore is unsuccessful.	The restore of this Kubernetes namespace is unsuccessful because the Velero restore cannot be completed.	To troubleshoot this issue, use one of the following methods: 1.Review the Velero backup job error details and summary in the Jobs window of the PowerProtect Data Manager UI. 2.Review the logs by either method: - Export the logs by selecting the job, clicking Export Log, and downloading. - Select the gear icon, go to System Settings > Logs, and download the log bundle. 3.Review the Velero logs by using the command kubectl logs (velero pod name) -n (velero namespace) or an equivalent command in the Kubernetes cluster.If the issue persists, contact Dell Customer Support.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ANR0002	Unable to complete the <sessionType> operation because the request body is empty.	The NAS REST server cannot extract the JSON input payload from the POST request method because the JSON request is empty.	To troubleshoot this issue: 1) Verify that the NAS protection engine version is compatible with the version of PowerProtect Data Manager. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABSD0053	Unable to perform backup of the asset <assetName> because snapshot details for volume(s) were not found.	The backup operation for this asset cannot be completed as snapshot details for volume(s) could not be found.	To troubleshoot this issue: 1. Enable asset discovery during backup by setting the 'powermax.ENABLE_TARGET_ASSET_DISCOVERY' property to 'true' in the 'PowerMax Settings' page, or 2. Run a manual discovery of the asset source in PowerProtect Data Manager, and then retry the operation. 3. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error.	Critical	Protection
ABO0022	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database <SID> with database ID <DBID> because of an internal error.	The backup is unsuccessful because of an SBT error that is caused by the loss of DD connectivity or by an Oracle RMAN error.	Check the DD connectivity from the client. Edit the required protection policy to enable the debug logging. Resubmit the backup request, and check the sbtio.log file under \$ORACLE_BASE. Make sure that the database is running during the backup.	Critical	Protection
ABSD0007	Unable to complete the Backup for asset <assetName> because an internal server error occurred.	The backup was unsuccessful because an internal server error occurred while processing the request on the PowerProtect Data Manager server.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. If the issue persists, contact Dell Customer Support.	Critical	Protection
ACT0007	<plc>: Cloud Tier job was unsuccessful for <assetType> <asset> on <host> to <cloudUnit> because the copies are not old enough for cloud tiering.	The backup copies are not eligible for cloud tiering because the copy is not old enough to cloud tier. The backup copies cannot be tiered until 14 days after creation date.	Verify that the backup copies have a cloud stage in the protection policy. Once a backup copy reaches the required maturity, the copy will be marked for cloud tiering.	Warning	Cloud Tier
ABVSD0018	Unable to complete the <operation_name> of the asset <asset_name> because the data mover timed out.	The operation cannot be completed for this asset because an internal timeout error occurred. This was caused by a delay in identifying the changed or allocated blocks.	To troubleshoot this issue: 1) Verify network connectivity to the storage array of the asset. 2) Make sure that the storage array is not overloaded. 3) Retry the operation.	Warning	Protection
AERR0012	The <stageType> job was unsuccessful because its source storage unit on <storageSystem> cannot be detected for the protection policy '<plc>'.	This job cannot be completed because of one of the following reasons: 1) Its source storage unit associated with this protection policy cannot be located. 2) Its source storage unit resource is unavailable.	Review the details for the protection policy configuration in the Jobs window, and then perform the following: If its source storage unit is unavailable, use another storage unit, or edit the protection policy to change its target storage system. The PowerProtect Data Manager Administration and User Guide provides more information about editing protection policies. If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
ARP0017	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because the protection policy validation for the protection stage cannot be completed.	Validation cannot be completed for the replication job because the policy protection stage ID cannot be detected.	Review the protection policy configuration and enter a valid protection stage ID, and then retry the operation. If the issue persists, recreate the protection policy.	Critical	Replication
ABVSD0001	Unable to start the <operation_name> because the arguments to start the operation are invalid.	This operation cannot be started because the arguments provided to start the operation are not valid.	Verify that the asset and DD system details are correct, and then retry the operation.	Warning	Protection
MON0004	Unable to send an email notification to the email address <emailAddress> because of timeout issues with the SMTP port <port> and email server <emailServer>.	An email notification was not successfully sent to the recipient email address. The timeout may be because of a blocked or invalid SMTP port.	To resolve this issue: (1) Go to System Settings > Support > Email Setup to verify that the email server is set up correctly. (2) Send a test email to verify network connectivity with the email server.	Critical	System
UPG0058	The current version of the system (<currentVersion>) is incompatible with the uploaded update package, which has a minimum version requirement of <minimumVersion>. Upload an update package that is compatible with the current version.		Upload an update package that supports the current version.	Critical	System
ADRS0003	Unable to complete the server disaster recovery for policy <policyName> because of a certificate issue with the PowerStore <powerStoreName>.	The server disaster recovery operation was unsuccessful for this policy because of an issue with the PowerStore system certificate.	To resolve the issue: 1. Verify that the PowerProtect Data Manager certificate matches the PowerStore certificate. 2. Make sure that the certificates have not expired. 3. If a certificate update is required, review the procedure in the PowerProtect Data Manager Security Configuration Guide. 4. Reregister the PowerStore system with the PowerProtect Data Manager system, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ACGHV0002	Unable to perform configuration monitoring for the <operationType> session.	The monitoring for the session is unsuccessful. The session might be running. Check the plugin service logs for more details.	Make sure that the agent is installed and running on the host. Check the system logs for any related errors. If the issue persists, reinstall the agent.	Critical	Protection Policy
CSM0007	Cloud Snapshot Manager restore failed for <database_type> <database_id> of <account_name>(<account_number>) cloud account for tenant <tenant_id>.	The cloud provider service(s) failed to create a resource because the required conditions were not met.	Contact backup administrator with Cloud Snapshot Manager access.	Critical	Restore
ARHV0001	Unable to validate the <operationName> input payload because the following error occurred: <errString>	The requested operation could not be validated because the input payload contains incorrect or invalid data.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. Verify the input payload values. 3. Retry the operation.	Critical	Restore
AMGHV0010	Unable to transfer the FLR agent to the host <hostname>.	The transfer of FLR agent during the mount has failed.	To troubleshoot the issue: 1. Retry the mount job by selecting the job and clicking Restart. 2. If the issue persists, export the logs by selecting the job and clicking Export Log. Review the logs for the reason that the agent transfer is unsuccessful.	Critical	Restore
ASSD0004	Unable to process the local snapshot for <assetName> because an internal server error occurred while processing the request in the PowerStore <powerStoreName>.	The local snapshot cannot be completed because an internal server error occurred while processing the request in the PowerStore.	To troubleshoot this issue: 1) Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 2) Retry the operation at a later time. If the issue persists, contact Dell Customer Support.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ADSD0014	Unable to discover the PowerMax system because the PowerMax Unisphere server <u4pip> cannot be reached or the configuration is incomplete.	The PowerMax discovery operation was unsuccessful because the Unisphere server is either not in the "CONFIGURED" state or the server is not reachable.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2. Confirm that there is no packet loss between PowerProtect Data Manager and Unisphere. 3. Confirm that all the arrays managed by Unisphere are connected and working properly. 4. Make sure that the Unisphere server is running. 5. Make sure that Gatekeeper devices are configured properly. 6. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error.	Critical	Discover
APO0030	PowerProtect Data Manager Oracle agent cannot perform the copy deletion of the Oracle RAC active/passive database <SID> with database ID <DBID>.	The copy deletion request is unsuccessful because the node is in a passive state, which is not a supported state for a copy deletion operation.	Perform a manual asset discovery on the current active node and rerun the copy deletion operation.	Critical	Protection Copy
ADT6029	Cyber definitions update initiated using package <packageName>. Update activity status <status>.			Informational	Push Update
ABV0031	VM Direct engine 'vproxy' is unable to back up the virtual machine 'vmName' on vCenter 'vCenterName' because of a VMware API issue.	The VM Direct engine cannot complete the backup of this virtual machine because a VMware API operation did not complete successfully.	Review the error details and summary log in the Jobs window, or export the job logs and review the log files for more information. If the issue persists, contact Dell Customer Support.	Critical	Protection
SYN0007	Unable to cancel the sync job for <dstPPDMHost> and <storageSystemName> because the operation cannot be canceled.	PowerProtect Data Manager cannot complete the request to cancel the sync job because either the job is complete or it has reached a state where it cannot be canceled.	No sync job cancellation is needed.	Informational	System
ARSD0051	Unable to get the volumes for the storage group on the storage system <storageName>.	The volumes for this storage group on the storage system could not be obtained because an error occurred.	To troubleshoot this issue: 1. Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2. Confirm that all the arrays managed by Unisphere are connected and working properly. 3. Verify whether volumes exists in the storage group 4. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 5. Retry the operation at a later time.	Warning	Restore
ADSD0002	PowerStore discovery for <powerstoreip> cannot be completed because an internal error occurred.	The PowerStore discovery operation was unsuccessful because of an internal error.	Review the log files at /var/log/brs/discovery-service/discovery-service.log for more information about the error. If the issue persists, contact Dell Customer Support.	Critical	Discover
ARV0017	VM Direct engine is unable to restore the virtual machine 'vmName' on vCenter 'vCenterName' because the protection storage is busy.	The VM Direct engine cannot complete the restore of this virtual machine because of insufficient resources on the protection storage.	To troubleshoot this issue, perform one of the following and then retry the operation: 1) Wait for some activities to complete. 2) Reduce the number of concurrent backups or restores.	Critical	Restore
CPLE0004	Activity failed to complete copy promotion since the schedule setting in not correct. Couldn't get the dates to find copies for promotion.	Promotion failed due to invalid schedule setting for the promotion stage. Can not get the dates to find copies for promotion.	Check policy configuration if promotion stage has valid promote date setting.	Warning	Compliance
CFG0018	Unable to apply retention lock compliance mode for server disaster recovery for <storageUnit> because of the following error: <error>.	The configuration of this replication context cannot be completed because an error occurred.	Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection Infrastructure
ARF0058	Unable to search for the Active Directory object <objectDN> in the mounted Active Directory database. LDAP error code: <errorCode>, message: <errString>.	The search operation failed with an LDAP error while searching for an Active Directory (AD) object in a mounted Active Directory database.	To troubleshoot the issue: 1) Review the specific LDAP error code <errorCode> for more information about the error. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARSD0017	Unable to restore the backup to <assetName> because the target asset size is less than the source asset size.	The restore operation was unsuccessful for this asset because the target asset size is less than the source asset size.	Choose another target asset that is either greater than or equal to the source asset in size to perform the restore.	Critical	Restore
PEN0008	Software-packaged proxy <vproxy> is unreachable or unresponsive.	The VM Direct Engine logs provide more details about the operations that are impacted.	To resolve this issue: 1. Check the network connectivity between PowerProtect Data Manager and the software-packaged protection engine. 2. Check that the vProxy REST API daemon is running in the software-packaged protection engine. If the issue persists, contact Dell Customer Support.	Critical	Protection Infrastructure
ACHP0004	Unable to complete the agent update.	The agent update process encountered an error.	To troubleshoot this issue: 1) Make sure that the agent is installed. 2) Review the log files for more information about the issue.	Critical	Protection Policy
ABA0030	<plc>: Backup was successful for the <assetType> asset <asset> on the host <hostName> but the associated filter <filter> was not applied.	The application agent version on agent host doesn't support the exclude/include filter that was introduced since 19.16.	To resolve the issue, upgrade the application agent on agent host to 19.16 or later version. Review the application agents version in the PowerProtect Data Manager UI Infrastructure > Application Agents window to determine the current version of agents.	Warning	Protection
ABG0017	Unable to backup <asset> on the host <hostName> because application agent cannot create a dependent process.	The backup cannot be completed, as the cancelation process failed to start.	To resolve the issue, restart the Agent service and retry backup.	Critical	Protection
ABF0023	Skipping the backup for asset <assetName>. Unable to create the VSS snapshot for the asset <assetName> on the host <hostName> because the following error occurred: <errString>.	The backup of this asset cannot be completed because an error occurred when creating the VSS snapshot.	To troubleshoot the issue, review the error details in the Event Viewer on the host. When the issue is resolved, retry the operation.	Critical	Protection
SSS0101	One or more services in <componentName> component are auto restarted: <serviceNames>.	The system has detected that one or more services are not running, the background automatically attempts to restart them.		Warning	System
ARV0051	VM Direct engine cannot restore the files to virtual machine 'vmName' on vCenter 'vCenterName'.	The VM Direct engine cannot complete the restore of the files to the virtual machine. The privileged mode required to support the Linux file-level restores is not enabled by default for deployments using an install package.	To resolve the issue: 1) Make sure that there are no active backups, restores, or other protection operations. 2) To enable the privileged mode that supports the Linux file-level restores for deployments using an install package, run the command 'sudo pddmadmin restart -c core --privileged=true'. 3) Retry the restore operation. 4) After the restore is complete, disable the privileged mode by running the command 'sudo pddmadmin restart -c core --privileged=false'. If you cannot resolve the issue after reviewing the VMware documentation for workaround, contact Dell Customer Support.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABHV0022	Unable to open file stream for the file <fileName>.	The datamover operation cannot be completed because opening the file stream for the file was unsuccessful.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. Verify that file exist and accessible. 3. The job failure may be due to an ongoing VM migration (storage, live, or quick migration). Please wait for the migration to complete before retrying the operation.	Critical	Protection
ARF0062	Unable to detect the parent container and create the Active Directory object <objectDN>.	The operation failed with an LDAP error when trying to locate the parent Active Directory (AD) object with the specified Distinguished Name <objectDN>.	To troubleshoot the issue: 1) If not already selected, select the parent container for the object. 2) Select the parent container for the restore operation. 3) Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. 4) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ABSD0039	Unable to get hosts for the host group <hostGroupName> from the <storage> array <arrayId>.	The hosts for this host group could not be obtained from the storage array.	To troubleshoot this issue: 1. Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2. Confirm that all the arrays managed by Unisphere are connected and working properly. 3. Verify hostgroup exists or not on the array 4. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 5. Retry the operation at a later time.	Critical	Protection
ARA0028	Unable to complete the restore because of an unknown host exception.	Unable to complete the restore due to an unknown host exception. There is an issue with DNS name resolution or host details are not available.	To resolve the issue: 1. Verify the external DNS server is able to resolve the hostnames. 2. Verify DNS information is present in the /etc/resolv.conf file. If the problem persists, contact Customer Support.	Critical	Restore
ARV0015	VM Direct engine is unable to restore the virtual machine <vmName> on vCenter <vCenterName> because the protection storage version is incompatible with PowerProtect Data Manager.	The VM Direct engine cannot complete the restore of this virtual machine because the PowerProtect DD version of the protection storage is not compatible with PowerProtect Data Manager.	Verify that the PowerProtect DD version of the protection storage is supported with PowerProtect Data Manager.	Critical	Restore
ARO0028	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database because the agent cannot start the database with the restored spfile	The restore request is unsuccessful because the agent cannot start the database with the restored spfile.	To resolve this issue, submit a restore request by performing the following steps: 1) Make sure that the spfile is not present under the Oracle database home path name. 2) Shut down the database. 3) In the PowerProtect UI, select the Restore SPFILE option, and then click Submit.	Critical	Restore
ADT0606	Audit log retention has been changed.			Informational	System
AGT0002	Agent on <host> is unreachable or unresponsive.		Contact system administrator.	Critical	Protection Infrastructure
SYS0105	UI time zone has been updated.	UI time zone has been updated.	No action is required.	Informational	System
ARF0050	Unable to create the parent Active Directory object <objectDN> in the Active Directory database. LDAP error code: <errCode>, msg: <errString>.	The restore operation cannot be completed because of insufficient permissions, a duplicate object with the same Distinguished Name, syntax errors, or issues with the Active Directory database.	To troubleshoot the issue: 1) Confirm that the user or service account attempting to create the parent object has the necessary permissions in the Active Directory. 2) Verify that there are no duplicate objects with the same Distinguished Name in the Active Directory. 3) Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. If the issue persists, contact Dell Customer Support.	Critical	Restore
IAMADT3211	Login banner <arg1> by user <arg2>.			Informational	System
ASPU0011	The call to set the maintenance mode to <mode> is unsuccessful for agent <agentType>.	The call to set maintenance mode to specified mode for Agent failed with an exception.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs and the agent logs at the agent's installation directory, INSTALL_DIR.	Critical	Push Update
ABHV0024	Unable to initialize the file container on the data target.	The datamover operation cannot be completed because initializing the file container on the data target was unsuccessful.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. Verify that the storage resources are available, network connections are stable, and then retry the operation.	Critical	Protection
SYS0001	Component <component_name> is unreachable or unresponsive on host <hostName>.	This component cannot be started on the host, and System Manager has exceeded the maximum number of retry attempts.	Restart the PowerProtect Data Manager system. If the issue persists, contact Dell Customer Support.	Critical	System
UPG0055	Search Engine update failed: <errorMessage>.		Contact Dell Customer Support.	Critical	System
AERR0023	Job <task> was cancelled because of the auto invalidation that jobs in the same protection group or with the same asset have already failed.	This job was cancelled automatically because it may fail to a great extent when the jobs in the same protection group or with the same asset have already failed.	To troubleshoot this issue: 1) Verify the status or role of current database. 2) Wait for some time and then retry the operation again. If the issue persists, contact Dell Customer Support.	Warning	Protection Policy
ABHV0013	Unable to validate the virtual machine against its backup history because the backup history cannot be loaded.	The checkpoint operation cannot be completed because validating the backup history failed.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue.	Critical	Protection
ACO0505	PowerProtect Data Manager Oracle agent cannot perform the configuration for the Oracle database.	The configuration request is unsuccessful because the Oracle Incremental Merge technology is not supported in a Data Guard Federated environment.	To resolve the issue, select the Application Direct backup when you create the protection policy and resubmit the configuration request. If the issue persists, contact Dell Customer Support.	Critical	App Host Configuration
UPG0039	Cloud Disaster Recovery Server update failed: <errorMessage>.		Contact Dell Customer Support.	Critical	System
CSM0011	Cloud Snapshot Manager authentication failed for <account_term> <account_name>(<account_number>) of tenant <tenant_id>. Update your cloud account credentials.	The cloud provider service API call could not succeed because the provided cloud account credentials are not correct.	Contact backup administrator with Cloud Snapshot Manager access.	Critical	System
ASDS0002	Discovery of AddOns failed on host <hostName> because of the following errors: <errors>.	The AddOns discovery was unsuccessful.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ARV0045	VM Direct engine <vproxy> is unable to restore the virtual machine <vmName> on vCenter <vCenterName> because another product is performing an operation on the virtual machine.	The VM Direct engine cannot complete the restore of this virtual machine because protection for this virtual machine is currently being performed by another product.	Disable protection of this virtual machine by the other product, and then reconfigure protection of this virtual machine with PowerProtect Data Manager.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABO0012	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database <SID> with database ID <DBID> because the number of days specified for delete logs is not supported.	The required 'archiveLogDeletionByDay' information is not correct in the backup request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection
ARSD0019	Unable to restore the backup to <assetName> because the replication session does not exist for this asset in the PowerStore <powerStoreName>.	The restore operation was unsuccessful for this asset because the replication session does not exist on the PowerStore.	To troubleshoot the issue: 1. Verify that a replication session exists for this asset on the PowerStore system. 2. If the replication session is operating correctly, then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARV0013	VM Direct engine is unable to restore the virtual machine '<vmName>' on vCenter '<vCenterName>' because of insufficient user rights.	The VM Direct engine cannot complete the restore of this virtual machine because the user entered for the protection storage does not have the rights to perform this operation.	Enter credentials for the storage unit '<suName>' on '<storageSystem>' that have sufficient user rights.	Critical	Restore
SYS0088	Cloud DR Server is unavailable on the host <hostName>.	The Cloud DR Server on this host is currently unavailable.	Check the network connectivity between this Cloud DR Server and PowerProtect Data Manager, and verify that the Cloud DR Server is valid.	Warning	System
SYS0212	Indexing notification request timed out.		Check for any network issues between PPDM and Search Cluster. If the issue persists, contact Dell customer support.	Critical	System
ASDS0013	An exception occurred while marking missed Assets as deleted for deleted Application Systems on host <hostName>: <errors>.	Marking missed Assets as deleted for deleted Application Systems was unsuccessful.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ABGHV0008	Unable to apply retention-lock or calculate the retention time for the copy created at time <backupTime> for the <assetType> asset <assetName> from <serverOrClusterName>. Setting the default retention of <retentionTime> days.	The retention time calculation for the copy is unsuccessful because of an internal error.	Review the log files for more information about the error.	Critical	Protection
ADT6003	The script '<scriptName>' content has been changed.			Informational	Protection
ACHP0010	Unable to install the agent because the agent is already installed.	The agent with the specified version is already installed.	Verify the installed agent version, and retry the operation.	Critical	Protection Policy
ARA0035	Unable to perform the restore of the <assetType> asset <asset> because the target asset is unavailable on destination host <hostName>.	The restore is unsuccessful because the target asset is unavailable in PowerProtect Data Manager or the host has not been discovered.	Perform a manual discovery of the destination host that contains the target asset, and then retry the operation.	Critical	Restore
ARV0021	VM Direct engine is unable to restore the virtual machine '<vmName>' on vCenter '<vCenterName>' because of a vCenter connection issue.	The VM Direct engine cannot complete the restore of this virtual machine because a connection with the vCenter cannot be established.	To troubleshoot this issue: 1) Verify that the vCenter can be reached. 2) If the vCenter is busy, wait for some activities to complete and then retry the operation.	Critical	Restore
EPERR0002	Unable to complete the request because the scheduler service is busy.	This request cannot be completed because the scheduler service is currently processing too many requests.	Wait until the scheduler service is not busy, and then retry the request.	Critical	Protection Policy
ARNA0003	Unable to complete the <sessionType> operation because the pre-validation step has failed for the target share <assetName>.	Unable to complete the restore operation because the pre-validation step has failed for the target share.	To troubleshoot this issue: 1) Check if the user has WRITE access to the share. 2) Ensure that the share has enough space to run the restore operation.	Critical	Restore
SYS0014	The used capacity of <used_capacity> exceeds the licensed capacity of <licensed_capacity>.	The used capacity currently exceeds the licensed capacity. PowerProtect Data Manager operations will continue without disruption, however an alert will appear every 24 hours until the license is updated.	Update the system with a license that has an appropriate capacity, and then update the license in the PowerProtect Data Manager UI: 1) Click the Settings icon from the top-right menu, and then select License. 2) Click Upload File, and select the updated license file. 3) Click Apply.	Warning	License
SYS0002	The trial license on the system <hostname> has expired.	The trial license is valid for only 90 days.	Update the host system with a permanent license to continue using the software. In the PowerProtect Data Manager UI: 1) Click the Settings icon from the top-right menu, and then select License. 2) To upload the license, click Upload File. 3) Click Apply.	Critical	License
SYS0003	Low capacity detected at the mount point <mount> on host <hostName>. Available capacity is currently <capacity>.	PowerProtect Data Manager detected that the available capacity at the mount point on the host is low.	Free up space at this mount point on the host. If the issue with low disk space cannot be resolved, contact Dell Customer Support.	Warning	System
ARF0008	Unable to obtain backup data of for the backup performed at <backupTime> from the device pathname <devicePath> on the PowerProtect DD System <DDHostName>.	The restore cannot be completed because an error occurred when reading backup data from a specified PowerProtect DD System device path. Either the desired backup data does not exist at this device path, or the specified device path is invalid.	Verify the integrity of the backup copy and that the correct device path is specified, and then retry the operation.	Critical	Restore
SYS0005	OS user account password for <userAccount> on host <hostName> expires in <noOfDaysToExpire> days.	The password for this operating system (OS) user account expires soon and must be changed.	In the PowerProtect Data Manager UI: 1) Click the System Settings icon and select Authentication. 2) For the System Users, review the Password Expiration column to identify the OS user account that requires a password change. 3) Select this account, and then click Edit. 4) Change the password for the user, and then click Save.	Warning	System
AUSD0007	Unable to remove the configuration for the asset <assetName> because an internal error occurred.	The configuration cannot be removed for this asset because an internal error occurred while processing the request on the PowerProtect Data Manager server.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
ADA0016	Unable to perform the discovery on nodes of the application server.	The discovery was unsuccessful because of an internal server error.	Click export log, and review the log file. If the issue persists, contact Dell Customer Support.	Warning	System
ABV0032	VM Direct engine is unable to configure protection for the host '<hostName>' on vCenter '<vCenterName>'.	The VM Direct engine cannot complete protection of the virtual machines on this host because the protection configuration was unsuccessful.	Review the error details and summary log in the Jobs window, or export the job logs and review the log files for more information. If the issue persists, contact Dell Customer Support. The installation or uninstallation of vSphere Installation Bundles can also be performed from the PowerProtect Data Manager UI. Go to Infrastructure > Protection Engines and select the Transparent Snapshot Data Movers tab.	Critical	Protection
ABNA0005	Unable to back up without metadata details for the asset <assetName>. Skipping metadata updates and performing partial slice cleanup.	The backup cannot be completed because the backup details were not available during the commit stage. PowerProtect Data Manager will perform a cleanup of backup data in protection storage.	Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARGHV0003	Unable to complete the restore because an error occurred.	The restore cannot be completed because of an unknown agent error.	To troubleshoot the issue: 1. Retry the restore job by selecting the job and clicking Restart. 2. If the issue persists, export the logs by selecting the job and clicking Export Log. Review the logs for the reason that the restore is unsuccessful or review the agent logs for more details.	Critical	Protection
STR0001	Protection storage on <system> is unreachable or unresponsive.		Contact system administrator.	Critical	Protection Infrastructure
ABGHV0001	Unable to cancel the backup for <assetType> asset <asset>.	The asset backup cannot be canceled because the job is already in the completed state.	No action is required.	Critical	Protection
CPM0012	Unable to locate a copy for the asset <assetName> in the restore group <restoreGroupName> for the restore plan <restorePlanName>.	The copy of this asset cannot be detected because either the copy does not exist or the copy cannot be located based on the current rule criteria.	To troubleshoot this issue: 1) Make sure that there is a copy of the asset available to restore. 2) Update the rule definition so that the copy can be detected. If the issue persists, contact Dell Customer Support.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABK0013	Unable to back up namespace '<asset>' in Kubernetes cluster '<ksClusterName>' because of a CSI driver issue.	The backup of this Kubernetes namespace was not successful because the CSI driver did not bind the persistent volume to the PVC created by PowerProtect Data Manager.	Review the CSI driver logs to verify that the CSI driver is fully functional and able to dynamically provision persistent volumes.	Critical	Protection
AUSD0003	Unable to remove the configuration for the asset <assetName> because a timeout occurred while establishing a connection with the PowerStore <powerStoreName>.	The configuration cannot be removed for this asset because the PowerStore connection timed out.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running.If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
ARO0522	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore request is unsuccessful because the RMAN process cannot open the database.	To resolve the issue, perform the following steps to submit the restore request. If the issue still persists, contact Dell Customer Support. 1) If the dry run option is enabled in the UI, make sure that the RMAN_AGENT_HOME/tmp directory has the available space to create the scripts. 2) Make sure that the /tmp directory has the available space and the required user rights to create the scripts. 3) Submit the restore request.	Critical	Restore
ADT0625	Network "<name>" update in progress.			Informational	System
ARO0503	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>'.	The restore request is unsuccessful because the agent cannot validate the backup pathname in the mount pathname.	To resolve this issue: 1. Make sure that the IP addresses or hostnames of the selected asset source and PowerProtect Data system are accessible. 2. Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later.	Critical	Restore
ARV0039	VM Direct engine is unable to restore the files to virtual machine '<vmName>' on vCenter '<vCenterName>'.	The VM Direct engine cannot complete the restore of the files to the virtual machine because the file-level restore operation is unsuccessful.	To troubleshoot this issue, perform the following steps and then retry the operation: 1) If you log in to the destination virtual machine as a user without administrator rights or root permissions, select Run with Elevated Privileges. If you use the sudo user account, check that the sudoers file is configured according to the VMware guide. 2) Verify that the user has permissions to the files in the target directory. 3) Verify whether the restore includes operating system files or folders. You must perform an image-level restore of operating system files or folders. 4) If the guest virtual machine is too busy, wait for some activities to complete. If the issue persists, contact Dell Customer Support.	Critical	Restore
ABA0001	<plc>: Unable to back up the <assetType> asset <asset> on host <hostName> to storage target <target>.	The protection policy backup is unsuccessful.	1. There may have been a temporary connectivity issue. Retry the operation again manually. 2. If issue persist, check the network connectivity issue between PowerProtect Data manager and the agent host.	Critical	Protection
ARSD0049	Unable to delete the storage group on the PowerMax storage array <storageSystem> because an error occurred during cleanup.	Deletion of the storage group was unsuccessful because an error occurred during the cleanup activity.	Perform the following steps to clean up the target device(s): 1. Delete the storage group. 2. Delete the volume(s).	Warning	Restore
ABSD0032	Unable to mask volumes to block volume protection engine storage group <storageGroup> for the asset <assetName>.	An error occurred while masking this asset volume(s) to block volume protection engine storage group.	To troubleshoot this issue: 1. Check the connectivity between PowerProtect Data Manager and the Unisphere server. 2. Ensure that all arrays managed by Unisphere server are properly connected and functioning. 3. Ensure that the protection engine storage group is not configured with any Storage Resource Pools (SRP). 4. Ensure that the protection engine storage group name configured in PowerMax Settings page exists on the storage array. 5. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 6. Retry the operation at a later time.	Critical	Protection
ALA0011	Unable to export the application agent log because export log is not supported for the operation.	Export of the application agent log is not supported for the operation.	Check the agent logs manually on the application host <hostName>.	Warning	Export Log
ABSD0041	Unable to perform the backup because the storage group is unavailable.	The backup of this asset cannot be completed because the storage group is not available or could not be detected.	To troubleshoot this issue: 1. Verify the storage group exists or not on the array 2. Perform the discovery operation for the array 3. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 4. Retry the operation at a later time.	Critical	Protection
ACO0006	PowerProtect Data Manager Oracle agent cannot perform the configuration for the Oracle database because Oracle database administrator credentials cannot be saved.	The configuration is unsuccessful because the Oracle database administrator credentials cannot be saved. Unable to initialize the lockbox library. The lockbox library might be removed from the default location.	Make sure that the SRMAN_AGENT_HOME/lib/liblockbox.so file is available and this file and its permissions are not modified. If the lockbox library file is modified, replace it with the original file from the installer tar file. Restart the configuration.	Critical	App Host Configuration
ABO0010	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database <SID> with database ID <DBID> output file cannot be opened.	The backup request is unsuccessful as the RMAN output file cannot be opened.	Ensure that /tmp file exists and root user has read and write access to it.	Critical	Protection
ADT0228	<plcName>: The Storage Unit in <stageType> has been changed.		No action needed.	Informational	Protection Policy
ADT1010	<plcName>: The options in <stageType> has been changed.		No action required.	Informational	Protection Policy
HMPRO010	Virtual Machine Proxy <PROXY> failed.	Virtual Machine Proxy <PROXY> failed.	Contact system administrator.	Critical	Protection Infrastructure
ABV0028	VM Direct engine '<vproxy>' is unable to back up the virtual machine '<vmName>' on vCenter '<vCenterName>' because of an ESXi host issue.	The VM Direct engine cannot complete the backup of this virtual machine because of an issue on the ESXi host.	To troubleshoot this issue, check the status of the ESXi host, and do the following: 1) Verify that there is a connection to the host. 2) Make sure the host is powered on and is not in maintenance mode.	Critical	Protection
ADT0118	Multi-factor authentication bypass account configuration for name, '<subject>', with identity provider locator, '<identityProviderLocator>', is created.		No action required.	Informational	Security
ADA0011	The asset discovery of asset <assetName> is unsuccessful because the protection group is not found.	Unable to discover an asset for the protection group because the corresponding protection group is not found.	Include the asset in a protection group and then run a manual discovery or wait for the next scheduled discovery. If the issue persists, contact Dell Customer Support.	Warning	System

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ASPU0018	The application type <appType> is already updated. Excluding its update job.	The application type <appType> is already updated. As a result, excluding the corresponding update job.	Click export log and review the log file. If export logs are unavailable then check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information.	Warning	Push Update
ADT6001	The script 'scriptName' has been created.			Informational	Protection
ADT0231	Manual <objectiveType> triggered for <num> asset(s) under protection policy <plcName> to target storage <storages>, with configuration: default retention time <retentionTime>, specified retention time: <extendedRetentionTime> and copy selector is: <copySelector>.		No action required.	Informational	Protection
CPLE0009	Unable to complete extended retention of copy for <asset> because no valid copies are available from <fromDate> to <toDate>.	Extended retention for the copy cannot be completed for this asset because a valid protection copy from this specific date or within the grace period cannot be detected.	Review the protection policy job history and make sure that a valid primary copy exists: 1) Verify that the protection job was completed within the specified time range. 2) Verify that the protection job completed successfully. If a valid primary copy does not exist, correct any issues and then perform a manual backup using Backup Now. If there is a valid primary copy but the issue persists, contact Dell Customer Support.	Warning	Compliance
ADT1007	Asset <assetsName> set <credentialName> to credential.		No action needed.	Informational	Security
ARS0002	Recovery is unsuccessful for the database <asetname> backed up at <savetime> on <ddHostName> as the database cannot be overwritten.	The recovery is requested to original location, which must overwrite the database. Because the 'Overwrite the existing databases' option is set to FALSE in the recovery request, the database cannot be overwritten.	Select the 'Overwrite the existing databases' option for the recovery request and rerun the recovery. Steps: 1. Go to Recovery -> Assets. 2. Select the database <asetname> and select 'Restore'. 3. Select the copy to be restored and go to 'Options' page. 4. Select 'Overwrite the existing databases'.	Critical	Restore
CPM0005	Not deleting <asset> backup copies on host <host> because storage unit information is missing from PowerProtect Data Manager, or specified storage unit cannot be detected.	The deletion of backup copies is skipped because backup-copy metadata cannot be detected. Either it does not exist or the storage unit itself cannot be detected.	To troubleshoot this issue: 1) Make sure the specified storage unit is available and functioning. 2) Wait for the metadata to be automatically rebuilt. If the issue persists, contact Dell Customer Support.	Warning	Protection Copy
ATO0023	Unable to obtain the session status because the task has not been updated for <taskMonitoringThresholdDuration> minutes.	An updated progress and status could not be obtained for this archival session because the task monitoring timed out.	To troubleshoot this issue: 1. Log in to the Archival Proxy host and check the logs to verify the status of the session. 2. If the task did not complete successfully, restart the task manually, or wait for the next scheduled job.	Critical	Protection
ARO0523	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database 'SID' with database ID 'DBID'.	The restore request is unsuccessful because the agent cannot shut down the database.	To resolve this issue: 1. Enable the debug logs, check for any RMAN or Oracle utility error that starts with RMAN- or ORA- in the Details > Errors > Read More section of the unsuccessful protection job, perform the appropriate action. 2. Make sure that the specified pathnames for the selected database directories are valid. 3. Make sure that the system has sufficient memory.	Critical	Restore
APSH0005	Unable to perform the delete operation for the database <asset> belonging to the instance <instance> located on <host> because the instance is potentially offline.	The delete request is unsuccessful because the agent cannot determine whether the database is online.	Check if the database instance is online. If not, start the database instance. If this procedure does not resolve the issue, contact Dell Customer Support.	Critical	System
ARA0010	Unable to restore the <assetType> asset <asset>.	Storage unit is not managed by PowerProtect Data Manager. As a result, the backup copies cannot be obtained from the PowerProtect DD to initiate the restore.	Use the SSMS plug-in to restore the backup copies.	Critical	Restore
ARGHV0008	Unable to complete the restore of 'assetType' asset 'asset'.	The restore of the asset is unsuccessful because of an internal error.	To resolve this issue: 1. Retry the restore job by selecting the job and clicking Restart. 2. If the issue persists, export the logs by selecting the job and clicking Export Log. Review the logs for the reason for restore issue.	Critical	Restore
ADT0610	Auto support has been disabled.		No action needed.	Informational	System
ARF0005	Unable to validate the restore target <targetPath> on the host <hostName>.	The restore of this backup copy cannot be completed because the specified restore target is invalid.	Specify a valid restore target.	Critical	Restore
ABV0018	VM Direct engine 'vproxy' is unable to back up the virtual machine 'vmNames' on vCenter 'vCenterName' because of a vCenter connection issue.	The VM Direct engine cannot complete the backup of this virtual machine because a connection with the vCenter cannot be established.	To troubleshoot this issue: 1) Verify that the vCenter can be reached. 2) If the vCenter is busy, wait for some activities to complete and then retry the operation.	Critical	Protection
ARHV0007	Unable to import the virtual machine <vmName> to the Hyper-V Server because the following error occurred: <errString>	The import operation for the virtual machine to the Hyper-V Server cannot be completed successfully.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. Make sure that the Hyper-V Server configuration and permissions are correct.	Critical	Restore
ARS0003	Unable to restore the backup copy on <hostname> from <asetname> (created at <savetime>) to <asetname>. The restore is unsuccessful because of issues with the tail-log in the backup.	Tail-log backup is unsuccessful for database because of some internal error in the backup. Hence, recovery will not be performed.	Select one of the following options: 1. Check the MSAPPAGENT logs directory on the host <hostname>. 2. Check the export logs from PowerProtect Data Manager for more details. 3. Run the recovery without tail-log option.	Critical	Restore
AHD0006	Unable to send the catalog Deletion request to host <host> because the host is decommissioned or unregistered.	The catalog on the host cannot be deleted because the host is already decommissioned and/or unregistered from PowerProtect Data Manager.	Manually delete the catalog for the backup copies. The PowerProtect Data Manager user guides for specific application agents provide instructions. Click export log to view the failed copy ids.	Warning	System
ABN0029	Unable to process the backup request because there is a version mismatch between the NAS Protection Engines.	The backup cannot be completed because there is a version mismatch between the NAS Protection Engine(s) added in PowerProtect Data Manager.	Make sure that all the NAS Protection Engines are the same version (either <proxyVersion> or <ppdmVersion>). If there is a version mismatch, update the NAS Protection Engine(s) to the same version, and then retry the operation.	Critical	Protection
ABSD0074	Unable to detach scsi device(s) during the cleanup for the <operation> of the asset <assetName> on the following host(s): <hostNames>	The cleanup operation for this asset was unsuccessful because there was an error during the detach operation of scsi devices.	To troubleshoot this issue: 1) Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. If the issue persists, contact Dell Customer Support.	Warning	Protection
AHC0010	Unable to obtain the progress of the app host configuration job because a component restart occurred.	The progress of the app host configuration job cannot be obtained because an unexpected component restart occurred during the session.	To check if the encryption settings is applied on the application host, verify if the config file "global_config.json" is created under On Windows : INSTALL_DIR\AgentService\AddOns\global_config.json On Linux and AIX: /opt/dpsapps/agentsvc/AddOns/global_config.json Where INSTALL_DIR is the directory on the user machine where the agent service is installed.	Warning	App Host Configuration
ABO0501	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup request is unsuccessful because the agent cannot initialize the parameters for the Oracle Incremental Merge operation.	To resolve this issue, make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later and resubmit the Oracle Incremental Merge backup request.	Critical	Protection
ABV0008	VM Direct engine 'vproxy' is unable to back up the virtual machine 'vmNames' on vCenter 'vCenterName' because of an SQL agent connection issue.	The VM Direct engine cannot complete the backup of this virtual machine because a connection with the SQL agent operation cannot be established.	To troubleshoot this issue: 1) Verify that the guest virtual machine is running and can be reached on the network. 2) If the guest virtual machine is too busy, wait for some activities to complete, and then retry the operation. 3) Verify that the guest virtual machine IP can be reached from PowerProtect Data Manager.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ADP0013	Unable to delete the expired protection copy because the agent update is in progress.	The expired protection policy copy cannot be deleted because an agent update is in progress.	Wait 24 hours for the automatic delete retry job to run. If the issue persists after the retry, contact Dell Customer Support.	Critical	Push Update
ARO0026	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database because of an issue with the lockbox or configuration files.	The restore request is unsuccessful because of any of the following reasons: 1)PowerProtect DD system credentials cannot be obtained from the lockbox. 2)The lockbox is corrupted. 3)The configuration files are not present under RMAN_AGENT_HOME/config.	To resolve this issue, perform the following steps. If the issue still persists, contact Dell Customer Support. 1) Make sure that the RMAN_AGENT_HOME/config directory is not empty. 2) If the asset is part of an existing policy, select Protection > Set Lockbox. 3) Submit the restore request.	Critical	Restore
ARO0024	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database because of an issue with the lockbox or configuration files.	The restore request is unsuccessful because of any of the following reasons: 1)PowerProtect DD system credentials cannot be obtained from the lockbox. 2)The lockbox is corrupted. 3)The configuration files are not present under RMAN_AGENT_HOME/config.	To resolve this issue, perform the following steps. If the issue still persists, contact Dell Customer Support. 1) Make sure that the RMAN_AGENT_HOME/config directory is not empty. 2) If the asset is part of an existing policy, select Protection > Set Lockbox. 3) Submit the restore request.	Critical	Restore
ADT0633	SNMP service is <operation_name>.			Informational	System
EPERR0004	Unable to complete the request because the scheduler service is unavailable.	This request cannot be completed because the scheduler service cannot be reached.	Retry the operation at a later time.	Critical	Protection Policy
ACS0016	General error occurred during configuration of host credentials on host <HostName> for add-on <AddOnName>. Operation is unsuccessful. Error: <ErrorString>.	PowerProtect Data Manager cannot store the asset source host credentials in the lockbox of the Microsoft SQL Server host.	Try to rerun the host configuration job for the host. If the problem persists, contact Dell Customer Support.	Critical	App Host Configuration
ADT0806	The activity <activityName>, job ID <activityId>, has been force canceled.		No action required.	Informational	Protection
IAMADT3201	User <arg> has logged out from Appliance Shell.			Informational	System
ATO0012	Unable to upload additional copy metadata during the retry for copy created at <endTime> for asset <assetName> due to an internal error.	Failed to upload additional copy metadata due to an internal error.	To troubleshoot this issue, review the log files at /var/log/brs/cloudmgr/cloudmgr.log for more information about the error.	Critical	Protection
APU0017	Unable to cancel <operationType> because the job is already completed.	A cancel request cannot be processed when the job is completed.	No action is required.	Warning	Push Update
IAMADT3037	Password Reset Email has been sent to email address <arg1>.			Informational	Security
ARNA0024	Unable to complete the <sessionType> operation because of an exception while processing JSON input.	The NAS agent cannot process JSON input as it contains invalid parameters.	To troubleshoot this issue: 1) Check and address the vendor specific message for more details. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
SYS0079	The following VM Direct Protection Engine(s) are unavailable on the host <hostName>: <vProxyNames>.	One or more VM Direct Protection Engines have been added in PowerProtect Data Manager, but some of these protection engines are not enabled, which can result in virtual machine protection issues.	Ensure that the VM Direct Protection Engine(s) are operational. The PowerProtect Data Manager Virtual Machine User Guide provides troubleshooting information.	Warning	System
ADN0006	Unable to discover the following network interfaces: <interfaces> These interfaces are set to NOT_DETECTED.		Review the asset source configuration to determine why these interfaces are not available. If these interfaces remain unavailable for a period of 7 days, they will be removed from the active interfaces.	Warning	Discover
ADN0010	During the asset source discovery, all network interfaces of the NAS server <nasServer> were detected as MANAGEMENT IPs, and will be unavailable for data protection operations.		To use the network interfaces for backup and restore, set one or more of these network interfaces as DATA.	Warning	Discover
ABF0022	Skipping the backup for asset <assetName>. Unable to initialize VSS on the host <hostName> because the following error occurred: <errString>.	Restart the VSS service, and then retry the operation.	The backup of this asset cannot be completed because an error occurred during VSS initialization.	Critical	Protection
SYS0203	Cluster is in <searchClusterState> state at the time of the backup. Indexing will be retried within <offlineIndexInterval> hour.	Search cluster is not in operational state. Indexing and search operations will not be available.	Go to the search cluster page to see the details for the cluster state. If you cannot resolve the issue after reviewing the documentation, contact Dell Customer Support.	Critical	System
ABO0504	Deprecated message. PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	Deprecated message. The backup request is unsuccessful because the agent cannot perform the Oracle Incremental Merge operation.	Deprecated message. Contact Dell Customer Support.	Critical	Protection
ARSD0044	Unable to complete the restore session monitoring because the task timeout reached its maximum limit.	The restore session monitoring could not be successfully completed, because the maximum tolerance duration was reached. The task was marked as failed in order to proceed with the next set of jobs. The task might have timed out because of an intermittent issue, and the restore session is expected to be completed.	Restart the task manually, or wait for the next scheduled job.	Warning	Restore
ARK0007	Unable to restore namespace 'asset-' to Kubernetes cluster 'ck8sClusterName-' because of a protection storage issue.	The restore of this Kubernetes namespace was unsuccessful because of an issue on the protection storage.	To troubleshoot this issue: Verify that the PowerProtect DD System is fully functional. Make sure that the DD Boost ports are open between the Kubernetes cluster and the PowerProtect DD System.	Critical	Restore
SYS0026	Unable to apply the route to network <networkName> on server <vProxyServerName> because the following error occurred <underlineError>.	The network route configuration update cannot be applied. The route rule specified for this network might conflict with either the default rule or one or more rules that have already been added.	In the PowerProtect Data Manager UI: 1) Select Infrastructure > Networks. 2) On the Networks window, select the network and click Edit. 3) In the Edit Network wizard, go to the Routes page to update the route, and then click Next. 4) Click Finish to save the changes, and then retry the operation.	Critical	System
ARO0025	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database because of an issue with the lockbox or configuration files.	The restore request is unsuccessful because of any of the following reasons: 1)PowerProtect DD system credentials cannot be obtained from the lockbox. 2)The lockbox is corrupted. 3)The configuration files are not present under RMAN_AGENT_HOME/config.	To resolve this issue, perform the following steps. If the issue still persists, contact Dell Customer Support. 1) Make sure that the RMAN_AGENT_HOME/config directory is not empty. 2) If the asset is part of an existing policy, select Protection > Set Lockbox. 3) Submit the restore request.	Critical	Restore
PEN0005	Virtual Machine Protection Engine <protectionEngineName> update failed.		Contact system administrator.	Critical	Protection Infrastructure
ABO0522	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup request is unsuccessful because the agent cannot create the tag file under the selected PowerProtect DD system storage unit.	To resolve this issue: 1. Make sure that the IP addresses or hostnames of the PowerProtect DD system and selected asset source are accessible. 2. Make sure that the Oracle home base pathname has the Oracle user read and write permissions and resubmit the backup request.	Critical	Protection
ABO0030	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database because Oracle bus writer cannot set up the cancel handler.	The backup request is unsuccessful because the Oracle bus writer cannot set up the cancel handler.	Restart the backup or disable the progress monitoring.	Critical	Protection
ARF0034	Unable to perform the operation because the JSON file input is invalid.	This operation cannot be completed because the format of the JSON file input is invalid.	Correct the format of the JSON file input, and then retry the operation.	Critical	Restore
ADT3009	Report started for <reportName> with run id <runId>.		No action needed.	Informational	Reporting
ADT0108	Successful login for user <userName>.		No action required.	Informational	Security
NR0006	Unable to start the asset configuration cleanup activity on the Reporting Engine.	PowerProtect Data Manager cannot start the asset configuration cleanup activity on the Reporting Engine. Review the /var/log/brs/monitoring/monitoring.log for more details.	Restart the monitoring service.	Critical	Reporting
ARNA0034	Unable to complete the <sessionType> operation because the <assetName> share cannot be located in Unity NAS Storage <NASMgmtName>.	The share cannot be located in Unity NAS Storage because validation of the target asset share was unsuccessful.	To troubleshoot this issue: 1) Check and address the vendor-specific message for more details. 2) Validate that the share exists by logging in to the Unity NAS array. 3) Run an on-demand discovery of the asset from the Asset Sources window.	Critical	Restore
ABNA0035	Unable to complete the <sessionType> operation because of an unknown exception.	The NAS agent cannot execute the input command.	Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABSD0013	Unable to complete the backup for the asset <assetName> because an internal error occurred while fetching the Replication session information from the PowerStore<powerStoreName>.	The backup of this asset was unsuccessful because an internal error occurred while fetching the Replication session information.	To resolve this issue: 1. Verify that the replication pair has not been deleted. If deleted you need to add a replication pair,run a manual discovery of the asset source in the PowerProtect Data Manager UI, and then retry the operation. 2. Check the replication state, Wait until the state changes to "Synchronizing", "System_Paused" or "OK" in the PowerStore system, and then retry the PowerStore Block Volume backup job. 3. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error and to troubleshoot the issue. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABA0015	<plc>: Protection Policy backup was successful for <assetType> asset <asset> on host <hostName> to target <target>, but multiple Data Domain path addresses were detected.	Protection job completed successfully. However multiple Data Domain path addresses were detected for the host. Only one of these addresses is used.	No action needed.	Warning	Protection
ABE0011	Backup job is unsuccessful on the host <host> because of a VSS error.	Refer to msagentsv.log for more information on Exchange Server.	Retry the backup. If the issue persists, contact Dell Customer Support.	Critical	Protection
STR0002	Used capacity on protection storage <storageSystem> has reached <percent>.	The used capacity on the storage system has reached at least 95%.	Free up space on this storage system by removing backups that are no longer required, moving backups to cloud tier or expanding the storage system capacity. If the issue persists, contact Dell Customer Support.	Critical	Protection Infrastructure
ABO0538	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup request is unsuccessful because the agent cannot create the local Fast Copy folder under the storage unit pathname of the PowerProtect DD system on the selected asset source.	To resolve this issue, make sure that the Oracle home base pathname has the Oracle user read and write permissions and resubmit the backup request.	Critical	Protection
ABA0003	<plc>: Protection failed for <assetType> <asset> on host <hostName> to <target> due to host failure.	Protection job failed due to host failure.	Contact system administrator.	Critical	Protection
ADP0011	Unable to cancel the copy delete job for <assetType> on host <hostName> because cancel operation is not supported.	Cancellation of this job cannot be completed because the cancel operation is not supported.	Cancel operation not supported.	Warning	System
ARO0511	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database ' <SID>' with database ID ' <DBID>'.	The restore request is unsuccessful because the agent cannot create the repository locally.	To resolve the issue, perform the following steps to submit the restore request. If the issue still persists, contact Dell Customer Support. 1. If the dry run option is enabled in the UI, make sure that the RMAN_AGENT_HOME/tmp directory has the available space to create the scripts. 2. Make sure that the /tmp directory has the available space and the required user rights to create the scripts. 3. Submit the restore request.	Critical	Restore
ASDS0019	Discovery of Assets for AddOn <AddOnName> failed on host <hostName> because of the following errors: <errors>.	The Asset discovery was unsuccessful.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
PTPP0005	Detected unsupported asset types on this Avamar server.	PowerProtect Data Manager only supports the migration of virtual machines (VMs) with the following asset types: Linux VMware Image and Windows VMware Image. However, The precheck detected other unsupported asset types on this Avamar server.	To resolve this issue, identify the unsupported workloads and relocate them to a different Avamar server. Make sure that only supported VM asset types (Linux VMware Image and Windows VMware Image) are present on this Avamar server. When the unsupported workloads are relocated, retry the precheck. For assistance with relocating workloads, contact Dell Customer Support.	Critical	Migrate
SYS0094	Unable to uninstall the Extension service and UI plugin with CloudDirector ' <CloudDirectorName>'.	To remove the PowerProtect Data Manager integration with Cloud Director, the Extension service and UI plugin must be uninstalled from Cloud Director. If the uninstallation is unsuccessful, these features will continue to operate until the Extension service and UI plugin are removed.	To troubleshoot this issue: 1. Review the log file /var/log/brs/cdvappdm/cdvappdm-plugin.log to determine if other issues exist. 2. Manually remove the Extension service and UI plugin in Cloud Director. 3. Restart the cdvappdm service. If the issue persists, contact Dell Customer Support.	Critical	System
IAMADT3017	<arg1> failed to log out.			Informational	Security
ABO0016	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database <SID> with database ID <DBID> because the Oracle database home path is not set.	The backup is unsuccessful because the specified Oracle database home pathname is incorrect.	Make sure that the database and agent service are running during the backup. Perform a full discovery, and configure a new backup protection policy.	Critical	Protection
ABK0015	Unable to back up the namespace ' <asset>' in the Kubernetes cluster ' <k8sClusterName>' because the Velero backup is unsuccessful.	The backup of this Kubernetes namespace is unsuccessful because the Velero backup cannot be completed.	To troubleshoot this issue, use one of the following methods: 1.Review the Velero backup job error details and summary in the Jobs window of the PowerProtect Data Manager UI. 2.Review the logs by either method: - Export the logs by selecting the job, clicking Export Log, and downloading. - Select the gear icon, go to System Settings > Logs, and download the log bundle. 3.Review the Velero logs by using the command kubectl logs (velero pod name) -n (velero namespace) or an equivalent command in the Kubernetes cluster.If the issue persists, contact Dell Customer Support.	Critical	Protection
ADT1009	File level restore from a copy of virtual machine <vmName> to target virtual machine <targetVmName> is started on vCenter <vCenterName> for user ' <userName>' with the elevate user option ' <elevateUsers>'.		No action required.	Informational	Protection
ARP0004	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because of a file system error.	The backup copies cannot be replicated because either the file system on the storage system is not running or the file system encountered an error.	Make sure that the file system is enabled on the storage system. Review "Managing Storage" section inside the Administrator Guide for further guidance.	Critical	Replication
NR0014	Data migration completed successfully on the Reporting Engine <reportingEngine>.	Migration of the Reporting Engine data is complete, and the Reporting Engine is no longer in maintenance mode.	No action is required.	Informational	Reporting
CPLE0005	Unable to complete extended retention of copy for <asset> because no valid primary copies are available from <fromDate> to <toDate>. Extended retention for the copy will be retried at <nextRetryDate>.	Extended retention for the copy cannot be completed for this asset because a valid protection copy from this specific date or within the grace period cannot be detected.	Extended retention for the copy will be retried automatically at a later time. Prior to the retry for this job, review the protection policy job history and make sure that a valid primary copy exists: 1) Verify that the protection job was completed within the specified time range. 2) Verify that the protection job completed successfully.	Warning	Compliance
APO0004	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database <SID> with database ID <DBID> because the output file cannot be opened.	The delete is unsuccessful as the RMAN output file cannot be opened. The agent binary cannot create the RMAN output temporary file.	Make sure that the client machine has enough storage space in the default temp directory and have sufficient permissions to create and read a file in that directory.	Critical	Protection Copy

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ACT0004	<plc>: Cloud Recall was unsuccessful for <assetType> <asset> on <cloudUnit> to <host> because of network connection issues on the storage system.	The cloud recall operation cannot be completed because the storage system network connection ended. This might have occurred because a connection was never established, or the storage system stopped responding.	Verify that the storage network configuration or connection is correct, and then retry the operation. If the issue persists, contact Dell Customer Support.	Warning	Cloud Tier
ARF0043				Critical	Restore
ADT0136	Storage system <ssName> network interface has been created.		No action required.	Informational	Security
ABNA0040	Unable to create the snapshot access path for the asset <assetName> because the user is invalid.	The snapshot access path cannot be created because the NAS server user name is invalid.	To troubleshoot the issue: 1. Make sure to specify a valid NAS server user name. 2. Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
STR0003	The storage capacity soft quota on <system> has exceeded the limit of <maximum>.			Warning	Protection Infrastructure
ASDS0010	Discovery of missed Applications System for AddOn <AddOnName> failed on host <hostName> because of the following errors: <errors>.	The discovery of missed Applications System was unsuccessful.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ABS0007	Backup of <asset> is skipped from backup on <hostname> \ <instance>.	The database is mirrored. Backup is not supported for mirrored database.	Try performing backup with non-mirrored databases as backup of mirrored databases is not supported.	Critical	Protection
SYS0090	The free space of the log disk partition <isAppliance> is below <threshold>%.	The system automatically maintains at least 30% of free space on the log disk partition.	Monitor the free space of the log disk partition, and contact Dell Customer Support for assistance.	Warning	System
ADT0406	Objective <sloName> <operationType> value list have been changed on <slaName>.		No action needed.	Informational	Compliance
APO0006	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database <SID> with database ID <DBID> because the Oracle database version is unavailable.	The required 'Oracle Database version' information is not available in the delete request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection Copy
ARSD0056	Unable to restore the asset <assetName> because an internal error occurred while processing the restore request.	The restore was unsuccessful because an internal server error occurred.	To troubleshoot this issue: 1. Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2. Confirm that all the arrays managed by Unisphere are connected and working properly. 3. Make sure that the block volume protection engine(s) are operational. 4. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 5. Retry the operation at a later time.	Critical	Restore
ABSD0027	Unable to back up the asset group <assetGroupName> because an error occurred during quiescing.	The backup operation cannot be completed because an error occurred while the quiesce was in progress.	To troubleshoot the issue: 1. Verify that the agent host user credentials are correct. 2. Verify that the Agent service is running. 3. Wait for a few minutes and then retry the operation.	Critical	Protection
CSM0002	Cloud Snapshot Manager restore failed for virtual machine <vmName> of <account_name>(<account_number>) cloud account for tenant <tenant_id>.	The cloud provider service(s) failed to create a resource because the required conditions were not met.	Contact backup administrator with Cloud Snapshot Manager access.	Critical	Restore
ASPU0005	The agent service worker is unable to complete the operation because of an internal problem.	The agent service worker is unable to complete the operation. An internal problem occurred because the required parameters are not set.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information.	Critical	Push Update
ARF0016	Unable to recognize the parameter <paraName> from the restore command <cmdString>.	The restore cannot be completed because the restore command string contains an undefined parameter name.	Specify valid parameters in the command, and then retry the operation.	Critical	Restore
APSH0006	Unable to perform the delete operation for the database <asset> belonging to the instance <instance> located on <host> because the agent is unable to fetch the backup copy information from the SAP HANA catalog.	The delete request is unsuccessful because agent is unable to fetch the backup record from the SAP HANA catalog.	Contact Dell Customer Support.	Critical	System
UPG0103	There are active instant access sessions that should be cancelled before the update proceeds.		Cancel the sessions before the update proceeds.	Warning	System
IAMADT3025	Multifactor authentication <arg1> has been updated.			Informational	Security
AHC0016	Sent request to disable CPU throttling on host <hostName>	Disable CPU throttling request sent to host successfully.	No action required.	Critical	App Host Configuration
ABN0009	Protection copy Set created for nas asset <plc>.	Protection copy Set created for nas asset.	No action needed.	Informational	Protection
SYS0068	Unable to find locate the SupportAssist configuration file.	PowerProtect Data Manager cannot locate the SupportAssist configuration file for one of the following reasons: 1) The configuration file is deleted or it is corrupt. 2) SupportAssist did not restore successfully.	Retry SupportAssist configuration.	Critical	System
SYS0103	Unable to back up SupportAssist because the user does not have sufficient privileges to access <drPath>.	The SupportAssist backup was unsuccessful because the admin user does not have read/write/execute access permissions to this folder.	Check the access permissions for this folder. The owner of the folder should have read, write and execute permissions. If the issue persists, contact Dell Customer Support.	Warning	System
ADT0615	Telemetry setting cloudlg Incremental Reporting Frequency has changed			Informational	System
ASSA0001	Unable to complete the job because the job has been unresponsive for the last <retentionInHour> hours.	The job was unsuccessful because the job has been unresponsive and the progress has not changed, and the operation timed out. The job status is changed to CANCELED.	Review the agent service logs in the application host at INSTALLDIR\DPSAPPS\AgentService\logs for more information about the incomplete job.	Critical	System
ACGHV0003	Unable to complete the host configuration because of an issue with the <operationType> operation.	The operation is unsuccessful. Unable to create the session or start monitoring. Check the system logs for more details.	Make sure that the plugin service is running in the PowerProtect Data Manager. Check the system logs for any related errors. If the issue persists, reinstall the agent.	Critical	Protection Policy
ABVSD0015	Unable to back up the asset <asset_name> because a DD internal write error occurred.	The backup of this asset cannot be completed because an internal error occurred during the DD write stream.	To troubleshoot this issue: 1) Verify network connectivity to the DD system. 2) Make sure that the user credentials used to connect to the DD system are valid and have sufficient privileges to perform this operation. 3) Retry the operation.	Warning	Protection
ARO0505	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>'.	The restore request is unsuccessful because the agent cannot perform the initialization tasks for the database.	To resolve this issue: 1. Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later. 2. Perform a full backup with Oracle RMAN agent version 19.13 and resubmit the restore request.	Critical	Restore
ARNA0032	Unable to complete the <sessionType> operation because the location for asset <assetName> could not be validated in PowerScale/Isilon NAS <NASMgmtName>.	The existence of the target asset cannot be validated.	Connect to the PowerScale/Isilon NAS and verify that the share exists. From the PowerProtect Data Manager Asset Source page, perform an on-demand discovery of assets from this asset source.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ADT6021	The script options based on '<scriptName>' have been cleaned for '<policyName>'.			Informational	Protection
SYS0104	Task timeout occurred during export of the application logs.	The task timeout of the application log export operation occurred when the logs were being fetched from the application agent.	Wait for a while and then retry the log export operation. If the issue persists, contact Dell Customer Support.	Warning	System
UPG0116	This update package is not installed. Cannot initiate the revert operation.		Choose other operations or select another package and try again.	Critical	System
ALA0005	Unable to export application agent log on the host <hostName> because of an agent issue.	Export of the application agent log cannot be completed because an issue occurred on the agent during the operation.	Review the error message for a resolution. If there is no resolution, and the issue persists, Check the logs manually at INSTALLDIR\DPSAPPS\AGENTSERVICE\logs and INSTALLDIR\DPSAPPS\MSAPPAGENT\logs on the host where the operation was performed.	Warning	Export Log
CSM0026	Unrecognized critical alert received from Cloud Snapshot Manager for tenant <tenant_id>.	Unrecognized alert received.	Review the alert in Cloud Snapshot Manager Dashboard.	Critical	System
ARS0004	Recovery is unsuccessful on <hostname> for the database <assetname> backed up at <savetime> on <ddHostName> as lookup for backup was unsuccessful.	Unable to query the backup information for the database from the application catalog on PowerProtect DD.	Select one of the following options: 1. Check the msagentrc logs available in MSAPPAGENT logs directory on the host <hostname>. 2. Check the export logs from PowerProtect Data Manager for more details.	Critical	Restore
STR0004	The storage stream soft quota on <system> has exceeded the limit of <maximum>.			Warning	Protection Infrastructure
ARO0548	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database.	The restore is unsuccessful because the Oracle Incremental Merge restore cannot create a local directory structure.	To resolve this issue: 1. Make sure that the Oracle home base pathname has valid Oracle permissions. 2. Make sure that the system has sufficient memory.	Critical	Restore
MON0039	Unable to retrieve components information for health calculation.	Components cannot be obtained to calculate the system health. The health status of these components is unknown.	This action will be retried automatically at a later time. If the issue persists, contact Dell Customer Support.	Warning	System
AMGHV0007	Unable to complete the unmount of the backup copy.	The unmount of the backup copy is unsuccessful because of an unknown agent error.	To troubleshoot the issue: 1.Retry the unmount job by selecting the job and clicking Restart. 2.If the issue persists, export the logs by selecting the job and clicking Export Log. Review the logs for the reason that the unmount is unsuccessful or review the agent logs for more details.	Critical	Restore
ACSD0010	Unable to process the configuration for asset <assetName> because an internal server error occurred in the PowerStore <powerStoreName> while processing the request.	The asset configuration cannot be completed because an internal server error occurred in the PowerStore while processing the request.	To troubleshoot this issue: 1) Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 2) Retry the operation at a later time.If the issue persists, contact Dell Customer Support.	Critical	Protection
SEC0001	User <username> logged in.		No action needed.	Informational	Security
ACO0005	PowerProtect Data Manager Oracle agent cannot perform the configuration for the Oracle database because the source information is unavailable.	The required 'sourceEntity' information is not available in the configuration request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	App Host Configuration
ABV0020	VM Direct engine '<vproxy>' is unable to back up the virtual machine '<vmNames>' on vCenter '<vCenterName>' because the vCenter snapshot was unsuccessful.	The VM Direct engine cannot complete the backup of this virtual machine because the vCenter snapshot operation was unsuccessful.	To troubleshoot this issue: 1) If the vCenter is busy, wait for some activities complete and then retry the operation. 2) Check the datastore to determine if there is enough free space for the operation. 3) Perform disk consolidation for the virtual machine, if required. 4) Determine if any foreign snapshots have already been taken by PowerProtect Data Manager for the virtual machine. 5) If this is a quiesced backup, verify that there is not too much activity on the guest virtual machine.	Critical	Protection
ACT0006	<plc>: Cloud Tier job was unsuccessful for <assetType> <asset> on <host> to <cloudUnit> because the asset cannot be detected.	The backup copies cannot be cloud tiered because the asset scheduled for cloud tiering is unavailable. The asset might have been deleted or not discovered yet.	Verify that asset has not been deleted from the asset source, and then perform the following: 1) If the asset still exists, run a discovery of the asset source, and then retry the cloud tier for the protection policy. 2) If the asset has been deleted, remove it from the protection policy.	Warning	Cloud Tier
ADNC0003	PowerProtect Data Manager is unable to connect to PowerProtect DD <dd_host>.	Verify that this PowerProtect DD is properly configured and can be discovered in PowerProtect Data Manager, and then retry the operation.	A connection to this PowerProtect DD host could not be established during the Server Disaster Recovery operation.	Critical	Nas Server Dr
ABG0011	Unable to backup <asset> on the host <hostName> because the application agent cannot create metadata file in the PowerProtect Data Domain <devicePath>.	The backup cannot be completed because the application agent cannot create metadata file in the specified PowerProtect Data Domain target directory.	To resolve the issue, verify the PowerProtect Data Domain target directory where metadata would get created.	Critical	Protection
ATO0011	Unable to upload protection copy set reconstruct copy metadata during the retry for copy created at <endTime> for asset <assetName> due to an internal error.	Failed to upload protection copy set reconstruct copy metadata due to an internal error.	To troubleshoot this issue, review the log files at /var/log/brs/cloudmgr/cloudmgr.log for more information about the error.	Critical	Protection
ANR0005	Unable to complete the <sessionType> operation because the resource does not exist for the session ID <sessionId>.	All backup and restore operations are treated as resources, and the NAS REST server assigns a valid session-id to monitor the progress of the operation. The GET method is used to obtain the current status and the final response of the process by the NAS protection engine layer. During this operation, an error might occur because of an invalid URL or session-id.	Retry the operation.If the issue persists, contact Dell Customer Support.	Critical	Protection
ADHP0016	Unable to complete the operation.	The operation is unsuccessful because of an invalid URI.	Make sure that the credentials are correct, and retry the operation.	Critical	Discover
ADP0005	Unable to delete copies <copyDeletionFailIds> because of a network connectivity issue.	The backup copies identified cannot be deleted because of a network connectivity issue.	To resolve this issue: 1.Check the network connectivity between PowerProtect Data Manager and the agent host. 2.Confirm that there is no packet loss between PowerProtect Data Manager and the agent host.	Critical	Protection Copy
CFG0006	<plc>: Unable to configure protection policy because user creation for <userName> on protection storage <storageSystem> was unsuccessful.	The configuration of this protection policy cannot be completed because the user creation on the PowerProtect DD System was unsuccessful.	To troubleshoot this issue: 1.Verify that the maximum number of allowable users on the PowerProtect DD System has not been exceeded. The PowerProtect DDOS Administration Guide provides more information.2.Make sure that the PowerProtect DD System is online and is accessible.	Critical	Protection Policy
ABO0033	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database because the password of the PowerProtect DD system is not specified.	The required 'password' information in 'backupTargets' not available in the backup request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Remove the old lockbox files. Set the lockbox in the UI. If the issue persists, create a new protection policy. Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection
SEC0002	User <username> logged out.		No action needed.	Informational	Security
SSS0050	Memory and free swap space available on host <hostName> is low. Available memory is currently <capacity>.	The available memory and free swap space on the host is less than 20%.	If the issue with low memory persists, contact Dell Customer Support.	Warning	System
ARG0007	Unable to restore the <assetType> asset <asset> to the restore path <restorePath> with backup <BackupID> as data transfer failed.	The restore cannot be completed because the data transfer from PowerProtect Data Domain to the host is unsuccessful. Ensure the restore path is accessible to the installed user.	To resolve the issue, verify that the DD is accessible and valid backups are selected for restore.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARK0015	Unable to restore namespace '<asset>' to Kubernetes cluster '<k8sClusterName>' because the Velero custom resource creation was unsuccessful.	The restore of this Kubernetes namespace was unsuccessful because the creation of the Velero custom resource cannot be completed.	To troubleshoot this issue: 1) Verify that the Kubernetes API server can respond to requests. 2) Use the command 'kubectl get crd restores.velero.io', or an equivalent command, to verify that the Velero CRD is present. If the CRD is not present, delete the Velero namespace and restart the powerprotect-controller pod. 3) Use the command 'kubectl auth can-i create restores.velero.io --as=system:serviceaccount:powerprotect:ppdm-serviceaccount -n (velero namespace)', or an equivalent command, to verify that the powerprotect-controller service account has the required privileges. If the service account does not have required privileges, review the instructions for providing access control to the powerprotect-controller service account in the PowerProtect Kubernetes User Guide.	Critical	Restore
ADT3005	Disabled the report node <reportNodeName>.		No action needed.	Informational	Reporting
SYS0040	PowerProtect Data Manager automatic configuration failed.		Configure from PowerProtect Data Manager UI or contact Dell Customer Support.	Critical	System
ADT0903	<searchClusterName> Cluster has been enabled.			Informational	Protection Infrastructure
UPG0114	Unable to install the hotfix <hotfixVersion>, because <reason>.	An issue with the hotfix installation occurred.	Retry the installation. If the issue persists, contact Dell Customer Support.	Critical	System
ADT6023	The configuration '<configName>' for POST scripts used by <policyName> has been changed.			Informational	Protection
ACT0015	<plc>: Cloud recall job was unsuccessful for <assetType> <asset> on <cloudUnit> to <host> because one or more files from the copy created at <copySetTime> cannot be recalled.	The backup copy cannot be recalled from the cloud because PowerProtect Data Manager is unable to recall one or more files from the copy on the storage system. The cloud tier recall file(s) may currently be in use and not available for data movement.	The copy may have files that were partially recalled therefore those files need to be re-tiered to ensure the copy state / location is consistent. Please run data-movement manually to tier these files to the cloud or wait for the next scheduled data-movement window to execute. Once all the files in the copy are back in the cloud, available and not in use, retry the recall operation.	Warning	Cloud Tier
ABHV0015	Unable to query the virtual machine because the following error occurred: <errString>.	The checkpoint operation cannot be completed because querying the virtual machine details failed.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. The job failure may be due to an ongoing VM migration (storage, live, or quick migration). Please wait for the migration to complete before retrying the operation.	Critical	Protection
CPL0019	Copy metadata migration is completed with exceptions. <success> copies migrated successfully, <failed> copies migrated failed.	Copy metadata migration from the old data model to the new data model was completed with exceptions.	For more information about the exceptions, contact Dell Customer Support.	Critical	Compliance
APU0022	Unable to perform the <operationType> because update package signature file cannot be read from the specified location.	This operation cannot be completed because of an issue while reading the update package signature file.	To resolve this issue: 1. Retry the job once after some time. 2. If the issue persists, restart ADM component using 'adm restart' command from PowerProtect Data Manager shell.	Critical	Push Update
ARO0037	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database.	The restore request is unsuccessful because the orapwd file is unavailable on the target host for database authentication.	To resolve the issue, create the orapwd file in the appropriate dbs directory and resubmit the restore request.	Critical	Restore
ABO0007	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database because the PowerProtect DD system is not specified.	The backup request is unsuccessful because the PowerProtect DD system is not specified in the request.	Submit the configuration request and then submit the backup request. Complete the following steps to submit the configuration request: 1) Select Protection > Protection Policies. 2) Select the required asset. 3) Select Edit > Objectives > Primary Backup. 4) Select the PowerProtect DD system, and save the changes.	Critical	Protection
ADT0209	<plcName> <stageType> <operationType> schedule changed.		No action needed.	Informational	Protection Policy
ARO0005	PowerProtect Data Manager Oracle agent cannot perform the disaster recovery for the Oracle database because the control file restore is unsuccessful.	The disaster recovery request is unsuccessful because the agent cannot perform the control file restore.	To troubleshoot this issue: 1) Enable the debug logs to obtain more information about the failure. 2) Check the RMAN script logs for more details about the error. 3) Verify that the correct Control file path has been specified. 4) Make sure that the spfile parameters are correct. 5) Verify that the system has sufficient memory to perform the operation.	Critical	Restore
UPG0074	Unable to update one or more non-disruptive PowerProtect Data Manager sub-components.	The update of one or more non-disruptive PowerProtect Data Manager sub-components cannot be completed. PowerProtect Data Manager is returned to Operational mode.	No immediate action is required because these sub-components are non-disruptive, and PowerProtect Data Manager is returned to Operational mode.	Critical	System
ABMS0001	Unable to update the copy retention time for the selected copies of the asset <assetName> because SDNG service has restarted.	Updating copy retention time for selected copies was unsuccessful because SDNG service has restarted.	Restart the job.	Critical	Protection
ABK0029	Unable to back up namespace '<assets>' in Kubernetes cluster '<k8sClusterName>' because the vSphere secret or cluster flavor information cannot be obtained.	The backup of this Kubernetes namespace was unsuccessful. The vSphere secret and cluster flavor information might be missing.	Make sure that the vSphere secret is present in either the cluster's 'kube-system' or 'vmware-system-csi' namespace, and that the secret is in the correct format. If the vSphere secret is not available in either of these namespaces, review the procedure in the PowerProtect Data Manager Kubernetes User Guide to learn how to update the Kubernetes asset source with the vSphere secret and cluster flavor information.	Critical	Protection
ABS0020	Backup of the database is unsuccessful.	The backup encountered a SQL provider error while connecting to a SQL server instance or running a SQL query.	To resolve the issue, refer to the Microsoft SQL server documentation for the SQL provider error. If the problem persists, contact Dell Customer Support.	Critical	Protection
MON0048	Post upgrade migration of activities process has been completed within <duration> minutes with <number_of_failed_activities> errors.	During the post upgrade migration of activities process, the migration of one or more activities on the system did not complete successfully.	To resolve issues with incomplete activities and ensure that the data is fully migrated, contact Dell Customer Support.	Warning	System
ARO0517	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>'.	The restore request is unsuccessful because the agent cannot obtain the temp tablespace file pathname.	To resolve this issue: 1. Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later. 2. Make sure that Oracle database for the selected asset is available and the database user has valid permissions. 3. Check for any RMAN or Oracle utility error that starts with RMAN- or ORA- in the Details > Errors > Read More section of the unsuccessful protection job, perform the appropriate action, and resubmit the restore request.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ANR0008	Unable to complete the <sessionType> operation because the NAS REST server cannot read the agent response JSON file name <fileName> for the session ID <sessionId>.	The NAS agent creates a JSON response file in a specific tmp folder location during the operation, The NAS REST server reads this response file and sends the response back to NASDM. If the response cannot be read, the operation is unsuccessful.	To troubleshoot this issue: 1) Connect to the NAS protection engine console to verify that there is enough available memory. 2) Check the status of the ESXi host where the NAS protection engine is deployed, and verify that the ESXi host has enough free space. 3) Connect to the vCenter server, and use the Monitor window in the vSphere Client to review the vCenter health and address any alerts related to system resources. 4) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARS0008	Recovery is unsuccessful for the database <assetname> backed up at <savetime> on <ddHostName> as the database cannot be overwritten.	The recovery is requested to original location, which must overwrite the database. Because the 'Overwrite the existing databases' option is set to FALSE in the recovery request, the database cannot be overwritten.	Select the 'Overwrite the existing databases' option for the recovery request, and re-run the recovery. Steps: 1. Go to Recovery -> Assets. 2. Select the database <assetname> and select 'Restore'. 3. Select the copy to be restored and go to 'Options' page. 4. Select 'Overwrite the existing databases'.	Critical	Restore
ASPU0022	Unable to update the final status on the application agent by the worker.	The push update operation is unsuccessful because the worker has not updated the final status.	Click export log and review the log file. If export logs are unavailable then check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information. Manual intervention is required.	Critical	Push Update
DIA0007	<count> inconsistent copies detected for asset <assetName> on asset source <assetSource> in data target <dataTarget> due to broken dependency chain: <copies>	The data in these backup copies is inconsistent because dependency chain is broken.	Contact Dell Customer Support.	Critical	Compliance
CPM0019	Unable to delete the Avamar copies. Manual deletion is required. The copies: <copies>	The Avamar copy deletion feature is not yet supported. Please contact support for deleting Avamar copy.	Search for the KB article, "Deleting Avamar copy in PowerProtect Data Manager".	Informational	Protection Copy
ARSD0026	Unable to perform the Instant Access host operation because an internal error occurred.	The Instant Access host operation failed due to an internal error that occurred on the PowerProtect Data Manager system.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information to troubleshoot the error, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARNA0029	Unable to allocate an instance of the <jobType> job object because of insufficient memory.	An instance of this job object cannot be allocated because there is not enough memory.	Connect to the NAS protection engine console to verify that there is enough available memory, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
CPM0010	Unable to locate a copy for the restore plan <restorePlanName>.	A copy cannot be detected for this restore plan because a restore group does not exist.	To troubleshoot this issue: 1) If there is no restore group for this restore plan, create a restore group. 2) Verify that the restore plan is ready. If the issue persists, contact Dell Customer Support.	Critical	Restore
CPM0013	Unable to restore copy of the asset <assetName> in the restore group <restoreGroupName> for the restore plan <restorePlanName> because of an internal error.	The copy of this asset cannot be restored because an internal error occurred during the operation.	Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ADT1011	Restore is triggered on <status> copy for <assetType> asset <assetName> with user comment: <comment>, the restore type is <restoreType>.		No action required.	Warning	Protection
ARO0530	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database <SID> with database ID <DBID>.	The restore request is unsuccessful because the agent cannot run the ddbmoim binary because the ddbmoim binary does not exist in the \$RMAN_AGENT_HOME/bin directory.	To resolve this issue: 1. Make sure that the Oracle RMAN agent is installed and the ddbmoim binary exists in the installation directory RMAN_AGENT_HOME/bin. 2. Make sure that the ddbmoim binary has the required Oracle permissions.	Critical	Restore
ALA0009	Unable to complete the export log because of a component restart.	The export log cannot be completed because an application component restart occurred while processing the operation.	Wait for the component restart to complete, and then retry the operation.	Warning	Export Log
AGRA0004	Unable to register the agent host <hostName> because short name is not allowed for agent registration.	The agent registration cannot be completed because short name(s) for host are not allowed for the agent registration.	To resolve the issue: 1. If this is the first time registering the agent host with the short name, go to Infrastructure > Application Agents, select the entry for this host, and click Remove. After removal, configure the host with the Fully Qualified Domain Name (FQDN), and then retry the registration. 2. If this is an existing agent host that was previously registered with the short name and is being reregistered after an update, do not remove the host. Configure the host with the Fully Qualified Domain Name (FQDN), and then retry the registration.	Critical	System
ADA0008	Unable to discover <resourceType> on host <hostName> because host is not registered properly with PowerProtect Data Manager.	The application discovery was unsuccessful because host is not registered properly with PowerProtect Data Manager.	Register the host with PowerProtect Data Manager, and then retry the operation.	Critical	System
AAA0009	Unable to complete the archive operation because initializing the DD Boost object library is unsuccessful.	The archive operation cannot be completed because the DD Boost object library cannot be initialized.	To troubleshoot this issue: 1. Check the vendor-specific message for more details and address any requirements. 2. Make sure that the DD Boost object library is available.	Critical	Protection
ADT0623	Telemetry setting cloudlg protection metrics reporting is disabled.			Informational	System
ABV0027	VM Direct engine <vproxy> is unable to back up the virtual machine <vmName> on vCenter <vCenterName> because of a datastore issue.	The VM Direct engine cannot complete the backup of this virtual machine because a datastore operation did not complete successfully.	Check the datastore to determine if there is enough free space for the operation.	Critical	Protection
ARO0011	PowerProtect Data Manager Oracle agent cannot perform the disaster recovery for the Oracle database because the database recovery is unsuccessful.	The disaster recovery request is unsuccessful because the agent cannot perform the database recovery.	To troubleshoot this issue: 1) Enable the debug logs to obtain more information about the failure. 2) Check the RMAN script logs for more details about the error. 3) Make sure that the SCN/timestamp/log-sequence database target path specified for the restore is correct. 4) Verify network connectivity between the client host and the DD system. 5) Verify that the system has sufficient memory to perform the operation. 6) Make sure that the database is not shut down during the restore.	Critical	Restore
SYS0037	Cannot apply change to network <networkName> with IP address <ip>. More information: <underlineError>.		Resolve the issue in message content, or contact support.	Critical	System
SSSO102	One or more services in <componentName> component failed to start: <serviceNames>.	The system has detected that one or more services are not running, the background automatically attempts to restart them, but the startup still fails.	Try to restart the component, if continue to fail, contact Dell Customer Support.	Critical	System
ADT0408	Service Level Agreement <slaName> is disabled.		No action needed.	Informational	Compliance
AERR0007	Task <task> was aborted because it was not updated in the maximum tolerance duration.	The task was aborted because it's considered defunct since it's not updated in the maximum tolerance duration.	Review the task details in the Jobs window to troubleshoot the issue. If the issue persists, contact your system administrator.	Critical	Protection Policy
AERR0001	Task <task> was aborted because it had been in <activityState> state longer than expected <duration> minutes.	Task was aborted because it had been keeping in current state longer than expected.	Review the task details in the Jobs window to troubleshoot the issue. If the issue persists, contact Dell Customer Support.	Warning	Protection Policy
ADT0128	Remote access provision <subject> has been granted the resource group(s): <roleAfter>.		No action required.	Informational	Security

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
UPG0049	The update of all disruptive PowerProtect Data Manager sub-components is successfully completed.	The PowerProtect Data Manager disruptive sub-component update completed successfully. The update of some non-disruptive sub-components might continue in the background, however, PowerProtect Data Manager is returned to Operational mode.	No action is required. To monitor the update progress of non-disruptive sub-components, use the PowerProtect Data Manager UI Jobs window.	Informational	System
ABSD0071	Unable to get the WWNs of the application. The census command from the <scriptId>-script is failed to get the application WWNs from the Host Proxy.	The asset composition check failed because unable to execute the census command in host proxy.	To resolve the issue: 1. Verify if all the fileservers are reachable & that the services are in running state. 2. Verify that the census command executes correctly on the host proxy. 3. Make sure that the census command is configured properly in the script and the script response is valid JSON. 4. Verify that MBF executable is accessible in the location specified in the script and that the user has permission to execute it.	Critical	Protection
ARA0021	Unable to perform the post restore for <assetType> asset <asset> is unsuccessful because an error occur while adding database to the Always On availability group.	The post restore is unsuccessful because an error occur while adding database to the Always On availability group.	To complete the recovery: 1. Manually add the database back to the Always On availability group. 2. Check the dbdmcon logs, available in the MSAPPAGENT logs directory on all the hosts of the Always On availability group.	Critical	Restore
CSM0025	Cloud Snapshot Manager proxy queue deletion failed for queue(s) <queue_names> of <account_name>(<account_number>) cloud account for tenant <tenant_id>.	Cloud Snapshot Manager Proxy queue(s) deletion failed because the required conditions were not met.	Contact Dell Customer Support.	Critical	Protection Infrastructure
SEC0003	User <username> login failed.		No action needed.	Informational	Security
IAMADT3028	<arg1> has been updated.			Informational	Security
ASBA0005	Unable to start the backup job because the pre-script timed out.	The backup job cannot be started on the application agent host because a pre-script timeout occurred.	To resolve the issue, increase the pre-script timeout value, and then retry the operation.	Critical	Protection
ADT0001	New user <username> created.		No action needed.	Informational	Security
ABO0509	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup request is unsuccessful because the agent cannot create the repository in the PowerProtect DD system.	To resolve the issue: 1. Make sure that the IP address or hostname of the PowerProtect DD system is accessible. 2. Make sure that the DD is not mounted on the client. If it is mounted, unmount the DD using either the command "umount <mountPath>" or the command "umount -l <mountPath>" for a forced unmount. 3. Resubmit the backup request. 4. If the issue persists, contact Dell Customer Support.	Critical	Protection
ACSH0005	Unable to configure the database <asset> belonging to the instance <instance> located on <host> because the parameter <parameter> required to connect to the SAP HANA database is unavailable to the agent in the configuration request.	The configuration request is unsuccessful because one or more parameters are unavailable in the configuration request.	Make sure that credentials are set properly in PowerProtect Data Manager in the protection policy settings. Trigger the configuration command again by clicking "Set Lockbox". If this procedure does not resolve the issue, contact Dell Customer Support.	Critical	System
ADT0002	User <username> deleted.		No action needed.	Informational	Security
APU0019	Unable to perform the push update because of a host DNS resolution issue.	The push update cannot be completed because an issue exists with the host DNS name resolution or the host details are unavailable.	To resolve the issue: 1. Verify that the external DNS server can resolve the hostnames. 2. Verify that the DNS information is in the /etc/resolv.conf file. 3. Once the issue is resolved, retry the job.	Critical	Push Update
ADP0015	Unable to delete the catalog for backup copies <copyDeletionFailIds> on host <hostName> because of an issue with application host.	Agent Service is unreachable now, all the catalog delete operations for the copies of this host will be retried next day.	Unable to delete the catalog for backup copies because the host is either down/unreachable/switched off. Click export log and review the log files.	Warning	System
MON0030	Storage system is not configured.	Assets cannot be protected because there is no storage system configured.	Dell Technologies recommends configuring one or more storage systems in order to protect and restore assets. Follow the procedure in the PowerProtect Data Manager Administration and User Guide to add a storage system.	Warning	System
AHC0006	Unable to monitor the host configuration session on the host <hostName> because of an agent service connection issue.	Monitoring of this host configuration session cannot be completed because of a connection issue with the agent service. This occurs when there is a temporary failure in the agent service or host.	Check the agent service logs at INSTALLDIR\PSAPPSAGENTSERVICE\logs to obtain the status of the host configuration session.	Critical	App Host Configuration
ASSD0023	Unable to delete the snapshot for the following asset on the PowerMax storage array <storageSystem> because an error occurred for the following: Asset: <assetName> Snapshot name: <snapshotName> Snapshot ID: <snapshotid>	Deletion of the snapshot for the specified asset was unsuccessful because an error occurred.	To troubleshoot this issue: 1) Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2) Confirm that all the arrays managed by Unisphere are connected and working properly. 3) Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 4) Retry the operation at a later time.	Critical	Protection
ABS0011	Transaction log backup of <asset> is skipped from backup on <hostname> \ <instance>.	Transaction log backups of the database are currently not allowed. A restore might have been performed after the last full backup. A restore resets the database log sequence number, and a new full backup is required prior to any transaction log backup. Transaction log backup will be skipped as 'Backup Promotion' is set to NONE or NONE_WITH_WARNINGS.	Set the 'Backup Promotion' to ALL in the protection policy. Steps: 1. Go to Protection -> Protection Policies. 2. Select the required protection policy. 3. Select 'Edit', and go to 'Options' page. 4. Select ALL for 'Backup Promotion'.	Critical	Protection
ABNV0001	Unable to back up the NAS job with the VM Direct engine because the following error occurred: <error>.	The NAS job cannot be backed up because a VM Direct protection engine error occurred.	To troubleshoot this issue: 1. Check the log files at /var/log/brs/nasdm/nasdm.log or the NAS Agent logs for more details about the error. 2. Connect to the NAS Protection Engine console to verify that there is enough resource available and then retry the operation. 3. Check the Protection Engine health. If there is an issue with the state of the Protection Engine, redeploy the engine, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
APO0009	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database because the deletion type is unspecified.	The delete operation is unsuccessful because the deletion type is unspecified.	Specify the valid deletion type.	Critical	Protection Copy

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ASSD0007	Unable to complete the local snapshot for <assetName> because the PowerStore system <powerStoreName> is unavailable.	The local snapshot operation was unsuccessful because the PowerStore system cannot be reached.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running.If the issue persists, contact Dell Customer Support.	Critical	Protection
ADSD0024	Unable to discover the PowerMax system <powerMaxId> because a Unisphere connectivity issue occurred.	The PowerMax discovery operation was unsuccessful because of a connectivity issue with the Unisphere server.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2. Confirm that there is no packet loss between PowerProtect Data Manager and Unisphere. 3. Confirm that all the arrays managed by Unisphere are connected and working properly. 4. Make sure that the Unisphere server is running. 5. Make sure that Gatekeeper devices are configured properly. 6. Review the log files at /var/log/brs/discovery-service/discovery-service.log for more information about the error.	Critical	Discover
ADT0003	User <username> has changed its roles.		No action needed.	Informational	Security
APO0018	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database because the system ID could not be obtained.	The delete is unsuccessful because of an agent error. The database might not be running.	Make sure that the database is running during the delete operation.	Critical	Protection Copy
ARGHV0002	Unable to complete the restore monitoring of 'assetType' asset 'asset'.	The restore monitoring cannot be completed because of an internal error.	To troubleshoot the issue: 1. Retry the restore job by selecting the job and clicking Restart. 2. If the issue persists, export the logs by selecting the job and clicking Export Log. Review the logs for the reason that the restore is unsuccessful.	Critical	Protection
ABK0024	Unable to back up namespace 'asset' in Kubernetes cluster 'k8sClusterName' because the certificate cannot be located.	The backup of this Kubernetes namespace was not successful because the Kubernetes cluster certificate cannot be located in the PowerProtect Data Manager trust store.	Add the certificate authority for the Kubernetes cluster by using the PowerProtect Data Manager UI. The PowerProtect Data Manager Administration and User Guide provides instructions.	Critical	Protection
ABE0009	Backup is unsuccessful for the asset <assetName> on the host <host> because a database is unavailable.	Backup operation is unsuccessful because the database is unavailable and skipped during the backup.	Check the status of asset and trigger the backup.	Critical	Protection
UPG0091	<reason>			Warning	System
ARSGHV0002	Unable to complete the <sessionType> operation because the session required for the task cannot be created.	This operational issue can occur when the Global Hyper-V Data Manager (GHVDM) service is restarted while processing the request.	To troubleshoot this issue: 1. Retry the operation by selecting the job and clicking Restart. 2. If the issue persists, export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue.	Critical	Protection
SYS0011	Unable to validate network because the FQDN/IP address cannot be resolved with the details provided.	Review the network details to confirm that forward and reverse lookup validation can be performed for the FQDN and the IP address of the virtual machine. For example , nslookup \$(FQDN) \$(DNS_SERVER).	Review the network details to confirm that you can perform forward and reverse lookup validations for the FQDN and the IP address of the Virtual Machine.	Warning	System
IAMADT3229	Identity Provider group <arg1> has been granted the role(s): <arg2> by user <arg3>.			Informational	System
CPLE0014	Copies of asset <asset> in the protection policy <plc> do not meet the Recover Point Objective requirement of the Service Level Agreement <sla>.	The copies of this asset do not meet the Recover Point Objective (RPO) compliance requirement because the first run of the backup schedule for this protection policy has not yet occurred.	No action is required.	Warning	Compliance
APO0005	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database as the system ID is unavailable.	The required 'DBID' information is not available in the delete request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection Copy
NR0009	Reporting Engine <reportNodeName> password is changed or updated.		No action needed.	Informational	Reporting
ADNC0001	NAS Server Disaster Recovery operation failed. Unable to complete Disaster Recovery of the NAS Server because the following error occurred: <error>.	Review the log files at /var/log/brs/nasdm/nasdm.log for more information and to troubleshoot the error. details. If the issue persists, contact Dell Customer Support.	The NAS Server Disaster Recovery operation was unsuccessful because an error occurred.	Critical	Nas Server Dr
ADT0907	Search Node <searchNodeName> has been redeployed.			Informational	Protection Infrastructure
ADT0221	Kubernetes PVC exclusion for <pvcName> has been reset.			Informational	Protection Source
ADT6006	The script 'scriptName' parameters have been changed.			Informational	Protection
ASPU0017	The application type <AppType> is not in maintenance mode. Canceling the update job	The push update operation cannot be performed until all the application types in the system are in maintenance mode.	Click export log and review the log file. If export logs are unavailable then check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information.	Critical	Push Update
ADT1024	Disaster Recovery backup <id> is complete for <system>.		No action needed.	Informational	Server Dr
ACO0009	PowerProtect Data Manager Oracle agent cannot perform the configuration for the Oracle database because the connection to DD Boost cannot be closed.	The configuration is unsuccessful because the connection to DD Boost cannot be closed.	Make sure the IP of the PowerProtect DD system is correct and submit the configuration request.	Critical	App Host Configuration
ADT0404	A Service Level Objective <slaName> removed from <slaName>.		No action needed.	Informational	Compliance
ABN0033	Unable to cancel the NAS backup job <jobName> because the following error occurred: <message>	The cancellation of the NAS backup job cannot be completed because of an error. As a result, the task's status is changed to UNKNOWN.	Check the log files at /var/log/brs/nasdm/nasdm.log for more details. If the issue persists, contact Dell Customer Support.	Critical	Protection
ATO0005	Unable to locate an eligible protection engine for the archival of the asset <assetName>.	An eligible protection engine could not be detected for the archival of the asset because an error occurred.	To troubleshoot this issue: 1. Verify whether the archival eligible protection engine are available or not. 2. Review the log files at /var/log/brs/cloudmgr/cloudmgr.log for more information about the error. 3. Retry the operation at a later time.	Critical	Protection
ADT0232	Manual <objectiveType> triggered for <num> protection group(s) under protection policy <plcName> to target storage <storages>, with configuration: default retention time <retentionTime>, specified retention time: <extendedRetentionTime> and copy selector is: <copySelector>.		No action required.	Informational	Protection
ARP0007	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because of an encryption mismatch.	The backup copies cannot be replicated because of an encryption setting mismatch. In order to allow replication: (1) Both storage systems must have encryption enabled or disabled. (2) If PowerProtect Data Manager security encryption is enabled, both storage systems must have encryption enabled.	Verify that the encryption settings between the source and target systems match. Review the "Enable replication encryption" section in the Administrator Guide for further guidance.	Critical	Replication
CFG0013	<plc>: Unable to cancel the protection policy configuration because cancel operation is not supported for configuration job .	Cancellation of this protection policy configuration cannot be completed because the cancel operation is not supported.	Cancel operation not supported.	Warning	Protection Policy

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
AHC0008	Unable to cancel the app host configuration job on host <hostName> because cancel operation is not supported.	Cancellation of this job cannot be completed because the cancel operation is not supported.	No action needed.	Warning	App Host Configuration
ADT0230	Manual <objectiveType> triggered for <num1> protection group(s) and <num2> asset(s) under protection policy <plcName> to target storage <storages>, with configuration: default retention time <retentionTime>, specified retention time: <extendedRetentionTime>.		No action required.	Informational	Protection
ACO0507	PowerProtect Data Manager Oracle agent cannot perform the configuration for the Oracle database.	The configuration request is unsuccessful because the NFS share information is unavailable.	To resolve the issue, provide valid NFS share information and resubmit the configuration request.If the issue persists,contact Dell Customer Support.	Critical	App Host Configuration
ADP0010	Unable to cancel the copy delete job for <assetType> asset <asset> because cancel is not supported on the installed version of the agent host <hostName>.	Cancellation of this job cannot be completed because the cancel operation is not supported on the installed version of the agent host.	To resolve this issue, upgrade the agent on the host to the latest version.	Warning	System
ASDS0025	Unable to check the undiscovered copies for new Assets added on host <hostName> because of the following errors: <errors>.	Unable to check the undiscovered copies for new Assets added.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ABK0006	Unable to back up namespace '<assets>' in Kubernetes cluster '<k8sClusterName>' because of an unsupported configuration.	The backup of this Kubernetes namespace was not successful because the cluster configuration is not supported.	Verify that all of the persistent volumes included in the backup are CSI volumes, and exclude any non-CSI PVCs.	Critical	Protection
ARF0026	Unable to create the path <pathName> of the restore mount point for the backup performed at <backupTime> on the host <hostName>.	The recovery was unsuccessful due to encounter the file-level restore of this backup copy cannot be completed because an error of occurred during the path creation when preparing the restore mount point.	To troubleshoot this issue: 1) Verify that you have the permissions required to perform a restore to this directory. 2) Very that there is sufficient space to perform the restore, and that the directory is not read-only. If the volume is read-only, use another volume for the restore. When the issue is resolved, retry the operation.	Critical	Restore
UPG0088	Transparent Snapshot Data Mover update failed: <errorMessage>.		Contact Dell Customer Support.	Critical	System
ASSD0001	Unable to complete the local snapshot for <assetName> because a connection with the PowerStore system <powerStoreName> cannot be established.	The local snapshot operation was unsuccessful because a connection could not be established. The PowerStore management interface ID or credentials might be invalid.	Verify that the PowerStore management interface ID and user credentials are correct, and then retry the operation.	Critical	Protection
RMS0003	File rule name <ruleName> is changed to <newRuleName>.	The file rule was successfully updated to the new name.	No action required.	Informational	Protection
ADT3011	Report log bundle export started.		No action needed.	Informational	Reporting
ARV0011	VM Direct engine is unable to restore the virtual machine '<vmName>' on vCenter '<vCenterName>' because of a protection storage issue.	The VM Direct engine cannot complete the restore of this virtual machine because the protection storage operation was unsuccessful.	To resolve this issue: 1) Verify that the PowerProtect DD is functional and that the DD Boost ports are open. 2) Check the network connection between the VM Direct engine and the PowerProtect DD.	Critical	Restore
NR0003	Asset configuration cleanup activity is started on the Reporting Engine <reportingEngine>.	The asset configuration cleanup activity on the Reporting Engine has been started. The Reporting Engine will be in maintenance mode until the activity is completed.	No action is required.	Informational	Reporting
ADP0006	Unable to delete copies <copyDeletionFailIds> because of a connection issue on the agent host <hostName> or an agent service issue.	The backup copies identified cannot be deleted because either the agent host cannot be reached or the agent service is not running.	To resolve this issue: 1.Verify that the agent host can be reached. 2.Verify that the agent service is running on the agent host. If the issue persists, contact Dell Customer Support.	Critical	Protection Copy
ARV0050	Multi-factor authentication for file-level restore with user '<username>' on virtual machine '<vmName>' <status>.	During a file-level restore operation a multi-factor authentication failed. Ensure that the user is correctly configured in the guest OS and the RSA server. Also ensure that the token is correctly configured in the RSA server and that the user and passcode are correctly entered.	Retry the operation with a valid user and passcode.	Critical	Restore
ADT0109	Unsuccessful login attempt for user <userName>.		No action required.	Informational	Security
ACP0004	Unable to delete copies <copyDeletionFailIds>.	The copy can not be successfully deleted because either this copy or its dependent copy is in use state or the protection storage is inaccessible.	Make sure that the: 1) Copy or its dependent copy is not in use, 2) Application Agent and storage unit connection are in good state. Will try to delete the copy 24 hours later.	Warning	Protection Copy
ARSD0040	Unable to restore the backup to the asset <assetName> because the protection engine is too busy.	To troubleshoot this issue: 1) Make sure that a protection engine is available for the restore operation. 2) Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 3) Retry the operation at a later time.	The restore operation for this asset was unsuccessful because the protection engine is too busy serving existing requests.	Critical	Restore
UPG0036	Failed to execute bin file while initiating Cloud Disaster Recovery Server update.		Contact Dell Customer Support.	Critical	System
ASSD0009	Unable to process, the operation of local snapshot for <assetName> because an internal server error occurred while processing the request.	This operation cannot be completed because an internal server error occurred while processing the operation on the PowerProtect Data Manager server.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. If the issue persists, contact Dell Customer Support.	Critical	Protection
ASPU0006	The agent service is not successfully updated.	The agent service is not updated and the agent service version is unchanged.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information. You must manually update the agent service to reactivate the system	Critical	Push Update
CSM0008	Cloud Snapshot Manager snapshot expiry failed for <database_type> <database_id>. Failed to delete snapshot <database_snapshotId> of <account_name>(<account_number>) cloud account for tenant <tenant_id>.	The cloud provider snapshot service could not delete a snapshot of the resource because the required conditions were not met.	Contact backup administrator with Cloud Snapshot Manager access.	Critical	Protection
UPG0095	Unable to configure auto memory during the software update because the hosting vCenter is not configured in PowerProtect Data Manager.		To resolve this issue, perform one of the following, and then restart the update: 1) Use the PowerProtect Data Manager UI to add a hosting vCenter. Click the System Settings icon, and then select Hosting vCenter. The PowerProtect Data Manager Administration and User Guide provides more information. 2) In the vSphere Client, modify the vCenter's VM settings to increase the memory of the PowerProtect Data Manager virtual machine to 36GB, or to 40GB if Cloud Disaster Recovery is enabled.	Critical	System
ABV0019	VM Direct engine '<vproxy>' is unable to back up the virtual machine '<vmName>' on vCenter '<vCenterName>' because another backup or restore is running for the virtual machine.	The VM Direct engine cannot complete the backup of this virtual machine because another backup or restore operation is already running for this virtual machine.	Verify that there are no other backup or restore operations in progress for the virtual machine, and then retry the backup after 24 hours.	Critical	Protection
HMPRO009	Unable to complete the <TYPE> discovery job for <NAME>.	Unable to complete the <TYPE> discovery job for <NAME>.	In the PowerProtect Data Manager UI, go to Jobs > System Jobs or the Alerts window for more information about jobs that did not complete successfully.	Critical	Protection
ABS0012	Backup of <asset> is skipped from backup on <hostname> \ <instance>.	The mirror database partner has a more recent backup than the original copy.	Perform a full backup of original database <asset> and then perform the required type of backup.	Critical	Protection
IAMADT3034	User <arg1> has deleted RSA SecurID Server: <arg2>.			Informational	Security
ADT6009	The script '<scriptId>' extendedData has been changed.			Informational	Protection
ASPU0029	Unable to switch the agent service to a non-root user because the sudo package is not installed on the host.	During a PowerProtect software update, the agent service cannot be configured for a non-root user (a pdpmusr or pdpmgrp user without root privileges) when the sudo package is not installed on the application host.	Manually install the sudo package on the application host before performing the update, and then retry the update with the agent service configuration changes.	Warning	Push Update

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARV0018	VM Direct engine is unable to restore the virtual machine '<vmName>' on vCenter '<vCenterName>' because the virtual disks cannot be located on the protection storage.	The VM Direct engine cannot complete the restore of this virtual machine because the engine is unable to locate any virtual disks on the protection storage.	Choose a different source copy and retry the operation. If you keep seeing this error with other copies as well, reach out to support. Select a copy from another source, and then retry the operation. If this error also occurs when restoring the other copies, contact Dell Customer Support.	Critical	Restore
ADS0008	<discoveryType> virtual machine asset discovery on the vCenter '<vCenterName>' was partially successful.	Discovery of the virtual machine assets on the vCenter Server was only partially completed because some of the assets are in an invalid state.	Check the vCenter for VMs in invalid states such as inaccessible and/or disconnected hosts. Refer to VMware troubleshooting documentation to bring the VM to a valid state and retry discovery once resolved. Check the vCenter to verify the status of the virtual machines. If the status of any virtual machines is invalid, for example, because the virtual machine is inaccessible or the host is disconnected, refer to the VMware troubleshooting documentation to resolve the issue. When the status of all virtual machines is valid, start a manual discovery to discover all virtual machine assets, or wait for PowerProtect Data Manager to perform the next scheduled discovery.	Warning	Discover
ABSD0064	Unable to execute the <scriptType>-script in Host Proxy <scriptAppAgentName> because connection to Host Proxy cannot be established.	The script execution was unsuccessful because connection with the Host Proxy cannot be established.	To resolve the issue: 1. Validate the Host Proxy IP address, name and status in PowerProtect Data Manager. 2. Check the network connectivity between PowerProtect Data Manager and the Host Proxy. 3. Verify that the Host Proxy is up and running.	Critical	Protection
ARNA0009	Unable to complete the <sessionType> operation because the NAS agent cannot retrieve the updated recovery information for the asset <assetName> with backup copy ID <txnId> and session ID <sessionId>.	The recovery operation cannot be processed because of an unknown error.	To troubleshoot this issue: 1) Export the logs and check for failure in the Recovery Rollover Engine logs. 2) Verify that the destination share exists on the array. 3) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ASPU0027	The agent service worker is not started within the expected time limit.	The push update operation is unsuccessful as the agent service worker is not started within 2 minutes.	Click export log and review the log file. If export logs are unavailable then check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information. Manual intervention is required.	Critical	Push Update
SYS0007	Default OS user account password for <userAccount> on host <hostName> is not changed.	The default password for this operating system (OS) user account has not been changed. This issue can occur when the new password is not applied during the initial configuration.	In the PowerProtect Data Manager UI: 1) Click the System Settings icon and select Authentication. 2) For the System Users, select the OS user account that requires a password change, and then click Edit or Reset. 3) Update the password for the user, and then click Save. If you cannot change or reset the password, contact Dell Customer Support.	Critical	System
ARF0006	Unable to determine the path for the restore from the asset source path <pathName> and the asset name <assetName>.	The restore path is obtained by stripping the heading substring of the asset source path from the full asset name. If there is a mismatch between the asset source path and the path identified in the full asset name, a path for the restore cannot be determined.	Verify that the path specified in the asset source and the full asset name match, and then retry the operation.	Critical	Restore
ABSD0033	Unable to get masking views for the block volume proxy storage group <storageGroup> for the asset <assetName>.	The masking views for this block volume proxy storage group could not be obtained because the masking view in the response is either empty or null.	To troubleshoot this issue: 1. Verify whether masking view exists or not for the proxy storage group 2. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 3. Retry the operation at a later time.	Critical	Protection
ASMS0001	Failing the job because AgentService is in maintenance mode on <host>.	Unable to complete the job as AgentService in maintenance mode.	Please check the status of the Push Update job and also check the log files at: 1. On Windows, INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. 2. On Linux or AIX, /opt/dpsapps/agentsvc/logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed.	Critical	System
NASBK0015	One or multiple backup sub-tasks failed. Backup Snapshot job ended with error(s) for nas asset <asset> to <target>.	Backup Snapshot job failed for nas asset. Please check the log for details.	Please check logs for more details to fix the issue and retry once the issue fixed. If the issue persists, contact your system administrator.	Critical	Protection
ABO0541	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because the agent cannot detect a BoostFS package on the specified asset source.	To resolve the issue, install the BoostFS package on the asset source and resubmit the backup request. If the issue persists, contact Dell Customer Support.	Critical	Protection
ACP0002	Task <task> has exceeded the activity window end time of <endTime>.	Tasks in the job did not complete before the activity window expired.	1) Verify the tasks are still running normally and processing data by viewing the logs. 2) Ensure that the defined activity windows are sufficient to accommodate the job.	Warning	Compliance
ABE0014	Backup job is unsuccessful because registration of the new DD <DD_name> is unsuccessful.	Backup was triggered with a newly configured DD and, DD registration was unsuccessful.	Retry the DD configuration.	Critical	Protection
UPG0115	This update package is not hotfix package. Cannot initiate the revert operation.		Choose other operations or select another package and try again.	Critical	System
ABO0008	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database <SID> with database ID <DBID> because the backup list cannot be obtained.	The agent cannot obtain the backup details. The database might have been shut down during the Oracle RMAN agent backup, or the backup was unsuccessful.	Make sure that the database is running during the backup. Check the DD connectivity from the client. Make sure that the storage unit on DD is not modified during the backup.	Critical	Protection
CPL0006	Unable to complete extended retention of copy for <asset> because of an internal server issue.	Extended retention for the copy cannot be completed for this asset because an internal server error occurred.	Follow the procedure in the PowerProtect Data Manager Administration and User Guide to create a log bundle, and then contact Dell Customer Support.	Warning	Compliance
ASDS0007	Discovery of Applications System failed on host <hostName> for AddOn <AddOnName>.	The Application System discovery was unsuccessful because the Application System name could not be obtained.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
SYS0208	Failed to renew certificates on search cluster node <searchNodeName>		Check the corresponding Certificates Regeneration job failure details	Informational	System
CFG0007	<plc>: Unable to monitor configuration session because of an agent service connection issue. The configuration session might be running on the client.	Monitoring of this configuration session cannot be completed because of a connection issue with the agent service. This issue occurs when there is a temporary failure in the agent service/application host.	Click export logs to verify that the configuration is running on the agent host.	Warning	Protection Policy
ADT0503	PowerProtect Management Center <name> added.		No action needed.	Informational	Protection Infrastructure
ADSS00005	Unable to delete snapshots/catalog for the selected copies because of a certificate issue with PowerStore <powerStoreName>.	The snapshots and catalog for these expired copies cannot be deleted because of an issue with the PowerStore system certificate.	To resolve the issue: 1. Verify that the PowerProtect Data Manager certificate matches the PowerStore certificate. 2. Make sure that the certificates have not expired. 3. If a certificate update is required, review the procedure in the PowerProtect Data Manager Security Configuration Guide. 4. Reregister the PowerStore system with the PowerProtect Data Manager system, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ADT0225	Manual <objectiveType> triggered for <num> asset(s) under protection policy <plcName> to target storage <storages>, with configuration: default retention time <retentionTime>, specified retention time: <extendedRetentionTime>.		No action required.	Informational	Protection
UPG0120	Installation of the hotfix <hotfixVersion> is successful.			Informational	System
ABSD0072	Unable to complete the backup session monitoring because the task timeout reached its maximum limit.	The backup session monitoring could not be successfully completed, because the maximum tolerance duration was reached. The task was marked as failed in order to proceed with the next set of jobs. The task might have timed out because of an intermittent issue, and the backup session is expected to be completed.	Restart the task manually, or wait for the next scheduled job.	Critical	Protection
ARP0031	Replication jobs have not progressed for <noProgressHours> hours and cannot continue.	Unable to replicate backup copies because all replication jobs have stalled.	Please wait while the PowerProtect Data Manager places the replication service into maintenance mode and performs a cleanup operation. Once complete, the replication service will be operational and all replication jobs will be restarted automatically.	Critical	Replication
ABK0001	Protection job for <plc>: Protection Policy failed to back up Kubernetes asset - <asset> on the cluster <k8sClusterName>.	Backup job failed for Kubernetes assets.	Go to the Jobs window to view details about the failed backup. If you cannot resolve the issue, contact the backup administrator.	Critical	Protection
ARA0024	Unable to perform the post restore for <assetType> asset <asset> on host <hostName>.	The post restore is unsuccessful because of an internal server error.	Click export log, and review the log file. If the issue persists, contact Dell Customer Support.	Critical	Restore
ADT0004	User <username> password has been changed.		No action needed.	Informational	Security
ADT0616	Telemetry setting cloudlg daily full Syncup is enabled.			Informational	System
ARO0029	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database because the agent cannot open the restored pfile.	The restore request is unsuccessful because the agent cannot open the restored pfile because of an unknown error.	Verify that the system has sufficient memory to perform the operation.	Critical	Restore
PEN0010	PowerProtect Controller pod is not running on cluster <k8sClusterName>.	PowerProtect Controller pod failed to start and is not running.	Contact system administrator.	Critical	Protection Infrastructure
ABN0046	Issues occurred during the post-backup operations, the update of metadata for disaster recovery during the backup for task <taskId>, and the cleanup of export rule <exportRuleId> from export policy <exportPolicy> and snapshot <snapshotName>.	Unable to delete the export rule and snapshot during the cleanup operations, and unable to update the metadata for disaster recovery. The protection is not impacted However, for NetApp, the inability to clean up the snapshot before the next scheduled backup can lead to unsuccessful backups.	Manual cleanup of the export rule from the corresponding volume export policy is required from the NetApp UI. Manual cleanup of the snapshot from the corresponding volume is required from the NetApp UI Make sure that the snapshot is cleaned up before the next scheduled backup, to prevent unsuccessful backups. To update the disaster recovery metadata, retry the disaster recovery operation. If any issues persist, contact Dell Customer Support.	Critical	Protection
ARN0015	The selected files and folders for the NAS restore job <job> will be restored to the original location with override because the protection engine version <proxyVersion> is not fully supported with the PowerProtect Data Manager version <ppdmVersion>.	The deployed version of the NAS protection engine is not fully supported with this version of PowerProtect Data Manager. As a result, some PowerProtect Data Manager features that are new to this release will not be fully operational.	Update the protection engine to a version that is fully supported by the installed version of PowerProtect Data Manager, and then retry the operation.	Informational	Restore
UPG0024	Integrated Storage precheck failed: <reason>.		Check Integrated Storage cluster status.	Critical	System
ABSD0003	Unable to backup the asset <assetName> because a timeout occurred while establishing a connection with the PowerStore <powerStoreName>.	The backup was unsuccessful because the PowerStore connection timed out.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running.If the issue persists, contact Dell Customer Support.	Critical	Protection
ARV0044	VM Direct engine 'cvproxy' is unable to restore the virtual machine 'cvmName' on vCenter 'cvCenterName' because of a connectivity issue between vCenter and the ESXi host.	The VM Direct engine cannot complete the restore of this virtual machine because of a connectivity issue between vCenter and the ESX host.	Check the connectivity between the vCenter and the ESXi host. When the issue is resolved, retry the operation.	Critical	Restore
ADT0617	Telemetry setting cloudlg daily full Syncup is disabled.			Informational	System
ABO0507	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database. because the connection to the PowerProtect DD system is unsuccessful.	The backup request is unsuccessful because the agent cannot connect to the PowerProtect DD system specified in the request.	To resolve the issue, perform the following steps to submit the configuration request, and then submit the backup request.If the issue persists,contact Dell Customer Support. Complete the following steps to submit the configuration request: 1. Select Protection > Protection Policies. 2. Select the required asset. 3. Select Edit > Objectives > Primary Backup. 4. Select the PowerProtect DD system, and save the changes.	Critical	Protection
SYS0092	Log messages have not been transmitted between PowerProtect Data Manager and the SysLog Server <address> using Protocol <Protocol> in the past 24 hours.	No log message transmission occurred in the past 24 hours because the network connection might have been interrupted.	Verify the network connection, port, and protocol between PowerProtect Data Manager and the Syslog Server. If the issue persists, contact Dell Customer Support.	Informational	System
ABHV0006	Unable to back up the virtual machine 'cvmName' because it has a shared VHDX.	The backup cannot be completed because the virtual machine has a shared disk.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. Remove the shared disk from the virtual machine retry the backup operation.	Critical	Protection
ADT0509	Host <name> is marked as 'DELETED'.	The Asset Source is marked as 'DELETED'.	No action required.	Informational	Protection Infrastructure
ADT0505	vCenter <name> has been deleted.			Informational	Protection Infrastructure
ADT2001	Protection Rule <name> is created.	The protection rule was successfully created.	No action required.	Informational	Protection
ADT2002	Protection Rule <name> is deleted.	The protection rule was successfully deleted.	No action required.	Informational	Protection
ADT2004	Protection rule <ruleName> has changed its protection policy from using <oldPlcName> to <newPlcName>.	This protection rule was successfully updated to the selected protection policy.	No action required.	Informational	Protection
ADT2003	Protection Rule name <name> is changed to <newName>.	This protection rule was successfully updated to the new name.	No action required.	Informational	Protection
ADT2005	Conditions of protection rule <name> are changed.	The conditions of this protection rule were successfully updated.	No action required.	Informational	Protection
ADT2006	Priority of protection rule <name> is changed.	The priority of this protection rule was successfully updated.	No action required.	Informational	Protection
ADT0229	<plcName> <stageType> <backupType> retention to <target> has changed.		No action needed.	Informational	Protection Policy
SYS0009	The most recent request to contact the Secure Remote Services Gateway at <SRS_gateway_address> is unsuccessful.	The network is unstable or the result returned by the backend is unsuccessful.	If the issue persists, contact Dell Customer Support for Secure Remote Services backend-related issues.	Warning	System
ASDR0008	PowerProtect Data Manager host <host> does not have enough space for the next Server Disaster Recovery backup. Available storage space on the host is <availableStorage>.	This PowerProtect Data Manager host is running low on storage. The available space is insufficient to perform the next Server Disaster Recovery backup.	Add storage for this host, or free up space on the existing storage.	Critical	Server Dr
ASSD0019	Unable to complete the snapshot for the asset group <assetGroupName> because the operation timed out.	The snapshot creation for this asset group was unsuccessful because a timeout occurred during the quiescing operation.	Increase the quiescing timeout value, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ATO0022	Unable to complete the archive operation because the session is unavailable in the archival proxy host.	The archive operation cannot be completed because this archival session is missing or invalid.	To troubleshoot this issue: 1. If the Archival proxy is not installed, install the proxy, start the services, and then retry the operation. 2. If the Archival Proxy host is installed, verify that all of the services are running and there is enough free space available to start a new job. 3. If the archived and vpod services are running but there is insufficient space available to run a new job based on the stream count, wait until one of the running jobs completes, or add an Archival Proxy host. 4. Check the network connectivity between PowerProtect Data Manager and the vCenter Server. 5. If the issue persists, export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue.	Critical	Protection
ARSH0004	Unable to restore the database <sourceAsset> in the instance <sourceInstance> to the target database <targetAsset> in the instance <targetInstance> on the host <host>.	The restore is unsuccessful because the agent cannot pass the parameters to SAP HANA.	Make sure that the user can create the temporary file in the directory /usr/sap/<instanceName>/SYS/global/ppdmconfig.If this procedure does not resolve the issue contact Dell Customer Support.	Critical	Restore
SYS0043	PowerProtect Data Manager automatically added DD Virtual Edition.			Informational	System
CSM0004	Cloud Snapshot Manager restore failed for EBS volume <volumeId> of <account_name>(<account_number>) cloud account for tenant <tenant_id>.	The cloud provider volume service failed to create a resource because the required conditions were not met.	Contact backup administrator with Cloud Snapshot Manager access.	Critical	Restore
ABHV0007	Unable to back up the virtual machine 'vmName' because it has pass-through disks.	The backup cannot be completed because the virtual machine has pass-through disks.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. Remove the pass-through disk from the virtual machine and retry the backup operation.	Critical	Protection
ABK0026	Unable to backup namespace 'asset' in Kubernetes cluster 'k8sClusterName' because no VM Direct engine is available.	The backup of this Kubernetes namespace was unsuccessful because there is no VM Direct engine with Kubernetes as the supported protection type available to perform the backup.	Add a VM Direct engine for Kubernetes guest cluster protection. The PowerProtect Data Manager Administration and User Guide provides more information about adding protection engines. If a VM Direct engine has already been added for this purpose, retry the operation at a later time.	Critical	Protection
UPG0062	PowerProtect Data Manager update failed. Timed out while running puppet configuration.		Contact Dell Customer Support.	Critical	System
ARNA0033	Unable to complete the <sessionType> operation because the <assetName> share cannot be located in PowerStore NAS Storage <NASMgmtName>.	The share cannot be located in PowerStore NAS Storage because validation of the asset source was unsuccessful.	To troubleshoot this issue: 1) Check and address the vendor-specific message for more details. 2) Validate that the share exists by logging in to the PowerStore NAS appliance. 3) Run an on-demand discovery of the asset from the Asset Sources window.	Critical	Restore
ARN0014	Unable to cancel the NAS restore job <jobName> because the following error occurred: <message>	The cancellation request for the NAS restore job cannot be completed, and the job is currently in Running state.	No action is needed.	Warning	Restore
ADSD0003	PowerStore discovery for <powerstoreId> cannot be completed because the cluster details are unavailable.	The PowerStore discovery operation was unsuccessful because of one of the following reasons: 1) The PowerStore cluster is not configured properly. 2) The PowerStore cluster is not available.	Review the log files at /var/log/brs/discovery-service/discovery-service.log for more information about the error. If the issue persists, contact Dell Customer Support.	Critical	Discover
ABHV0003	Unable to create a checkpoint. Error: <errString>.	The checkpoint operation cannot be completed because of the error during execution.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. The job failure may be due to an ongoing VM migration (storage, live, or quick migration). Please wait for the migration to complete before retrying the operation. 3. If the issue persists, validate checkpoint creation directly from Hyper-V Manager. If it fails, review the Hyper-V event logs for errors and investigate any underlying system or configuration issues.	Critical	Protection
ARV0025	VM Direct engine is unable to restore the virtual machine 'vmName' on vCenter 'vCenterName' because of a VDDK issue.	The VM Direct engine cannot complete the restore of this virtual machine because a VDDK operation was unsuccessful.	To troubleshoot this issue: 1) Verify that the NBD port on the ESXi host is open. 2) If the ESXi host is busy, wait for some activities to complete and then retry the operation.	Critical	Restore
ABNA0051	Unable to complete the <sessionType> operation because the NAS agent cannot fetch the change file list information for asset <assetName> <apiError>.	The change file list information retrieval cannot be completed because an error occurred.	To troubleshoot this issue: 1) Check and verify that the Isilon array version is 7.0 or later. 2) Check and verify the connectivity with the NAS array. 4) Retry the backup.	Critical	Protection
ADT0217	Changed the <stageType> objective preferred interface for policy <plcName> to <preferredInterface>.			Informational	Protection Policy
SYS0034	Unable to update from Secure Remote Services to SupportAssist.	The update to SupportAssist is unsuccessful for one or more of the following reasons: 1) The SupportAssist service cannot start. 2) The gateway is not accessible. 3) An issue occurs during Gen3 key update.	In the PowerProtect Data Manager UI: 1) Click the Settings icon from the top-right menu, and then select Support. 2) In the left pane, select SupportAssist to set up SupportAssist.	Critical	System
ADHP0010	Unable to access the cluster nodes.	The provided credentials do not enable access to all the nodes in the cluster.	Specify the domain credentials and retry the operation.	Critical	Discover
NASBK0007	Backup Snapshot Started for nas asset <asset> to <target>.	Backup Snapshot job started for nas asset. Please check the log for details.	No action needed.	Informational	Protection
ASBA0010	The backup job completed with warnings because the pre-script could not be run.	The backup job completed successfully but with a warning because the pre-script run could not be completed.	Go to Jobs > Protection Jobs to review the job step details, or check the log files at the following locations for more information about the pre-script failure. On Windows: INSTALL_DIR\PSAPPSAGENTSERVICE\logs. On Linux or AIX: /opt/dpsapps/agentsvc/logs.	Warning	Protection
SYS0021	The maximum concurrent backup sessions limit of <maxParallelBackups> has been reached on vCenter server <vCenterName>.	Additional backups beyond the limit will be queued.	Refer to https://support.emc.com/kb/543253 for recommendations.	Warning	System
ARO0528	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database 'SID' with database ID 'DBID'.	The restore request is unsuccessful because the agent cannot initialize the parameter setting for the Oracle Incremental Merge operation.	Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later.	Critical	Restore
ADP0007	Unable to monitor delete session for <copyDeletionFailId> due to connection issue with agent service. The delete session might be running on the client.	Unable to monitor delete session due to connection issue with agent service. This issue occurs when there is a temporary failure in agent service/application host.	Click export logs to verify that the delete is running on the agent host.	Warning	System
UPG0076	The root password for PowerProtect Data Manager has expired, and must be reset before update can proceed.		Use SSH to connect to the system and update the password, or contact the system administrator. Once the password has been updated, retrigger update precheck.	Critical	System
ARA0018	Unable to perform the restore for <assetType> asset <asset> because destination host <hostName> is not registered with PowerProtect Data Manager.	The restore is unsuccessful because destination host is not registered with PowerProtect Data Manager.	Register the destination host with PowerProtect Data Manager, and then retry the operation.	Critical	Restore
ABA0026	<plc>: Unable to backup the <assetType> asset <asset>.	The protection policy backup is unsuccessful because the active node host is not found.	Try full discovery on all the nodes of the RAC application instance, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABVSD0014	Unable to restore the asset <asset_name> because a DD internal read error occurred.	The restore of this asset cannot be completed because an internal error occurred during the DD read stream.	To troubleshoot this issue: 1) Verify network connectivity to the DD system. 2) Make sure that the user credentials used to connect to the DD system are valid and have sufficient privileges to perform this operation. 3) Retry the operation.	Warning	Protection
ABO0044	PowerProtect Data Manager Oracle agent cannot perform the backup of the Oracle RAC active/passive database <SID> with database ID <DBID>.	The backup request is unsuccessful because the node is in a passive state, which is not a supported state for a backup operation.	Perform a manual asset discovery on the current active node and rerun the backup.	Critical	Protection
ARS0012	Recovery is unsuccessful for the database <assetname> backed up at <savetime> on <ddHostName> as file relocation parameters were specified incorrectly.	Recovery of the database to user-specified location requires the recovery request to include the data file location and log file location. User-specified file location for relocation type is selected but either Database file pathname or Log file pathname is missing.	Specify the correct pathname for <filePathName> in user-specified file location for restore. Steps: 1. Go to Recovery-> Assets. 2. Select the database <assetname> and select 'Restore'. 3. Select the copy to be restored and go to 'Select File Location' page. 4. Select the option 'User-specified file location' and provide the correct pathname for 'Database files' and 'Log files'.	Critical	Restore
ADT5003	The Restore Group '<groupName>' is added to the Restore Plan '<planName>'.		No action required.	Informational	Restore Plan
ABSD0023	Unable to back up the asset <assetName> because the replication sync session for this asset is busy with another sync operation on the PowerStore system <powerStoreName>.	The backup operation was unsuccessful because the snapshot cannot be synced to the replica asset. A sync operation is already running between the primary and replica asset on the PowerStore system.	Wait for the existing replication sync session to complete on the PowerStore system, and then retry the operation in PowerProtect Data Manager. To check the status of the replication sync session, complete the following steps: 1) Log in to the PowerStore system. 2) From the Storage menu, select either Volume or Volume Group based on the asset type. 3) Find and select the asset, and then click the Protection tab. 4) Click the Replication tab to view progress for the sync operation.	Critical	Protection
ASBA0007	The backup job completed with warnings because the post-script timed out.	The backup job completed successfully but with a warning because a post-script timeout occurred.	To resolve the issue, increase the post-script timeout value and then retry the operation.	Warning	Protection
AHC0005	Unable to send the host configuration request to the host <hostName> because the Application Host Configuration is only supported on Application agents running version PowerProtect Data Manager 19.9 or later.	The host configuration cannot be completed because the Application Agents running version is lower than the expected.	To resolve this issue, upgrade the agent service on the agent host to the latest version.	Critical	App Host Configuration
ARK0001	Unable to restore namespace '<asset>' to Kubernetes cluster '<k8sClusterName>'.	The restore of this namespace to the destination Kubernetes cluster was not successful.	Review the error details and summary log in the Jobs window, or export the job logs and review the log files for more information. If the issue persists, review the Troubleshooting section of the PowerProtect Kubernetes User Guide.	Critical	Restore
CFG0012	<plc>: Unable to cancel the protection policy configuration because cancel is not supported on the installed version of the agent host.	Cancellation of this protection policy configuration cannot be completed because the cancel operation is not supported on the installed version of the agent host.	To resolve this issue, upgrade the agent on the host to the latest version.	Warning	Protection Policy
ACGHV0005	Unable to complete the proxy registration for the operation <operationType> on the host <host>.	The configuration job is unsuccessful because the proxy registration for this host is unsuccessful.	To resolve the issue, follow these steps: 1. Login in to PPDM by using SSH. 2. Run "/opt/emc/vmdirect/bin/vproxymgmt get -1". 3. If the host record exists, clean up the record by running "/opt/emc/vmdirect/bin/vproxymgmt delete -vproxy_id <vproxy_id>". 4. Go to the Protection Engine page, select the host, and click Uninstall. Make sure that uninstall the is successful. 5. Rerun the configuration. If the issue persists and/or observed any issue in performing above steps, contact Dell Customer Support.	Critical	Protection Policy
AHC0021	Unable to send the host configuration request to the host <hostName> because the application host parallelism configuration is supported only on application agents with PowerProtect Data Manager version 19.20 or later.	The host parallelism configuration request cannot be completed because the PowerProtect agent service version on the application agent host is earlier than expected.	To resolve this issue, upgrade the PowerProtect agent service to the latest version on the application agent host.	Critical	App Host Configuration
ADT0208	Protection Policy <plcName>'s priority has been changed.		No action needed.	Informational	Protection Policy
ACSH0004	Unable to configure the database <asset> belonging to the instance <instance> located on <host> because the parameter <parameter> required for configuration is not provided to the agent in the configuration request.	The configuration request is unsuccessful because one or more parameters are unavailable in the configuration request.	Trigger the configuration command again by clicking "Set Lockbox".If this procedure does not resolve the issue, contact Dell Customer Support.	Critical	System
ADT0301	Asset copy retention change request received for <assetName>.		No action needed.	Informational	Protection Copy
SYS0027	Cannot apply change to network "<networkName>" integrated storage. More information: <underlineError>.		Resolve the underlying issue with network and try again.	Critical	System
ABSD0065	Unable to execute the <scriptType>-script in Host Proxy <scriptAppAgentName> because a socket timeout error occurred while connecting to the Host Proxy.		To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the Host Proxy. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the Host Proxy. 3. Make sure that the Host Proxy and agent service is up and running.ABSD0065.detailedDescription = The script execution was unsuccessful because a socket timeout error occurred while running the script in Host Proxy.	Critical	Protection
AERR0013	Task '<task>' was canceled because asset(s) '<assetName>' last discovery status was '<assetLastDiscoveryStatus>' under current protection policy.	Task was canceled because the asset(s) under current protection policy is unavailable. The asset might have been deleted or not discovered yet.	To troubleshoot this issue, go to the Infrastructure > Assets page to check status for asset(s). 1) If the asset(s) still exists, run a discovery of the asset source, and then retry the operation. 2) If the asset has been deleted or can not be discovered, remove it from the protection policy.	Critical	Protection Policy
ABF0017	Skipping the backup for asset <assetName>. Unable to obtain the changed blocks on the host <hostName> because the following error occurred: <errString>	The block-based backup of this asset cannot be completed because an error occurred when accessing the changed blocks.	To resolve this issue, force a full backup or reboot the system and then retry the operation.	Critical	Protection
UPG0083	The schema update and data migration failed.			Critical	System
ARS0001	Recovery is unsuccessful on <hostname> for the database <assetname> backed up at <savetime> on <ddHostName> because of an internal server error.	An internal error occurred that has caused an unsuccessful database restore.	Select one of the following options: 1. Check the ddbmsqlrc logs available in MSAPPAGENT logs directory on the host <hostname>. 2. Check the export logs from PowerProtect Data Manager for more details.	Critical	Restore
AHC0014	Sent request to initialize CPU throttling on host <hostName>	Initialize CPU throttling request sent to host successfully.	No action required.	Critical	App Host Configuration
ADT0215	<num> asset(s) assigned to <plcName> by <triggerSource>.			Informational	Protection Policy
CERT0003	A certificate with the alias <alias> is stored in the PowerProtect external truststore.		No action required.	Informational	Security

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARO0555	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore request is unsuccessful because the Oracle Incremental Merge restore is unable to crosscheck the archivelog backups.	To resolve this issue: 1. Enable the debug logs. check for any RMAN or Oracle utility error that starts with RMAN- or ORA- in the Details > Errors > Read More section of the unsuccessful protection job, perform the appropriate action. 2. Make sure that the specified pathnames for the selected database directories are valid. 3. Make sure that the system has sufficient memory. 4. Make sure that the specified database recovery options for the System Change Number, Time Stamp, or Log Sequence are valid. 5. Make sure that the IP addresses or hostnames of the selected asset source and PowerProtect Data system are accessible. 6. Make sure that the database is not shutdown during the restore.	Critical	Restore
ADA0013	Unable to monitor discovery session on host <hostName> due to connection issue with agent service. The discovery session might be running on the client.	Unable to monitor discovery session due to connection issue with agent service. This issue occurs when there is a temporary failure in agent service/application host.	To resolve this issue: 1. Verify that the agent host can be reached. 2. Verify that the agent service is running on the agent host. If the issue persists, contact Dell Customer Support.	Warning	System
APSH0001	Unable to perform the delete operation for the database <asset> belonging to the instance <instance> located on <host> because the database is offline.	The delete request is unsuccessful because the database is offline.	Bring the database online by using either SAP HANA Studio or the hdbsql command. If this procedure does not resolve the issue, contact Dell Customer Support.	Critical	System
ABS0002	Backup of <asset> is skipped from backup on <hostname> \ <instance>.	Database is in read-only state. Backups are not allowed for databases in a read-only state.	Set the read-only state to false for database <asset> using SSMS (SQL Server Management Studio). Steps: 1. Right-click the database that you need to mark as read-write. 2. Select 'Properties'. 3. In the 'Database Properties' window, select the 'Options' tab. 4. Scroll down, select the 'State' tab, and select 'False' for the 'Database Read-Only' statement.	Critical	Protection
ADT0211	<plcName> <stageType> retention lock to <target> has changed.		No action needed.	Informational	Protection Policy
ARNA0031	Unable to complete the <sessionType> operation because the NAS appliance <NASMgmtName> could not be verified.	The NAS appliance validation failed because the appliance did not respond as expected.	Verify that the NAS appliance is supported. If the appliance is supported and the issue persists, contact Dell Customer Support.	Critical	Restore
APO0016	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database <SID> because the Oracle database username and password cannot be verified.	The delete operation is unsuccessful because of any of the following reasons: 1) Oracle database username and password cannot be validated. 2) The TNS name and TNS administrator details cannot be validated for the database or wallet user. 3) The database or wallet user does not have the required user rights. 4) The Oracle database is unavailable.	For OS user authentication, verify the entered username and password. For database or wallet user authentication, make sure that the user has all the required user rights.	Critical	Protection Copy
ACGHV0004	Unable to complete the host configuration for the operation <operationType> on the host <host>.	The configuration job is unsuccessful because of missing connection details.	To provide connection details for all the servers in the cluster, follow these steps: 1. Go to Asset Sources. 2. Select the asset, and click Edit. 3. Provide the connection details in the Host Credentials field and click Verify User. 4. Click Save. Rerun the configuration for the host.	Critical	Protection Policy
ARF0059	Unable to restore the Active Directory object <objectDN>.	Unable to restore the Active Directory object.	To troubleshoot the issue: 1. Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. 2. Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ABK0003	Unable to back up namespace '<assets>' in Kubernetes cluster '<k8sClusterName>' because of a CSI error.	The backup of this Kubernetes cluster namespace was not successful because a CSI driver error occurred.	To troubleshoot this issue: Verify that the CSI driver is fully functional. Use kubectl or an equivalent tool to verify that all of the CSI driver pods in the cluster are running.	Critical	Protection
ABNA0026	Unable to complete the <sessionType> operation because the NAS Agent cannot create the snapshot for the share path <assetName>.	Creation of the snapshot for the asset cannot be completed because an error occurred.	To troubleshoot this issue: 1. Check and address the vendor specific message for more details. 2. Check the array to ensure that no errors occurred during snapshot creation. 3. Check if the snapshot capability license is available and enabled. 4. Manually clean up the snapshot if the snapshot capacity for the asset/file system has been exceeded. 5. Make sure that backup user has all required privileges. 6. Check if the filesystem has requisite available storage. 7. Verify that the array can be reached over the proxy network. 8. Check for the export path length. The characters that are allowed for path length should be within 255 characters.	Critical	Protection
ABHV0002	Unable to get the RCT extents for virtual machine <vmName> and will be skipped from the backup.	The backup cannot be completed because retrieving the RCT extents was unsuccessful.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. If the issue persists, enable the "Promote Synthetic Full Backup to Full Backup" option in Protection Policy and retry the operation.	Critical	Protection
ABSD0029	Unable to backup the asset <assetName> because an internal error occurred while processing the request in the storage system <storageName>.	The backup was unsuccessful because an internal server error occurred while processing the request in the storage system.	To troubleshoot this issue: 1. Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2. Confirm that all the arrays managed by Unisphere are connected and working properly. 3. Make sure that the block volume protection engine(s) are operational. 4. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 5. Retry the operation at a later time.	Critical	Protection
APU0009	Unable to <operationType> because the catalog delete job is already running.	This operation cannot be completed because the catalog delete job is in progress.	Wait for the catalog delete job to complete, and then retry the operation. Refer to Search and Indexing support in PowerProtect Data Manager Security Guide for port required to be open. Verify	Critical	Push Update
IDX0043	Indexing job failed due to a network issue while connecting to the Data Domain server. <indexActivityErrorMsg>		1. The Data domain server is accessible. 2. Able to resolve the Data domain server from its FQDN and IP address. 3. Port 2049 and 111 are open on the Data domain server.	Critical	System

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ADS0006	<discoveryType> virtual machine asset discovery on the vCenter '<vCenterName>' was unsuccessful because of a vCenter session issue.	Discovery of the virtual machine assets on the vCenter Server cannot be completed because of a connectivity issue.	Check the network connection between PowerProtect Data Manager and the vCenter Server. PowerProtect Data Manager will attempt to discover the vCenter at the next scheduled discovery.	Critical	Discover
ACSD0006	Unable to complete the array configuration for asset source <managementName> because a connection with the PowerStore <powerStoreName> cannot be established.	The array configuration was unsuccessful because a connection could not be established. The PowerStore management interface credentials might be invalid.	Verify that the PowerStore management interface credentials are correct and then retry the operation.	Critical	Protection
CSM0019	Cloud Snapshot Manager group restore failed for <job_id> for tenant <tenant_id>.	Group Restore could not complete successfully as some or all the restore jobs failed.	Contact backup administrator with Cloud Snapshot Manager access.	Critical	Restore
ANR0010	Unable to create the <sessionType> log tar file for the session ID <sessionId> because the following error occurred:<exception>	Creation of the tar file from all of the log files cannot be completed by the NAS REST server	Retry the operation.If the issue persists, contact Dell Customer Support.	Warning	Protection
ADT0304	<num> expired copy(s) deletion initiated for asset <assetName>.		No action needed.	Informational	Protection Copy
UPG0063	Cloud Native precheck failed: <errorMessage>.		Check Kubernetes status by going to Infrastructure > Asset Sources > KUBERNATES CLUSTER from PowerProtect Data Manager UI.	Critical	System
ARNA0008	Unable to complete the <sessionType> operation because creation of the recovery command for the asset <assetName> with backup copy ID <txnId> cannot be completed.	The creation of the recovery command line for the Recovery Rollover Engine cannot be completed.	Retry the operation.If the issue persists, contact Dell Customer Support.	Critical	Restore
ADK0001	Unable to discover Kubernetes asset source <k8sClusterName>.	The discovery of the Kubernetes cluster asset source was unsuccessful because an error occurred during the operation.	Review the error details and summary log in the Jobs window, or export the job logs and review the log files for more information. If the issue persists, contact Dell Customer Support.	Critical	Discover
CFG0005	<plc>: Unable to configure protection policy because the creation of storage unit <suName> on protection storage <storageSystem> was unsuccessful.	The configuration of this protection policy cannot be completed because the storage unit creation on the PowerProtect DD System was unsuccessful.	To troubleshoot this issue: 1.Verify that the maximum number of allowable users on the PowerProtect DD System has not been exceeded. The PowerProtect DDOS Administration Guide provides more information.Make sure that the PowerProtect DD System is online and is accessible.	Critical	Protection Policy
ABE0003	Unable to find the valid certification pathname for the requested target.	Exchange configuration is incorrect.	Correct the Exchange configuration and certification pathname.	Critical	Protection
ARO0009	PowerProtect Data Manager Oracle agent cannot perform the disaster recovery for the Oracle database because the agent cannot create the control file restore scripts.	The disaster recovery request is unsuccessful because the agent cannot create the scripts to perform control file restore.	To resolve the issue, perform the following steps to submit the restore request. If the issue still persists, contact Dell Customer Support. 1) If the dry run option is enabled in the UI, make sure that the RMAN_AGENT_HOME/tmp directory has the available space to create the scripts. 2) Make sure that the /tmp directory has the available space and the required user rights to create the scripts. 3) Submit the restore request.	Critical	Restore
UPG0082	The update was cancelled.		Re-trigger the precheck and update the failed/incomplete components again, or delete the update package.	Critical	System
ASPU0010	The push update operation is unsuccessful. A software bundle is missing a required component.	The push update operation is unsuccessful because The push update script is missing from the software bundle.	Clean out the repository at INSTALL_DIR\DPSAPPS\AGENTSERVICE\repos and check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information. Retry the operation.	Critical	Push Update
ASDR0007	Server Disaster Recovery is not configured on the host <host>.	Server Disaster Recovery is not configured.	Dell Technologies recommends configuring Server Disaster Recovery in order to protect and recover the PowerProtect Server from a disaster.	Warning	Server Dr
ABV0040	VM Direct engine '<vproxy>' is unable to back up the virtual machine '<vmNames>' on the vCenter '<vCenterName>' because of a connectivity issue between vCenter and the ESXi host '<esxHostName>'. The ESXi host DPD service health status is '<dpdStatus>' and the TSDM service status is '<tsdmStatus>'.	The VM Direct engine cannot complete the backup of this virtual machine because of an issue with the connection between the vCenter Server and the ESXi host. There might be a problem with the status of the DPD service or the TSDM service on the ESXi host.	To troubleshoot this issue: 1) Check the connectivity between the vCenter Server and the ESXi host. 2) Make sure that the DPD and TSDM services are running on the ESXi host '<esxHostName>'. When the issue is resolved, retry the operation.	Critical	Protection
AMGHV0013	Unable to complete the unmount of the backup copy because the job was canceled by the user.	The unmount of the copy has been force canceled by the user.	No action is required.	Critical	Restore
APU0007	Unable to <operationType> because of a host registration issue.	This operation cannot be completed on the host because the host is not in the registered state.	Refer summary section of details pane to check agent error message. To resolve this issue, reregister the host with PowerProtect Data Manager and then retry the operation.	Critical	Push Update
ACO0001	PowerProtect Data Manager Oracle agent cannot perform the configuration for the Oracle database because the storage unit format is incorrect.	The configuration request is unsuccessful because of an agent error.	Make sure the IP of the PowerProtect DD system is correct and submit the configuration request.	Critical	App Host Configuration
ARSD0015	Unable to restore the backup to <assetName> because the target asset type does not match with the source asset type.	The restore operation was unsuccessful for this asset because the source and target asset type does not match.	Choose another target asset that has the same properties as the source asset.	Critical	Restore
ADT0005	Backup copy retention has changed for <plcName>.		No action needed.	Informational	Protection Policy
CERT0004	A certificate with the alias <alias> is deleted from the PowerProtect external truststore.		No action required.	Informational	Security
ASPU0001	A push update operation left the agent service in an inconsistent state. The agent service cannot be taken out of maintenance mode.	A push update operation is unsuccessful. One or more agents have a different version than the agent service. The versions of the agents and agent service must be the same.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. The agent service logs contain a list of the current versions of the agents and agent service. Make all the versions the same by either downgrading the agents that successfully updated or updating the agents and agent service to the same version.	Critical	Push Update
ADT3006	Powered on the report node <reportNodeName>.		No action needed.	Informational	Reporting
ABE0006	Backup is unsuccessful because of a DD license issue with storage unit <storage_unit_name>.	Unable to complete the backup because of a DD license issue with storage unit <storage_unit_name>.	Verify the DD license using the 'license show all' command in DD console.	Critical	Protection
SYN0102	The Server Sync job window expired and the job is canceled. The job ran for <actualTime> minutes, which is over the <expectedTime> minutes time limit.	The Server Sync job is canceled because the job ran longer than the expected completion time.	The sync operation automatically retries the job at a later time. If the issue persists, check the network connectivity between the source PowerProtect Data Manager server and the destination PowerProtect Data Manager server.	Critical	System
ARSD0028	Unable to restore the asset <assetName> because a connection with the PowerStore <powerStoreName> cannot be established.	The restore operation was unsuccessful because a connection with the PowerStore system cannot be established.	To troubleshoot this issue: 1) Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2) Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3) Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Restore
SYS0213	Unable to create the Index notification request.	During the indexing call, the backup object payload failed to be created, preventing the notification request from being sent to the Search Cluster.	If the issue persists, contact Dell customer support.	Critical	System

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
MON0029	Assets source is not configured.	Assets cannot be protected because there is no asset source configured.	Dell Technologies recommends configuring one or more asset sources in order to protect and restore assets. Follow the procedure in the corresponding PowerProtect Data Manager User Guide to add and enable an asset source. For example, to configure a vCenter Server asset source for virtual machine protection, refer to the procedure in the PowerProtect Data Manager Virtual Machine User Guide.	Warning	System
ACSD0025	Unable to complete the configuration for the remote snapshot session for the asset <assetName> because a connection with the PowerStore <powerStoreName> cannot be established.	The configuration for the remote snapshot session for this asset was unsuccessful because a connection to the PowerStore system cannot be established.	To troubleshoot this issue: 1) Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2) Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3) Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Protection
ALA0007	Unable to export application agent log because the agent service version on the agent host is not supported.	Export of the application agent log cannot be completed because the Export log operation is not supported by the version of the agent installed on the host.	To resolve this issue, upgrade the agent service on the agent host to the latest version.	Warning	Export Log
ACSD0015	Unable to complete the configuration for asset <assetName> because a connection with the PowerStore <powerStoreName> cannot be established.	The asset configuration was unsuccessful because a connection could not be established. The PowerStore management interface credentials might be invalid.	Verify that the PowerStore management interface credentials are correct and then retry the operation.	Critical	Protection
ABV0025	VM Direct engine is unable to configure protection for the virtual machine 'cvmNames' on vCenter 'vCenterName'.	The VM Direct engine cannot complete protection of this virtual machine because the protection configuration was unsuccessful.	Review the error details and summary log in the Jobs window, or export the job logs and review the log files for more information. If the issue persists, contact Dell Customer Support.	Critical	Protection
ADP0009	Unable to obtain the progress of the delete job because a component restart occurred.	The progress of the delete job cannot be obtained because an unexpected component restart occurred during the session. The deletion, however, might still be in progress or might have completed on the agents.	Click export log and review the log file to determine the status of the delete job.	Warning	System
ACO0007	PowerProtect Data Manager Oracle agent cannot perform the configuration for the Oracle database because the source connection is unavailable.	The required 'sourceConnection' information is not available in the configuration request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	App Host Configuration
ARO0526	PowerProtect Data Manager Oracle agent cannot perform the instant access restore for the Oracle database 'cSID'.	The restore request is unsuccessful because the provided database name for the Oracle database already exists	To resolve the issue, perform the following steps to submit the restore request. If the issue still persists, contact Dell Customer Support. 1. Make sure to provide a different db name and submit the restore request.	Critical	Restore
ADT0631	SNMP user is <operation_name>.			Informational	System
AAA0001	Unable to complete the archive operation because the agent initialization is unsuccessful.	The archive operation cannot be completed because the startup parameters are missing or invalid.	To troubleshoot this issue: 1. Check the vendor-specific message for more details and address any requirements. 2. Retry the operation with the required valid startup parameters.	Critical	Protection
ARF0017	Unable to obtain the PowerProtect DD System related parameters from the restore command <cmdString>.	One or more parameters are invalid or missing from the restore command string.	The Hostname, device path and user parameters for the PowerProtect DD System must be specified with the format: '-h'. For example: DFA_SI_DD_HOST=the_hostname -h DFA_SI_DEVICE_PATH=the_path -h DFA_SI_DD_USER=the_username'. Retry the restore with the correct parameters.	Critical	Restore
HMPRO002				Warning	Protection
UPG0137	An issue occurred during reindexing of the catalog: <errorMessage>.		Contact Dell Customer Support.	Critical	System
ABSD0021	Unable to back up the asset <assetName> because a connection with the PowerStore <powerStoreName> cannot be established.	The backup was unsuccessful because a connection with the PowerStore system cannot be established.	To troubleshoot this issue: 1) Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2) Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3) Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABHV0019	Unable to post the file to the thread pool.	The datamover operation cannot be completed because posting the file to the thread pool was unsuccessful.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue.	Critical	Protection
ACS0001	Unable to verify the DD Boost credentials for access to the DD storage unit <StorageUnit> on DD host <DDHost>.	Microsoft SQL Server application agent was unable to verify the DD Boost credentials from PowerProtect Data Manager. Possible reasons for the issue: 1. PowerProtect DD might be turned off. 2. The password for PowerProtect DD device host might have been updated after the set lockbox request. 3. PowerProtect DD might have been disabled.	1. Turn on the PowerProtect DD if it is turned off. 2. Retry the set lockbox request. 3. Log in to the DD device host and run the ddboost enable command. If the problem persists, contact Dell Customer Support.	Critical	App Host Configuration
ASPU0014	Unable to enable the maintenance mode because centralized jobs or system jobs are in progress.	The attempt to enable the maintenance mode is unsuccessful because centralized jobs or system jobs are currently in progress.	In the PowerProtect Data Manager UI, click Export Log and review the log file. If export logs are unavailable, then check the log files at at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information. You can retry the operation after centralized jobs or system jobs are complete.	Critical	Push Update
TSTR0001	Activity failed since the appliance storage node is not available or unreachable.		Contact system administrator.	Critical	Protection Infrastructure
ASPU0020	The software distribution bundles for <appTypes> are unavailable for the version: <upgradeVersion>.	The push update operation is unsuccessful because the software bundles to be installed are unavailable.	Click export log and review the log file. If export logs are unavailable then check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information.	Critical	Push Update
ARSD0054	Unable to restore this asset to the PowerStore storage array <storageName> because the volume or volume group could not be persisted.	The restore operation was unsuccessful for this asset because the information for the new volume or volume group created during the restore couldn't be persisted.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information and to troubleshoot the error, and then retry the operation.	Warning	Restore
ADT0006	Replication copy retention has changed for <plcName>.	The length of time for keeping the asset copy on the current target has changed.		Informational	Protection Policy
ADSD0025	Unable to complete the discovery of the Unisphere <u4plp>.	The Unisphere discovery is unsuccessful because of an error during the retrieval of details from one or more PowerMax arrays.	To resolve the issue: 1. Confirm that all the arrays managed by Unisphere are connected and working. 2. Make sure that Gatekeeper devices are configured properly. 3. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error.	Critical	Discover
ABO0036	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database because libzmq library cannot write the message.	The backup request is unsuccessful because the libzmq library cannot write the message because either the libzmq process is stopped or the write port is unavailable.	Make sure that the agent service is running. Restart the backup or disable the progress monitoring.	Critical	Protection
UPG0059	PowerProtect Data Manager update failed. Lockbox reset was unsuccessful.		Contact Dell Customer Support.	Critical	System

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABNA0020	Unable to complete a <sessionType> operation because the location for asset <assetName> could not be validated in PowerScale/Isilon NAS <NASMgmtName>.	The existence of the target asset cannot be validated.	Connect to the PowerScale/Isilon NAS and verify that the share exists. From the PowerProtect Data Manager Asset Source page, perform an on-demand discovery of assets from this asset source.	Critical	Protection
CSM0013	Cloud Snapshot Manager entitlement <entitlement_LAC> expires soon for tenant <tenant_id>.	The Tenant will be inactive soon as the active entitlement end date is approaching.	Contact Dell Customer Support.	Warning	System
ABSH0009	Unable to protect the database <asset> belonging to the instance <instance> located on <host> because the parameter <parameter> required for protection is missing in the backup request.	The protection request is unsuccessful because one or more parameters are unavailable in the backup request.	Create another protection policy for testing, and include the same assets.If this procedure does not resolve the issue, contact Dell Customer Support.	Critical	Protection
CSM0006	Cloud Snapshot Manager snapshot failed for <database_type> <database_id> of <account_name>(<account_number>) cloud account for tenant <tenant_id>.	The cloud provider snapshot service could not generate a snapshot of the resource because the required conditions were not met.	Contact backup administrator with Cloud Snapshot Manager access.	Critical	Protection
ARV0034	VM Direct engine is unable to restore the virtual machine 'vmName' on vCenter 'vCenterName' because of insufficient space on the protection storage.	The VM Direct engine cannot complete the restore of this virtual machine because of a protection storage capacity issue on the PowerProtect DD.	Check the protection storage system 'storageSystem' to determine if there is enough free space for the operation. The PowerProtect DD Administration Guide provides more information on how to reclaim space.	Critical	Restore
ARA0008	Unable to restore <assetType> asset <asset>.	The restore is unsuccessful because the restore of backup copies that were performed before the agent host was registered in PowerProtect Data Manager is not supported.	Use SSMS plug-in to restore these copies.	Critical	Restore
MON0024	<unprotectedAssetsCount> assets from the configured asset sources are unprotected.	One or more of the assets discovered from the configured asset sources are not assigned to a protection policy.	Assign the unprotected assets to a new or existing protection policy. To view only the unprotected assets, go to Infrastructure > Assets, click the filter icon in the Protection column, and then select Unprotected.	Warning	System
SYS0096	<clusterName> status is yellow.	The <clusterName> status is yellow, because even though all of the primary shards are assigned, one or more replica shards are unassigned. If a node in the cluster fails, some data might be unavailable until that node is repaired.	Contact Dell Customer Support.	Warning	System
ASDRK001	Server Disaster Recovery for the Kubernetes protection policy <plc> is successful.	No action needed.	The CNDM Server Disaster Recovery operation for this Kubernetes asset completed successfully.	Informational	Cndm Server Dr
ARSD0039	Unable to restore the backup to the asset <assetName> because an error occurred while performing HBA rescan on the host(s) <hostNames>.	To troubleshoot this issue: 1) Check the network connectivity between PowerProtect Data Manager and the vCenter Server. 2) Ensure that the protection engine host(s) are running. 3) Confirm that the manual HBA rescan on the protection engine host works properly. 4) Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 5) Retry the operation at a later time.	The restore operation for this asset was unsuccessful because there was an error during the rescan of the host bus adapter on the protection engine host.	Critical	Restore
ARSD0020	Unable to restore the backup to <assetName> because the replication session is not in an "OK" state.	The restore operation was unsuccessful for this asset because the replication session is not in an "OK" state.	To troubleshoot the issue: 1.Verify the replication session state for the asset on the PowerStore system. 2.If the replication session is operating correctly, then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
UPG0071	The updated version of PowerProtect Data Manager will be compatible with version <minimumDDVersion> of DDOs or later. The following configured PowerProtect DD have an older version and may no longer be compatible: <incompatibleDataDomains>.		Check compatibility guide and update PowerProtect DD to compatible version.	Critical	System
ABV0026	The VM Direct engine 'vproxy' is unable to back up the virtual machine 'vmName' on vCenter 'vCenterName' because the available space on the protection storage system 'storageSystem' is insufficient.	The VM Direct engine cannot complete the backup of this virtual machine because of a protection storage capacity issue on the PowerProtect DD.	Check the protection storage system to determine if there is enough free space for the operation. The PowerProtect DD Administration Guide provides more information on how to reclaim space.	Critical	Protection
SCH0001	Unable to start the scheduled 'jobs' job for the protection policy 'plc'.	The scheduled job for this protection policy cannot be started by PowerProtect Data Manager. There might be an issue with the state of the Execution Planner service or Job Creator service.	Make sure that the Execution Planner service or Job Creator service is running. If the issue persists, contact Dell Customer Support.	Critical	System
ARO0516	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database 'SID'.	The restore request is unsuccessful because of any of the following reasons: The agent cannot obtain the redolog files list. The agent cannot obtain the fuzzy system change number (SCN) of the Fast Copy pathname.	To resolve this issue: 1. Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later. 2. Make sure that Oracle database for the selected asset is available and the database user has valid permissions. 3. Check for any RMAN or Oracle utility error that starts with RMAN- or ORA- in the Details > Errors > Read More section of the unsuccessful protection job, perform the appropriate action, and resubmit the restore request.	Critical	Restore
ARO0033	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database because the input attribute Restore to alternate has unavailable locations in the request.	The restore request is unsuccessful because the input attribute Restore to alternate location has unavailable locations in the request.	To resolve this issue, make sure that all the provided locations under the "Restore to alternate location" option are available and then submit the restore request.	Critical	Restore
ADT0007	Cloud Tier copy retention has changed for <plcName>.		No action needed.	Informational	Protection Policy
ABO0043	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database <SID> with database ID <DBID> because of an agent host issue.	The backup request is unsuccessful for any of the following reasons: 1) The Oracle database is unavailable. 2) The TNS name and TNS administrator details cannot be validated for the database or wallet user.	Make sure that the database is available. In case of database and wallet authentication, also make sure that the TNS name and TNS administrator details are validated. If the issue persists, contact Dell Customer Support.	Critical	Protection
IAMADT3027	Re-registered Multifactor authentication for <arg1>.			Informational	Security
ABNA0012	Unable to complete the <sessionType> operation because the NAS appliance <NASMgmtName> could not be verified.	The NAS appliance validation failed because the appliance did not respond as expected.	Verify that the NAS appliance is supported. If the appliance is supported and the issue persists, contact Dell Customer Support.	Critical	Protection
ABV0013	VM Direct engine 'vproxy' is unable to back up the virtual machine 'vmName' on vCenter 'vCenterName' because the protection storage <storageSystem> version is incompatible with PowerProtect Data Manager.	The VM Direct engine cannot complete the backup of this virtual machine because the PowerProtect DD version of the protection storage is not compatible with PowerProtect Data Manager.	Verify that the PowerProtect DD version of the protection storage is supported with PowerProtect Data Manager.	Critical	Protection
ABF0008	Unable to back up the asset <assetName> because a third party component <cmpName> produced the following error: <errString>	The backup of this asset cannot be completed because an operation by a third party component was unsuccessful.	Review the error message produced by the vendor for more information about the error.	Critical	Protection
ARG0008	Unable to restore the <assetType> asset <asset> to the restore path <restorePath> with backup <BackupID> because updating ownership is unsuccessful.	The restore cannot be completed because ownership of the restored files cannot be updated.	To resolve the issue, verify that the Run As user has permissions to change the ownership of the restore path.	Critical	Restore
UPG0129	Block Volume Protection Engines update failed: <errorMessage>.		Contact Dell Customer Support.	Critical	System
ADT0611	System License type has been updated.		No action needed.	Informational	System
ADT0628	PPDM EULA has been accepted by user.			Informational	System
ARG0011	Unable to restore the <assetType> asset <asset> to the restore path <restorePath> because free space is not available in the host <host>.	The restore cannot be completed because the host does not have available space.	To resolve the issue, create enough space for the restore and retry the restore operation.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABA0029	Unable to complete the session monitoring because the task timed out after <taskMonitoringThresholdDuration> minutes.	The session monitoring could not be successfully completed, because the maximum tolerance duration was reached. The task was marked as failed in order to proceed with the next set of jobs. The task might have timed out because of an intermittent issue, and the session is expected to be completed on the host.	Restart the task manually, or wait for the next scheduled job.	Critical	Protection
ABG0012	Unable to backup <asset> on the host <hostName> because the downloaded metadata file on the host is not accessible.	The backup cannot be completed because the Generic Application agent cannot access the metadata file that is downloaded from the PowerProtect Data Domain target directory to the local system.	To resolve the issue, check if the application agent has permissions to access /opt/dpsapps/GenericApplicationAgent/tmp directory.	Critical	Protection
ABN0038	Unable to start the NAS backup because there is no protection engine mapping for the protection policy <plcName>.	The backup process for this NAS asset cannot proceed because there is no NAS protection engine associated with the protection policy. Additionally, there are no available NAS protection engines because they are already assigned to other policies.	To resolve this issue, perform one of the following: 1) Add a NAS protection engine and associate this protection engine with the protection policy. 2) Release a protection engine from any existing protection policy to make it available for all non-configured protection policies. 3) Restart the Protection Job after 15 minutes, if the backup admin has changed the Proxy Group Configuration (add/update/delete/assign/unassign) recently. The corresponding updates to the PowerProtect Data Manager Scheduler are delayed after a period of 15mins(max).	Critical	Protection
ATO0009	The object storage unit <objectStorageUnitName> has reached its soft capacity quota limit.	The object storage unit has reached its soft capacity quota limit.	Review the used storage capacity for the object storage unit.	Informational	Protection
ADT0908	Search Node <searchNodeName> has been suspended.			Informational	Protection Infrastructure
ARV0019	VM Direct engine is unable to restore the virtual machine '<vmName>' on vCenter '<vCenterName>' because of a vCenter API issue.	The VM Direct engine cannot complete the restore of this virtual machine because a vCenter API operation did not complete successfully.	To troubleshoot this issue: 1) Verify that the vCenter can be reached. 2) Check the vCenter activities. If the vCenter is busy, wait for some activities to complete and then retry the operation. 3) Verify that the virtual machine exists on the vCenter.	Critical	Restore
IAMADT3230	Identity Provider group <arg1> has been revoked the role(s) by user <arg2>.			Informational	System
IAMADT3016	<arg1> logged out.			Informational	Security
ARO0545	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database. The restore is unsuccessful because the Oracle database is not in a shutdown state.	The restore is unsuccessful because the Oracle database is not in a shutdown state.	To resolve the issue, shut down the database and resubmit the restore request.If the issue persists, contact Dell Customer Support.	Critical	Restore
SYS0028	Cannot apply route to network "<networkName>" integrated storage. More information: <underlineError>.		Resolve the underlying route issue with network and try again.	Critical	System
CERT0005	Regeneration of certificates is started. The root certificate will be regenerated along with all associated host certificates.		No action required.	Informational	Security
PRU0001	Unable to reassign Oracle assets <assets> to the protection policy <protectionPolicyName> based on the protection rule <protectionRuleName>.	PowerProtect Data Manager cannot move these Oracle assets to another protection policy based on the specified protection rule because databases from the same host with an Oracle RMAN agent version previous to 19.7 cannot be protected by different Oracle policies that share the same storage unit.The assets will continue to be associated with their current protection policy based on lower priority protection rules.	Upgrade the Oracle RMAN agent to version 19.7 or later, and then retry the operation.	Warning	Protection Rule
ARO0520	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database. The restore request is unsuccessful because the RMAN process cannot restore the database.	The restore request is unsuccessful because the RMAN process cannot restore the database.	To resolve the issue, perform the following steps to submit the restore request. If the issue persists, contact Dell Customer Support. 1. If the dry run option is enabled in the UI, make sure that the RMAN_AGENT_HOME/tmp directory has the available space to create the scripts. 2. Make sure that the /tmp directory has the available space and the required user rights to create the scripts. 3. Submit the restore request.	Critical	Restore
ARA0007	Unable to restore <assetType> asset <asset> because of an agent service issue on agent host <hostName>.	The restore was unsuccessful because of an issue with the agent service.	Refer summary section of details pane to check agent error message. To resolve this issue, upgrade the agent service on agent host to the latest version.	Warning	Restore
ARNA0007	Unable to complete the <sessionType> operation because creation of the recovery request file for the asset <assetName> at location <location> cannot be completed.	The recovery JSON payload, which is provided to the Recovery Rollover Engine, cannot be created.	Connect to the NAS protection engine console, verify that there is available disk space, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARG0005	Unable to restore the <assetType> asset <asset> to the restore path <restorePath> because backup <BackupID> does not exist on the storage target <target>.	The restore cannot be completed because the specified backup does not exist.	To resolve the issue, make sure that you select a valid backup to restore.	Critical	Restore
ATO0010	Unable to complete the stale cloud object deletion from object store path <connectionPath> because the maximum retry of <maxGcRetry> was exceeded.	The stale cloud object deletion was unsuccessful.	Manual deletion of cloud stale object, contact Dell Customer Support.	Critical	Protection
APO0013	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database <SID> with database ID <DBID> because of an agent error.	The required 'delete config' information is not available in the delete request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection Copy
ABSD0047	Unable to get the target device details for the snapshot <snapshotId>.	Target device details for this snapshot cannot be detected because an error occurred.	To troubleshoot this issue: 1. Verify that snapshot is linked to the device or not. 2. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 3. Retry the operation at a later time.	Critical	Protection
ADSD0008	PowerStore discovery for <powerstoreId> cannot be completed because an internal error occurred during the Elastic Search update.	The Powerstore discovery operation was unsuccessful because the Elastic search update for the Powerstore volume or volume group failed due to an internal error.	Review the log files at /var/log/brs/discovery-service/discovery-service.log for more information about the error. If the issue persists, contact Dell Customer Support.	Critical	Discover
ABHV0005	Unable to back up the virtual machine '<vmName>' because it has an unsupported version.	The backup cannot be completed because the virtual machine version is unsupported.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. Make sure the virtual machine has supported version (>= 8.0).	Critical	Protection
ARV0029	VM Direct engine is unable to restore the virtual machine '<vmName>' on vCenter '<vCenterName>' because VMware Tools is not running on the virtual machine.	The VM Direct engine cannot complete the restore of this virtual machine because the engine is unable to verify that VMware Tools is running on the virtual machine.	Verify that VMware Tools is installed and running on the guest virtual machine, and then retry the operation.	Critical	Restore
APU0018	Unable to perform the <operationType> because upgrade package signing with the PowerProtect Data Manager certificate is unsuccessful.	This operation cannot be completed because of an issue with the upgrade package signing with the PowerProtect Data Manager certificate.	To resolve this issue: 1. Make sure that the certificate is not expired. 2. If a certificate update is required, follow the procedure in the PowerProtect Data Manager Security Configuration Guide.	Critical	Push Update

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ANR0007	Unable to monitor the nasagent process on the proxy server inside the container with session ID <sessionId> for <sessionType> operation. Please check if the NasAgent process terminated abruptly in the nasagent log.	The NAS agent creates a JSON response file in a specific tmp folder location during the backup or restore operation. The NAS REST server then creates a response file with the details from the NasAgent response file. If this file is missing, then the NasAgent has abruptly ended or there is an error while creating the response file. So verify the NasAgent log.	Retry the operation.If the issue persists, contact Dell Customer Support.	Warning	Protection
ADSD0016	Unable to discover the PowerMax system <powerMaxId> because the specified username and password does not exist.	The PowerMax discovery operation was unsuccessful because the specified credentials do not exist.	To resolve the issue: 1. Verify that the credentials used during the Unisphere registration exist and are valid. 2. If the credentials are invalid or do not exist, then correct the credentials and retry the discovery operation. 3. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error.	Critical	Discover
ARF0018	Unable to allocate memory for the object <objectName> in the process 'ddfsrc'.	The restore cannot be completed because an error occurred during memory allocation.	Check the system memory. When there is sufficient memory, retry the operation.	Critical	Restore
ADT7101	Initiation of the operation to sync from <date> to <date> on the host <dstPDMHost> system is successful.	The sync operation is initiated on <direction> configuration for the host <hostname>.	No action required.	Informational	System
ABNA0042	Unable to complete the <sessionType> operation because the share <assetName> cannot be located in NAS Storage Array <NASMgmtName>.	The share cannot be located in NAS Storage Array because validation of the asset source was not successful.	To troubleshoot this issue: 1) Validate that the share exists by logging in to the NAS appliance. 2) Run an on-demand discovery of the asset from the Asset Sources window. 3) Review the vendor specific message for more details and to address the error.	Critical	Protection
ADP0004	Unable to delete copies <copyDeletionFailIds> because of a certificate issue.	The backup copies identified cannot be deleted because of an issue with the certificate.	Reregister the agent host with PowerProtect Data Manager, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection Copy
UPG0064	VM Direct Protection Engines precheck failed: <errorMessage>.		Check VM Direct Engines status by going to Infrastructure > Protection Engines from PowerProtect Data Manager UI.	Critical	System
CPM0015	Unable to start the task with ID <taskId> to disable the retention lock in governance mode because the task ID cannot be detected.	Disabling retention lock in governance mode for the copies was unsuccessful because this task ID does not exist.	Verify that the task to disable retention lock in governance mode for the copies exists, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection Copy
ANR0011	Unable to complete the operation because No valid session running.	There is no valid session running, either session has finished or no session request is received yet from NASagent.	To troubleshoot this issue: 1) Connect to the NAS protection engine console to verify that there is enough available memory. 2) Check the status of the ESXi host where the NAS protection engine is deployed, and verify that the ESXi host has enough free space. 3) Connect to the vCenter server, and use the Monitor window in the vSphere Client to review the vCenter health and address any alerts related to system resources.4) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARK0006	Unable to restore namespace '<asset>' to Kubernetes cluster '<k8sClusterName>' because the target namespace '<targetNamespaces>' already exists.	A restore to a new namespace cannot be completed when the target namespace already exists in the Kubernetes cluster.	Verify that the target namespace does not already exist. If the namespace exists, delete the namespace, and then retry the operation.	Critical	Restore
ABN0011	Backup Snapshot stage for the backup job with NAS asset <asset> and target <target> started at <start_time>.	The Backup Snapshot stage is started for the NAS backup job. The backup job consists of three steps, or stages: Snapshot And Slice-The NAS asset is broken into multiple chunks so that these chunks can be backed up in parallel. Backup Snapshot-The actual backup data rollover is performed. Delete Snapshot: The backup is committed, and then clean up is performed.	No action needed.	Informational	Protection
ABO0519	Deprecated message. PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	Deprecated message. The backup is unsuccessful because the agent cannot perform the catalog of for the completed backup directory.	Deprecated message. Contact Dell Customer Support.	Critical	Protection
ABK0018	Unable to back up namespace '<asset>' in Kubernetes cluster '<k8sClusterName>' because of a protection storage issue.	The backup of this Kubernetes namespace was not successful because of a problem on the protection storage.	Verify that the PowerProtect DD System is fully functional and that the DD Boost ports are open between the Kubernetes cluster and the PowerProtect DD System.	Critical	Protection
ARA0027	Unable to perform the restore operation for <assetType> asset <asset> on destination host <hostName> because of an internal error.	The restore operation is unsuccessful because of an internal error.	Click export log, and review the log file. If the issue persists, contact Dell Customer Support.	Critical	Restore
UPG0117	This update package doesn't support revert.		Choose other operations or select another package and try again.	Critical	System
ARSD0037	Unable to cancel the restore of the backup to asset <assetName> because the restore job completed before the cancel operation was started.	No action is required.	The restore of this asset backup cannot be canceled because the job is already in Completed state.	Critical	Restore
UPG0045	The uploaded update package is not valid or not signed.		Upload a valid update package.	Critical	System
ACSD0009	Unable to complete the array configuration for asset source <managementName> because the remote system has been created in Powerstore system <powerStoreName> but remote system data connection state is not OK.	The configuration cannot be completed because the request to create the remote system for this operation is unsuccessful.	Wait until the state of the remote system data connection is "OK" in the Powerstore and then retry the configuration job. If the issue persists, contact Dell Customer Support.	Critical	Protection
IAMADT3200	User <arg> has logged in to Appliance Shell.			Informational	System
UPG0119	Failed to trigger revert because other update action is in progress.		Wait for a while, then try again.	Critical	System
ABSD0058	Unable to delete the target volume(s) <targetVolumes> on the PowerMax storage array <storageSystem> because an error occurred during cleanup for the following: Asset: <assetName> Snapshot name: <snapshotName> Snapshot ID: <snapshotId>	Deletion of the specified target volume(s) on this PowerMax storage array was unsuccessful because an error occurred during the cleanup activity.	To clean up the target devices, delete the volume(s) used during the linking operation.	Warning	Protection
MON0040	Unable to perform <healthCheckName>.	An error occurred while evaluating the health of the PowerProtect Data Manager system. This might be a temporary error.	To troubleshoot the issue: 1. Generate the PowerProtect Data Manager log bundle. 2. Review the log at the path /var/log/brs/sysmgr/sysmgr.log within the bundle. If the issue persists, contact Dell Customer Support.	Warning	System
IAMADT3043	Failed to send Password Reset Email to email address :<arg1>.			Informational	Security
SYS0045	The status of the following features has changed: "<changes>".			Informational	System
IAMADT3039	User <arg1> has successfully added the SMTP server: <arg2>.			Informational	Security
ADT4000	<num> resource(s) unassigned from <resourceGroupName>.		No action needed.	Informational	Security
ARO0038	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database.	The restore request is unsuccessful because the Oracle database is not in the shutdown state.	To resolve the issue, make sure that the database is in the shutdown state and resubmit the restore request.	Critical	Restore
UPG0089	Update was interrupted.		Retry update again.	Critical	System
ARV0005	Instant Access session for <vmName> on vCenter '<vCenterName>' is expired and the virtual machine has been deleted.	The Instant Access session for this virtual machine expired at the time indicated, and the virtual machine was removed.	If required, start another Instant Access session.	Informational	Restore
UPG0086	This package cannot be accessed.		Please verify this package is existed and readable.	Critical	System
ARN0003	Restore job completed successfully for NAS asset <asset>. The job started at <startTime> and completed at <endTime>.	Restore job completed for nas asset.	No action needed.	Informational	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABSD0018	Unable to back up the asset <assetName> because the remote snapshot session on the PowerStore <powerStoreName> is in the "FAILED_CLEANUP_REQUIRED" state.	The backup was unsuccessful because the remote snapshot session on the PowerStore system did not reach the "COMPLETED" state. This can occur when the backup is unsuccessful and an error occurs while cleaning up the resources on the PowerStore system.	To resolve the issue: 1. Check the network connectivity between PowerStore and the DD system. 2. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 3. Perform an explicit resource cleanup by running cleanup command(s) on the PowerStore system.If the issue persists, contact Dell Customer Support.	Critical	Protection
ADT0619	System power operation has been initiated.			Informational	System
ARSD0048	Unable to create the storage group during the restore because the specified storage group resource already exists.	An error occurred while attempting to create the storage group because a storage group with the same name already exists.	Ensure that the storage group does not already exist on the array. If it does, try using a different prefix. To troubleshoot this issue: 1) Use a different prefix for this storage group. 2) Review the log files at /var/log/brs/sdmng/sdmng.log for additional troubleshooting information, then retry the operation.	Warning	Restore
UPG0101	PowerProtect Data Manager is placed in Maintenance Mode during the update.			Informational	System
NASRS0004	Restore job completed for nas asset <asset>.	Restore job completed for nas asset. Please check the log for details.	No action needed.	Informational	Restore
DIA0009	<count> inconsistent copies detected for asset <assetName> on asset source <assetSource> in data target <dataTarget> due to incorrect retention time: <copies>	The data in these copies is inconsistent because their retention period is shorter than that of the full copies that depend on them.	Contact Dell Customer Support.	Critical	Compliance
ARC0001	<plc>: Protection policy reconfiguration is unsuccessful because of an internal error for asset <asset> from host <host>.	Protection policy reconfiguration cannot be completed because of an internal error.	To resolve this issue: 1. Retry the operation. 2. If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
ADT0216	<num> asset(s) unassigned from <plcName> by <triggerSource>.		No action needed.	Informational	Protection Policy
ARSD0021	Unable to restore the backup to <assetName> because the remote snapshot session on the PowerStore <powerStoreName> is in a "FAILED" state.	The restore operation was unsuccessful because the remote snapshot session on the PowerStore system did not reach the "COMPLETED" state.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
NR0017	Unable to initiate data migration on the reporting engine <reportingEngine> because of insufficient disk space.	The reporting engine data disk does not have sufficient space. Data migration requires 200 GB or more of disk space.	Remove files to increase the disk space.	Critical	Reporting
ADT0132	Resource group <resourceGroupName> has been deleted.	Successfully delete an existing resource group.	No action required.	Informational	Security
HMPR0004				Critical	Protection Infrastructure
ABV0024	VM Direct engine 'vproxy' is unable to back up the virtual machine 'vmNames' on vCenter 'cvCenterName' because storage migration cannot be disabled.	The VM Direct engine cannot complete the backup of this virtual machine because the disabling of storage migration was unsuccessful.	To troubleshoot this issue: 1) Verify that there is not another storage migration operation in progress for this virtual machine. 2) Verify that there are no data protection operations in progress for this virtual machine.	Critical	Protection
ARA0020	Unable to perform the post restore operation to host <hostName> for the <assetType> asset <asset> because of an agent issue.	The post restore is unsuccessful because of an agent issue.	To complete the recovery: 1. Manually add the database back to the Always On availability group. 2. Check the dbbmcon logs, available in the MSAPPAGENT logs directory on all the hosts of the Always On availability group.	Critical	Restore
SYS0004	Very low capacity detected at the mount point <mount> on host <hostName>. Available capacity is currently <capacity>.	PowerProtect Data Manager detected that the available capacity at the mount point on the host is very low.	Free up space at this mount point on the host. If the issue with low disk space cannot be resolved, contact Dell Customer Support.	Critical	System
CPM0016	Unable to disable retention lock in governance mode for the copies: <copies> because the following issue occurred: <failureReasons>	An issue prevented the disabling of retention lock in governance mode for the specified copies.	To troubleshoot the issue: 1) Review the reason for the failure and address the issue. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection Copy
ADT0008	Copy retention has changed for asset <assetName>.		No action needed.	Informational	Protection Copy
ARA0005	Unable to restore <assetType> asset <asset> because of a network connectivity issue on agent host <hostName>.	The restore was unsuccessful because of an issue with the network connection.	To resolve this issue: 1.Check the network connectivity between PowerProtect Data Manager and the agent host. 2.Confirm that there is no packet loss between PowerProtect Data Manager and the agent host.	Critical	Restore
IAMADT3020	Failed to send Verification email for <arg1>.			Informational	Security
ARHV0006	Unable to perform data movement for the restore VM <vmName> because the following error occurred: <errString>	The data movement process for the restore operation of the virtual machine cannot be completed successfully.	Review the error details in the log files to make sure that the storage resources are available, network connections are stable, and verify backup integrity, and then retry the operation.	Critical	Restore
ACSD0012	Unable to complete the configuration for asset <assetName> because timeout occurred while connecting to the PowerStore <powerStoreName>.	The asset configuration was unsuccessful because of a Powerstore system connection timeout.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running.If the issue persists, contact Dell Customer Support.	Critical	Protection
UPG0081	The precheck was cancelled.		Re-trigger the precheck or delete the update package.	Warning	System
ABSD0014	Unable to cancel the backup for <assetType> asset <asset> because the job is complete.	The asset backup cannot be canceled because the job is already in Completed state.	No action is required.	Critical	Protection
APO0029	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database <SID> with database ID <DBID> because the username and password of the Oracle database cannot be validated.	The delete request is unsuccessful because the specified username and password of the Oracle database are incorrect.	Specify the correct username and password of the Oracle database in the delete request.	Critical	Protection Copy
ARO0541	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database.	The restore is unsuccessful because the agent cannot complete the BoostFS lockbox registration operation.	To resolve this issue: 1. Make sure that the BoostFS rpm package is installed and the /opt/emc/boostfs/lockbox directory exists and is not empty. 2. Make sure that the /opt/emc/boostfs/lockbox directory has the Oracle user permissions to create, read, and write.	Critical	Restore
ATO0001	Unable to perform an archival operation for the asset <assetName> because an internal error occurred.	The archival was unsuccessful because an internal server error occurred while processing the archival request in the cloud manager.	To troubleshoot this issue: 1. Make sure that the archival protection engines are operational. 2. Review the log files at /var/log/brs/cloudmgr/cloudmgr.log for more information about the error. 3. Retry the operation at a later time.	Critical	Protection
ABF0014	Skipping the backup for asset <assetName>. Cannot Unable to attach the volume <volumeName> on the host <hostName> to the write tracker during a block-based backup.	The block-based backup of this asset was not performed due to encounter error(s) cannot be completed because one or more errors occurred when attaching the volume to the writer tracker driver.	Check the status of the volume, When the volume is available, retry the operation.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ANOD0001	<assetName>: Medium severity anomalies detected in the backup copy of the asset performed on "<backupTime>" for the protection policy "<policyName>".	Unusual activity was observed in the asset backup, potentially indicating a ransomware threat. The security team should be notified and investigate to determine the scope and severity of the issue.	Verify the backup contents with your security team by performing the following actions: 1. Download the detailed report from the "Infrastructure > Copy Management" window of the PowerProtect Data Manager UI. 2. Analyze the report with your security team. 3. After review, mark the "Medium" severity backup copy as "Quarantined" or "Verified Safe" as appropriate. Copy can also be deleted if required. 4. Go to "Infrastructure > Assets" page to do the necessary "Anomaly Detection Configuration" changes if required for assets to get reflected in subsequent backups. 5. Acknowledge the alert and take appropriate actions on the asset.	Warning	Anomaly Detection
ARHV0004	Unable to complete the cleanup operation on restore targets because the following error occurred: <errString>	The cleanup operation for the virtual machine and its associated resources within the cluster and Hyper-V Manager could not be completed successfully because of an error.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. Verify the restore options are correct. 3. Retry the restore operation.	Critical	Restore
ABNA0025	Unable to complete the <sessionType> operation because the snapshot path of the PowerStore share <assetName> for snapshot <snapshotName> cannot be detected.	Creation of the snapshot access path for the PowerStore asset cannot be completed because an error occurred.	To troubleshoot this issue: 1) Check and address the vendor specific message for more details. 2) Check the PowerStore array to ensure that no errors occurred during path creation. 3) Verify that a valid NAS server user name has been specified. 4) When the NAS server is configured to the AD domain, verify that the NAS backup user is configured with a single identifier (user@domain) in the protection policy. For example, for the NAS server credential User@domain.com, also use "User@domain" during the policy and asset level configuration.	Critical	Protection
ADT0009	Service Level Objective added to <slaName>.		No action needed.	Informational	Compliance
ABNA0013	Unable to complete the <sessionType> operation because transaction ID for share <assetName> could not be generated.	A stub file cannot be created on the PowerProtect DD System to get a unique transaction ID backup.	To troubleshoot this issue: 1) Check for connectivity between the PowerProtect DD system, PowerProtect Data Manager, and the NAS protection engine. 2) Verify that there is enough storage space on the PowerProtect DD system and that the corresponding Storage Unit (SU) is accessible. 3) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABF0001	Unable to protect the asset <assetName> on the host <hostName> from the backup performed at time <backupTime> because the following error occurred: <errString>.	The backup for this asset cannot be completed because an error occurred.	Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARF0007	Unable to perform a file-level restore of one or more files or folders from the backup performed at <backupTime> to the target path <targetPath> on the host <hostName> because the following error occurred: <errString>.	The file-level restore cannot be completed because one or more errors occurred when restoring selected files from the backup copy.	Verify that you have the required permissions to restore to the target path, and that there is sufficient disk space in the restore path, and then retry the operation.	Critical	Restore
ARV0041	VM Direct engine is unable to restore the virtual machine <vmName> on vCenter <vCenterName> because of a VMware API issue.	The VM Direct engine cannot complete the restore of this virtual machine because a VMware API operation did not complete successfully.	Review the error details and summary log in the Jobs window, or export the job logs and review the log files for more information. If the issue persists, contact Dell Customer Support.	Critical	Restore
SYS0074	None of the specified NTP servers are available for time synchronization.	One or more NTP servers are specified in the PowerProtect Data Manager settings, but none of these servers are available for time synchronization.	Check the network connectivity and verify that at least one specified NTP server is available.	Warning	System
ABN0013	Snapshot and Slice stage for the backup job with NAS asset <asset> and target <target> was unsuccessful because an error occurred. The job started at <startTime> and completed at <endTime>.	The Snapshot and Slice stage cannot be completed for this backup job because an error occurred during this stage.	To troubleshoot this issue: 1) Review the log files at /var/log/brs/nasdm/nasdm.log for more details. 2) Check the Protection Engine health. If there is an issue with the state of the Protection Engine, redeploy the engine. If the issue persists, contact Dell Customer Support.	Critical	Protection
ADT0010	Service Level Objective removed from <slaName>.		No action needed.	Informational	Compliance
ARA0011	Unable to complete the restore because of a component restart.	The restore cannot be completed because an application component restart occurred while processing the operation.	Wait for the component restart to complete, and then retry the operation.	Critical	Restore
ADT0923	Storage unit <suName> has been <operation> on storage system <storageName>.		No action is required.	Informational	Protection
NR0004	Asset configuration cleanup activity is completed on the Reporting Engine <reportingEngine>.	The asset configuration cleanup activity on the Reporting Engine completed successfully.	No action is required.	Informational	Reporting
SYS0084	The parent vCenters of the following Search nodes are unavailable, <hostName>: <nodeName>.	One or more Search nodes do not have a parent vCenter Server added as an asset source in PowerProtect Data Manager. Some of these Search node instances might be invalid.	Remove the Search nodes for which there is no parent vCenter asset source in PowerProtect Data Manager.	Warning	System
ABSD0057	Unable to delete the storage group <workingStorageGroupName> with the target volume(s) <targetVolumes> on the PowerMax storage array <storageSystem> because an error occurred during cleanup for the following: Asset: <assetName> Snapshot name: <snapshotName> Snapshot ID: <snapshotid>	Deletion of the specified storage group that was used for the linking was unsuccessful because an error occurred during the cleanup activity.	Perform the following steps to clean up the target device(s): 1. Delete the storage group used during the linking. 2. Delete the storage group. 3. Delete the volume(s).	Warning	Protection
IDX0041	Indexing job failed due to an internal server error.		If the issue persists, contact Dell customer support.	Critical	System
ADT0121	Login for user <username> is unsuccessful because the MFA passcode could not be validated.		No action required.	Informational	Security
AERR0008	Task '<task>' was canceled at '<now>' because activity window was from '<start>' to '<end>'.	Task was not completed within the scheduled activity window.	Extend the activity window by editing the protection policy schedule start time and end time. The PowerProtect Data Manager Administration and User Guide provides more information about editing protection policies.	Warning	Protection Policy
ABN0004	Backup Snapshot stage for the backup job with NAS asset <asset> and target <target> completed with the errors. The job started at <startTime> and completed at <endTime>.	The Backup Snapshot stage for the backup job cannot be completed because an error occurred during this stage.	To troubleshoot this issue: 1) Review the log files at /var/log/brs/nasdm/nasdm.log for more details. 2) Check the Protection Engine health. If there is an issue with the state of the Protection Engine, redeploy the engine. If the issue persists, contact Dell Customer Support.	Critical	Protection
EPERR0003	Unable to complete the request because the scheduler service timed out.	This request cannot be completed because a scheduler service timeout occurred.	Retry the operation at a later time.	Critical	Protection Policy

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ASCF0001	Unable to configure the policy because of an error on the host <hostName>.	Configuration of this protection policy cannot be completed either because the asset is not found or the asset discovery has not been performed on the host.	To resolve the issue: 1. For a non-clustered asset, check if the asset is deleted on the host. 2. If the host is a passive node that has not become active, the asset will not be available. 3. For an active host, run a manual discovery of the host and reconfigure the policy by selecting the protection policy. Then, click on 'Set Lockbox'. 4. If the issue persists, contact Dell Customer Support.	Warning	Protection Policy
ARV0032	VM Direct engine is unable to restore the virtual machine '<vmName>' on vCenter '<vCenterName>' because the mount of the virtual machine's virtual disks was unsuccessful.	The VM Direct engine cannot complete the restore of this virtual machine because the engine is unable to complete the mount of the virtual disks.	Review the error details and summary log in the Jobs window, or export the job logs and review the log files for more information. If the issue persists, contact Dell Customer Support.	Critical	Restore
ABE0004	DD storage unit <storage_unit_name> is full.	Refer to msagentsv.log for more information on Exchange Server.	Add storage space in the DD storage unit <storage_unit_name> or add a new storage unit.	Critical	Protection
CSM0024	Cloud Snapshot Manager proxy container deletion failed for stack <stack_name> of <account_name>(<account_number>) cloud account for tenant <tenant_id>.	Deletion of the Cloud Snapshot Manager Proxy container or other resources failed because the required conditions were not met.	Contact Dell Customer Support.	Critical	Protection Infrastructure
ABSD0031	Unable to get the volumes for the storage group <storageGroup> for linking for the asset <assetName> on the <storage> system <storageName>.	The volumes for this storage group on the storage system could not be obtained because an error occurred.	To troubleshoot this issue: 1. Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2. Confirm that all the arrays managed by Unisphere are connected and working properly. 3. Verify whether volumes exists in the storage group 4. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 5. Retry the operation at a later time.	Critical	Protection
UPG0078	Unable to verify that the user account for the vCenter that hosts PowerProtect Data Manager has sufficient permissions to take a VM snapshot of the PowerProtect Data Manager VM. Therefore an automatic VM snapshot of the PowerProtect Data Manager VM may not be taken before the upgrade.		Take a manual snapshot with memory in vCenter before update.	Critical	System
AERR0002	Task <task> was interrupted by service restart.	The task processing was interrupted by service restart.	When the service is ready, retry the failed job.	Critical	Protection Policy
ARS00045	Unable to clean up one or more protection engines used during the restore of the asset <assetName> because the session timed out after <sessionCancelTimeout> minutes.	Cleanup of the protection engines used during the restore of this asset was unsuccessful because the cancellation of one or more proxy sessions could not be completed within the timeout period.	To troubleshoot this issue: 1) Clean up the protection engines manually in the Unisphere for PowerMax UI. 2) Review the Troubleshooting section of the PowerProtect Data Manager PowerMax Storage Array User guide for instructions on restoring the impacted protection engines to a valid state. 3) When the issue is resolved, retry the restore.	Warning	Restore
APO0017	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database because the agent cannot process the parameters.	The required 'delete config' information is not available in the delete request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection Copy
ADT7041	Deletion of a quick-recovery configuration for the host <hostname> is successful.	The <direction> configuration for the host <hostname> is deleted.	No action required.	Informational	System
ADT0011	Service Level Objective has been changed for <slaName>.		No action needed.	Informational	Compliance
ABO0041	PowerProtect Data Manager Oracle agent cannot perform the backup of the Oracle Data Guard database '<SID>' with database ID '<DBID>' because the database role is unexpected.	The backup request is unsuccessful because the database role is not the expected role for the backup strategy configured to protect the Data Guard database.	Perform manual asset discovery on the entire Data Guard protection group and run a full backup of the new candidate database.	Critical	Protection
ADT0909	Search Node <searchNodeName> has been upgraded.			Informational	Protection Infrastructure
ARA0013	Unable to cancel the restore job for <assetType> asset <asset> on host <hostname> because the agent is unable to complete this operation. The restore job might have completed before the cancel operation was started.	Agent denied the cancel request.	Check agent logs for more details.	Warning	Restore
ADT6002	The script '<scriptName>' has been deleted.			Informational	Protection
MON0018	Alert Configuration has been updated for the system.	Alert Configuration has been updated for the system and values could have been added or removed for specific protection policies and message catalog / definition entries.	No action needed.	Informational	System
ABK0009	Unable to back up namespace '<asset>' in Kubernetes cluster '<k8sClusterName>' because communication with the Kubernetes API server was not established.	The backup of this Kubernetes namespace was not successful because an error occurred in communication between PowerProtect Data Manager Controller and the Kubernetes API server.	Verify that the Kubernetes API server can respond to requests.	Critical	Protection
ARSD0034	Unable to restore the backup to the asset <assetName> because the source to target volume pair could not be determined.	To troubleshoot this issue: 1) Verify if that the target asset contains the number of volumes required to perform this operation. 2) Perform the restore to an alternate location on the storage system. 3) Retry the operation.	The restore operation for this asset was unsuccessful because PowerProtect was unable to determine the source to target volume combination.	Critical	Restore
ABG0014	Unable to backup <asset> on the host <hostName> because the application agent cannot access the path <devicePath> during crawling of the backup directory.	The backup cannot be completed because the Generic Application agent cannot access the PowerProtect Data Domain path for the crawling operation.	To resolve the issue, verify the PowerProtect Data Domain target directory path to perform the crawling.	Critical	Protection
CSM0005	Cloud Snapshot Manager snapshot expiry failed for <resource_type> <resource_id>. Failed to delete snapshot(s) <snapshotIds> of <account_name>(<account_number>) cloud account for tenant <tenant_id>.	The cloud provider snapshot service could not delete a snapshot of the resource because the required conditions were not met.	Contact backup administrator with Cloud Snapshot Manager access.	Critical	Protection
CFG0015	<plc>: The asset <asset> is assigned with default Protocol <protocol> since it is moved from an existing policy to a new policy.	The asset is assigned with default Protocol for Oracle Incremental Merge operation since it is moved from an existing policy to a new policy.	Users can set the protocol of their choice for this asset using the Set Protocol option under More Actions from the Assets page by selecting the asset.	Warning	Protection Policy
SYS0038	An authentication issue between PowerProtect Data Manager and SupportAssist is detected in the backend.	Either PowerProtect Data Manager cannot authenticate SupportAssist successfully by JWT token or SupportAssist cannot authenticate PowerProtect Data Manager successfully by x-dell-auth-key.	Restart the telmgr service. If the issue persists, contact Dell Customer Support.	Warning	System
CSM0023	Cloud Snapshot Manager snapshot replication failed for virtual machine <vm_id> of <account_name>(<account_number>) cloud account for tenant <tenant_id>.	The resource snapshot replication operation could not complete successfully because required conditions were not met.	Contact backup administrator with Cloud Snapshot Manager access.	Critical	Protection
APU0014	Unable to obtain the job progress for the <operationType>.	The progress of the job cannot be obtained because an Application Data Management Service restart occurred during the session. The session might still be in progress or might have completed on the agents.	Review the agent logs at INSTALLDIRDPSAPPSAGENTSERVICElogs for more details about progress of the job or retry the job once.	Warning	Push Update
ADT0212	<plcName> <stageType>'s service level agreement <slaName> has changed.		No action needed.	Informational	Protection Policy
ARF0027	Unable to restore the backup performed at <backupTime> on the mount volume <pathName> on the host <hostName> for the asset <assetName> because the following error occurred: <errString>.	The restore cannot be completed because an error occurred during the volume mount operation when preparing the data for restore.	Verify that you have the permissions required to perform a restore on the mounted volume, and then retry the operation.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
CFG0002	<plc>: Protection policy configuration is unsuccessful because of a certificate issue on agent host <hostName>.	Configuration of the protection policy cannot be completed because of an issue with the certificate.	Reregister the agent host with PowerProtect Data Manager, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
ARN0002	Unable to reserve NAS Proxy host for restore job <job> because the following error occurred: <error>.	The NAS Proxy host cannot be reserved for this restore job because an error occurred during the operation.	If the NAS proxy is not installed, install the proxy, start the services, and then retry the operation. If the NAS Proxy host is installed, verify that all of the services are running and there is enough free space available to initiate a new job: 1) If any services are not running, start these services. 2) If the vrecovernas and vrapid services are running but there is insufficient space available to run a new job based on the stream count, wait until one of the running jobs completes, or add a NAS Proxy host. 3) Check the network connectivity between PowerProtect Data Manager and the vCenter server. 4) Retry the operation. If the issue persists, check the log files at /var/log/brs/nasdm/nasdm.log for more details, and contact Dell Customer Support.	Critical	Restore
CPLE0007	Unable to delete storage units <suName> on storage system <storageSystem>.	The storage units identified cannot be deleted from the storage system because of a storage system or connectivity issue.	To troubleshoot this issue: 1) Make sure that PowerProtect Data Manager can access the storage system. 2) Make sure the storage system is functioning correctly. 3) Verify that the storage system username and password are still valid. If the issue persists, contact Dell Customer Support.	Warning	Compliance
ARA0016	Unable to restore <assetType> asset <asset>.	The restore is unsuccessful because the restore is not supported for a backup copy that was performed before the agent host was registered in Power Protect Data Manager.	Use the native tools to restore the backup copy.	Critical	Restore
NR0008	Postponing asset configuration cleanup activity on the Reporting Engine <reportingEngine>.	The asset configuration cleanup activity is delayed because of an ongoing operation on Reporting Engine or no disaster recovery backup copies available after upgrade.	No action is required. The cleanup activity will be started once all activities are completed on the Reporting Engine.	Informational	Reporting
UPG0118	Unable to revert the hotfix <hotfixVersion>, because <reason>.	An issue with reverting the hotfix occurred. The hotfix was not removed, and the software has not reverted to the previous version.	Retry the hotfix revert. If the issue persists, contact Dell Customer Support.	Critical	System
ABV0029	VM Direct engine '<vproxy>' is unable to back up the virtual machine '<vmNames>' on vCenter '<vCenterName>' because another backup or restore is running for the virtual machine.	The VM Direct engine cannot complete the backup of this virtual machine because another backup or restore operation is already running for this virtual machine.	Verify that there are no other backup or restore operations in progress for the virtual machine, and then retry the backup after 24 hours.	Critical	Protection
AAA0005	Unable to complete the archive operation because the requested session ID is unavailable.	The archive operation cannot be completed because the specified session ID is missing or invalid.	To troubleshoot this issue, retry the operation with the valid session ID.	Critical	Protection
CPLE0011	Unable to set retention lock on <asset> backup copies during <plc> protection policy extended retention on <storageSystem> storage unit <target>.	Cannot set the retention lock because there is a storage system or connectivity issue, or there are data-integrity issues detected in the backup-copy metadata.	To troubleshoot this issue: 1) Make sure PowerProtect Data Manager can access the storage system. 2) Make sure the storage system is functioning correctly. 3) Make sure the username and password are valid. If the issue persists, contact Dell Customer Support.	Warning	Compliance
ABSD0008	Unable to backup the asset <assetName> because the remote snapshot session in the PowerStore <powerStoreName> is in "FAILED" state.	The backup was unsuccessful because the PowerStore system remote snapshot session did not reach the "COMPLETED" state.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. If the issue persists, contact Dell Customer Support.	Critical	Protection
ASDS0020	An exception occurred while discovering Assets for AddOn <AddOnName> on host <hostName>; <errors>.	The Asset discovery was unsuccessful.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ADT0113	Remote access provision has been deleted.		No action required.	Informational	Security
ABSD0015	Unable to cancel the backup for <assetType> asset <asset> on the PowerStore <PowerStore>. The backup job might have completed before the cancel operation was started.	The asset backup cannot be canceled because the job is already in Completed state.	No action is required.	Critical	Protection
IAMADT3203	Execution of Appliance Shell command <arg>.			Informational	System
MON0027	Unable to retrieve resources from the external component <componentDescription>.	The resources for this external component cannot be obtained.	This action will be retried automatically at a later time. If the issue persists, contact Dell Customer Support.	Warning	System
ABSD0037	Unable to get initiators for Host <hostName> from <storage> array <arrayId>.	The initiators could not be obtained for this host from the storage array.	To troubleshoot this issue: 1. Verify the host zoning with the array and check the initiators are available or not. 2. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 3. Retry the operation at a later time.	Critical	Protection
ARF0029	Unable to perform a volume level restore for multiple volumes <volumeList> in a single recovery command <cmdString> on the host <hostName>.	The volume level restore cannot be completed because specifying multiple volumes in a single restore command is not supported.	Specify one volume at a time in the restore command.	Critical	Restore
ABK0014	Unable to back up namespace '<assets>' in Kubernetes cluster '<k8sClusterNames>' because BackupStorageLocation does not exist.	The backup of this Kubernetes namespace was not successful because the BackupStorageLocation resource does not exist in the Velero namespace on the Kubernetes cluster.	Delete the BackupStorageLocation resource for the protection policy in the PowerProtect namespace to trigger creation of missing resources in next backup. Use the command kubectl get backupstoragelocations.powerprotect.dell.com -n powerprotect, or an equivalent command, to get the resources. Identify the resource corresponding to the protection policy through the name. Then delete the resource using the command kubectl delete backupstoragelocations.powerprotect.dell.com {name} -n powerprotect.	Critical	Protection
ARF0001	Unable to restore the backup performed at <backupTime> to the target volume <volumeName> on the host <hostName> because the following error occurred: <errString>.	The restore of this backup copy cannot be completed because an error occurred.	In a Unix environment, please verify the IPv4 settings. The loopback address should not be set to IPv6 (::1). Ensure that this entry is commented out in the /etc/hosts file.	Critical	Restore
UPG0067	Timed out while entering maintenance mode.		Contact Dell Customer Support.	Critical	System
ACSD0005	Unable to complete the array configuration for asset source <managementName> because of a certificate issue with PowerStore <powerStoreName>.	The array configuration operation was unsuccessful because of an issue with the PowerStore system certificate.	To resolve the issue: 1. Verify that the PowerProtect Data Manager certificate matches the PowerStore certificate. 2. Make sure that the certificates have not expired. 3. If a certificate update is required, review the procedure in the PowerProtect Data Manager Security Configuration Guide. 4. Reregister the PowerStore system with the PowerProtect Data Manager system, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
AAA0004	Unable to complete the archive operation because invalid JSON input is received.	The archive operation cannot be completed because the JSON payload cannot be processed as the required parameters are missing or invalid.	To troubleshoot this issue: 1. Check the vendor-specific message for more details and address any requirements. 2. Retry the operation with the required valid session parameters.	Critical	Protection
APSH0007	Unable to perform the delete operation on the database <asset> belonging to the instance <instance> located on <host> because the parameter <parameter> required to connect to the SAP HANA database is unavailable to the agent in the delete request.	The delete operation is unsuccessful because one or more required parameters are unavailable in the delete request.	Make sure that credentials are set properly in PowerProtect Data Manager in the protection policy settings.If this procedure does not resolve the issue, contact Dell Customer Support.	Critical	System
ARS0005	Recovery is unsuccessful for the database <assetname> backed up at <savetime> on <ddHostName> as file relocation parameters were specified incorrectly.	Recovery of the database to user-specified location requires the recovery request to include the data file location and log file location. User-specified file location for relocation type is selected but either the database file pathname or log file pathname is missing.	Specify the correct pathname for the user-specified file location for restore. Steps: 1. Go to Recovery -> Assets. 2. Select the database <assetname> and select 'Restore'. 3. Select the copy to be restored and go to 'Select File Location' page. 4. Select the option 'User-specified file location' and provide the correct pathname for 'Database files' and 'Log files'.	Critical	Restore
ASDRK002	Unable to complete the cloud-native data management server disaster recovery for protection policy <plc>, because the following error occurred: <err>.	The cloud-native data management server disaster recovery for this protection policy cannot be completed because the connection timed out.	To troubleshoot the error, review the logs by either of the following methods: 1.Export the logs by selecting the job, clicking Export Log, and downloading. 2.Select the gear icon, go to System Settings > Logs, and download the log bundle. If the issue persists, contact Dell Customer Support.	Critical	Cndm Server Dr
ADT0629	Telemetry EULA has been accepted by user.			Informational	System
ABSD0038	Unable to get the host group <hostGroupName> from the <storage> array <arrayId>.	The host or host group could not be obtained from the storage array.	To troubleshoot this issue: 1. Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2. Confirm that all the arrays managed by Unisphere are connected and working properly. 3. Verify hostgroup exists or not on the array 4. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 5. Retry the operation at a later time.	Critical	Protection
ADT0012	Storage system <systemName> added.		No action needed.	Informational	Protection Infrastructure
ADT0139	An asset source with name <inventorySourceName> of type <inventorySourceType> has been <operation>.		No action required.	Informational	Security
UPG0077	Unable to automatically take a VM snapshot of the PowerProtect Data Manager VM, because the user account for the vCenter that hosts PowerProtect Data Manager does not have sufficient permissions to take the snapshot.		Add permissions as specified in the PowerProtect Data Manager Administration and User Guide performing updates chapter, or take a manual snapshot with memory in vCenter before update.	Critical	System
ABN0047	Unable to apply prefetch to the backup because the size of the available NAS protection engines is insufficient.	The prefetch feature cannot be applied to this backup job because the feature is available only for medium and large sized protection engines.	To use the prefetch feature, deploy only medium or large sized protection engines.	Warning	Protection
ARN0004	Restore job for NAS asset <asset> started at <startTime>.	Restore job started for this NAS asset.	No action needed.	Informational	Restore
ADHP0015	Unable to complete the job because of a server error.	The job cannot be completed because an internal server error occurred.	Review the log files for more information about the issue.	Critical	Discover
ARK0010	Unable to restore the namespace 'assets' to the Kubernetes cluster 'ck&ClusterName' because the Velero restore is unsuccessful.	The restore of this Kubernetes namespace is unsuccessful because the Velero restore cannot be completed.	To troubleshoot this issue, use one of the following methods: 1.Review the Velero backup job error details and summary in the Jobs window of the PowerProtect Data Manager UI. 2.Review the logs by either method: - Export the logs by selecting the job, clicking Export Log, and downloading. - Select the gear icon, go to System Settings > Logs, and download the log bundle. 3.Review the Velero logs by using the command kubectl logs (velero pod name) -n (velero namespace) or an equivalent command in the Kubernetes cluster.If the issue persists, contact Dell Customer Support.	Critical	Restore
ADT0013	Storage system <systemName> deleted.		No action needed.	Informational	Protection Infrastructure
ADT0912	Rotating Search node <searchNodeName> password.	Rotating Search node password.	No action is required.	Informational	System
ABHV0004	Unable to back up the virtual machine 'vmNames' because exclude-offline-vms is set to true.	The backup cannot be completed because the virtual machine is offline, and the exclude-offline-vms option is true.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. Make sure the VM remains in an online state. 3. Remove the exclude-offline-vms flag from the INSTALLDIR/settings/hypervagent.config file.	Critical	Protection
ABV0017	The VM Direct engine 'cvproxy' is unable to back up the virtual machine 'vmNames' because the credentials for the vCenter 'vCenterName' are invalid.	The VM Direct engine cannot complete the backup of this virtual machine because the username or password entered for the vCenter is not valid.	Reenter the username and password for the vCenter, and then retry the operation.	Critical	Protection
SYS0042	DD Virtual Edition automatic configuration failed.		Configure from DDVE UI or contact Dell Customer Support.	Critical	System
ARP0023	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because a storage system timeout occurred.	The backup copies cannot be replicated because the connection to the storage system took longer than expected, and the operation timed out.	If the system is too busy, wait for some activities to complete, and then retry the request. If the issue persists, contact Dell Customer Support.	Critical	Replication
UPG0033	Integrated Storage update failed.		Check the update status on the Integrated Storage cluster or contact Dell Customer Support.	Critical	System
ABO0018	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database <SID> with database ID <DBID> because the value of the Oracle database home is unsupported.	The backup is unsuccessful for one of the following reasons: - The Oracle version information is not available. - The agent cannot obtain the Oracle database version from the entered Oracle home pathname. - The software file \$ORACLE_HOME/bin/sqlplus is not available in the Oracle home directory. - The software cannot run the \$ORACLE_HOME/bin/sqlplus -v command.	Make sure that the Oracle database is running. Make sure that you can run the \$ORACLE_HOME/bin/sqlplus -v command and it displays the correct database version. Retry the discovery and the backup. If the issue persists, contact Dell Customer Support.	Critical	Protection
ADT0924	Unable to configure and enable retention lock compliance mode on the PowerProtect Data Manager appliance because of the following error: <err>.	Retention lock compliance mode configuration cannot be completed because an error occurred.	To troubleshoot this issue: 1. Verify the Appliance Security Officer credentials are correct. 2. Retry to configure and enable retention lock compliance mode on the appliance. 3. If the issue persists, contact Dell Customer Support.	Critical	System
CSM0014	Cloud Snapshot Manager account of tenant <tenant_id> will be suspended soon.	The Tenant will be suspended soon as its inactive period will be ending in the next few days.	Contact Dell Customer Support.	Warning	System

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARC0002	<plc>: Protection policy reconfiguration is unsuccessful because of an error in the NFS export deletion for asset <asset> on protection storage <target> for host <host>.	Protection policy reconfiguration cannot be completed because the NFS export deletion is unsuccessful.	To resolve this issue: 1. Verify that the NFS service is running in the PowerProtect Storage. 2. Follow the steps in the documentation to clean up the export manually. 3. If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
ADT0119	Multi-factor authentication bypass account configuration for name, '<subject>', with identity provider locator, '<identityProviderLocator>', is deleted.		No action required.	Informational	Security
SYS0058	Issues found in DD Virtual Edition configuration file. <errorMessage>		Configure from DDVE UI or contact Dell Customer Support.	Critical	System
ADT0621	The transport type for autosupport has been changed.			Informational	System
ASPU0028	No space left on device to perform update.	The push update operation is unsuccessful because there is no space left on the device.	Free up space on the device and retry the update. Click export log and review the log file. If export logs are unavailable then check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information. Manual intervention is required.	Critical	Push Update
ABSD0070	Unable parse the script response of <scriptType>-script from Host Proxy <scriptAppAgentName> because the json response is invalid.		To resolve the issue: 1. Verify that script is valid in host proxy. 2. Make sure that the script response is proper valid JSON.ABSD0070.detailedDescription = The script execution was unsuccessful because the response json is invalid.	Critical	Protection
ADT0913	Job Intervention setting '<settingField>' is changed.		No action required.	Informational	System
ADT0605	System upgrade has been initiated.		No action needed.	Informational	System
ASPU0024	Exiting the push update job as the agent configuration backup is unsuccessful.	The push update operation cannot be performed as the agent configuration backup is unsuccessful.	Click export log and review the log file. If export logs are unavailable then check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information. Manual intervention is required.	Critical	Push Update
ARNV0001	Restore NAS job failed in vproxy due to following error: <error>.	Restore NAS job failed due to error which occurred at vproxy.	To troubleshoot this issue: 1) Review the log files at /var/log/brs/nasdm/nasdm.log for more details. 2) Check the Protection Engine health. If there is an issue with the state of the Protection Engine, redeploy the engine. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARHV0034	Unable to perform the detach operation because the following error occurred: <errString>		To troubleshoot the issue: 1. In the PowerProtect Data Manager UI, go to the Jobs window, and click Export log, and review the log file for more details. 2. Retry the operation.	Critical	Restore
ARO0521	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore request is unsuccessful because the RMAN process cannot recover the database.	To resolve the issue: 1. Make sure that the specified pathnames for the selected database directories are valid. 2. Make sure that the system has sufficient memory. 3. Make sure that the specified database recovery options for the System Change Number, Time Stamp, or Log Sequence are valid. 4. Make sure that the IP addresses or hostnames of the selected asset source and PowerProtect Data system are accessible. 5. Make sure that the database is not shutdown during the restore. 6. Enable the debug logs, check for any RMAN or Oracle utility error that starts with RMAN- or ORA- in the Details > Errors > Read More section of the unsuccessful protection job, perform the appropriate action.	Critical	Restore
ARNA0028	Unable to complete the <sessionType> operation because of missing attributes for the asset <assetName> and transaction ID <txnId>.	The recovery operation cannot be performed because either the task ID or command type or max stream count details are missing, or the attributes were not detected due to a network connectivity or packet loss issue.	Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ABG0010	Unable to backup <asset> on the host <hostName> because of an invalid Run As User credentials for the backup script.	The backup cannot be completed because the Run As User (username or password) is invalid.	To resolve the issue, verify the Run As User credentials.	Critical	Protection
ARGHV0006	Unable to restore the '<assetType>' asset '<asset>' to the target Hypervisor server because no agent was detected.	The restore of this asset cannot be completed because no valid hosts were detected to perform the operation.	To troubleshoot the issue: 1. Make sure that the Hypervisor Data Movers agent is configured and the credential is set on the Hypervisor server. 2. In a clustered environment, make sure the Hypervisor Data Movers agent is configured and credentials are set on at least one of the Hypervisor servers.	Critical	Restore
UPG0047	Unable to update PowerProtect Data Manager.	The PowerProtect Data Manager update cannot be completed because of issues with update package sub-components. The system will remain in Maintenance mode with protection jobs suspended until the issues are resolved and the update is retried. Update of non-disruptive external components will not be started until the system update is retried.	Refer to the product documentation or engage Dell Support for remediation steps.	Critical	System
ASDR0006	Server Disaster Recovery was unable to update the password for DD Boost user <ddBoostUser> on Protection Storage system <ddSystem> for storage unit <storageUnit>.	Server Disaster Recovery was unable to update the DD Boost password. This may happen if a PowerProtect admin password was changed to a password that was used already.	If the PowerProtect admin password was recently changed, ensure that it is a new password and not a previously used password. Change the PowerProtect admin password to a new password and verify on the jobs page that the DD Boost credential was updated successfully.	Critical	Server Dr
ADNC0007	Unable to obtain protection policy details from Policy SDK API because a timeout occurred.	Retry the request. If the issue persists, contact Dell Customer Support.	A ClientExecutionTimeoutException occurred while fetching the protection policy details from the Policy SDK API.	Critical	Nas Server Dr
IAMADT3231	Identity Provider group <arg1> has been updated by user <arg2>.			Informational	System
AGRA0007	Communication between PowerProtect Data Manager and the application agent <hostName> is not possible with the configured port <port>. The outbound firewall rule for the port cannot be added in the PowerProtect Data Manager configuration.	The port used to configure the agent host is not added in the outbound firewall rule successfully. The port disables the communication between PowerProtect Data Manager and the application agent, which impacts all the operations.	To resolve the issue: 1. Retry the agent registration with the same or any other port in the approved range, 7000 to 7020 inclusive. 2. If this issue persists, contact Dell Customer Support.	Critical	System
ABHV0023	Unable to complete the fast copy operation from the previous backup for the disk <diskName>.	The datamover operation cannot be completed because the fast copy operation from the previous backup was unsuccessful.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. The job failure may be due to missing previous backup copy files. Make sure previous backup copy is intact. 3. If the issue persists, perform a full backup.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ACSD0008	Unable to complete the array configuration for the asset source <managementName> because a required resource cannot be located in the PowerStore<powerStoreName>.	The array configuration for this asset source cannot be completed because a resource required for this operation is unavailable in the PowerStore system.	To troubleshoot this issue: 1) Review the extended message for more information about the missing resource. 2) Verify that the required resource has not been deleted. 3) Run a manual discovery of the asset source in PowerProtect Data Manager, and then retry the operation.If the issue persists, contact Dell Customer Support.	Critical	Protection
ABV0041	VM Direct engine is unable to deploy on the vCenter because the user does not have sufficient permissions.	VM Direct engine is unable to deploy on the vCenter because the user does not have sufficient permissions.	To troubleshoot this issue: 1) Provide the account permissions to containers of the datacenter, such as the vCenter and folders, with Propagate to children unselected. 2) Provide the account permissions to the datacenter, with Propagate to children selected.	Critical	Protection
IDX0031	<indexActivityErrorMsg>		If the issue persists, contact Dell customer support.	Critical	System
ABK0007	Unable to back up namespace '<asset>' in Kubernetes cluster '<k8sClusterName>' because configuration information is missing.	The backup of this Kubernetes namespace was not successful because there is insufficient configuration information.	To resolve this issue: Review the error details and summary log in the Jobs window to troubleshoot the failure. If the cProxy image is missing, start a discovery operation for this cluster in the PowerProtect Data Manager UI. When the discovery completes, restart the PowerProtect controller pod.	Critical	Protection
UPG0026	Integrated Storage precheck timed out.		Check Integrated Storage cluster status and network.	Critical	System
IAMADT3015	Multi-factor authentication bypass account configuration for local account locator, <arg1>, is disabled.			Informational	Security
ADT0014	Storage system <systemName> configuration has been changed.		No action needed.	Informational	Protection Infrastructure
ARSD0036	Unable to restore the backup to the asset <assetName> in the <storage> storage array <storageName> because an eligible protection engine is not available.	To troubleshoot this issue: 1) Verify that there is an eligible protection engine available and has been enabled. 2) Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 3) Retry the operation at a later time.	The restore operation for this asset was unsuccessful because an error occurred that prevented the detection of an eligible protection engine for the restore.	Critical	Restore
SYS0109	TSDM does not support the vCenter <vCenterName>, because of version incompatibility. Protection will continue using VADP.	The vCenter has been upgraded to version 9.0, which is incompatible with TSDM. All the existing TSDM protected assets will use VADP for backup and recovery.	As the assets will use VADP during backups, make sure that sufficient external proxies are deployed. If you encounter any issues during protection, contact Dell Customer Support.	Critical	System
ABA0022	Unable to complete the backup because of an unknown host exception.	Unable to complete the backup due to an unknown host exception. There is an issue with DNS name resolution or host details are not available.	To resolve the issue: 1.Verify the external DNS server is able to resolve the hostnames. 2.Verify DNS information is present in the /etc/resolv.conf file. If the problem persists, contact Customer Support.	Critical	Protection
SYS0064	Unable to retrieve available upgrade package information.	PowerProtect Data Manager cannot retrieve the available upgrade package information because the connection to the Dell backend was unsuccessful.	Make sure the SupportAssist connection settings are correct.	Warning	System
ABSD0011	Unable to read the metadata from the DD for the completed backup of <assetName> because an internal error occurred.	The backup of this asset completed successfully, however, the metadata cannot be read from the DD system because of an internal server error.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the DD system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the DD system. 3. Make sure that the Data Domain system is running.If the issue persists, contact Dell Customer Support.	Critical	Protection
ADA0018	Unclaimed assets <asset> belonging to host <hostName> are deleted.			Informational	System
ACSD0023	Unable to complete the configuration for the selected asset because SDNG service has restarted.	The configuration for this asset cannot be completed because SDNG service has restarted.	Restart the job.	Critical	Protection
ARS0015	Restore of the database is unsuccessful.	The restore encountered a SQL provider error while connecting to a SQL server instance or running a SQL query.	To resolve the issue, refer to the Microsoft SQL server documentation for the SQL provider error. If the problem persists, contact Dell Customer Support.	Critical	Restore
ASBA0002	Unable to start the backup on the application agent host <hostName> because of an error with the backup request.	The backup job was not created on the application host since the pre/post script execution is not enabled.	To resolve the issue on the application agent host, enable the pre/post script by running the following steps command: On Windows: register.bat --scriptsEnabled=True. On Linux/AIX: ./register.sh --scriptsEnabled=True.	Critical	Protection
ADT0904	<searchClusterName> Cluster has been disabled.			Informational	Protection Infrastructure
ADT0508	CSM asset source <name> has been deleted.			Informational	Protection Infrastructure
CPM0006	Canceled agent catalog deletion of <copyCount> copies for the asset <asset>.	The catalog deletion of these copies was canceled by the user.	No action is required.	Informational	Protection Copy
SYS0098	Catalog Store static settings have been changed.	The Catalog Store configuration file has been modified. Changes to this file might affect PowerProtect Data Manager performance.	Restore the configuration file content.	Warning	System
ABO0543	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup request is unsuccessful because of any of the following reasons: The Oracle RMAN agent is not completely installed for the successful execution of the Oracle Incremental Merge backup command. The ddbmconbinary under the installed RMAN_AGENT_HOME directory is being used by another process on the asset source.	To resolve this issue, make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later	Critical	Protection
ABSD0001	Unable to backup the asset <assetName> because an internal error occurred while processing the request in the PowerStore <powerStoreName>.	The backup was unsuccessful because an internal server error occurred while processing the request in the PowerStore system.	To troubleshoot this issue: 1) Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. Critical 2) Retry the operation at a later time.If the issue persists, contact Dell Customer Support.	Critical	Protection
ACP0003	Unable to delete copy for asset <asset>.	The copy can not be successfully deleted because either this copy or its dependent copy is in use state or the protection storage is inaccessible.	Make sure that the: 1) Copy or its dependent copy is not in use, 2) Application Agent and storage unit connection are in good state. Will try to delete the copy 24 hours later.	Warning	Protection Copy
ABHV0001	The JSON input specified for the <operationName> operation is invalid.	The operation cannot be completed because the specified input JSON is invalid.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. Review the input JSON from API specifications.	Critical	Protection
ADT0601	Operating System user <userName> password has been changed.		No action needed.	Informational	System
ADT0602	System IP address change has been initiated.		No action needed.	Informational	System

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ACO0003	PowerProtect Data Manager Oracle agent cannot perform the configuration for the Oracle database because the config argument is unavailable.	The required 'configArgument' information is not available in the configuration request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	App Host Configuration
ACSH0006	Unable to configure the database <asset> that belongs to the instance <instance> located on <host> because credentials for the PowerProtect replication DD system cannot be stored on the client machine.	The configuration is unsuccessful because credentials for the replication PowerProtect DD system cannot be stored on the client machine.	Make sure the configuration of the PowerProtect replication DD system is correct and the replication DD is reachable. Run the configuration command again by clicking "Set Lockbox". If this procedure does not resolve the issue, contact Dell Customer Support.	Warning	System
ABK0005	Unable to back up namespace '<asset>' in Kubernetes cluster '<k8sClusterName>' because the CSI snapshot was not created.	The backup of this Kubernetes namespace was not successful because the CSI snapshot cannot be created.	To troubleshoot this issue: Verify that the CSI driver is fully functional. Use the command kubectl logs [CSI driver pod] (snapshotter container), or an equivalent command, to review the CSI driver's snapshotter logs. Refer to the PowerProtect Data Manager Kubernetes User guide if there are multiple volumesnapshotclass resources for the provisioner.	Critical	Protection
AHC0011	Unable to send the host configuration request to the host <hostName>.	The host configuration cannot be completed because an error occurred during the request to the agent host.	Contact Dell Customer Support.	Critical	App Host Configuration
ABN0014	Backup job completed successfully for <NAS_SHARE> but unable to initiate indexes for NAS asset <asset>.	The backup job for the NAS share is successful, however, the search index for this NAS asset cannot be initiated. As a result, file level restore is not available for this backup copy.	Verify that the search cluster is configured and enabled, and that there is enough free space available for indexes. If the issue persists, check the log files at /var/log/brs/nasdm/nasdm.log for more details.	Warning	Protection
ABVSD0012	Unable to complete the <operation_name> for the asset <asset_name> because an internal timeout error occurred on the data mover.	This operation cannot be completed for this asset because an internal timeout error occurred.	To troubleshoot this issue: 1) Verify network connectivity to the DD system. 2) Verify network connectivity to the storage array of the asset. 3) Make sure that the user credentials used to connect to the DD system and storage array are valid and have sufficient privileges to perform this operation. 4) Retry the operation.	Warning	Protection
ADT0603	System server name change has been initiated.		No action needed.	Informational	System
AMGHV0006	Unable to complete the unmount monitoring of the backup copy for '<assetType>' asset '<asset>'.	The unmount monitoring is unsuccessful because of an internal error.	To troubleshoot the issue: 1. Retry the unmount job by selecting the job and clicking Restart. 2. If the issue persists, export the logs by selecting the job and clicking Export Log. Review the logs for the reason that the unmount is unsuccessful.	Critical	Restore
AGRA0002	Unable to register the agent host <hostName> because the TLS certificates cannot be generated.	The agent registration cannot be completed because PowerProtect Data Manager is unable to generate the TLS certificates.	Review the logs at /var/log/brs/adm/adm.log for more information to troubleshoot the issue. If the agent host is no longer in use, go to Infrastructure > Application Agents, select the host, and click Remove. If the issue persists, contact Dell Customer Support.	Critical	System
ACO0004	PowerProtect Data Manager Oracle agent cannot perform the configuration for the Oracle database because PowerProtect DD system information is unavailable.	The required 'PROTECTION (Backup) Targets' information is not available in the configuration request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	App Host Configuration
ARK0003	Unable to restore namespace '<asset>' to Kubernetes cluster '<k8sClusterName>' because of a data mover pod timeout.	The restore of this namespace to the destination Kubernetes cluster was not successful because the data mover pod did not start up within the timeout window.	Review the CSI driver logs to verify that the CSI driver is fully functional, and then use the command line tool kubectl or an equivalent tool to verify that all of the CSI driver pods in the cluster are running.	Critical	Restore
ABE0008	Configuration job is unsuccessful for the asset <assetname> because no active protection configuration is found.	Protection and replication jobs started simultaneously. The inactive state set for the protection job produced the error.	Trigger the protection job and replication job separately.	Critical	Protection
CPM0003	Unable to delete copies for <asset> from protection storage <storageSystem> in storage unit <suName> within <maxTimeoutDuration> period.	The protection copies cannot be deleted for this asset because the request to the storage system timed out.	The copy deletion will be retried automatically at a later time. Prior to the retry for this job, make sure that there is not too much activity on the storage system. If this issue persists, contact Dell Customer Support.	Warning	Protection Copy
UPG0127	The new version of PowerProtect Data Manager requires VM memory to be increased to 36GB, or to 40GB if Cloud Disaster Recovery is enabled.		Before the update, perform one of the following: 1) In the PowerProtect Data Manager UI, go to System Settings > Hosting vCenter to configure the hosting vCenter so that that VM memory is automatically adjusted during the update. 2) In the vSphere Client, manually increase the VM memory of the PowerProtect Data Manager virtual machine.	Critical	System
ADRS0002	Unable to complete the server disaster recovery for policy <policyName> because a connection timeout occurred between PowerProtect Data Manager and the PowerStore system <powerStoreName>.	The server disaster recovery operation was unsuccessful for this policy because of a PowerStore system connection timeout.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Protection
AHC0004	Unable to send host configuration request because of a network connectivity issue on the agent host <hostName>.	The host configuration cannot be completed because of an issue with the network connection.	To resolve the issue: 1 Check the network connectivity between PowerProtect Data Manager and the agent host. 2 Confirm that there is no packet loss between PowerProtect Data Manager and the agent host. If the issue persists, contact Dell Customer Support.	Critical	App Host Configuration
SYS0097	<clusterName> connection is unavailable.	The <clusterName> cannot be reached.	Contact Dell Customer support.	Warning	System
ABO0505	PowerProtect Data Manager Oracle agent cannot perform the archive log backup for the Oracle database.	The archive log backup request is unsuccessful because the agent cannot perform the initialization tasks for the database.	To resolve this issue, make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later and resubmit the Oracle Incremental Merge backup request.	Critical	Protection
ABSD0050	Unable to get volumes for the storage group <storageGroup> because the volumes are unavailable.	Volumes for this storage group could not be obtained because the volumes are unavailable or could not be detected.	To troubleshoot this issue: 1. Make sure volumes are available in the storage group. 2. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 3. Retry the operation at a later time.	Critical	Protection
ABN0026	Timeout occurred while fetching Protection Policy details from Policy SDK API.	ClientExecutionTimeoutException occurred while fetching Protection Policy details from Policy SDK API.	Retry the request, if the issue persists, contact Dell Customer Support.	Critical	Protection
ABG0021	Unable to backup <asset> on the host <hostName> because of invalid script parameters <script_parameters>.	The running of the backup script is unsuccessful because invalid script parameters are associated with the script.	To resolve the issue, verify that only -w and -p parameters are used for the PostgreSQL pg_basebackup Linux script or -d and -p parameters are used for the PostgreSQL pg_dump Linux script or -s and -p parameters are used for the PostgreSQL pgbackrest Linux script.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ACSD0018	Unable to complete the array configuration for the management interface <managementName> because of an invalid X.509 certificate verification code.	The configuration cannot be completed because the verification code of the X.509 certificate is invalid. This can occur when the SSL peer certificate is not yet trusted, or when there is an issue with the server certificate that prevents the SSL connection from being established.	Contact Dell Customer Support.	Critical	Protection
SCH0002	Unable to start the scheduled job.	The scheduled job cannot be started by PowerProtect Data Manager.	Contact Dell Customer Support.	Critical	System
ABO0502	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup request is unsuccessful because the agent cannot initialize the logger that records the error and warning messages in the Oracle RMAN agent logs for the Oracle Incremental Merge operation.	To resolve this issue, make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later and resubmit the Oracle Incremental Merge backup request.	Critical	Protection
AGRA0009	Unable to register the agent host <hostName> because the host is not supported in santorini.	The agent registration cannot be completed because the host is not supported in santorini.		Critical	System
ARF0046	Unable to create the Active Directory object <objectDN> for the restore.	The restore operation failed to create an Active Directory object.	To troubleshoot the issue: 1) Check if the Active Directory is installed and configured properly in the system. 2) Make sure that you have sufficient privileges to install and configure the Active Directory. 3) Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARG0002	Unable to restore the <assetType> asset <asset> to the restore path <restorePath> from the storage target <target>.	The restore cannot be completed because the PowerProtect Data Domain is not accessible.	To resolve the issue, make sure that the IP address of the PowerProtect Data Domain system is correct and reachable.	Critical	Restore
ADT0018	System debug level has been changed.		No action needed.	Informational	System
ABHV0014	Unable to fetch the checkpoint file list for the virtual machine <vmName>.	The checkpoint operation cannot be completed because fetching the checkpoint file list failed.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue.	Critical	Protection
ARV0033	VM Direct engine is unable to restore the virtual machine <vmName> on vCenter <vCenterName> because the attachment of the virtual machine's virtual disks was unsuccessful.	The VM Direct engine cannot complete the restore of this virtual machine because the engine is unable to attach virtual disks to the destination virtual machine.	Review the error details and summary log in the Jobs window, or export the job logs and review the log files for more information. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARO0539	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database.	The restore request is unsuccessful because the agent cannot obtain the oracle username from the installed oracle home provided in the restore request.	To resolve the issue, please confirm the installed oracle home and re-submit the restore request. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARO0556	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database <SID> with database ID <DBID>.	The restore request is unsuccessful because the agent cannot validate the backup and create the specified Fast Copy directory for the instant access recovery.	To resolve this issue: 1. Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later. 2. Make sure that the Oracle home base pathname has valid Oracle permissions. 3. Make sure that the system has sufficient memory. 4. Perform a full backup with Oracle RMAN agent version 19.13 and resubmit the restore request.	Critical	Restore
ARSD0046	Unable to discover the storage group <storageGroup> and process the asset information during the restore to the PowerMax storage array <storageName>.	An error occurred during the discovery of the storage group and PowerProtect was unable to process the asset information required for a successful restore.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information and to troubleshoot the error, and then retry the operation.	Warning	Restore
APU0003	Unable to <operationType> because of a network connectivity issue.	This operation cannot be completed because the host is not reachable due to a network connectivity issue between the PowerProtect Data Manager and the agent host. The connectivity issue might be temporary.	To resolve this issue: 1. Retry the job after some time. 2. If the issue persists, PowerProtect Data Manager is unable to establish a connection to the agent host. Check the network connectivity between PowerProtect Data Manager and the agent host. 3. Confirm that there is no packet loss between PowerProtect Data Manager and the agent host.	Critical	Push Update
ARV0028	VM Direct engine is unable to restore the virtual machine <vmName> on vCenter <vCenterName> because the virtual machine guest credentials are invalid.	The VM Direct engine cannot complete the file level restore of this virtual machine because the virtual machine username or password is invalid.	Enter a valid username and password for the virtual machine, and then retry the operation.	Critical	Restore
ARSD0050	Unable to delete one or more target volume(s) on the PowerMax storage array <storageSystem> because an error occurred during cleanup.	Deletion of the specified target volume(s) on this PowerMax storage array was unsuccessful because an error occurred during the cleanup activity.	To clean up the target devices, delete the volumes manually from the UniSphere for PowerMax UI.	Warning	Restore
APU0021	Unable to <operationType> because the update is not allowed.	The update is not allowed for the client because the client has few attributes matching under the blacklist condition.	To troubleshoot this issue, click Export Log and review the log file for more details about the error.	Critical	Push Update
ABN0006	Delete Snapshot stage for the backup job with NAS asset <asset> and target <target> started at <start_time>.	The Delete Snapshot stage is started for the NAS backup job. The backup job consists of three steps, or stages: Snapshot And Slice-The NAS asset is broken into multiple chunks so that these chunks can be backed up in parallel. Backup Snapshot-The actual backup data rollover is performed. Delete Snapshot: The backup is committed, and then clean up is performed.	No action needed.	Informational	Protection
ANOD0004	Anomaly Detection Definition package "<pkgName>" with version "<pkgVersion>" upload failed due to "<cause>".	Anomaly Detection Definition package upload failed.	To troubleshoot this issue: 1. Verify the uploaded package is correct. 2. Verify the search cluster is up and running. 3. Retry uploading package. 4. If the issue persists, contact Dell customer support.	Critical	Anomaly Detection
APO0026	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database <SID> with database ID <DBID> because the PowerProtect DD device pathname is unavailable.	The required 'DEVICE_PATH' information is not available in the delete request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection Copy
ARN0009	Unable to process the restore request because there is a version mismatch between the NAS Protection Engines.	The restore cannot be completed because there is a version mismatch between the NAS Protection Engine(s) added in PowerProtect Data Manager.	Make sure that all the NAS Protection Engines are the same version (either <proxyVersion> or <ppdmVersion>). If there is a version mismatch, update the NAS Protection Engine(s) to the same version, and then retry the operation.	Critical	Restore
ADSSD0012	Unable to delete the snapshots and catalog for the selected copies because an internal error occurred.	The snapshots and catalog for these copies cannot be deleted because an internal server error occurred while processing the request.	To troubleshoot this issue: 1) Check the network connectivity between PowerProtect Data Manager and the UniSphere server. 2) Confirm that all the arrays managed by UniSphere are connected and working properly. 3) Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 4) Retry the operation at a later time.	Critical	Protection
CFG0017	Unable to <operation> replication context for <storageUnit> because of the following error: <error>.	The configuration of this replication context cannot be completed because an error occurred.	Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection Infrastructure
ADT0143	An identity provider with serverAddress <serverAddress>, port <port>, and serverType <serverType> is deleted.		No action required.	Informational	Security

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ASPU0008	The agent service could not be restarted after the update.	The agent service could not be restarted after the update.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information.	Critical	Push Update
ABSD0019	Unable to back up the asset <assetName> because the replication session is not in an "OK" state.	The backup operation was unsuccessful for this asset because the replication session is not in an "OK" state.	To troubleshoot the issue: 1.Verify the replication session state for the asset on the PowerStore system. 2.If the replication session is operating correctly, then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABNA0014	Unable to complete the <sessionType> operation because an empty access path prevented mounting asset <assetName>.	The operation cannot be completed because the snapshot or source path is unavailable to mount the asset.	Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARF0045	The mount ID specified for the <operationName> operation is invalid.	The restore operation cannot be completed because the specified mount ID is invalid.	To troubleshoot the issue: 1) Make sure that the proper backup ID is specified to mount Active Directory. 2) Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. If the issue persists, contact Dell Customer Support.	Critical	Restore
ABN0039	The protection engine version <proxyVersion> is not fully supported with the PowerProtect Data Manager version <ppdmVersion>. As a result, the asset <asset> will be protected based on the live share/export mount (Generic Asset Flow) instead of the snapshot.	Protection of this asset cannot be completed using the deployed NAS protection engine because the version of the protection engine is not fully supported by the installed version of PowerProtect Data Manager. As a result, protection operations will be performed using the generic storage array.	To take advantage of the latest PowerProtect Data Manager functionality, update the protection engine to a version that is fully supported by the installed version of PowerProtect Data Manager, and then retry the operation.	Informational	Protection
ADT0134	Host <hostName> connection information has been updated.		No action required.	Informational	Security
ADS0005	Unable to discover protection storage <storageSystem> with address <host> because of <reason>.	Discovery of the protection storage system was unsuccessful.	Check the connection between PowerProtect Data Manager and the protection storage system. Verify that the provided credentials are valid. Ensure that the password is not expired. Start a manual discovery to discover the protection storage system, or wait for PowerProtect Data Manager to perform the next scheduled discovery. If the issue persists, contact Dell Customer Support.	Critical	Discover
ABHV0027	Unable to perform backup of files metadata.	The datamover operation cannot be completed because performing the backup of files metadata was unsuccessful.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue.	Critical	Protection
ARF0012	Unable to restore the object <objectName> from the backup performed at <backupTime> because the following fatal error occurred: <errString>.	The restore of this backup copy cannot be completed because a fatal error occurred when restoring a file or directory.	Verify that you have the required permissions to create folder on the target path and that there is sufficient disk space in the restore path.	Critical	Restore
RMS0008	Conditions of protection rule <name> are changed.	The conditions of this protection rule were successfully updated.	No action required.	Informational	Protection
ADSSD0008	Unable to delete the snapshots and catalog for the selected copies because an internal error occurred.	The snapshots and catalog for these copies cannot be deleted because an internal server error occurred while processing the request.	To troubleshoot this issue: 1. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 2. Retry the operation at a later time.If the issue persists, contact Dell Customer Support.	Critical	Protection
ATO0007	Unable to reserve Archival Proxy host to perform the archival operation.	The Archival Proxy host cannot be reserved for the archival operation because an error occurred during the operation.	If the Archival proxy is not installed, install the proxy, start the services, and then retry the operation. If the Archival Proxy host is installed, verify that all of the services are running and there is enough free space available to initiate a new job: 1) If any services are not running, start these services. 2) If the archived and vpod services are running but there is insufficient space available to run a new job based on the stream count, wait until one of the running jobs completes, or add a Archival Proxy host. 3) Check the network connectivity between PowerProtect Data Manager and the vCenter server. 4) Retry the operation. If the issue persists, check the log files at /var/log/brs/cloudmgr/cloudmgr.log for more details.	Critical	Protection
ADT0105	User <username> is locked due to <attempts> unsuccessful login attempts.			Informational	Security
ADRS0011	Unable to complete the server disaster recovery for policy <policyName> because a connection with the PowerStore <powerStoreName> cannot be established.	The server disaster recovery was unsuccessful for this policy because a connection with the PowerStore system cannot be established.	To troubleshoot this issue: 1) Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2) Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3) Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Protection
AGRA0006	The port <port> used to configure the agent host <hostName> is not in the approved range, 7000 to 7020 inclusive. The port will disable the communication between PowerProtect Data Manager and the application agent.	The Port used to configure the agent host is not in the allowed range. As a result, the port disables the communication between PowerProtect Data Manager and the agent host, which impacts all the operations.	To resolve the issue: 1. Retry the agent registration with the approved port range 7000 to 7020 inclusive. 2. If this issue persists, contact Dell Customer Support.	Critical	System
ARO0535	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore request is unsuccessful because the agent cannot start and mount the database.	To resolve this issue: 1. Make sure that the asset source has sufficient memory. 2. Make sure that the directories specified for restore are valid.	Critical	Restore
SYS0055	Issues found in S3 bucket. <exception>		Configure from DDVE UI or contact Dell Customer Support.	Critical	System
ABSD0028	Unable to complete unquiescing because an error occurred while executing script for <assetGroupName>.	The unquiesce operation was unsuccessful because an error occurred during the script run for this asset group.	Run the unquiesce operation manually on the asset group before running next protection job. If the issue persists, contact Dell Customer Support.	Critical	Protection
ACSH0002	Unable to configure the database <asset> belonging to the instance <instance> located on <host> because the PowerProtect DD system details are unavailable to the agent in the configuration request.	The configuration request is unsuccessful because the PowerProtect DD system details are unavailable in the configuration request.	Test by creating another protection policy with the same PowerProtect DD system and assets.Trigger the configuration command again by clicking "Set Lockbox".If this procedure does not resolve the issue, contact Dell Customer Support.	Critical	System
ABN0018	Backup for NAS Asset <asset> promoted to GEN0.	The backup for NAS asset was promoted to GEN0 as the agent could not find previous backup meta data.	Check agent logs for more details to fix the issue or contact backup administrator.	Informational	Protection
UPG0075	The update of all PowerProtect Data Manager components is successfully completed.	The PowerProtect Data Manager component update completed successfully. PowerProtect Data Manager is returned to Operational mode.		Informational	System
ADT1008	Protection Policies <plcName> set <credentialName> to credential.		No action needed.	Informational	Security
ADT0632	SNMP trap host is <operation_name>.			Informational	System

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARO0504	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore request is unsuccessful because the RMAN process is unsuccessful.	To resolve this issue: 1. Make sure that the specified pathnames for database directories are valid. 2. Make sure that the system has sufficient memory. 3. Make sure that the client host and DD have a valid network connection. 4. Make sure that the database is not in a shutdown state during the restore operation.	Critical	Restore
ADT1020	The credential <credentialName> has been created.		No action required.	Informational	Security
ARO0507	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore request is unsuccessful because the agent cannot create spfile from restored pfile.	To resolve this issue: 1. Make sure that the database exists in the system with the same SID, and files from the previous unsuccessful restore have been removed. 2. Make sure that all the spfile parameters specified in the restore request are valid. 3. Make sure that the database is in the shutdown or nomount state, rename the existing spfile under \$ORACLE_HOME/db, and resubmit the restore request.	Warning	Restore
NASRS0005	Restore job started for nas asset <asset>.	Restore job started for nas asset. Please check the log for details.	No action needed.	Informational	Restore
ARF0063	Unable to restore <objectFailed> Active Directory objects.	The restore operation failed to restore multiple Active Directory objects.	To troubleshoot the issue: 1) Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ABNA0003	Unable to complete the <sessionType> operation because the snapshot access path cannot be created for the asset <assetName>.	The snapshot access path cannot be created because the snapshot name for the isilon asset is empty.	Confirm that the PowerScale/isilon array has a license for snapshot capabilities, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABSD0006	Unable to backup the asset <assetName> because a connection with the PowerStore <powerStoreName> cannot be established.	The backup was unsuccessful because a connection to the PowerStore system could not be established. The PowerStore management interface credentials might be invalid.	Verify that the PowerStore management interface credentials are correct, and then retry the operation.	Critical	Protection
ARP0008	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because of an authentication mode mismatch.	The backup copies cannot be replicated because of an authentication mode setting mismatch between storage systems. Both storage systems must have two-way or anonymous authentication mode.	Verify that the authentication modes on the source and target systems match. Review the "Enable replication encryption" section in the Administrator Guide for further guidance.	Critical	Replication
CSM0010	Cloud Snapshot Manager plan run failed for plan <plan_name> for tenant <tenant_id>.	The Protection Plan could not complete successfully as some or all the protection jobs failed.	Contact backup administrator with Cloud Snapshot Manager access.	Critical	Protection
ARP0005	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because of invalid source system credentials.	The backup copies cannot be replicated because the username and password for the source storage system are not valid or cannot be detected.	Reenter the login username and password for the source storage system, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Replication
ARGHV0004	Unable to complete the restore of '<assetType>' asset '<asset>' because the job was canceled by the user.	The restore of this asset has been force canceled by the user.	No action is required.	Critical	Protection
ACT0009	<plc>: Cloud recall job was unsuccessful for <assetType> <asset> on <cloudUnit> to <host> because one or more files from the copy created at <copySetTime> cannot be detected.	The backup copy cannot be recalled from the cloud because PowerProtect Data Manager is unable to locate one or more files from the copy on the storage system. These files might have been modified or deleted from the copy.	Follow the procedure in the PowerProtect Data Manager Administration and User Guide to create a log bundle, and then contact Dell Customer Support.	Warning	Cloud Tier
ADSD0013	PowerStore discovery cannot be completed because of an internal server error.	The PowerStore discovery operation was unsuccessful because an internal error occurred.	To resolve the issue, try the following steps:	Critical	Discover
AERR0016	Job '<task>' is canceled because there is no Full backup eligible as the base of the backup to be created by this protection job.	This protection job is canceled because there is no Full backup eligible as the base of the backup to be created by this job.	Check whether protection Full backup schedule is properly configured or whether Full protection job run successfully, if Full backup schedule will come in the future, Manual Full protection job could be triggered first; if prior Full backup protection job failed, follow the corresponding job's "Recommended Action" to take action.	Warning	Protection Policy
ABO0506	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because the lockbox is not registered. The PowerProtect DD system username and password cannot be obtained from the lockbox.	To resolve this issue: 1. Make sure that the IP address or hostname of the PowerProtect DD system is correct. 2. Run the ./ddutil -s command from <RMAN_agent_home>/bin as the Oracle user to verify whether the lockbox is registered with the PowerProtect DD system using the IP address or hostname. Use the same IP address or hostname in the backup request.	Critical	Protection
ARG0006	Unable to restore the <assetType> asset <asset> to the restore path <restorePath> because metadata file for backup <BackupID> is not accessible from the storage target <target>.	The restore cannot be completed because metadata file for the specified backup is not available.	To resolve the issue, make sure that the backup is completed on the specified PowerProtect Data Domain system.	Critical	Restore
ABNA0015	Unable to complete the <sessionType> operation because an empty mount point prevented mounting asset <assetName>.	The operation cannot be completed because the target path is unavailable to mount the asset.	Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ADTS013	The Restore Plan '<originalName>' is cloned to '<newName>'.		No action required.	Informational	Restore Plan
ADA0001	Unable to discover the <resourceType> on host <hostName>.	The application discovery is unsuccessful.	To troubleshoot this issue: 1. Click the export log and review the log file for more details about the error. 2. Retry the operation at a later time.	Critical	Discover
ABSH0010	Unable to protect the database <asset> belonging to the instance <instance> located on <host> because the PowerProtect DD system details are missing in the backup request.	The protection request is unsuccessful because the PowerProtect DD system details are unavailable in the backup request.	Create another protection policy for testing, and include the same PowerProtect DD system and assets. If this procedure does not resolve the issue, contact Dell Customer Support.	Critical	Protection
ARO0508	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore request is unsuccessful because the RMAN process cannot restore the control file.	To resolve the issue, perform the following steps to submit the restore request. If the issue still persists, contact Dell Customer Support. 1. If the dry run option is enabled in the UI, make sure that the RMAN_AGENT_HOME/tmp directory has the available space to create the scripts. 2. Make sure that the /tmp directory has the available space and the required user rights to create the scripts. 3. Submit the restore request.	Critical	Restore
ABO0037	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database because DD Boost connection cannot be closed successfully.	The backup request is unsuccessful because the DD Boost connection cannot be closed successfully.	Restart the backup.	Critical	Protection
ABSH0004	Unable to protect the database <asset> belonging to the instance <instance> located on <host> as the agent cannot construct the hdbsql backup command.	The protection request is unsuccessful because the agent cannot construct the hdbsql backup command.	Contact Dell Customer Support.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ASPU0030	Unable to create a non-root user during the agent service installation.	A non-root user (a pdpmusr or pdpmgrp user without root privileges) cannot be created during the agent service package installation.	Run the following commands to verify that the creation of a local user or group is permitted on this host: -for local group creation, run the groupadd/mkgroup command. -for local user creation, run the useradd command.	Warning	Push Update
ABV0038	VM Direct engine is unable to configure protection for the virtual machine <vmName> on vCenter <vCenterName> because one or more of the selected policy options are unsupported.	The VM Direct engine cannot complete protection of the virtual machines on this host because one or more of the selected policy options are not supported with the Transparent Snapshot Data Mover (TSDM) protection mechanism. A protection policy with TSDM requires Performance optimization mode, with the Exclude swap files from backup and Enable guest file system quiescing checkboxes cleared.	Configure the policy with options that are supported by the TSDM protection mechanism, or move the asset(s) that you want to protect with the TSDM protection mechanism to another policy.	Critical	Protection
ABV0035	VM Direct engine '<vproxy>' is unable to back up the virtual machine '<vmNames>' on vCenter '<vCenterName>' because a cold-migration of the virtual machine is in progress.	The VM Direct engine cannot complete the backup of this virtual machine because a cold-migration is in progress. A cold migration is the migration of powered off or suspended virtual machines between hosts across clusters, data centers, and vCenter Server instances.	Wait for the cold migration to complete, and then retry the operation.	Critical	Protection
ARP0015	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because the retention time <time> is invalid.	The backup copies cannot be replicated because the retention time specified for the replication copy is invalid.	Enter a retention time that is within the minimum and maximum limits, and then retry the operation.	Critical	Replication
ARF0036	Unable to perform the restore because PowerProtect Data Manager was not able to connect to the PowerProtect DD System <DDHostName>.	Make sure that the DD node exists.	The File System agent cannot access the PowerProtect DD System to perform the restore because the PowerProtect DD System is unavailable. Review the error details for more information.	Critical	Restore
ACSD0014	Unable to complete the configuration for asset <assetName> because of a certificate issue with PowerStore <powerStoreName>.	The asset config operation was unsuccessful because of an issue with the certificate.	To resolve the issue: 1. Verify that the PowerProtect Data Manager certificate matches the PowerStore certificate. 2. Make sure that the certificates have not expired. 3. If a certificate update is required, review the procedure in the PowerProtect Data Manager Security Configuration Guide. 4. Reregister the PowerStore system with the PowerProtect Data Manager system, and then retry the operation.If the issue persists, contact Dell Customer Support.	Critical	Protection
ADT1006	Status of asset(s) <assetsName> is marked as DELETED.	The status of these assets is marked as DELETED.	No action required.	Informational	Protection
MON0041	The <daysSinceDeployment> day grace period to resolve PowerProtect Data Manager configuration health issues is about to expire.	The grace period to address PowerProtect Data Manager configuration health issues, which is activated upon deployment, is close to expiry. If there are unresolved health issues when this period expires, the health score might be impacted.	In the PowerProtect Data Manager UI, select Health to view and resolve any outstanding system health issues.	Informational	System
ATO0003	Unable to perform the archival operation because an eligible source copy is unavailable for the asset <assetName>.	Check the source copy selection criteria in the protection policy.	The archival operation was unsuccessful because of the unavailability of the eligible source copy.	Critical	Protection
ARE0003	Recovery is unsuccessful for the database <assetname> because the connection to the PowerProtect DD system is unsuccessful.	Unable to verify the DD Boost credentials from PowerProtect Data Manager. Possible reasons for the issue: 1. The PowerProtect DD might not be reachable. 2. The password for the PowerProtect DD device might have been updated after the set lockbox request. 3. The PowerProtect DD might have been disabled.ARE0003.responseAction = 1. Turn on the PowerProtect DD if it is turned off. 2. Retry the set lockbox request. 3. Log in to the DD device host and run the ddboost enable command. If the problem persists, contact Dell Customer Support.		Critical	Restore
NASBK0006	Snapshot and Slice completed for nas asset <asset> to <target>.	Snapshot and Slice job completed for nas asset. Please check the log for details.	No action needed.	Informational	Protection
ADT7002	Addition of a quick-recovery configuration for the host <hostname> is unsuccessful.	The <direction> configuration for the host <hostname> is not added.	No action required.	Informational	System
ADT5014	The Restore Plan '<name>' is created.		No action required.	Informational	Restore Plan
ADT0239	Manual configuration initiated for <num> asset(s) under protection policy <plcName>.		No action required.	Informational	Protection Policy
ARO0551	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore is unsuccessful for the agent cannot create the local repository for mounting the storage unit.	To resolve this issue: 1. Make sure that the IP addresses or hostnames of the PowerProtect DD system and selected asset source are accessible. 2. Make sure that the Oracle home base pathname has valid Oracle permissions. 3. Make sure that /usr/bin/fusemount has -wsr-xr-x permissions, if the restore request is selected with the BoostFS protocol. 4. Make sure that the NFS export is created in the selected PowerProtect DD system, if the restore request is selected with the NFS protocol.	Critical	Restore
ASSD0014	Unable to process the local snapshot for the asset <assetName> because the replication session is not in an "OK" state.	The local snapshot operation was unsuccessful for this asset because the replication session is not in an "OK" state.	To troubleshoot the issue: 1.Verify the replication session state for the asset on the PowerStore system. 2.If the replication session is operating correctly, then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARF0015	Unable to obtain data from the backup performed at <backupTime> for the asset <assetName>.	The restore cannot be completed because the selected backup copy is invalid.	Verify that a valid backup copy is selected for the restore and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARNA0011	Unable to complete the <sessionType> operation because the target share protocol version <tgtProtocol> and source share protocol version <srcProtocol> do not match.	There is a mismatch between the target and source protocol versions. The target share protocol requires the same version or a version that is higher than the source share protocol.	Select a target with a version that is compatible with the source protocol version, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ABO0027	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database because Oracle bus writer cannot connect to libzmq library.	The backup request is unsuccessful because the Oracle bus writer cannot connect to the libzmq library. Possible causes of the issue: a) The libzmq library was not initialized. b) The libzmq process stopped during the backup.	Make sure that the \$RMAN_AGENT_HOME/lib/libzmq.so.5 file exists. Make sure that the libzmq process is not stopped forcefully. Reinstall the agent.	Critical	Protection
ABHV0012	Unable to back up the virtual machine '<vmNames>' because it has not reported its virtual disk chains properly.	The backup cannot be completed because the virtual machine has not reported its virtual disk chains properly.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABO0013	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database because the PowerProtect DD system storage unit is not entered in the request.	The backup request is unsuccessful because the PowerProtect DD system storage unit is not entered in the request.	Make sure the IP/hostname of the PowerProtect DD system is correct and submit the configuration request. Then submit the backup request. Complete the following steps to submit the configuration request: 1)Select Protection > Protection Policies. 2)Select the required asset. 3)Select Edit > Objectives > Primary Backup. 4)Select the PowerProtect DD system, and save the changes.	Critical	Protection
ARA0036	Unable to perform the restore of the <assetType> asset <asset> because the application agent version on the destination host <hostName> is incompatible with PowerProtect Data Manager.	The restore is unsuccessful because the application agent version on the destination host is incompatible with the PowerProtect Data Manager version.	Refer summary section of details pane to check agent error message. Verify that the application agent version on the destination host is 19.16 or later.	Critical	Restore
MON0047	Post upgrade migration of activities process has been completed successfully within <duration> minutes, with a total of <total_activities> activities processed.	Post upgrade migration of activities process has been completed successfully.	If there are any issues after the migration, please contact Dell Customer Support.	Informational	System
ASDS0009	An exception occurred while discovering Applications System for AddOn <AddOnName> on host <hostName>: <errors>.	The Application System discovery was unsuccessful.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ARSD0014	Unable to restore the backup to <assetName> because the snapshot created at <snapshotCreationTime> is not available in the PowerStore <powerStoreName>.	The restore operation was unsuccessful for this asset because the snapshot is not available in the PowerStore. This can occur if the snapshot is expired and removed from PowerStore but the snapshot metadata still exists in PowerProtect Data Manager.	Choose another snapshot for this asset to perform the restore.	Critical	Restore
ARP0014	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because the source backup copy cannot be detected.	The backup copies cannot be replicated because the source backup copy scheduled for replication cannot be detected.	Verify that the source backup copy is available for replication, and then retry the operation.	Critical	Replication
UPG0106	Kubernetes Protection Engines update failed: <errorMessage>.		Contact Dell Customer Support.	Critical	System
ADN0005	Unable to discover the NAS asset source <assetSource> because the following error occurred when processing the discovery job <jobid>: <error>.	Discovery of this NAS asset source <assetSource> is cannot be completed because an error occurred during the discovery job processing.	Review the log files at /var/log/brs/discovery-service/discovery-service.log for more information and to troubleshoot the issue. If the issue persists, contact Dell Customer Support.	Critical	Discover
ABO0040	PowerProtect Data Manager Oracle agent cannot launch the script to synchronize with the recovery catalog after the backup of the Oracle database <SID> with database ID <DBID> because of an internal error.	The backup request is unsuccessful because the agent cannot launch the Recovery Manager catalog.	To troubleshoot this issue: 1. Make sure that the Agent Service version is the same or later than the Oracle RMAN Agent version. 2. Set the Oracle Recovery Catalog information in the protection policy's Set Credentials.	Critical	Protection
ACSD0003	Unable to complete the array configuration for asset source <managementName> because a timeout occurred while establishing a connection with the PowerStore <powerStoreName>.	The array configuration was unsuccessful because of a Powerstore connection timeout.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running.If the issue persists, contact Dell Customer Support.	Critical	Protection
ARK0004	Unable to restore namespace <asset> to Kubernetes cluster <k8sClusterName> because of a CSI driver issue.	The restore of this namespace to the destination Kubernetes cluster was not successful because the CSI driver did not bind the persistent volume to the PVC created by PowerProtect Data Manager.	Review the CSI driver logs to verify that the CSI driver is fully functional and able to dynamically provision persistent volumes.	Critical	Restore
SYS0030	Unable to apply changes to network <networkNames> for IPs <IPs> because the operation timed out.	The network changes were not applied because a timeout occurred while connecting to the vProxy or Search component. When applying network changes, the timeout period is 30 minutes.	In the PowerProtect Data Manager UI: 1) Select Infrastructure > Networks. 2) On the Networks window, select the network and click Retry.	Critical	System
ABA0013	Unable to cancel the backup job for <assetType> asset <asset> on host <hostname> because the agent is unable to complete this operation. The backup job might have completed before the cancel operation was started.	Agent denied the cancel request.	Check agent logs for more details.	Warning	Protection
ABS0001	Backup of <asset> is skipped from backup on <hostname> \ <instance>.	Database name is too long. Maximum supported length of database name is 128 characters.	If database <asset> name is more than 128 characters long on host <hostname>, rename the database.	Critical	Protection
ADT1003	Host <hostName> set <credentialName> to credential.		No action needed.	Informational	Security
ARNA0012	Unable to create the folder path <location> for the file level restore of asset <assetName> and transaction ID <txnId>.	The separate folder that is required to perform the file level restore of this asset cannot be created.	Retry the operation. If this issue persists, contact Dell Customer Support.	Critical	Restore
ARP0025	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because the API request is invalid.	The backup copies cannot be replicated because the content of the request is invalid.	Enter a valid request body.	Critical	Replication
MON0033	A system disaster backup has not been performed in the last <backupPolicyHours> hours.	The latest system disaster recovery backup does not meet the protection policy service level agreement requirements. There should be at least one system disaster recovery backup performed within the defined policy schedule.	Verify that the system disaster recovery backup is properly configured. In the PowerProtect Data Manager UI: 1) Click the Settings icon and select Disaster Recovery. 2) Go to Configuration and select "Enable Backup". If the issue persists, contact Dell Customer Support.	Warning	System
ARF0037				Critical	Restore
ARP0032	All replication jobs have been successfully restarted.	The replication service is in running and all replication jobs have restarted.	No further action required.	Informational	Replication
IAMADT3011	AD group <arg1> has been revoked the role(s): <arg2>.			Informational	Security
ARG0010	Unable to restore the <assetType> asset <asset> to the restore path <restorePath> because a lock file is present in the path <lockFile>.	The restore cannot be completed because a lock file is present in /opt/dpsapps/GenericApplicationAgent/tmp installation directory.	To resolve the issue, make sure that from backup or restore jobs are not running, delete the lock file inside the /tmp directory of the application agent and retry the restore.	Critical	Restore
ALA0013	Unable to export the logs because of an unknown host exception.	Unable to export the logs due to an unknown host exception. There is an issue with DNS name resolution or host details are not available.	To resolve the issue: 1.Verify the external DNS server is able to resolve the hostnames. 2.Verify DNS information is present in the /etc/resolv.conf file. If the problem persists, contact Customer Support.	Critical	Export Log
ABNA0002	Unable to create a backup request file for the asset <assetName> at location <location>.	The backup payload JSON for the backup engine cannot be created.	To troubleshoot the issue: 1) Connect to the NAS protection engine console and verify that there is available disk space, and then retry the operation. 2) Check the network connection between PowerProtect Data Manager and the PowerProtect DD and that the corresponding Storage Unit (SU) is accessible. If the issue persists, contact Dell Customer Support.	Critical	Protection
UPG0040	PowerProtect Data Manager system update is rolled back because the update was canceled.	The PowerProtect Data Manager update cannot be completed because the update was manually canceled. The system has been rolled back to the previous version.	When an update is canceled, a precheck must be run before retrying the update. Run an update precheck and resolve any critical issues. When the precheck completes successfully, retry the operation.	Warning	System

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
AAA0007	Unable to complete the archive operation because the connection to the DD is unsuccessful.	The archive operation cannot be completed because the DD connection cannot be established.	To troubleshoot this issue: 1. Check the vendor-specific message for more details and address any requirements. 2. Verify that the DD connection exists. 3. Make sure that the credentials provided for the DD are valid.	Critical	Protection
ASPU0012	The call to set the maintenance mode to the specified mode for the agent is unsuccessful with an exception.	The call to set the maintenance mode to the specified mode is unsuccessful for the agent. The operation timed out. The process performing the operation had to be exited.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs and the agent logs at the agent's installation directory, INSTALL_DIR. You can retry the push update operation may be retried.	Critical	Push Update
ADT1023	Disaster Recovery backup <id> was unsuccessful for <system>.		No action needed.	Critical	Server Dr
IAMADT3040	User <arg1> has removed the SMTP server: <arg2>.			Informational	Security
APO0015	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database <SID> with database ID <DBID> because the PowerProtect DD system cannot be connected.	The delete operation is unsuccessful because the connection to the PowerProtect DD system is unsuccessful.	To resolve this issue: 1)Make sure the IP/hostname of the PowerProtect DD system is correct. 2)Ping or use a similar network tools on the host to check the network access to the PowerProtect DD system. 3)Run the ./ddutil -s command from <RMAN_agent_home>/bin as the Oracle user to verify whether the lockbox is registered with the PowerProtect DD system using the IP address or hostname. Use the same IP address or hostname in the delete operation.	Critical	Protection Copy
ACF0001	Unable to configure the <assetName> located on <hostName> because the following error occurred: <errString>.	Review the ddfscon.log for more information to troubleshoot the issue. If the issue persists, contact Dell Customer Support.	The configuration is unsuccessful because an error occurred.	Critical	System
ARF0035	Unable to restore the file or directory <fileOrDirName> to the <targetPath> because the following error occurred:<errString>.	Verify that you have the required permissions and sufficient space on the destination path, and then retry the operation.	The restore cannot be completed because a system error occurred while restoring a file or directory. Review the error details for more information.	Critical	Restore
APO0022	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database as the Oracle database version is unavailable.	The required 'Oracle_DBVER' information is not available in the delete request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection Copy
ABS0006	Backup of <asset> is skipped from backup on <hostname> \<instance>.	The current database is a system database. Backups of system databases are skipped because of the PowerProtect Data Manager protection policy.	Clear the 'Exclude System Databases' checkbox in PowerProtect Data Manager protection policy. Steps: 1. Go to Protection -> Protection Policies 2. Select the required protection policy. 3. Select 'Edit' and go to the 'Options' page. 4. Clear the 'Exclude System Databases' checkbox.	Critical	Protection
SYN0101	Server Sync has encountered an unexpected error.	The Server Sync job is not successful because of an unexpected error.	The sync operation automatically retries the job at a later time.	Critical	System
APU0001	Unable to <operationType> because of a server error.	This operation cannot be completed because an internal server error occurred while processing the request on the PowerProtect Data Manager server.	To troubleshoot the issue, click Export Log, check the exported logs from PowerProtect Data Manager, and review the log file for more details.	Critical	Push Update
ADT6028	Anomaly detection settings for the asset <assetName> is modified.			Informational	Protection Source
ARP0009	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because the protection policy was not detected.	The backup copies cannot be replicated because the protection policy that includes these assets cannot be detected.	Review the protection policy configuration to verify that the policy that includes these assets is valid, and then retry the operation.	Critical	Replication
RMS0004	Conditions of the file rule <ruleName> are changed.	The conditions of the file rule were successfully updated.	No action required.	Informational	Protection
ABO0009	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database with database ID <DBID> because the Oracle SID cannot be obtained from the database ID.	Unable to connect to the database.	Make sure that the database is running during the backup.	Critical	Protection
UPG0027	Integrated Storage is new or not installed. update will be skipped.			Informational	System
NR0005	Unable to complete asset configuration cleanup activity on the Reporting Engine <reportingEngine>.	The asset configuration cleanup activity on the Reporting Engine was unsuccessful. Review the /var/log/brs/monitoring/monitoring.log for more details.	The cleanup operation on the Reporting Engine will be retried automatically at 12 AM.	Critical	Reporting
ARG0004	Unable to restore the <assetType> asset <asset> because of the invalid restore path <restorePath>.	The restore cannot be completed because the restore path is not valid.	To resolve the issue, make sure that the restore path exists in the host before performing another restore.	Critical	Restore
CIERR0001	Protection policy <plc> is configured successfully but its schedulers might not yet be configured because an unexpected error occurred.	An unexpected error occurred when trying to configure schedules for this protection policy. As a result, the protection policy's scheduled operations might not meet expectations.	Retry the protection policy configuration at a later time. If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
IAMADT3013	Multi-factor authentication disabled.			Informational	Security
ABVSD0010	Unable to complete the <operation_name> for the asset <asset_name> because a data read error occurred.	This operation cannot be completed because an error occurred during the data read stream.	To troubleshoot this issue: 1) Verify network connectivity to the DD system. 2) Make sure that the user credentials used to connect to the DD system are valid and have sufficient privileges to perform this operation. 3) Retry the operation.	Warning	Protection
ABHV0018	Unable to back up the virtual machine '<vmName>' because the storage volume '<volumeName>' that contains the virtual machine's disk(s) has '<freeSpacePct>% free space, which is below the checkpoint free space threshold of '<freeSpaceThld>%'.	The backup cannot be completed because the configured checkpoint free space threshold is exceeded.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. Free up space on given volume as per the threshold. 3. Retry the backup after ensuring sufficient free space.	Critical	Protection
UPG0130	Failed to execute bin file while initiating Block Volume Protection Engines update.		Contact Dell Customer Support.	Critical	System
ADRS0009	Server Disaster Recovery backup was unsuccessful for policy <policyName> because of failure from PowerProtect Data Domain while accessing <suName> storage target .	The Server Disaster Recovery backup cannot be completed.	Make sure that the Protection Storage and the shared storage device paths are accessible from the PowerProtect Data Manager appliance.	Critical	Protection
ABG0023	Skipped the backup of <asset> on the host <hostName> because the data is unavailable for backup.	The backup is skipped because there is no data for backup since the previous backup.		Warning	Protection
ADP0003	Unable to delete the copies <copyDeletionFaiilds> because of a storage issue.	The identified backup copies cannot be deleted because an issue on the storage system.	To resolve this issue: 1. Click the export log and review the log file for more details about the error. 2. Verify that the PowerProtect Data Domain is up and running. 3. Verify that all the required ports are open on PowerProtect Data Domain. Delete operations for these copies will be retried on the next day.	Critical	Protection Copy
SYS0051	Memory and free swap space available on host <hostName> is very low. Available memory is currently <capacity>.	The available memory and free swap space on the host is less than than the 5% required by PowerProtect Data Manager.	If the issue with low memory persists, add additional 4GB memory. For help optimizing memory, contact Dell Customer Support.	Critical	System
ARP0006	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because of invalid target system credentials.	The backup copies cannot be replicated because the username and password for the target storage system are not valid or cannot be detected.	Reenter the login username and password for the target storage system, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Replication
ASDS0031	The request is rejected because an unauthorized IP address <client> attempted to access the URL <requestpath> for the agent-service IP address <app_agent_ip>.	The request was rejected because an unauthorized IP address attempted to access the agent-service.	To troubleshoot this issue, review the log files at the following location for more information about the error: INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs	Critical	Security
ADT1022	Disaster Recovery backup <id> is started for <system>.		No action needed.	Informational	Server Dr

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARSD0004	Unable to restore the backup to <assetName> because the PowerStore <powerStoreName> is unavailable.	The restore operation was unsuccessful for this asset because PowerProtect Data Manager cannot detect the PowerStore system.	To troubleshoot the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARV0030	VM Direct engine is unable to restore the virtual machine '<vmName>' on vCenter '<vCenterName>' because the virtual machine is not running.	The VM Direct engine cannot complete the restore of this virtual machine because the engine is unable to verify that the virtual machine is powered on.	Verify that the virtual machine is running, and then retry the operation.	Critical	Restore
EPERR0009	Unable to complete the requested operation because the execution plan does not exist.	The requested operation cannot be completed because an execution plan is unavailable for an unknown reason.	Contact Dell Customer Support.	Critical	Protection Policy
IDXD040	Indexing job failed due to an internal server error. <indexActivityErrorMsg>		If the issue persists, contact Dell customer support.	Critical	System
CPLE0008	Unable to delete storage unit user <username> on storage system <storageSystem>.	The storage unit user identified cannot be deleted from the storage system because of a storage system or connectivity issue.	To troubleshoot this issue: 1) Make sure that PowerProtect Data Manager can access the storage system. 2) Verify that the storage system username and password are still valid. If the issue persists, contact Dell Customer Support.	Warning	Compliance
UPG0043	An internal server error occurred during precheck: <exception>.		Contact Dell Customer Support.	Critical	System
ABMS0004	Unable to update the copy retention time for some of the selected copies of the asset <assetName> because an error occurred in the PowerStore <powerStoreName>.	Updating copy retention time for some of the selected copies was unsuccessful because an error occurred in the PowerStore.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information to troubleshoot the error, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARHV0003	Unable to validate the backup history metadata and prepare restore targets to be restored because the following error occurred: <errString>	The validation and preparation of the restore targets could not be completed successfully based on the backup history metadata.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. Verify the restore options are correct. 3. Retry the restore operation.	Critical	Restore
ABV0006	VM Direct engine '<vproxy>' is unable to back up the virtual machine '<vmName>' on vCenter '<vCenterName>'.	Protection of this virtual machine by the VM Direct engine cannot be completed because the backup was unsuccessful.	Review the error details and summary log in the Jobs window, or export the job logs and review the log files for more information. If the issue persists, contact Dell Customer Support.	Critical	Protection
ADT0609	Auto support has been enabled.			Informational	System
AHC0020	Unable to send the certificate regeneration notification request to the host <hostName> because the certificate regeneration is only supported on Application agents running version 19.17 or later.	The certificate regeneration notification request cannot be completed because the installed application agent version is lower than the minimum required version of 19.17.	To resolve this issue, manually update the agent on the application host to version 19.17 or later. Push update of Agent will not work in this case.	Critical	App Host Configuration
ABG0020	Unable to backup <asset> on the host <hostName> because the lockbox creation is unsuccessful.	The lockbox creation has an issue as BoostFS might not be installed or have the required permissions in the mount_path directory of the Generic Application agent installation directory.	To resolve the issue, verify that latest BoostFS is installed and application agent has permissions to the BoostFS installation directory.	Critical	Protection
ADT0140	Unable to create a credential of type POWERPROTECT for the default local admin account because this operation is not permitted.	Create a new local admin user account on the target appliance, using a different username than the default local admin account, and then create the POWERPROTECT credential for this account.	Use an account that is not the local default admin account to create the POWERPROTECT credential resource.	Informational	Security
AGRA0003	Unable to register the agent because PowerProtect Data Manager cannot transfer the TLS certificates to the agent host <hostName>.	The agent registration cannot be completed because PowerProtect Data Manager is unable to transfer the TLS certificates to the agent host.	To troubleshoot this issue: 1) Check the network connectivity between PowerProtect Data Manager and the agent host. 2) Ping or use similar network tools on the host to check the network access to PowerProtect Data Manager. 3) Verify that the agent service is running on the agent host. 4) Review the logs at /var/log/brs/adm/adm.log for more information about the issue. If the issue persists, contact Dell Customer Support.	Critical	System
ASDS0004	Discovery of missed/deleted AddOns failed on host <hostName> because of the following errors: <errors>.	Discovery of missed/deleted AddOns was unsuccessful.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ABSD0035	Unable to get the host or host group from the masking view <maskingView> for the asset <assetName>.	The host or host group could not be obtained from the masking view for this asset.	To troubleshoot this issue: 1. Verify proxy host zoning with array and check the masking view exists or not for the proxy storage group 2. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 3. Retry the operation at a later time.	Critical	Protection
ADT0701	Server Disaster Recovery backup configuration's <fieldChanged> has been changed.		No action needed.	Informational	Server Dr
ARO0023	PowerProtect Data Manager Oracle agent cannot perform the online database restore for the Oracle database because the database open operation is unsuccessful.	The restore request is unsuccessful because the agent cannot open the database.	To troubleshoot this issue: 1) Enable the debug logs to obtain more information about the failure. 2) Make sure that the database is mounted. 3) Make sure that the SCN/timestamp/log-sequence database target path specified for the restore is correct. 4) Make sure that the database is not shut down during the restore.	Critical	Restore
ABHV0020	Unable to perform RCT extents processing for the disk <diskName>.	The datamover operation cannot be completed because performing RCT extent processing for the disk was unsuccessful.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. If the issue persists, enable the "Promote Synthetic Full Backup to Full Backup" option and retry the operation.	Critical	Protection
ARE0005	Recovery is unsuccessful for the database <assetname>	An internal server error occurred, which has caused the unsuccessful database recovery.	Select one of the following options: 1. Check the msagentrc logs available in the MSAPPAGENT logs directory on the host <hostname>. 2. Check the export logs from PowerProtect Data Manager for more details.	Critical	Restore
ARF0049	Unable to locate the parent container for the Active Directory object <objectDN> in the Active Directory database. LDAP error code: <errCode>, msg: <errString>.	Unable to find the parent container or organizational unit (OU) where the Active Directory object should be located.	To troubleshoot the issue: 1) Click export log. 2) Check the export logs from PowerProtect Data Manager. 3) Review the log file for more details. If the issue persists, contact Dell Customer Support.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARNA0014	Unable to complete the <sessionType> operation because an empty access/source path prevented mounting of the asset <assetName>.	The operation cannot be completed because an internal error occurred when mounting the asset due to the empty access/source path.	To troubleshoot this issue: 1) Check and address the vendor specific message for more details. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ABMS0002	Unable to update the copy retention time for the selected copies of the asset <assetName> because an internal error occurred.	Updating copy retention time for selected copies was unsuccessful because an internal error occurred in the PowerProtect Data Manager system.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information to troubleshoot the error, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ACHP0001	Unable to complete the agent installation.	The agent installation process encountered an error.	Make sure that the system meets the requirements. Check the permissions, verify that no conflicts exist, review the logs, and verify the network connectivity. Run the agent installation as the administrator. Consult the vendor documentation, and reboot the system, if needed.	Critical	Protection Policy
ADSD0023	Unable to discover the Unisphere server <u4pip> because an http client Server error occurred.	The Unisphere discovery operation was unsuccessful because of a http client error.	To resolve the issue: 1. In the Unisphere for PowerMax management interface, verify that this user has the Storage Admin privilege. 2. Make sure that there are not too many discovery requests pending.	Critical	Discover
ABNA0034	Unable to complete the <sessionType> operation because an error occurred.	The NAS agent cannot execute the input command.	To troubleshoot this issue: 1) Check that the PowerProtect DD time and the proxy time are in sync. 2) Check that the proxy can ping the PowerProtect DD. 3) Check that the proxy is in a good state. If not, redeploy the proxy. 4) Validate Storage Unit on PowerProtect DD system is available. 5) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABS0014	Backup of database <asset> on host <hostname> and instance <instance> is unsuccessful.	To enable a backup, the database state must be online. The current database state does not enable a backup. The current state is offline, recovering, restoring, emergency, or suspect. In the PowerProtect Data Manager UI, you can exclude the unprotectable SQL databases from all backups by selecting Exclude Unprotectable Database on the Protection > Protection Policies > Add Policy > Options page.	Change the state of database <asset> on the SQL host <hostname> to online: Connect to the instance <instance> of the SQL server. In Object Explorer, select the server name to expand the server tree. Expand 'Databases', and select the database. Right-click the database, select 'Tasks', and select 'Take Online'.	Critical	Protection
ADT3002	Deleted the report node <reportNodeName>.		No action needed.	Informational	Reporting
ADT0803	Job <activityName> has been requested for cancel.			Informational	Protection
ARV0026	VM Direct engine is unable to restore the virtual machine '<vmName>' on vCenter '<vCenterName>' because of a connection issue.	The VM Direct engine cannot complete the restore of this virtual machine because a connection cannot be established between the VDDK and the ESXi host.	To troubleshoot this issue: 1) Verify that the NBD port on the ESXi host is open. 2) If the ESXi host is busy, wait for some activities to complete and then retry the operation.	Critical	Restore
ABS0009	Transaction log backup of <asset> is skipped from backup on <hostname> \ <instance>.	Log gap is detected in transaction log backup for the database. Log gap is the missing sequence of log backups. This may occur if: 1. Backup is triggered using some other application. 2. Database action resets the log sequence number. 3. Log sequence mismatch occurred for unknown reason.	Perform a full backup for the database <asset> to reset the log sequence number and then perform transaction log backup.	Critical	Protection
ABF0020	Unable to start the VSS MBS emitter process on the host <hostName> because the following error occurred: <errString>.	The backup of this asset cannot be completed because an error occurred when starting the VSS MBS emitter process.	Review the log messages for more information to troubleshoot the issue. When the issue is resolved, retry the operation.	Critical	Protection
ADSD0017	Unable to discover the PowerMax system <powerMaxId> because the specified storage username or password is invalid.	The PowerMax discovery operation was unsuccessful because of an invalid user or password provided.	To resolve the issue: 1. Verify that the credentials used during the Unisphere registration on PowerProtect Data Manager are valid by using these credentials to log in to the Unisphere for PowerMax management interface. 2. Retry the discovery operation after providing valid credentials in the Credentials list. 3. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error.	Critical	Discover
ADT0233	Manual <objectiveType> triggered for <num1> protection group(s) and <num2> asset(s) under protection policy <plcName> to target storage <storages>, with configuration: default retention time <retentionTime>, specified retention time: <extendedRetentionTime> and copy selector is: <copySelector>.		No action required.	Informational	Protection
ABSD0061	Unable to backup the asset <assetName> because the Host Proxy is unavailable.	The backup was unsuccessful because the Host Proxy cannot be reached.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the Host Proxy. 2. Verify that the agent service is running on the Host Proxy. 3. If Host Proxy is deleted, re-add and provide the same in Application Group.	Critical	Protection
ARO0020	PowerProtect Data Manager Oracle agent cannot perform the online database restore for the Oracle database because the agent cannot create the recover scripts.	The restore request is unsuccessful because the agent cannot create the Oracle database recover scripts.	To resolve the issue, perform the following steps to submit the restore request. If the issue still persists, contact Dell Customer Support. 1) If the dry run option is enabled in the UI, make sure that the RMAN_AGENT_HOME/tmp directory has the available space to create the scripts. 2) Make sure that the /tmp directory has the available space and the required user rights to create the scripts. 3) Submit the restore request.	Critical	Restore
IDX0042	Indexing job failed due to invalid credentials while connecting to the Data Domain server. <indexActivityErrorMsg>			Critical	System
ARE0004	Recovery is unsuccessful for the database <assetname>.	The database replication cannot be resumed on the passive nodes of the DAG during recovery, which has caused the unsuccessful database recovery.	1. Check if the Microsoft Exchange services are running properly and if the database is in a healthy state. 2. Resume the database replication manually on all passive nodes of the DAG.	Critical	Restore
AUSD0002	Unable to remove the configuration for the asset <assetName> because a socket timeout error occurred while connecting to the PowerStore <powerStoreName>.	The configuration cannot be removed for this asset because a socket timeout error occurred while querying the data from the PowerStore system.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running.If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
ABVSD0019	Unable to start the backup for the asset <asset_name> because the DD storage is full.	The backup of this asset was unsuccessful because there is insufficient space on the DD system for this backup copy.	Free up storage space in the DD system, and then retry the operation.	Warning	Protection
AUSD0001	Unable to remove configuration for the asset <assetName> because an internal error occurred while processing the request in the PowerStore <powerStoreName>.	The configuration cannot be removed for this asset because an internal server error occurred while processing the request in the PowerStore system.	To troubleshoot this issue: 1) Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. Critical 2) Retry the operation at a later time.If the issue persists, contact Dell Customer Support.	Critical	Protection Policy

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
SYS0085	The following Reporting node(s) are unavailable on the host <hostName>: <nodeNames>.	One or more Reporting nodes are installed in PowerProtect Data Manager but cannot be reached.	Ensure that the Reporting nodes are operational. The PowerProtect Data Manager Administration and User Guide provides troubleshooting information.	Warning	System
ARNA0001	Unable to complete the <sessionType> operation because the slices for the backup copy ID <txnId> cannot be retrieved from the backup metadata file.	The slice details of the backup cannot be retrieved from the metadata file on the PowerProtect DD System because an SQLite error occurred.	To troubleshoot this issue : 1) Confirm whether the backup copy exists. 2) Check and address the vendor specific message for more details. 3) Check the PowerProtect DD System connectivity.	Critical	Restore
ACHP0006	Unable to update the agent on the host.	The process to update the agent on the host encountered an error.	Verify the permissions, check the network connectivity, and make sure that the drive and storage are available. Review the log files for more information.	Critical	Protection Policy
ABS0015	Backup of database <asset> on host <hostname> and instance <instance> is skipped.	To enable a backup, the database must exist on the host. The requested database backup cannot be performed because the database currently does not exist. The database might have been deleted from the host.	Check if the database <asset> exists on the host <hostname>: 1. Connect to the instance <instance> of the SQL server. 2. In Object Explorer, select the server name to expand the server tree. 3. Expand Databases. 4. Check if the database exists.	Critical	Protection
ABO0533	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup request is unsuccessful because the agent cannot locate the Oracle Incremental Merge binary.	To resolve this issue, make sure that the Oracle RMAN agent package is successfully installed and the dbdmoim binary file exists under the installed Oracle RMAN agent home pathname, and resubmit the backup request.	Critical	Protection
UPG0133	Hyper-V Protection Engines update failed: <errorMessage>.		Contact Dell Customer Support.	Critical	System
ARV0024	VM Direct engine is unable to restore the virtual machine <vmName> on vCenter <vCenterName> because the target network was not found.	The VM Direct engine cannot complete the restore of this virtual machine because the destination network for the virtual machine restore cannot be located.	Verify that destination network for the virtual machine restore exists, and then retry the operation.	Critical	Restore
PEN0006	Virtual Machine Protection Engine <protectionEngineName> has been updated successfully.		No action needed.	Informational	Protection Infrastructure
ABG0006	Unable to backup <asset> on the host <hostName> because the application agent cannot create temporary scripts due to a permission/space issue.	The backup cannot be completed because the creation of temporary Script in /opt/dpsapps/GenericApplicationAgent/tmp is unsuccessful due to a permission/space issue.	To resolve the issue, verify the permission/space of the /tmp directory of the application agent.	Critical	Protection
ABNA0047	Unable to specify the security-style for the NFS share <assetName> or its root volume.	The system has detected that either the security-style for the NFS share or the root volume security-style is not specified. This may result in access issues or misconfiguration.	To resolve this issue: 1) Specify the security-style for the NFS share and make sure that it is correctly configured. 2) Verify the root volume security-style is set to an appropriate value for the share. 3) For proper access control, review the security policies and make any necessary adjustments. 4) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARO0518	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database <SID>.	The restore request is unsuccessful because the agent cannot obtain the database role for the restored backup copy.	To resolve this issue: 1. Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later. 2. Make sure the database is not manually shutdown during the restore.	Critical	Restore
CSM0018	Cloud Snapshot Manager expiry failed for Non-CSM snapshots job <job_id> of <account_name>-(<account_number>) cloud account for tenant <tenant_id>.	The cloud provider snapshot service could not delete a snapshot of the resource because the required conditions were not met.	Contact backup administrator with Cloud Snapshot Manager access.	Critical	Protection
ADT0218	<diskNum> VM disk(s) of asset <assetName> has/have been excluded for protection.			Informational	Protection Source
ADT0220	Kubernetes PVC - <pvcName> has been excluded for protection.			Informational	Protection Source
CPM0017	Unable to update retention time for the copies: <copies> because the following issue occurred: <failureReasons>	An issue prevented the updating of retention time for the specified copies.	To troubleshoot the issue: 1) Review the reason for the failure and address the issue. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection Copy
IAMADT3202	User <arg> failed to login to Appliance Shell.			Informational	System
ABO0508	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup request is unsuccessful because the agent cannot validate the parameter settings such as the mount pathname, boostfs installation directory, and boostfs lockbox pathname for the Oracle Incremental Merge operation.	To resolve this issue: 1. Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later. 2. Make sure that the boostfs rpm package is successfully installed. 3. In the PowerProtect Data Manager UI, select the required policy in the Protection Policies window and then click Set Lockbox.	Critical	Protection
UPG0142	Update precheck has detected that this PowerProtect Data Manager is configured for disaster recovery using the NFS protocol. The NFS protocol is no longer supported for disaster recovery.		To enable the update, modify the disaster recovery configuration to use the DD Boost protocol and ensure that at least one successful disaster recovery backup has been created.	Critical	System
PPE0001	Unable to complete the request because another request with the same idempotency key is being processed.	This request cannot be completed because a timeout occurred while waiting for the server to process another request with the same idempotency key.	Verify that the correct idempotency key is specified in the request, and then retry the operation later.	Warning	Protection Policy
ADT0237	The <name> encryption setting is updated.		No action required.	Informational	Security
UPG0028	This component is new and will be installed.			Informational	System
UPG0121	Reverting of the hotfix <hotfixVersion> is successful.	The hotfix has been removed and the software reverted to the previous version.		Informational	System
ABHV0025	Unable to initialize the file <fileName> for backup.	The datamover operation cannot be completed because initializing the file for backup was unsuccessful.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue. 2. Verify that file exist and accessible. 3. The job failure may be due to an ongoing VM migration (storage, live, or quick migration). Please wait for the migration to complete before retrying the operation.	Critical	Protection
ABGHV0009	Unable to start the backup for the <assetType> asset <asset> because the capacity required to back up the asset is <requiredCapacity> but the maximum capacity available on the target Hyper-V Server is <maxCapacity>.	The backup of this asset cannot be completed because a host with the minimum required capacity to perform this operation was not detected.	To resolve the issue: 1. Make sure that the Hyper-V Server has sufficient capacity to perform the backup. 2. When there is sufficient space on the Server, select the job and click Restart to retry the restore.	Critical	Protection
UPG0030	Update RPMs failed to install: <reason>.		Contact Dell Customer Support.	Critical	System
ARGHV0005	Unable to reserve the proxy to restore the <assetType> asset <asset>.	The proxy cannot be reserved for this restore job because the streams are unavailable or an error occurred during the proxy reservation.	Retry the operation at a later time, after the current running restore jobs are completed.	Critical	Restore
SYS0056	Time out waiting DD Virtual Edition become operational.		Configure from DDVE UI or contact Dell Customer Support.	Critical	System
EPERR0007	Unable to complete the request because the job creator service timed out.	This request cannot be completed because a job creator service timeout occurred.	Retry the operation at a later time.	Critical	Protection Policy
ABN0034	Unable to cancel the NAS backup job <jobName> because the following error occurred: <message>	The cancellation request for the NAS backup job cannot be completed, and the job is currently in Running state.	No action is needed.	Warning	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
APO0023	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database <SID> with database ID <DBID> because the copy information is unavailable.	The required 'copies' information is not available in the delete request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection Copy
AUSD0004	Unable to complete the unconfiguration for asset <assetName> because the PowerStore <powerStoreName> is unavailable.	The unconfiguration was unsuccessful because the PowerStore system cannot be reached.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running.If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
PTPP0003	Migration precheck is unsuccessful because of the following error: <errorMsg>	PowerProtect Data Manager encountered an unexpected error during the migration precheck process. This error may be caused by a temporary issue, a configuration problem, or an unknown condition	Retry the precheck. If the error continues to occur, check the system logs for more details about the error. For more assistance, contact Dell Customer Support.	Critical	Migrate
UPG0029	An internal server error occurred during the pre-update phase: <failPhase>.		Contact Dell Customer Support.	Critical	System
UPG0090	Unable to operate on a history update package.		Please check the package ID, and send request for an active package.	Critical	System
UPG0096	Failed to execute bin file while initiating Reporting VM update.		Contact Dell Customer Support.	Critical	System
ABO0530	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup request is unsuccessful because of any of the following reasons: The agent cannot send the backup report after parsing the Oracle Incremental Merge response. The selected asset source is unavailable.	To resolve this issue: 1. Make sure that the IP address or hostname of the selected asset source is accessible. 2. Make sure that the /tmp directory has enough space and resubmit the backup request.	Critical	Protection
ABO0035	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database because Oracle bus writer cannot close the connection to libzmq library.	The backup request is unsuccessful because the Oracle bus writer cannot close the connection to the libzmq library.	Restart the backup or disable the progress monitoring.	Critical	Protection
ACO0503	PowerProtect Data Manager Oracle agent cannot perform the configuration for the Oracle database.	The configuration request is unsuccessful because the agent cannot add the fstab entry.	To troubleshoot this issue: 1. Make sure that the Agent Service version is the same or later than the Oracle RMAN Agent version. 2. Verify that the /etc/fstab file exists, and that any path name inside the /etc/fstab file does not exceed the pathname length limit for that filesystem type or protocol. If the issue persists, contact Dell Customer Support.	Critical	App Host Configuration
AERR0010	Task 'tasks' was canceled because an identical task was still queued.	Task was canceled because an identical task was still under queued state.	To troubleshoot this issue: 1) Review the log files to determine why the previous task is still in queued state. 2) Wait for the previous task to complete, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
CFG0016	Unable to configure the protection policy because of an unknown host exception.	Unable to configure the protection policy due to an unknown host exception. There is an issue with DNS name resolution or host details are not available.	To resolve the issue: 1.Verify the external DNS server is able to resolve the hostnames. 2.Verify DNS information is present in the /etc/resolv.conf file. If the problem persists, contact Customer Support.	Warning	Protection Policy
IAMADT3009	Deregistered <arg1> with server address :<arg2> .user attribute :<arg3>.			Informational	Security
IAMADT3228	Identity Provider <arg1> configurations updated by user <arg2>.			Informational	System
ABGHV0007	Unable to apply retention lock to the copy created at <backupTime> for the <assetType> asset <assetName> from the host <serverOrClusterName>.	The retention lock cannot be set on this copy because an internal error occurred. The operation will be retried periodically.	To troubleshoot the issue: 1. Make sure that the PowerProtect Data Manager can establish a connection to PowerProtect DD. 2. If the issue persists, export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue.	Critical	Protection
ACT0014	<plc>: Cloud recall job was unsuccessful for <assetType> <asset> on <cloudUnit> to <host> because one or more files from the copy created at <copySetTime> cannot be recalled.	The backup copy cannot be recalled from the cloud because PowerProtect Data Manager is unable to recall one or more files from the copy on the storage system. The storage system may not have enough available capacity on the active tier.	Ensure that there is enough available capacity on the active tier for the storage system to complete the cloud recall job, and retry the operation.	Warning	Cloud Tier
ADA0002	Unable to discover <resourceType> on host <hostName> because of an agent issue.	The application discovery was unsuccessful because of an agent issue.	Click export log and review the log file to determine the status of the job or check agent logs for more details.	Critical	Discover
AHC0009	Unable to complete the app host configuration because of a component restart.	The app host configuration cannot be completed because an application component restart occurred while processing the operation.	Retry the operation later.	Warning	App Host Configuration
ADA0017	Backup was successful on the host <hostName> but the copy metadata information is currently unavailable.	The backup of this asset completed successfully but the copy metadata information has not yet been discovered by PowerProtect Data Manager. If the 'Replicate immediately upon backup completion' option is enabled for this protection policy, the replication job for the copy might appear in 'Unknown' or 'Cancel' state. Once the copy metadata is discovered by PowerProtect Data Manager, the copy will be replicated.	Refer summary section of details pane to check agent error message. In the PowerProtect Data Manager UI, go to Jobs > Protection Jobs and click Export Log to review the log file. The copy metadata will be discovered in the next scheduled run.	Warning	System
HMPRO001	The protection policy <POLICY_NAME> failed to protect multiple assets.	Unable to complete the <CATEGORY> backup for <FAILED> assets under protection policy <POLICY_NAME>.	To troubleshoot this issue, go to the Jobs > Protection Jobs or the Alerts page for more information about jobs that did not complete successfully.	Critical	Protection
ASSD0006	Unable to complete the local snapshot for <assetName> because a connection with the PowerStore system <powerStoreName> timeout occurred.	The local snapshot operation was unsuccessful because of a Powerstore connection timeout.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running.If the issue persists, contact Dell Customer Support.	Critical	Protection
ARO0027	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database because of an internal error.	The restore request is unsuccessful because of an SBT error.	To troubleshoot this issue: 1. Make sure that there is sufficient space on the File System. 2. Set the restore configuration's troubleshooting mode to Trace. 3. Run the restore again, and then check the ddbmcon debug log. If the issue persists and the reason for the failure cannot be located, contact Dell Customer Support.	Critical	Restore
ABA0019	<plc>: The protection policy backup is unsuccessful for <assetType> asset <asset> on host <hostName> because the backup type is non-full.	The protection policy backup is unsuccessful because a non-full backup cannot be performed on a selected asset that does not have the latest full backup copy in the protection group.	To resolve this issue, select the asset for backup that has the latest full backup copy in the protection group.	Warning	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARO0557	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore request is unsuccessful because the agent cannot obtain the control file locations for the restore of the database.	To resolve this issue: 1. Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later. 2. Select a different copy for restore and resubmit the restore request.If the issue persists, contact Dell Customer Support.	Critical	Restore
ABN0021	Backup of the NAS asset <asset> completed with some exceptions.	The NAS backup job completed successfully. However, some exceptions occurred. Possible causes include the following: 1) One or more of the files/folders from the backup were skipped. 2) ACLs for one or more files/folders were not backed up. 3) One or more top level folders from the backup were skipped.	Check the log files at /var/log/brs/nasdm/nasdm.log or NAS Agent logs for more details. If the issue persists, contact Dell Customer Support.	Warning	Protection
ARF0025	Unable to read the selected file list from the input file <fileName> for the file-level restore of the backup performed at <backupTime> on the host <hostName>.	The input file does not exist on the host, or you do not have the permissions required to read the file.	To troubleshoot this issue: 1) Verify that the input file exists. 2) Check the read attribute of the file to determine if there is a permissions issue. When the issue is resolved, retry the operation.	Critical	Restore
ABO0532	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup request is unsuccessful because the agent cannot generate the backup response.	To troubleshoot this issue: 1. Make sure that there is sufficient space on the File System. 2. Set the protection policy's troubleshooting mode to Trace. 3. Run the backup again, and then check the dbmoim debug log. If the issue persists and the reason for the failure cannot be located, contact Dell Customer Support.	Critical	Protection
ARSD0010	Unable to cancel the restore for <assetType> asset <asset> on the powerstore <powerstore>. The restore job might have completed before the cancel operation was started.	The asset restore cannot be canceled because the job is already in Completed state.	No action is required.	Critical	Restore
SYN0103	The Server Sync job is not successful because the source server cannot export the data.	The source PowerProtect Data Manager server cannot successfully export the data.	If the disk space on the source PowerProtect Data Manager server is full, free up space under /data01 or configure additional storage.	Critical	System
ADT3001	Deployed the report node <reportNodeName>.		No action needed.	Informational	Reporting
UPG0097	Unable to complete the Reporting VM update because of the following: <errorMessage>.		Contact Dell Customer Support.	Critical	System
ARHV0002	Unable to restore the virtual machine <vmName> because the virtual machine is already registered on this host.	The restore of this virtual machine cannot be completed because it is already registered on this host and the 'Allow virtual machine overwrite' option (~allowOverwrite flag) has not been enabled.	Enable the 'Allow virtual machine overwrite' option, or select the Create and Restore to New VM restore type instead with the 'Apply new GUID' option selected.	Critical	Restore
ACT0013	<plc>: Cloud Tier monitoring was unsuccessful for <assetType> <asset> on <host> to <cloudUnit> because of network connection issues on the storage system.	The cloud tiering monitoring operation cannot be completed because the network connection ended on the storage system. This might have occurred because a connection was never established, or the storage system stopped responding.	Verify that the storage network configuration or connection is correct, and then retry the operation. If the issue persists, contact Dell Customer Support.	Warning	Cloud Tier
SYS0202	Search cluster is in <searchClusterState> state.	Search cluster is in failed state. Indexing and search operations will not be available.	Go to the search cluster page to see the details for the cluster failed state. If you cannot resolve the issue after reviewing the documentation, contact Dell Customer Support.	Critical	System
ADT0224	<plcName>: The Storage Quotas setting <storageQuota> has been changed.		No action needed.	Informational	Protection Policy
ABO0520	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because the RMAN process cannot perform the control file full backup.	To resolve this issue: 1. Make sure that the IP addresses or hostnames of the selected asset source and PowerProtect DD system are accessible. 2. Make sure that the database is not shutdown during the backup. 3. In the PowerProtect Data Manager UI, check for any RMAN or Oracle utility error that starts with RMAN-/ORA- in the Details > Errors > Read More section of the failed protection job, and perform the appropriate action. 4. Resubmit the backup request.	Critical	Protection
ADSD0019	Unable to discover the PowerMax system <powerMaxId> because a connection timeout occurred.	The PowerMax discovery operation was unsuccessful because of a network connection timeout with the Unisphere server.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2. Confirm that there is no packet loss between PowerProtect Data Manager and Unisphere. 3. Make sure that the Unisphere server is running. 4. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error.	Critical	Discover
CPL0010	A protection copy created on <copyTime> for the asset <asset> will be retained for <retentionDuration> because there is no FULL copy on <promotionDate>.	When a valid protection copy within this specific time range cannot be detected, PowerProtect Data Manager searches for any copies outside of this range that can be used for extended retention.		Informational	Compliance
ACSD0024	Unable to complete the array configuration for the asset <assetName> because a connection with the PowerStore <powerStoreName> cannot be established.	The array configuration for this asset was unsuccessful because a connection with the PowerStore system cannot be established.	To troubleshoot this issue: 1) Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2) Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3) Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARA0019	Unable to perform the restore for <assetType> asset <asset> to all hosts because the primary host is unavailable or unresponsive to PowerProtect Data Manager.	The restore to all hosts is unsuccessful because the primary host is unavailable or unresponsive to PowerProtect Data Manager.	Check that the primary host is registered properly with PowerProtect Data Manager.	Critical	Restore
ABN0019	The data on NAS Asset <asset> has been cloud tiered to secondary storage. The backup operation might take more time and data bandwidth.	The data on NAS Asset has file stubs. This means that the data from secondary stubs will be downloaded and then backed up.	No action needed.	Informational	Protection
MON0022	System Support is initializing.	Configuration of System Support for PowerProtect Data Manager is in progress, and might take awhile to complete.	To view the System Support configuration, in the PowerProtect Data Manager UI, click the Settings icon and select Support.	Informational	System
SYN0002	Sync <opType> job on <host> is taking too long to complete and has reached the end of its execution window. The job started at: <startTime> and has been running for <elapsedTime>.	The sync operation job's execution window time has ended and the job will be cancelled.	Please contact your backup administrator.	Warning	Protection
ARHV0035	Unable to perform the <operationName>. Unable to fetch the information about the VM <vmGuid>.		Perform a discovery and retry the operation.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ACSD0017	Unable to complete the configuration for the asset <assetName> because a required resource cannot be located in the PowerStore <powerStoreName>.	The array configuration for this asset cannot be completed because a resource required for this operation is unavailable in the PowerStore system.	To troubleshoot this issue: 1) Review the extended message for more information about the missing resource. 2) Verify that the required resource has not been deleted. 3) Run a manual discovery of the asset source in PowerProtect Data Manager, and then retry the operation.If the issue persists, contact Dell Customer Support.	Critical	Protection
APU0013	Unable to <operationType> because the discovery job is already running.	This operation cannot be completed because the discovery job is in progress.	Wait for the discovery job to complete, and then retry the operation.	Warning	Push Update
ARSD0006	Unable to restore the backup to <assetName> because of a Secure Socket Layer (SSL) certificate issue with the PowerStore <powerStoreName>.	The restore operation was unsuccessful for this asset because there is an issue with the PowerStore system's SSL certificate.	To troubleshoot the issue: 1. Verify that the PowerProtect Data Manager certificate matches the PowerStore certificate. 2. Make sure that the certificates have not expired. 3. If a certificate update is required, review the procedure in the PowerProtect Data Manager Security Configuration Guide. 4. Re-register the PowerStore system with the PowerProtect Data Manager system, and then retry the operation.	Critical	Restore
ABG0013	Unable to backup <asset> on the host <hostName> because the application agent cannot unmount the PowerProtect Data Domain target directory <devicePath> on the host with BoostFS technology.	The backup cannot be completed because the Generic Application agent cannot access the path to unmount the PowerProtect Data Domain target directory.	To resolve the issue, verify the path where the PowerProtect Data Domain target directory was mounted.	Critical	Protection
ARF0060	Unable to obtain the GPO <objectDN> links. LDAP error code: <errCode>, msg: <errString>.	The operation failed with an LDAP error when trying to retrieve the links associated with a Group Policy Object in the Active Directory.	To troubleshoot the issue: 1) Review the specific LDAP error code <errCode> for more information about the error. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ADGHV0004	Unable to complete the discovery job.	The discovery job is unsuccessful because of an unexpected internal error.	To troubleshoot this issue: 1) Review the log files at /var/log/brs/ghvdm/ghvdm.log for more information about the error. 2) Retry the operation at a later time.	Critical	Discover
SYS0066	The task to create the log bundle completed with exceptions.	Review the LogSourceWarning.txt log file for more information.	The logged file count exceeded <logFileCountLimitation>, so the log bundle was truncated at <logFileCountLimitation> entries to prevent a memory error.	Warning	System
ABO0515	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because the RMAN process cannot perform the archive log backup.	To resolve this issue: 1. For OS user authentication, verify the entered username and password. For database or wallet user authentication, make sure that the user has all the required user rights. 2. In the PowerProtect Data Manager UI, check for any RMAN or Oracle utility error that starts with RMAN- in the Details > Errors > Read More section of the failed protection job, and perform the appropriate action. 3. Resubmit the backup request.	Critical	Protection
SYS0063	Unable to obtain the log for the application agent.	The Export Application Log task cannot be completed because an unexpected server error occurred.	Wait a few minutes, and then retry the log export operation.	Warning	System
ALA0002	Unable to export application agent log on the host <hostName> because of a certificate issue.	Export of the application agent log cannot be completed because of an issue with the certificate.	Re-register the agent host with PowerProtect Data Manager, and then retry the operation. If the issue persists, Check the logs manually at INSTALLDIR\DPSAPPS\AGENTSERVICE\logs and INSTALLDIR\DPSAPPS\MSAPPAGENT\logs on the host where the operation was performed.	Warning	Export Log
ACSH0003	Unable to configure the database <asset> belonging to the instance <instance> located on <host> because credentials for the primary PowerProtect DD system cannot be stored on the client machine.	The configuration is unsuccessful because credentials for the PowerProtect DD system cannot be stored on the client machine.	Make sure the configuration of the PowerProtect DD system is done correctly and the PowerProtect DD is reachable.Trigger the configuration command again by clicking "Set Lockbox".If this procedure does not resolve the issue, contact Dell Customer Support.	Critical	System
ACF0004	Unable to configure the <assetName> located on <hostName> because the parameter <parameter> required for configuration is not valid to the Agent in the configuration request. <errString>.	Test by creating another protection policy with the same PowerProtect DD System and assets. Also check the PPDM logs. If the issue persists, contact Dell Customer Support.	The configuration is unsuccessful because the parameter required for configuration is not valid to the Agent in the configuration request.	Critical	System
ABGHV0005	Unable to reserve the proxy to back up the '<assetType>' asset '<asset>'.</td>	The proxy cannot be reserved for this backup job because the streams are unavailable or an error occurred during the proxy reservation.	Retry the operation at a later time, after the current running backups are completed.	Critical	Protection
ACSD0001	Unable to process the array configuration for asset source <managementName> because an internal server error occurred in the PowerStore <powerStoreName> while processing the request.	The array configuration cannot be completed because an internal server error occurred in the PowerStore while processing the request.	To troubleshoot this issue: 1) Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 2) Retry the operation at a later time.If the issue persists, contact Dell Customer Support.	Critical	Protection
ABNA0008	Unable to allocate an instance of the <jobType> protection job object because of insufficient memory.	An instance of this protection job object cannot be allocated because there is not enough memory.	Connect to the NAS protection engine console to verify that there is available memory. If the issue persists, contact Dell Customer Support.	Critical	Protection
CPM0004	Unable to delete agent catalog for <asset> from application agent host <host> within <maxTimeoutDuration> period.	The agent catalog cannot be deleted for this asset because the request to the application agent host timed out.	The catalog deletion will be retried automatically at a later time. Prior to the retry for this job, make sure that there is not too much activity on the application agent host. If this issue persists, contact Dell Customer Support.	Warning	Protection Copy
APU0002	Unable to <operationType> because of a certificate issue.	This operation cannot be completed because of one of the following reasons: 1.The certificate used for agent communication is invalid. 2.The certificate is expired. 3.The certificate cannot be located in agent.	To resolve this issue: 1.Reregister the agent host with PowerProtect Data Manager, and then retry the operation. 2.Make sure that the certificate is not expired. 3.If a certificate update is required, review the procedure in the PowerProtect Data Manager Security Configuration Guide.	Critical	Push Update
ABNA0004	Unable to complete the backup because an unknown error occurred in the backup rollover engine.	The response from the backup rollover engine cannot be processed because of an unknown error.	To troubleshoot this issue: 1) Review the log files at /var/log/brs/nasdm/nasdm.log for more details. 2) Check the Protection Engine health. If there is an issue with the state of the Protection Engine, redeploy the engine. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABO0517	Deprecated message. PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	Deprecated message. The backup is unsuccessful because the agent cannot create a snapshot copy of the <backup_level> backup.	Deprecated message. Contact Dell Customer Support.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ANOD0003	<assetName>: Low severity anomalies detected in the backup copy of the asset performed on "<backupTime>" for the protection policy "<policyName>".	Variation in file metrics or low severity anomalies were noticed in the asset backup on the date indicated. Please verify with security team and take appropriate action.	Verify the backup contents with your security team by performing the following actions: 1. Download the detailed report from the "Infrastructure > Copy Management" window of the PowerProtect Data Manager UI. 2. Analyze the report with your security team. 3. After review, mark the "Low" severity backup copy as "Quarantined" or "Verified Safe" as appropriate. Copy can also be deleted if required. 4. Go to "Infrastructure > Assets" page to do the necessary "Anomaly Detection Configuration" changes if required for assets to get reflected in subsequent backups. 5. Acknowledge the alert and take appropriate actions on the asset.	Informational	Anomaly Detection
ADT0905	Global Metadata Index Expiration has changed from <daysBefore> days to <daysAfter> days.			Informational	Protection Infrastructure
ABO0045	The PowerProtect Data Manager Oracle agent is unable to perform the backup for the instance <SID> with the database ID <DBID> because the database is not running in any of the cluster backup nodes or none of the selected cluster backup nodes are reachable.	The backup request cannot be completed because the database is not running in any of the cluster backup nodes or cluster backup nodes are not reachable.	To resolve this issue: 1. Make sure that the database is up and running in at least one of the nodes from cluster backup nodes. 2. Make sure that the provided service name and port are valid for the selected cluster backup nodes. 3. If the database is not running in the selected cluster backup nodes, set up the backup cluster nodes where the database is running. 4. Resubmit the Oracle backup request.	Critical	Protection
ABSD0046	Unable to get details for the volume <volumeId> while preparing the backup request.	Details for this volume could not be obtained while preparing the backup request because an error occurred.	To troubleshoot this issue: 1. Verify whether source storage group contains the volume or not. 2. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 3. Retry the operation at a later time.	Critical	Protection
ABVSD0013	Unable to complete the <operation_name> for the asset <asset_name> because PowerProtect is unable to start the number of DD streams required.	This operation cannot be completed because an error occurred while initializing the required number of DD streams.	To troubleshoot this issue: 1) Verify network connectivity to the DD system. 2) Make sure that the user credentials used to connect to the DD system are valid and have sufficient privileges to perform this operation. 3) Retry the operation.	Warning	Protection
ARSD0016	Unable to restore the backup to <assetName> because the number of volumes present in the target volume group does not match the number of volumes present in the source volume group.	The restore operation was unsuccessful for this asset because volume count in the source and target volume group does not match.	Choose another target volume group that has the same number of volumes as the source volume group to perform the restore.	Critical	Restore
IAMADT3012	Multi-factor authentication enabled.			Informational	Security
ADT1002	<num> resource(s) assigned to <resourceGroupName>.		No action needed.	Informational	Security
ARSD0022	Unable to restore the backup to <assetName> because the remote snapshot session on the PowerStore <powerStoreName> is not in a "COMPLETED" state.	The restore operation was unsuccessful because the PowerStore system returned an unknown state for the remote snapshot session.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ABG0019	Unable to back up <asset> on the host <hostName> because a lock file is present in path <lock_filePath>.	The backup cannot be completed because a lock file is present in /opt/dpsapps/GenericApplicationAgent/tmp, from running a backup or restore job.	To resolve the issue, make sure that backup or restore jobs are not running, delete the lock file in the /tmp directory of the application agent and retry the backup.	Critical	Protection
ABO0005	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database <SID> with database ID <DBID> because the username and password of the Oracle database cannot be validated.	The backup request is unsuccessful because the entered username and password of the Oracle database are incorrect.	Enter the correct username and password of the Oracle database in the protection backup request. Make sure that the Oracle user has sysbackup user rights.	Critical	Protection
ARK0012	Unable to restore namespace '<asset>' to Kubernetes cluster '<k8sClusterName>' because of an unsupported configuration.	The restore of this Kubernetes namespace was unsuccessful because the specified configuration is unsupported.	If the volumes are being provisioned by a VMware CSI driver, verify that the binding mode of the storageclass is 'Immediate'. If the binding mode is 'WaitForFirstConsumer', change the storageclass of the volume to a compatible storageclass with 'Immediate' binding mode when starting the restore.	Critical	Restore
SYS0107	Inconsistencies detected between the network configuration files and the saved network information.	There are inconsistencies between network configuration files, which might cause the host network to become inaccessible.	Click the gear icon and go to System Settings > Default Network > Configuration Details to reconfigure the network settings.	Warning	System
AAS0001	Unable to complete this job because the agent service was restarted while the job was in progress.	The operation is unsuccessful because the agent service was restarted while job was in progress.	Review the agent service logs at INSTALLDIR\DPSAPPS\AgentService\logs for more information about the incomplete job. When the agent service is restarted, retry the job.	Critical	Agent
ARO0529	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore request is unsuccessful because the agent cannot exit gracefully after starting the Oracle Incremental Merge operation.	Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later.	Critical	Restore
ABN0020	Delete Snapshot job failed for nas asset <asset> to <target>.	Delete Snapshot job failed for nas asset. Please check the log for details.	Check the /var/log/brs/nasdm/nasdm.log for more details. If the issue persists, contact Dell Customer Support.	Critical	Protection
ASDRK004	Unable to complete cloud-native data management server disaster recovery for policy <plc>, because the following error occurred: <err>.	The cloud-native data management server disaster recovery is unsuccessful because an error occurred.	To troubleshoot the error, review the logs by either of the following methods: 1. Export the logs by selecting the job, clicking Export Log, and downloading. 2. Select the gear icon, go to System Settings > Logs, and download the log bundle. If the issue persists, contact Dell Customer Support.	Critical	Cndm Server Dr
CSM0003	Cloud Snapshot Manager snapshot failed for volume <volumeId> of <account_name>(<account_number>) cloud account for tenant <tenant_id>.	The cloud provider snapshot service could not generate a snapshot of the resource because the required conditions were not met.	Contact backup administrator with Cloud Snapshot Manager access.	Critical	Protection
ADT0222	<num> disks of VM '<vmAssetName>' has been reset for protection exclusion.			Informational	Protection Source
ASDS0005	An exception occurred while discovering missed/deleted AddOns on host <hostName>: <errors>.	Discovery of missed/deleted AddOns was unsuccessful because of an agent issue.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
SYS0039	PowerProtect Data Manager automatic configuration success.			Informational	System
ADS0007	<discoveryType> virtual machine asset discovery on the vCenter '<vCenterName>' was unsuccessful because of a vCenter session issue.	Discovery of the virtual machine assets on the vCenter Server cannot be completed due to invalid credentials.	Verify that the provided username and password are valid, update the credentials, and retry discovery. PowerProtect Data Manager will attempt to discover the vCenter at the next scheduled discovery.	Critical	Discover
ADT0141	An identity provider with serverAddress <serverAddress>, port <port>, and serverType <serverType> is created.		No action required.	Informational	Security
CSM0022	Cloud Snapshot Manager snapshot expiry failed for blob container <container_id> of <account_name>(<account_number>) cloud account for tenant <tenant_id>.	The cloud provider snapshot service could not delete a snapshot of the blob container because the required conditions were not met.	Contact backup administrator with Cloud Snapshot Manager access.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARSD0033	Unable to restore the backup to the asset <assetName> because the asset properties in the copy metadata do not match the target asset.	Perform the restore to an alternate location on the original storage system, or to a different storage system.	The restore operation for this asset was unsuccessful because an asset property mismatch exists between the selected copy metadata and the target asset.	Critical	Restore
ADT0613	Lockbox passphrase has been changed.		No action needed.	Informational	System
ABO0512	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because the agent cannot perform the mount operation using the BoostFS protocol.	To resolve the issue, make sure that the BoostFS protocol is enabled and running in the PowerProtect DD system and resubmit the backup request.If the issue persists, contact Dell Customer Support.	Critical	Protection
ARO0012	PowerProtect Data Manager Oracle agent cannot perform the disaster recovery for the Oracle database because the agent cannot create the database recovery scripts.	The disaster recovery request is unsuccessful because the agent cannot create the scripts to perform the database recovery.	To resolve the issue, perform the following steps to submit the restore request. If the issue still persists, contact Dell Customer Support. 1) If the dry run option is enabled in the UI, make sure that the RMAN_AGENT_HOME/tmp directory has the available space to create the scripts. 2) Make sure that the /tmp directory has the available space and the required user rights to create the scripts. 3) Submit the restore request.	Critical	Restore
AERR0027	Unable to cancel job '<job>'. 	This job cannot be canceled successfully at this moment.	To troubleshoot this issue, review the error details and summary log in Jobs window, or export the job logs and review the log files for more information. If the issue persists, contact Dell Customer Support.	Warning	Protection Policy
ABNA0050	Unable to complete the <sessionType> operation because the change file list job creation is unsuccessful for asset <assetName> <apiError>.	The change file list job creation for this asset cannot be completed because an error occurred.	To troubleshoot this issue: 1) Check and verify that the Isilon array version is 7.0 or later. 2) Check and verify that the multiple instances parameter is set to true in the Dell Isilon PowerScale file server. Log in to the Isilon server as root and run this command to check the parameter value: isi_gconfig -t job-config jobs.types.changelistcreate.allow_multiple_instances -output jobs.types.changelistcreate.allow_multiple_instances (bool) = false Run this command to set the parameter to true: isi_gconfig -t job-config jobs.types.changelistcreate.allow_multiple_instances=true 3) Retry the backup.	Critical	Protection
UPG0124	Unable to update the PowerProtect software because there are one or more protection policies with Extend Retention objectives configured, or Extended Retention service level agreements (SLAs) are configured. Extended retention is unsupported in releases 19.15 and later.		Before updating, modify existing protection policies to remove Extend Retention objectives and Extended Retention SLAs. The knowledgebase article KB204454: https://www.dell.com/support/kbdoc/en-us/000204454 provides more information about migrating Extend Retention objectives to multiple Full schedules.	Critical	System
ABSD0055	Unable to unmask the volume(s) <targetVolumes> from the block volume proxy storage group <proxyStorageGroup> on the PowerMax storage array <storageSystem> because an error occurred during cleanup for the following: Asset: <assetName> Storage group: <workingStorageGroupName> Snapshot name: <snapshotName> Snapshot ID: <snapshotId>	The unmasking operation for the specified volume(s) from the block volume proxy storage group was unsuccessful because an error occurred during the cleanup activity.	Perform the following steps to clean up the target device(s): 1. Remove the volume(s) from the block volume proxy storage group. 2. Perform the unlinking operation of the snapshot from the target device(s). 3. Delete the storage group. 4. Delete the volume(s).	Warning	Protection
ADT6010	The script '<scriptName>'<topLevelField> has been changed.			Informational	Protection
CPM0007	Unable to delete <copyCount> copies for the asset <asset> due to an internal server issue or high server load.	The deletion of copies cannot be completed for this asset because the server encountered an internal error or was too busy to process the request.	The service may be experiencing high load, a temporary outage, or maintenance. Please verify that the service is up and running, and try again later. If the issue persists, contact Dell Customer Support.	Warning	Protection Copy
UPG0038	Agents update failed: <errorMessage>.		Contact Dell Customer Support.	Critical	System
UPG0041	PowerProtect Data Manager system update is rolled back because the update was unsuccessful.	The PowerProtect Data Manager update cannot be completed because of issues with the update package.	In the PowerProtect Data Manager UI: 1) Click the arrow next to the package in the Software Update window to view more details about the error. 2) Run an update precheck and resolve any critical issues. When the precheck completes successfully, retry the operation.	Critical	System
ARSD0024	The Instant Access operation on the asset <assetName> failed because the PowerProtect data Manager is unable to retrieve the proxy volume/s from the remote snapshot session instance.	The Instant Access operation was unsuccessful for this asset because the proxy volume is not present in the remote snapshot session instance.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ABA0024	<plc>: Unable to set the Retention Lock for the copies created by the protection policy.	The Retention Lock cannot be enabled for the copies created by this protection policy because the retention time value set for the policy is greater than the maximum retention time set on the PowerProtect DD storage unit.	Make sure to set a retention time for the policy <plc> that is one day less than the maximum retention time set on the PowerProtect DD storage unit.	Critical	Protection
IAMADT3010	AD group <arg1> has been granted the role(s): <arg2>.			Informational	Security
ASDS0001	Discovery of AddOns failed on host <hostName> because of the following errors: <errors>.	The AddOns discovery was unsuccessful due to failed initialization.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
SYN0010	Server Sync cannot login to the remote PowerProtect Data Manager server <dstPDMHost> using the credential resource <credentialResourceName>.	The sync operation cannot login to the remote PowerProtect Data Manager server because the credential is expired.	In the remote PowerProtect Data Manager UI, click on Administration, then Access Control. Select the user account and renew its password. In the PowerProtect Data Manager UI, click on Administration, then Credentials. Select the credential resource and update with the new password.	Critical	System
APO0027	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database <SID> with database ID <DBID> because the information to categorize backup pieces is unavailable.	The delete is unsuccessful because of an issue with the database authentication for the given database parameters.	Make sure that the database is running during the delete operation. Make sure that the database credentials are not modified after the protection policy creation. If the database credentials are modified, configure a new protection policy with the latest credentials.	Critical	Protection Copy
ARF0020	Unable to determine the restore type from the restore command string <cmdString>.	The combination of parameters specified in the restore command string is incorrect.	The parameter '-r the_target_path' is used for image-level restore only. The parameter '-l the_file_list -d new_destination_path' is used for file-level restore only. Avoid specifying both parameters, and then retry the restore with the correct parameters.	Critical	Restore
MON0005	Unable to send an email notification to the email address <emailAddress> because of authentication issues with the user <userName> and email server <emailServer>.	An email notification was not successfully sent to the recipient email address.	To resolve this issue: (1) Go to System Settings > Support > Email Setup to review the authentication credentials for the email server. (2) Send a test email to verify that the authentication credentials are correct.	Critical	System
UPG0099	Failed to query running job. Cannot proceed update.		Check the running job before the update proceeds.	Critical	System

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ADS0003	File system discovery on host <host> failed for agent <agentName>.	File system discovery job failed on host.	Check the connection between PowerProtect Data Manager and the agent host. Verify that the provided credentials are valid. Start a manual discovery to discover all agent assets, or wait for PowerProtect Data Manager to perform the next scheduled discovery. If the issue persists, contact Dell Customer Support.	Critical	Discover
ASSD0022	Unable to create protection copy set for the asset <assetName>.	The protection copy set for this asset cannot be completed because an error occurred when committing the snapshot to the PowerProtect Data Manager database.	To troubleshoot this issue: 1. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 2. Retry the operation at a later time.	Critical	Protection
ABN0035	Unable to delete crawledata directory at the given path <path>	The request for the deletion of the crawledata is unsuccessful, and the directory is present in the given path.	Check the file path and delete manually. If the issue persists, contact Dell Customer Support.	Warning	Protection
ACO0010	PowerProtect Data Manager Oracle agent cannot perform the configuration for the Oracle database because the connection to DD Boost is unsuccessful.	The configuration is unsuccessful because the connection to DD Boost is unsuccessful for one of the following possible reasons: 1. The DD IP or FQDN is unreachable from the client. 2. During the backup protection policy configuration, you selected an existing storage unit, and the password of that storage unit was modified by a DD user from the DD UI or CLI. Note:- The PowerProtect Data Manager UI displays all the storage units created by other policies for which PowerProtect Data Manager has the credentials. During the backup protection policy configuration, you selected a new storage unit, and PowerProtect Data Manager created a new user and storage unit on DD and then sent the credentials to the agent for configuration. During this process, the DD storage unit or user credentials were deleted or modified by a DD user from the DD UI or CLI.	Make sure that the DD is accessible from the client machine and the storage unit details are not modified by any user from the DD UI or CLI. Create a new backup protection policy using a new storage unit.	Critical	App Host Configuration
ABN0042	There was a failure observed while executing post-backup operation and clean-up of snapshot <snapshotName>.	The deletion of snapshot failed during clean up operation. Please note the protection is not impacted by the failure.	Manual Cleanup of Snapshot from corresponding Volume will be needed from the Dell/NetApp Array. In case of NetApp, please note if that failure to clean up the snapshot before the next scheduled backup can lead to backup failures.	Critical	Protection
AMGHV0014	The Hyper-V Agent version <agentVersion> installed on the Hyper-V Server <agentName> doesn't support file level restore.	The Hyper-V Agent version is not 19.20 or higher.	Update the Hyper-V Agent on the Hyper-V Server to 19.20 or higher and retry the operation.	Critical	Restore
CSM0016	Cloud Snapshot Manager file level recovery delete failed for <resource_type> <resource_id> of <account_name>(<account_number>) cloud account for tenant <tenant_id>.	The cloud provider service failed to clean up the created resource because the required conditions were not met.	Contact backup administrator with Cloud Snapshot Manager access.	Critical	Restore
PTPP0009	DD hostname <ddHostname> does not exist in the PowerProtect Data Manager storage systems for the Avamar server <avamarName>.	PowerProtect Data Manager requires that all DD servers defined in the Avamar server are also configured in the PowerProtect Data Manager storage systems. However, The precheck found that the DD hostname is defined in the Avamar server but not in the PowerProtect Data Manager storage systems.	To resolve this issue, add the DD hostname <ddHostname> to the PowerProtect Data Manager storage systems, and then retry the precheck.	Critical	Migrate
ADT0921	Storage unit <suName> <setting> setting has been updated.	Storage unit attributes have been updated.	No action is required.	Informational	Protection
ADT0922	Retention lock compliance mode has been configured and enabled on the PowerProtect Data Manager appliance.		No action is required.	Informational	System
ACSD0002	Unable to complete the array configuration for asset source <managementName> because a socket timeout error occurred while connecting with the PowerStore <powerStoreName>.	The array configuration was unsuccessful because a socket timeout error occurred while querying the data from the PowerStore system.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Protection
NASBK0003	Snapshot and Slice job failed for nas asset <asset> to <target>.	Snapshot and Slice job failed for nas asset. Please check the log for details.	Please check logs for more details to fix the issue and retry once the issue is fixed. If the issue persists, contact your system administrator.	Critical	Protection
SYS0022	The maximum concurrent NBD backup sessions limit of <maxParallelBackups> has been reached on ESXi host <esxHostname>.	Additional backups beyond the limit will be queued.	Refer to https://support.emc.com/kb/543253 for recommendations.	Warning	System
UPG0094	Unable to version check during the software update precheck because this PowerProtect Data Manager instance is configured for Quick Recovery with another PowerProtect Data Manager instance.		The PowerProtect Data Manager software update can proceed, however, some issues might be encountered with Quick Recovery after the update completes if there is a version mismatch between this instance of PowerProtect Data Manager and the remote instance. Check your Quick Recovery configuration and verify that the remote system(s) can be reached.	Critical	System
ACO0501	PowerProtect Data Manager Oracle agent cannot perform the configuration for the Oracle database.	The configuration request with boostfs protocol is unsuccessful because the Oracle user is unavailable.	Make sure that the Oracle username is entered correctly and submit the configuration request.	Critical	App Host Configuration
ADT6008	The script '<scriptName>' purpose has been changed.			Informational	Protection
UPG0034	Failed to execute bin file while initiating VM Direct Protection Engines update.		Contact Dell Customer Support.	Critical	System
ARSD0013	Unable to restore the backup to <assetName> in PowerStore <powerStoreName> to the original location because the asset that is associated with the selected copy is a replica asset.	The restore of the selected copy to the original location was unsuccessful because the asset that is associated with the copy is a replica asset, and all replica assets are read-only.	Perform a restore to the original location using the primary asset copy.	Critical	Protection
SYN0104	The Server Sync job is not successful because the destination server cannot import the data.	The destination PowerProtect Data Manager server cannot successfully import the data.	If the disk space on the destination PowerProtect Data Manager server is full, free up space under /data01 or configure additional storage.	Critical	System
CPLE0018	Copy metadata migration is completed. <success> copies migrated successfully.	Copy metadata migration from the old data model to the new data model was completed successfully.	No action needed.	Informational	Compliance
ARSD0018	Unable to create an Instant Access session because a session already exists for the copy.	The Instant Access operation was unsuccessful because a session already exists.	To troubleshoot this issue: 1) Delete the existing session. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARE0001	Recovery is unsuccessful for the database <assetName>.	The database replication cannot be suspended on the passive nodes of the DAG during recovery, which has caused the unsuccessful database recovery.	1. Check if the Microsoft Exchange services are running properly and if the database is in a healthy state. 2. Suspend the database replication manually on all passive nodes of the DAG and then rerun the recovery.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABSD0043	Unable to locate the Unisphere server <u4pip> while performing the asset backup using vpod.	The ID for the Unisphere server could not be detected during the vpod asset backup.	To troubleshoot this issue: 1. Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2. Make sure that the Unisphere server is running. 3. Perform the discovery operation for the Unisphere server. 4. Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 5. Retry the operation at a later time.	Critical	Protection
ASDR0011	Unable to configure retention lock for the storage unit <StorageUnit> on the Protection Storage <DataDomain> because the following error occurred: <ErrorMessage>	Make sure to review the contents of the storage unit before manually deleting it.	The retention lock that protects this storage unit from manual deletion cannot be enabled.	Warning	Server Dr
ABO0503	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup request is unsuccessful because the agent cannot validate the parameter settings such as the mount pathname, boostfs installation directory for the Oracle Incremental Merge operation.	To resolve this issue: 1. Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13. 2. Make sure that the boostfs rpm package is successfully installed. 3. In the PowerProtect Data Manager UI, select the required policy in the Protection Policies window and then click Set Lockbox.	Critical	Protection
ADT3010	Report export started for <reportName>.		No action needed.	Informational	Reporting
ADT3008	Backup started for the report node <reportNodeName>.		No action needed.	Informational	Reporting
ABSD0063	Unable to execute the <scriptType>-script in Host Proxy <scriptAppAgentName> because a timeout occurred while establishing a connection with Host Proxy.	The script execution was unsuccessful because the Host Proxy connection timed out.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the Host Proxy. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the Host Proxy. 3. Verify that the Host Proxy is up and running.If the issue persists, contact Dell Customer Support.	Critical	Protection
ARSH0007	Unable to restore the database <sourceAsset> to the target database <targetAsset> in the instance <targetInstance> on the host <host> . The backup is located on the storage unit <SU> of the PowerProtect DD <IP>.	The restore is unsuccessful because the connection to the PowerProtect DD of the storage unit could not be established.	Make sure that the IP address of the PowerProtect DD system is correct and reachable.If this procedure does not resolve the issue contact Dell Customer Support.	Critical	Restore
ADT5001	<countofDoc> resources of <indexName> type having <lastDiscoveryStatus> status were permanently removed from the database due to exceeding its time-to-live.		No action needed.	Informational	Protection Infrastructure
AUSD0009	Unable to remove the configuration for the selected asset because SDNG service has restarted.	The asset configuration cannot be removed because SDNG service has restarted.	Restart the job.	Critical	Protection Policy
ADT0405	Service Level Objective <sloName> 'inUse' flag has been changed on <slaName>.		No action needed.	Informational	Compliance
MON0002	Email server <emailServer> is unable to send an email notification to the email address <emailAddress> because the domains are not supported.	An email notification was not successfully sent to the recipient email address. This may be because of incorrect email client settings, or incorrect DNS settings of the domain.	To resolve this issue: (1) Review the email setup configuration to make sure that this configuration allows for sending emails to the recipient domain. (2) Go to System Settings > Support > Email Setup to verify that the email server is set up correctly. (3) Send a test email to verify network connectivity with the email server.	Critical	System
ABSD0022	PowerProtect Data Manager is unable to back up the asset <assetName> because PowerStore system <powerStoreName> cannot process the backup request.	The backup operation was unsuccessful because an error occurred on the PowerStore system while processing the backup request.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information to troubleshoot the error, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARA0030	Unable to perform the restore of the <assetType> asset <asset>.	The restore is unsuccessful because the preferred host is unavailable or unresponsive to PowerProtect Data Manager.	Check the agent service logs for more details.	Critical	Restore
MON0020	The following protection engines require administrator attention: <protectionEnginesNames>.	These protection engines are not operational, and require administrator attention.	In the PowerProtect Data Manager UI, go to Infrastructure > Protection Engines to view more details about the status and troubleshoot the issue. If the issue persists, contact Dell Customer Support.	Warning	System
ABA0025	<plc>: Unable to backup the <assetType> asset <asset> on the active node host <hostName>.	The protection policy backup is unsuccessful because the active node host is not in the registered state.	Refer summary section of details pane to check agent error message. Reregister the agent host with PowerProtect Data Manager, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABO0006	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database <SID> with database ID <DBID> because the connection reference is unsupported.	The required 'connection ref' information is not available in the backup request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection
ABF0012	Unable to take back up for the asset <assetName> on the host <hostName> since because the volume cluster size <clusterSize> is greater than the maximum supported cluster size of <maxClusterSize>.	The backup of this asset cannot be completed because the volume cluster exceeds the maximum allowable size.	Make sure that the volume cluster does not exceed the maximum allowable size. If you cannot decrease the size of the volume cluster, select another volume cluster and then retry the operation.	Critical	Protection
ADT0622	Telemetry setting cloudq protection metrics reporting is enabled.			Informational	System
ADT5010	The Restore Plan <name> is scheduled to run at <runTime>.		No action required.	Informational	Restore Plan
ADT5011	The schedule time for the Restore Plan <planName> is changed.		No action required.	Informational	Restore Plan
ASSD0025	Unable to modify the snapshot for the following asset on the PowerMax storage array <storageSystem> because an error occurred for the following: Asset: <assetName> Snapshot name: <snapshotName> Snapshot ID: <snapshotid>	Modification of the snapshot for the specified asset was unsuccessful because an error occurred.	To troubleshoot this issue: 1). Check the network connectivity between PowerProtect Data Manager and the Unisphere server. 2). Confirm that all the arrays managed by Unisphere are connected and working properly. 3). Verify that the snapshot is present in the array. 4) Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. 5) Retry the operation at a later time.	Critical	Protection
ASBA0004	Unable to back up the asset because the asset cannot be detected.	The backup job was unsuccessful on the application agent host due to the unavailability of the asset during backup operations because the asset is not available.	Verify that the asset is in an available state. If the asset is no longer in use, and has been removed from the asset source, and its status in the PowerProtect Data Manager UI is "NOT_DETECTED" then delete the asset.	Warning	Protection
ARNA0004	Unable to complete the <sessionType> operation because the root path for the asset <assetName> with backup copy ID <txnId> is empty.	The source path for the recovery asset is empty.	To troubleshoot this issue: 1) Check and address the vendor specific message for more details. 2) Retry the operation. If the issue persists, contact Dell Customer Support..	Critical	Restore
ADT0238	Protection policy setting <settingField> is changed.		No action required.	Informational	Protection Policy

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARC0004	<plc>: Protection policy reconfiguration is unsuccessful because of an error in data deletion from the protection storage <target> for asset <asset> from host <host>.	Protection policy reconfiguration cannot be completed because the working directory cleanup on protection storage is unsuccessful.	To resolve this issue: 1. Follow the steps in the documentation to clean up the working directory manually. 2. If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
ABVSD0004	Unable to start the <operation_name> because a connection to the DD system <DD_name> cannot be established.	This operation cannot be started because an error occurred while establishing a connection to the DD system.	To troubleshoot this issue: 1) Verify network connectivity to the DD system. 2) Make sure that the user credentials used to connect to the DD system are valid and have sufficient privileges to perform this operation. 3) Make sure the DD storage unit created for the protection policy exists. 4) Retry the operation.	Warning	Protection
AMGHV0005	Unable to complete the unmount of the backup copy for '<assetType>' asset '<asset>'.	The unmount of the backup copy on the asset is unsuccessful because of an internal error.	To troubleshoot the issue: 1. Retry the unmount job by selecting the job and clicking Restart. 2. If the issue persists, export the logs by selecting the job and clicking Export Log. Review the logs for the reason that the unmount is unsuccessful.	Critical	Restore
ABG0002	Unable to backup <assetType> <asset> on the host <hostName> to the storage target <target> because PowerProtect Data Domain is not accessible.	The backup cannot be completed because PowerProtect Data Domain is not accessible.	Make sure the IP address of the PowerProtect Data Domain system is correct and reachable.	Critical	Protection
ABF0024	Skipping the backup for asset <assetName>. Unable to perform a VSS save operation for the asset <assetName> on the host <hostName> because the following error occurred: <errString>.	The backup of this asset cannot be completed because an error occurred when saving the VSS snapshot.	Review the dfssv.log for more information about the error. When the issue is resolved, restart the VSS service, and then retry the operation.	Critical	Protection
ARF0053	Unable to start the REST server	The REST server startup process failed.	To troubleshoot the issue: 1) Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARHV0009	Unable to restore the file <fileName> because there is insufficient space to complete the restore operation: <errString>	The restore of this virtual machine cannot be completed because there is not enough space available on the target system.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. 2. Review the logs to determine the reason for the error. 3. Verify the amount of available storage on the system and ensure there is enough space to complete the restore. 4. Retry the restore. If the issue persists, contact Dell Customer Support.	Critical	Restore
ASSD0015	Unable to process the local snapshot for the asset <assetName> because a connection with the PowerStore <powerStoreName> cannot be established.	The local snapshot operation was unsuccessful for this asset because a connection with the PowerStore system cannot be established.	To troubleshoot this issue: 1) Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2) Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3) Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABN0028	Unable to process the NAS backup request because the PowerScale/Isilon asset <asset> does not have the zone name and path configured.	The NAS backup request cannot be completed because the zone name and path of the specified PowerScale/Isilon asset are not configured, or the configuration is incorrect.	Make sure the zone name and path are properly configured for the asset, and then run an asset source discovery before retrying the backup request.	Critical	Protection
ARF0052	Unable to initialize the REST server options	Initializing or configuring a REST server failed.	To troubleshoot the issue: 1) Review the configuration of the REST server. 2) Make sure that all required settings are correctly specified, such as the server's listening address, port, security settings, and any other relevant options. 3) Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. 4) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
SYN0009	Server Sync cannot login to the remote PowerProtect Data Manager server <dstPDMHost> using the credential resource <credentialResourceName>.	The sync operation cannot login to the remote PowerProtect Data Manager server because the credential is invalid.	In the PowerProtect Data Manager UI, click on Administration, then Credentials. Select the credential resource and update with the correct values.	Critical	System
AGRA0005	The preference to use the fully qualified domain name as the preferred address cannot be saved because DNS name resolution is disabled.	The fully qualified domain name cannot be selected as the preferred address when DNS name resolution is disabled.	To select the fully qualified domain name as the preferred address: 1. In the UI, select Configure DNS Name Resolution from the Application Agents pane. 2. Click Enable DNS Name Resolution.	Warning	System
AERR0018	Task '<task>' is unsuccessful because network connection issues interrupted communication between services.	This task failed because network connection issues prevented Workflow Manager Service from sending a request to other service.	Verify whether service network configuration or connection is correct, and if network connection issues are resolved, restart or retry the task. If the issue persists, contact Dell Customer Support.	Warning	Protection Policy
ARSD0003	Unable to restore the backup to <assetName> because the connection to the PowerStore <powerStoreName> timed out.	The restore operation was unsuccessful for this asset because a connection timeout occurred between PowerProtect Data Manager and the PowerStore system.	To troubleshoot the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running. If the issue persists, contact Dell Customer Support.	Critical	Restore
ABNA0018	Unable to complete the <sessionType> operation because an empty asset name prevented slicing.	The correct asset name cannot be obtained to slice the asset.	Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ADNC0002	Protection Copy and Protection Copy Set creation for the protection policy <plcid> is successful.	No action needed.	Creation of the Protection Copy and Protection Copy Set for this protection policy completed successfully during the NAS Server Disaster Recovery operation.	Informational	Nas Server Dr
ARV0004	Instant Access session for <vmName> on vCenter <vCenterName> cannot be established because the Instant Access session limit has been reached on <storageSystem>.	The Instant Access session for this virtual machine cannot be established because the Instant Access session limit, which is enforced to avoid random access I/O performance degradation, has been reached on the PowerProtect DD.	Review running sessions in PowerProtect Data Manager, and delete or vMotion any existing sessions to free up Instant Access sessions on the PowerProtect DD.	Critical	Restore
ADN0009	During the asset source discovery, the following network interfaces were detected as unavailable or there were issues with the health status: <interfaces>		To use the network interfaces for backup and restore, review the asset source configuration to determine why the network interface status is DOWN.	Warning	Discover
ABG0009	Unable to backup <asset> on the host <hostName> because the directory <devicePath> is not present in PowerProtect Data Domain.	The backup cannot be completed because the PowerProtect Data Domain target directory path is not present.	To resolve the issue, verify the target directory exists in the PowerProtect Data Domain.	Critical	Protection

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABS0005	Differential backup of <asset> is skipped from backup on <hostname> \ <instance>.	Differential backup type is not supported by Microsoft for the secondary replica of SQL server.	Try performing differential backup of database <asset> on primary replica.	Critical	Protection
PTPP0008	Unable to start the migration because DD systems are not configured for the Avamar server <avamarName>.	PowerProtect Data Manager requires at least one DD system to be configured for the Avamar server before starting the migration process. The precheck found no configured DD systems for the Avamar server.	To resolve this issue, configure at least one DD system for the Avamar server <avamarName> and then retry the precheck.	Critical	Migrate
ACSD0027	Unable to complete the array configuration for the asset source <managementName> because of an issue with the PowerProtect DD user management credentials for <ddManagementUser>.	The array configuration for this asset source was unsuccessful because there is an issue with the management credentials of this user.	To troubleshoot this issue: 1. Make sure that the password is not expired and is up-to-date in PowerProtect Data Manager. 2. If the password is expired, then you must first log in to the PowerProtect DD and change the password of this user. Update the same password of the corresponding user in PowerProtect Data Manager. 3. Make sure that the user is not locked or deleted in the DD system. 4. If the user is deleted, then log in to the PowerProtect DD and create the username <ddManagementUser> with the role 'user'. Update the same password of the corresponding user in the PowerProtect Data Manager Appliance UI under Administration->Credentials. If the issue persists, contact Dell Customer Support.	Critical	Protection
ADSS0006	Unable to delete snapshots for the selected copies because a connection to the PowerStore <powerStoreName> cannot be established.	The snapshots and catalog for these expired copies cannot be deleted because a connection to the PowerStore system could not be established. The PowerStore management interface credentials might be invalid.	To resolve the issue: 1. Verify that the PowerStore management interface credentials are correct, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
PTPP0007	Unable to start the migration. The Avamar server <avamarName> is not in a known controlled state.	PowerProtect Data Manager requires the Avamar server to be in a known controlled state before starting the migration process. In this state, the server condition is stable and predictable, which prevents unexpected activity during maintenance operations.	To resolve this issue, follow the step-by-step instructions in the Dell Knowledge Base article 000170876 to set the Avamar server to a known controlled state. For assistance, contact Dell Customer Support.	Critical	Migrate
NASBK0005	Unable to create indexes for NAS Asset <asset>.	Unable to create search index. Please check the log for details.	Please check search cluster if configured. If already configured, please check the logs for detailed issue or contact backup administrator.	Warning	Protection
ABO0537	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because the selected asset is not protected using Oracle Incremental Merge technology.	To resolve the issue, select the appropriate sub technology and submit the backup request. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABV0039	Unable to update the Transparent Snapshots Data Mover vSphere Installation Bundle (VIB) on the ESXi host '<hostName>' after '<retryCount>' retries.	The update of the VIB on this ESXi host could not be completed after multiple retries during the TSDM backup. The version of the VIB in use prior to the update will be used for TSDM-enabled protection operations.	To manually update the VIB in the PowerProtect Data Manager UI: 1) Go to the Infrastructure > Protection Engines window, and select the Transparent Snapshot Data Movers tab. 2) Select the location within the ESXi host where you want to update the VIB, and then click Upgrade. If the issue persists, contact Dell Customer Support.	Critical	Protection
ARO0022	PowerProtect Data Manager Oracle agent cannot perform the online database restore for the Oracle database because the agent cannot create the scripts for the open database.	The restore request is unsuccessful because the agent cannot create the scripts for the open database.	To resolve the issue, perform the following steps to submit the restore request. If the issue still persists, contact Dell Customer Support. 1) If the dry run option is enabled in the UI, make sure that the RMAN_AGENT_HOME/tmp directory has the available space to create the scripts. 2) Make sure that the /tmp directory has the available space and the required user rights to create the scripts. 3) Submit the restore request.	Critical	Restore
UPG0051	This sub component missed precheck.		Contact Dell Customer Support.	Critical	System
ABGHV0003	Unable to complete the hypervisor virtual machine backup due to an internal error.	The backup of the asset is unsuccessful because of an unknown agent error.	To resolve this issue: 1. Retry the backup job by selecting the job and clicking Restart. 2. If the issue persists, export the logs by selecting the job and clicking Export Log. Review the logs for the reason for backup issue.	Critical	Protection
IAMADT3041	User <arg1> has updated the SMTP server: <arg2>.			Informational	Security
ABA0011	Unable to complete the backup because of a component restart.	The backup cannot be completed because a component restart occurred while processing the operation.	Wait for the component restart to complete, and then retry the operation.	Critical	Protection
ARF0057	An internal error occurred during the operation. Review the logs for more information about the error.	The operation cannot be completed because an internal error occurred.	To troubleshoot the issue: 1) Click export log, check the export logs from PowerProtect Data Manager and review the log file for more details. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
UPG0057	Cloud Native update failed: <errorMessage>.		Contact Dell Customer Support.	Critical	System
IAMADT3001	<arg1> has logged in.			Informational	Security
ARO0004	PowerProtect Data Manager Oracle agent cannot perform the disaster recovery for the Oracle database because the restored spfile cannot be validated.	The disaster recovery request is unsuccessful because the agent cannot validate the spfile restore.	To troubleshoot this issue: 1) Enable the debug logs to obtain more information about the failure. 2) Check the RMAN script logs for more details about the error. 3) Verify that the system has sufficient memory to perform the operation.	Critical	Restore
ABSD0062	Unable to execute the <scriptType>-script in Host Proxy <scriptAppAgentName> because it is unreachable.		To resolve the issue: 1. Validate the Host Proxy IP address, name and status in PowerProtect Data Manager. 2. Check the network connectivity between PowerProtect Data Manager and the Host Proxy. 3. Verify that the Host Proxy is up and running. 4. Verify that the PowerProtect agent service is up and running. ABSD0062.detailedDescription = The script execution was unsuccessful because Host Proxy cannot be reached.	Critical	Protection
ARF0048	Unable to restore the <getAttribute> attribute for the Active Directory object <getDN> in the Active Directory database. LDAP error code: <errCode> msg: <errString>.	Unable to modify objects due to LDAP constraint violation or LDAP processing error in the Active Directory database.	To troubleshoot the issue: 1) Click export log. 2) Check the export logs from PowerProtect Data Manager. 3) Review the log file for more details. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARO0003	PowerProtect Data Manager Oracle agent cannot perform the disaster recovery for the Oracle database because the agent cannot complete the spfile restore.	The disaster recovery request is unsuccessful because the agent cannot perform the spfile restore.	To troubleshoot this issue: 1) Review the RMAN script logs for more details about the error. 2) Verify that the database exists in the system with the same System Identifier (SID). 3) Make sure that the files from the previous failed restore are present. 4) Verify that the system has sufficient memory to perform the operation.	Critical	Restore

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ASDS0016	Discovery of Assets failed on host <hostName> because of the following errors <errors>.	The Asset discovery was unsuccessful due to failed initialization.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. Where INSTALL_DIR is the directory on the user machine where the agent service is installed. If the issue persists, contact Dell Customer Support.	Critical	Discover
ADT0305	<name> setting value updated.		No action needed.	Informational	Protection Copy
ABA0023	Unable to monitor <jobCategory> session of <assetType> asset <asset> in host <hostName> because of an error. The <jobCategory> session might be running on the host <host>.	Monitoring of this session cannot be completed because of an error occurred during monitoring. If the backup session is running on the host and is successful, copies will be discovered for this backup.	Monitor the next few jobs and please ensure network connectivity between agent and PowerProtect Data Manager has no issues and all the services of PowerProtect Data Manager are up and running.	Critical	Protection
AAS0002	Unable to monitor the self-service job since agent-service was restarted while the job was in-progress.	The operation might be in-progress/success/failed as agent service was restarted while the job was in-progress.	Review the agent specific log for more information about the job.	Critical	Agent
ADT0618	Alert retention has been changed.			Informational	System
ABGHV0002	Unable to complete the backup of '<assetType>' asset '<asset>' from '<host>'.	The backup of the asset is unsuccessful because of an internal error.	To resolve this issue: 1.Retry the backup job by selecting the job and clicking Restart. 2.If the issue persists, export the logs by selecting the job and clicking Export Log. Review the logs for the reason for backup issue.	Critical	Protection
ARO0002	PowerProtect Data Manager Oracle agent cannot perform the disaster recovery for the Oracle database because the spfile restore is unsuccessful.	The disaster recovery request is unsuccessful because the spfile for the Oracle database already exists.	To resolve the issue, perform the following steps to submit the restore request. If the issue still persists, contact Dell Customer Support. 1) Make sure that the database is in the shutdown or nomount state. 2) Rename the existing spfile under oracle_home/dbs and submit the restore request.	Critical	Restore
ARO0501	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>'.	The restore request is unsuccessful because of any of the following reasons: The agent cannot create the objects and parameters used to send the job step status for Oracle Incremental Merge to the PowerProtect Data Manager. The Oracle database username and password cannot be validated.	To resolve this issue: 1. Make sure that the IP address or hostname of the selected asset source is accessible. 2. Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later.	Critical	Restore
ADHP0001	Unable to complete the query because of invalid parameters.	The query operation is unsuccessful because incorrect parameters are provided.	Verify the parameters provided, and retry the operation.	Critical	Discover
DIA0005	<count> inconsistent copies detected for asset <assetName> on asset source <assetSource> in data target <dataTarget> due to storage information missing: <copies>	The data in these backup copies is inconsistent because storage information is missing in copy metadata.	Contact Dell Customer Support.	Critical	Compliance
AMGHV0002	Unable to complete the mount monitoring of the backup copy for '<assetType>' asset '<asset>'.	The mount monitoring of the backup copy is unsuccessful because of an internal error.	To troubleshoot the issue: 1.Retry the mount job by selecting the job and clicking Restart. 2.If the issue persists, export the logs by selecting the job and clicking Export Log. Review the logs for the reason that the copy mount monitoring is unsuccessful.	Critical	Restore
ARO0010	PowerProtect Data Manager Oracle agent cannot perform the disaster recovery for the Oracle database because the agent cannot create the database restore, restore preview and restore validate scripts.	The disaster recovery is unsuccessful because the agent cannot create the scripts to perform the database restore, restore preview and restore validate.	To resolve the issue, perform the following steps to submit the restore request. 1. If the dry run option is enabled in the UI, make sure that the RMAN_AGENT_HOME/tmp directory has the available space to create the scripts. 2. Make sure that the /tmp directory has the available space and the required user rights to create the scripts. 3. Submit the restore request. If the issue still persists, contact Dell Customer Support.	Critical	Restore
ADSD0011	PowerStore discovery for <powerstorelp> cannot be completed because a connection timeout occurred.	The PowerStore discovery operation was unsuccessful because the query operation from the PowerStore timed out.	To resolve the issue: 1. Check the network connectivity between PowerProtect Data Manager and the PowerStore system. 2. Confirm that there is no packet loss between PowerProtect Data Manager and the PowerStore system. 3. Make sure that the PowerStore system is running.	Critical	Discover
ABN0044	Issues occurred during the post-backup operations, the update of metadata for disaster recovery during the backup for task <taskId>, and the cleanup of snapshot <snapshotName>.	Unable to delete the snapshot and update the metadata for disaster recovery during the cleanup operations. The protection is not impacted However, for NetApp, the inability to clean up the snapshot before the next scheduled backup can lead to unsuccessful backups.	Manual cleanup of the snapshot from the corresponding volume is required from the NetApp UI. Make sure that the snapshot is cleaned up before the next scheduled backup, to prevent unsuccessful backups. To update the disaster recovery metadata, run a server DR backup. If any issues persist, contact Dell Customer Support.	Critical	Protection
ATO0013	Unable to perform archival of copies for Active Directory database of an asset <assetName> as it is not supported.	Failed to perform archival of copies for File system disaster recovery asset <assetName> as it is not supported.	Refer the admin guide to check the list of supported asset and then retry the archival operation.	Warning	Protection
ARNA0026	Unable to complete the <sessionType> operation because an error occurred.	The NAS agent cannot execute the input command.	To troubleshoot this issue: 1) Check and address the vendor specific message for more details. 2) Validate Storage Unit on PowerProtect DD system is available. 3) Retry the operation. If the issue persists, contact Dell Customer Support	Critical	Restore
ARO0016	PowerProtect Data Manager Oracle agent cannot perform the archive log restore, restore validate and restore preview for the Oracle database because the agent cannot create the required scripts.	The restore is unsuccessful because the agent cannot create the scripts to perform the archive log restore, restore validate and restore preview.	To resolve the issue, perform the following steps to submit the restore request. 1. If the dry run option is enabled in the UI, make sure that the RMAN_AGENT_HOME/tmp directory has the available space to create the scripts. 2. Make sure that the /tmp directory has the available space and the required user rights to create the scripts. 3) Submit the restore request. If the issue still persists, contact Dell Customer Support.	Critical	Restore
MON0026	Unable to perform <healthCheckName> health check.	An error occurred while evaluating the health of the PowerProtect Data Manager system. This might be a temporary error.	To troubleshoot the issue: 1. Generate the PowerProtect Data Manager log bundle. 2. Review the log at the path /var/log/brs/monitoring/monitoring.log within the bundle. If the issue persists, contact Dell Customer Support.	Warning	System
APO0002	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database <SID> with database ID <DBID> because the PowerProtect DD system hostname cannot be obtained.	The required 'ddHostInfo' information is not available in the delete request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection Copy
ADT0607	Job retention has been changed.			Informational	System

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARO0510	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>' with database ID '<DBID>'.	The restore request is unsuccessful because the Oracle Incremental Merge did not validate the Fast Copy folder pathname for the selected database recovery options.	To resolve the issue: 1. To resolve this issue: Make sure that the PowerProtect Data Manager and Oracle RMAN agent are version 19.13 or later. 2. Make sure that the specified database recovery options are valid. In the PowerProtect Data Manager UI, select the valid backup copy and specify the appropriate System Change Number, Time Stamp, or Log Sequence. 3. Make sure that the system has sufficient memory. 4. Make sure that the database is running during the restore. 5. Perform a full backup with Oracle RMAN agent version 19.13 and resubmit the restore request.	Critical	Restore
ABO0528	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup request is unsuccessful because of any of the following reasons: The agent cannot perform the unmount of the PowerProtect DD system storage unit for Oracle Incremental Merge backup. The agent cannot obtain the pluggable database value because the Oracle database is unavailable.	To resolve this issue, make sure that the needed space is available under the /tmp directory of the required asset and resubmit the backup request.	Critical	Protection
AMGHV0001	Unable to complete the mount of the backup copy for '<assetType>' asset '<asset>'.	The mount of the backup copy is unsuccessful because of an internal error.	To troubleshoot the issue: 1. Retry the mount job by selecting the job and clicking Restart. 2. If the issue persists, export the logs by selecting the job and clicking Export Log. Review the logs for the reason that the copy mount is unsuccessful.	Critical	Restore
ABN0017	Unable to cancel NAS backup job '<job>' started at <startTime>.	The NAS backup job cannot be canceled at the Cleanup Operation.	No action needed.	Warning	Protection
ARK0011	Unable to restore namespace '<asset>' to Kubernetes cluster '<k8sClusterName>' because the restore job information is insufficient.	The restore of this namespace to the destination Kubernetes cluster was unsuccessful because information is missing in the restore job.	Review the error details and summary log in the Jobs window or export the job logs and review the log files for more information. If the issue persists, contact Dell Customer Support.	Critical	Restore
ARS0006	Recovery is unsuccessful on '<hostname>' for the database '<assetname>' backed up at <savetime> on <ddHostName> as information was missing from the backup.	The backup may have been discovered by an older version of the application agent and may have a subset of the required information. This issue occurs when you recover from a stand-alone to PowerProtect Data Manager managed system and onboard the stand-alone copies.	Rerun the backup discovery tool. Run AgentBackupDiscovery.exe from MSAPPAGENT bin directory on the host '<hostname>'.	Critical	Restore
ADRS0007	Unable to complete the server disaster recovery for policy '<policyName>' because a connection with the PowerStore system '<powerStoreName>' cannot be established.	The server disaster recovery operation was unsuccessful for this policy because a connection to the PowerStore system could not be established. The PowerStore system's management interface ID or credentials might be invalid.	Verify that the PowerStore management interface ID and user credentials are correct, and then retry the operation.	Critical	Protection
ABE0007	Backup is unsuccessful for '<asset>' from host '<host>' to storage unit <DD_storage_unit> because of network connection issues on the storage system.	Unable to connect to the DD. The backup operation cannot be completed because the storage system network connection ended. This might have occurred because a connection was never established or the storage system stopped responding.	Verify that the storage network configuration or connection is correct, and then retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
ABHV0010	Unable to back up the virtual machine '<vmNames>' because it has not reported all its disk chain metadata properly.	The backup cannot be completed because the virtual machine has not reported the disk chain metadata properly.	To troubleshoot the issue: 1. Export the logs by selecting the job and clicking Export Log. Review the logs for the reason for the issue.	Critical	Protection
ARNA0037	Unable to complete the '<sessionType>' operation because the pre-validation step has failed for the target share '<assetName>'.	Unable to complete the restore operation because the pre-validation step has failed for the target share.	To troubleshoot this issue: 1) Ensure the export rule with ?Read/Write? permissions for the proxy client is ranked higher than any other export rule (if it exists) with ?Read Only? permissions. 2) Verify that the share has sufficient space to perform the restore operation. 3) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Restore
ACSD0016	Unable to complete the configuration for asset '<assetName>' because an internal server error occurred on the PowerProtect Data Manager server.	This configuration cannot be completed because an internal server error occurred on the PowerProtect Data Manager server while processing the request.	Review the log files at /var/log/brs/sdmng/sdmng.log for more information about the error. If the issue persists, contact Dell Customer Support.	Critical	Protection
ASBA0003	The backup job is unsuccessful on the application agent host '<hostName>' because of an issue with the script contents.	The backup job is unsuccessful on the application agent host because the script content cannot be validated.	To resolve this issue, verify the script contents and retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
SYS0201	The indexing of backups has been suspended because the used capacity on the Search node '<searchNodeName>' has reached '<percentUsage>'.	The Search cluster node has reached the storage capacity limit. Backups can still complete successfully, however, indexing operations will be suspended and backups will not be searchable. The PowerProtect documentation provides information on managing the Search cluster capacity.	If you cannot resolve the issue after reviewing the documentation, contact Dell Customer Support.	Critical	System
SYS0091	The free space of the log disk partition '<isAppliance>' is below '<threshold>%'.	The oldest log files are deleted.	Monitor the free space of the log disk partition, and contact Dell Customer Support for assistance.	Critical	System
AUSD0006	Unable to remove the configuration for the asset '<assetName>' because a connection with the PowerStore '<powerStoreName>' cannot be established.	The configuration cannot be removed for this asset because a connection could not be established. The PowerStore management interface credentials might be invalid.	Verify that the PowerStore management interface credentials are correct, and then retry the operation.	Critical	Protection Policy
AHC0015	Sent request to configure CPU throttling percentage on host '<hostName>'.	Configure CPU throttling request sent to host successfully.	No action required.	Critical	App Host Configuration
ADSSD0004	Unable to delete snapshots/catalog for the selected copies because the PowerStore '<powerStoreName>' has been removed from PowerProtect Data Manager.	The snapshots and catalog for these expired copies cannot be deleted because the PowerStore system is not available.	To delete the snapshots/catalog, reconnect to the PowerStore system.	Critical	Protection
ARO0032	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database because the agent cannot update the file relocation parameters.	The restore request is unsuccessful because of an internal error.	To troubleshoot this issue: 1) Verify that the system has sufficient memory to perform the operation. 2) Make sure that the specified file relocation destination exists.	Critical	Restore
ABSH0006	Unable to protect the database '<asset>' belonging to the instance '<instance>' located on '<host>' as connection to the PowerProtect DD system is unsuccessful.	The protection request is unsuccessful because connection to the PowerProtect DD system is unsuccessful.	Make sure the IP address of the PowerProtect DD system is correct and reachable. If this procedure does not resolve the issue, contact Dell Customer Support.	Critical	Protection
ADT0135	Host '<hostName>' connection information has been deleted.		No action required.	Informational	Security
ADN0007	Unable to detect the following network interfaces for the last 7 days: <interfaces> These interfaces will be removed from the active interfaces.		Review the asset source configuration to determine why these interfaces could not be detected. When the issue is resolved and the network interfaces are available, perform a discovery of the asset source.	Warning	Discover
ASDS0027	Discovery of all application systems for add-on '<AddOnName>' is unsuccessful on host '<hostName>' because of the following errors: '<errors>'.	The application system discovery is unsuccessful.	Check the log files at the following locations for more information: On Windows: INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs. On Linux or AIX: /opt/dpsapps/agentsvc/logs.	Critical	Discover
MON0042	Unable to detect the following VM Direct engines: '<protectionEngineNames>'.	These VM Direct engines could not be detected because the protection engines are either unreachable or unresponsive. This issue can occur because of environmental or configuration issues, or the VM Direct engine might be powered off.	Verify that the VM Direct engine configuration is complete and powered on. If the issue persists, contact Dell Customer Support.	Warning	System

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ARK0008	Unable to restore namespace '<asset>' to Kubernetes cluster '<k8sClusterName>' because the credentials for the protection storage unit '<suName>' on '<storageSystem>' are invalid.	The restore of this Kubernetes namespace was unsuccessful because the username or password entered for the protection storage is invalid.	Reenter the username and password for the protection storage unit, and then retry the operation.	Critical	Restore
PTPP0002	Migration is unsuccessful because of the following error: <errorMsg>	PowerProtect Data Manager encountered an unexpected error during the migration process. This error may be caused by a temporary issue, a configuration problem, or an unknown condition	Retry the migration. If the error continues to occur, check the system logs for more details about the error. For more assistance, contact Dell Customer Support.	Critical	Migrate
ABA0004	<plc>: Protection failed for <assetType> <asset> on host <hostName> to <target> due to storage failure.	Protection job failed due to storage failure.	Contact system administrator.	Critical	Protection
ARP0022	<plc>: Replication job was unsuccessful for <assetType> <asset> on <host> to <target> because a storage system timeout occurred during validation.	The backup copies cannot be replicated because the connection to the storage system during validation took longer than expected, and the operation timed out.	If the system is too busy, wait for some activities to complete, and then retry the request. If the issue persists, contact Dell Customer Support.	Critical	Replication
ATO0008	Unable to complete the archival operation because of a component restart.	The archival cannot be completed because a component restart occurred while processing the operation.	Wait for the component restart to complete, and then retry the operation.	Critical	Protection
UPG0138	Data reindexing is required as part of this update. The update might take longer than expected.		You must complete a VM snapshot or DR backup before the update.	Warning	System
AHC0001	Unable to send the host configuration request to the host <hostName>.	The host configuration cannot be completed because an error occurred during the request to the agent host.	1. Create a configuration file named global_config.json in the following directory location On Windows : INSTALL_DIR\AgentService\AddOns\global_config.json On Linux and AIX: /opt/dpsapps/agentsvc/AddOns/global_config.json Where INSTALL_DIR is the directory on the user machine where the agent service is installed. 2. Add the following contents to this file: <pre>{ "settings": { "ddboostEncryptionSettings": { "encryptionOverTheWire": true, "encryptionLevel": "HIGH" } } }</pre>	Critical	App Host Configuration
ADTS004	The Restore Group '<groupName>' is removed from the Restore Plan '<planName>'.		No action required.	Informational	Restore Plan
ABF0009	Unable to access the PowerProtect DD System <DDHostName> to perform backup.	The File System agent cannot access the PowerProtect DD System to perform the backup because the PowerProtect DD System is unavailable.	Make sure that the DD node exists.	Critical	Protection
ACT0008	<plc>: Cloud Tier job was unsuccessful for <assetType> <asset> on <host> to <cloudUnit> because the copies are not full backup copies.	Cloud tiering is only supported for full backup copies.	The copy is not eligible for tiering. Select full backup copies, and then retry the operation.	Warning	Cloud Tier
ABNA0007	Unable to update the metadata for the asset <assetName> on the PowerProtect DD system <ddip>. Cleaning up the backup data.	The metadata cannot be updated for the backup details on the PowerProtect DD system because of a SQLite API failure. Cleaning up data on the PowerProtect DD system.	Verify that there is available disk space on the PowerProtect DD system, and that there is connectivity from the DD to the protection engine. If the issue persists after retrying the operation, contact Dell Customer Support	Critical	Protection
ABO0002	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database <SID> with database ID <DBID> because the entered username and password cannot be validated or the database is unavailable	The backup request is unsuccessful because of any of the following reasons: 1)Oracle database username and password cannot be validated. 2)The TNS name and TNS administrator details cannot be validated for the database or wallet user. 3)The database or wallet user does not have the required user rights. 4)The Oracle database is unavailable.	For OS user authentication, verify the entered username and password. For database or wallet user authentication, make sure that the user has all the required user rights.	Critical	Protection
UPG0065	Search Engine precheck failed: <errorMessage>.		Check Search Engine status by going to Infrastructure > Search Engines from PowerProtect Data Manager UI.	Critical	System
ABF0004	Skippping the backup for the asset <assetName> because the asset cannot be validated.	The backup for this asset cannot be completed because the File System agent was either unable to access the asset, or cannot determine the file system or mount type of the asset. This issue occurs if the asset does not exist or if the asset is not mounted.	To resolve this issue: 1) Verify a valid asset exists. 2) Verify the mount or file system asset type.	Critical	Protection
RMS0002	File rule <ruleName> is deleted.	The file rule was successfully deleted.	No action required.	Informational	Protection
ARO0552	PowerProtect Data Manager Oracle agent cannot perform the restore for the Oracle database '<SID>'.	The restore is unsuccessful for the agent cannot create the temp snapshot directory of the provided fastcopy directory.	To resolve this issue: 1. Make sure that the Oracle home base pathname has valid Oracle permissions. 2. Make sure that the system has sufficient memory.	Critical	Restore
CPM0002	Unable to delete agent catalog for asset <asset> on application agent host <host>.	Deletion of the agent catalog on the application agent cannot be completed because of an issue on the application agent host.	The catalog deletion will be retried automatically at a later time. Prior to the retry for this job: 1) Make sure that the application agent host is registered to PowerProtect Data Manager. 2) Verify that PowerProtect Data Manager can access the host. If this issue persists, contact Dell Customer Support.	Warning	Protection Copy
ADN0002	Unable to discover the NAS asset source <assetSource> because the user <username> is not authorized to access this asset source.	Discovery of this NAS asset source cannot be completed because the logged in user does not have permissions to access this asset source.	Verify that the user has the permissions necessary to access the asset source, and then retry the discovery.	Critical	Discover
AUSD0005	Unable to remove the configuration for the asset <assetName> because of a certificate issue with PowerStore <powerStoreName>.	The configuration cannot be removed for this asset because of an issue with the PowerStore system certificate.	To resolve the issue: 1. Verify that the PowerProtect Data Manager certificate matches the PowerStore certificate. 2. Make sure that the certificates have not expired. 3. If a certificate update is required, review the procedure in the PowerProtect Data Manager Security Configuration Guide. 4. Reregister the PowerStore system with the PowerProtect Data Manager system, and then retry the operation.If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
ABK0027	Unable to back up namespace '<asset>' in Kubernetes cluster '<k8sClusterName>' because files in a Persistent Volume Claim are owned by multiple users.	The backup of this Kubernetes namespace was unsuccessful because a Persistent Volume Claim (PVC) belonging to the storage class with root client access mapping contains files owned by multiple users.	Storage classes with root client access mapping are only supported for PVCs that contain files owned by a single user. Review the prerequisites to support root squashed volumes in the PowerProtect Kubernetes User Guide.	Critical	Protection
HMPRO008	Unable to complete the backup copy deletion job for <FAILED> assets.	Unable to complete the backup copy deletion job <ACTIVITY> for <FAILED> assets.	In the PowerProtect Data Manager UI, go to Jobs > Protection Jobs or the Alerts window for more information about jobs that did not complete successfully.	Critical	Protection
ARS0014	Recovery of database <assetname> to Always On availability group <AppSystemName> is unsuccessful because the database could not be added back to the Always On availability group at the end of the restore.	The recovery is unsuccessful because of an internal error in adding the database back to the Always On availability group on one or more server instances of the Always On availability group.	Perform the following steps to complete the recovery: 1. Manually add the database back to the Always On availability group. 2. Check the ddbmcon logs, available in the MSAPPAGENT logs directory on all the hosts of the Always On availability group.	Critical	Restore
ADT0506	Kubernetes asset source <name> has been deleted.			Informational	Protection Infrastructure

Dell PowerProtect Data Manager Messages Catalog

Message ID	Message	Details	Recommended Action	Severity	Category
ABK0004	Unable to back up namespace '<assets>' in Kubernetes cluster '<k8sClusterNames>' because the CSI snapshot was not completed.	The backup of this Kubernetes cluster namespace was not successful because the volumesnapshotclass was not available in order to complete the CSI snapshot.	To troubleshoot this issue: Verify that the volumesnapshotclass resources for the CSI provisioner exist in the Kubernetes cluster. If the volumesnapshotclass do not exist, review the CSI driver documentation to determine how to add these resources.	Critical	Protection
RMS0007	Protection rule '<ruleName>' has changed its protection policy from '<oldPlcName>' to '<newPlcName>'.	This protection rule was successfully updated to the selected protection policy.	No action required.	Informational	Protection
SYS0054	Time out waiting PowerProtect Data Manager become operational.		Configure from PowerProtect Data Manager UI or contact Dell Customer Support.	Critical	System
ABN0010	Unable to reserve NAS Proxy host for backup job '<job>' because the following error occurred: '<error>'.	The NAS Proxy host cannot be reserved for this backup job because an error occurred during the operation.	If the NAS proxy is not installed, install the proxy, start the services, and then retry the operation. If the NAS Proxy host is installed, verify that all of the services are running and there is enough free space available to initiate a new job: 1) If any services are not running, start these services. 2) If the vbackupnsd and vrapid services are running but there is insufficient space available to run a new job based on the stream count, wait until one of the running jobs completes, or add a NAS Proxy host. 3) Check the network connectivity between PowerProtect Data Manager and the vCenter server. 4) Retry the operation. If the issue persists, check the log files at /var/log/brs/nasdm/nasdm.log for more details, and contact Dell Customer Support.	Critical	Protection
CERT0006	The rootca certificate expires in '<days>' days.		To avoid service disruption: 1) In the PowerProtect Data Manager UI, go to Administration > Certificates. 2) Click Regenerate Certificates. 3) Follow the provided instructions for certificate renewal	Critical	Security
ANR0001	Unable to complete the '<sessionType>' operation because the format of the request is invalid.	The NAS REST server requires the input for this request to be in JSON format.	To troubleshoot this issue: 1) Verify that the NAS protection engine version is compatible with the version of PowerProtect Data Manager. 2) Retry the operation. If the issue persists, contact Dell Customer Support.	Critical	Protection
APO0003	PowerProtect Data Manager Oracle agent cannot perform the deletion for the Oracle database because the database information is unavailable.	The required 'copyDeletionInfo' information is not available in the delete request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection Copy
UPG0136	Failed to execute bin file while initiating Archival Protection Engines update.		Contact Dell Customer Support.	Critical	System
UPG0102	A system reboot is required during the update.			Informational	System
ARA0032	Unable to restore '<assetType>' asset '<asset>'.	The restore is unsuccessful because the restore of backup copies that were performed before the agent host was registered in PowerProtect Data Manager is not supported.	Use self-service restore command to restore this backup copy.	Critical	Restore
ABO0542	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database.	The backup is unsuccessful because the agent cannot complete the BoostFS lockbox registration operation.	To resolve this issue: 1. Make sure that the Oracle RMAN agent is successfully installed and the ddbmoim binary file exists under the installed Oracle RMAN agent home pathname. 2. Make sure that the BoostFS rpm package is successfully installed and the /opt/emc/boostfs/lockbox pathname is not empty. In the PowerProtect Data Manager UI, select the required policy in the Protection Policies window and then click Set Lockbox. 3. Make sure that the configuration request job started under system jobs is successful. 4. Resubmit the backup request.	Critical	Protection
UPG0072	The updated version of PowerProtect Data Manager will be compatible with version '<minimumDDMCVersion>' of PowerProtect DD Management Center or later. The following configured PowerProtect DD Management Center have an older version and may no longer be compatible: '<incompatibleDDMCs>'.		Check compatibility guide and update PowerProtect DD Management Center to compatible version.	Critical	System
ABNA0001	Unable to complete the backup because the sliced sub-asset list is empty for the asset '<assetName>'.	The backup snapshot job did not receive the list of slices to back up and cannot proceed with the data rollover.	Retry the operation. If the issue persists, start a new full backup. If the issue is still unresolved, contact Dell Customer Support.	Critical	Protection
SYS0062	Operating System user '<userName>' expiration days has been changed.	The expiration day of this operating system user has been changed.	No action is required.	Informational	System
ABO0032	PowerProtect Data Manager Oracle agent cannot perform the backup for the Oracle database because the username of the PowerProtect DD system is not specified.	The required 'username' information in 'backupTargets' is not available in the backup request. The versions of the PowerProtect Data Manager, agent service, and Oracle RMAN agent might be incompatible.	Remove the old lockbox files. Set the lockbox in the UI. If the issue persists, create a new protection policy. Make sure that the agent service version, Oracle RMAN agent version, and PowerProtect Data Manager version are compatible.	Critical	Protection
ARV0023	VM Direct engine is unable to restore the virtual machine '<vmName>' on vCenter '<vCenterNames>' because another backup or restore is running for the virtual machine.	The VM Direct engine cannot complete the restore of this virtual machine because another backup or restore operation is already running for this virtual machine.	Verify that there are no other backup or restore operations in progress for the virtual machine, and then retry the backup after 24 hours.	Critical	Restore
AERR0011	The '<stageType>' job was not performed (or skipped) because the storage unit on '<storageSystem>' cannot be detected for the protection policy '<plc>'.	This job was not performed (or skipped) because of one of the following reasons: 1) The storage unit associated with this protection policy cannot be located. 2) The storage unit resource is unavailable.	Review the details for the protection policy configuration in the Jobs window, and then perform the following: If this storage unit is unavailable, use another storage unit, or edit the protection policy to change the target storage system. The PowerProtect Data Manager Administration and User Guide provides more information about editing protection policies. If the issue persists, contact Dell Customer Support.	Critical	Protection Policy
ASPU0015	Addons or agent service records are not located after initializing the push update.	The push update operation is unsuccessful as the addons or agent service records are not located for update.	Check the log files at INSTALL_DIR\DPSAPPS\AGENTSERVICE\logs for more information.	Critical	Push Update
NR0019	Unable to deregister the reporting engine component from the server disaster recovery backup components list.	The reporting engine component cannot be deregistered from server disaster recovery backup components list.	Contact Dell Customer Support to deregister the reporting engine component from the server disaster recovery backup components list.	Informational	Reporting
ADT0891	The external notification '<notificationName>' is updated.		No action required.	Informational	Security
SYS0033	Remote access setting is unsuccessful for at least one SupportAssist backend endpoint.	Remote access cannot be completed because at least one SupportAssist backend endpoint is invalid or unstable.	If the issue persists, contact Dell Customer Support.	Warning	System
IAMADT3029	<arg1> has been '<arg2>'.			Informational	Security

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

[illegible]

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

Dell PowerProtect Data Manager Messages Catalog

[illegible]

[illegible]