

////////register.css////////

```
:root{
    --font-style: 'Nunito Sans', sans-serif;
}

*{
    box-sizing: border-box;
}

body{
    background-color: #a9c9ff;
    background-image: linear-gradient(45deg, #A9C9FF 0%, #FFBBEC 100%);
}

.registration-box{
    position: absolute;
    top: 50%;
    left: 50%;
    width: 400px;
    padding: 40px;
    transform: translate(-50%, -50%);
    /*background-image: linear-gradient(Steelblue, Darkblue);*/
    box-shadow: 18px 15px 25px rgba(5, 4, 6, 0.7);
    border-radius: 10px;
}

.gradient {
    width:400px;
    /*height: 20vw;*/
    background: linear-gradient(-45deg, #ee7752, #e73c7e, #9581F4, #23a6d5);
    background-size: 400%, 400%;
    animation: gradient 5s ease infinite;
    border-radius: 20px;
    box-shadow: 0px, 0px, 20px, rgb(0, 0, 0);
}

@keyframes gradient{
    0%{
        background-position: 0% 50%;
    }
    50%{
        background-position: 100% 50%;
    }
    100%{
        background-position: 0% 50%;
    }
}

.registration-box h2{
    margin: 0 0 30px;
    padding: 0;
    color: #fff;
    text-align: center;
}

.registration-box .user-box input{
```



```

        position: relative;
        width: 100%;
        padding: 10px 0;
        font-size: 16px;
        color: #fff;
        margin-bottom: 30px;
        border: none;
        border-bottom: 1px solid #fff;
        outline: none;
        background: transparent;
    }

    .registration-box .user-box label{
        position: relative;
        left: 0;
        top: -60px;
        padding: 10px 0;
        font-size: 16px;
        color: #fff;
        pointer-events: none;
        transition: .5s;
    }

    .registration-box .user-box input:focus~label,
    .registration-box .user-box input:valid~label{
        top: -85px;
        left: 0;
        color: #252416;
        font-size: 12px;
    }

    #submit {
        padding: 10px 20px;
        color: #CBBDDDB;
        font-size: 16px;
        text-decoration: none;
        text-transform: uppercase;
        overflow: hidden;
        transition: .5s;
        letter-spacing: 4px;
        border: 1px solid #8F7CEC;
        margin: auto;
    }

    #submit:hover {
        background: #1e0202;
        color: #fff;
        border-radius: 5px;
        box-shadow: 0 0 5px #221c2c, 0 0 25px #221c2c, 0 0 50px #221c2c, 0 0 100px
#221c2c;
    }

    .button-form {
        display: flex;
        flex-direction: row;
        margin-top: 20px;
    }

```



```

#sign {
font-size: 14px;
text-decoration: none;
color: #CBBDDDB;
margin: auto;
width: 60%;
text-align: center;
}

#sign a {
margin: auto;
color: #292727;
text-decoration: none;
}

#sign a:after{
display: block;
content: "";
border-bottom: solid 1px #1c2b2b;
padding-bottom: 1%;
transform: scaleX(0);
transition: transform 300ms ease-in-out;
}

#sign a:hover:after {
transform: scaleX(1);
}

```

//////////////////////////////// register.html////////////////////////////////

```

<!DOCTYPE html>
<html>
  <head>
    <title>Registration</title>
    <link rel="stylesheet" href="1.css" />
  </head>
  <body>
    <div class="registration-box gradient">
      <h2>Registration</h2>
      <form form="form1" action="#" method="get">
        <div class="user-box">
          <input type="text" name="" required="" />
          <label>Name</label>
        </div>
        <div class="user-box">
          <input type="email" name="" required="" />
          <label>Email</label>
        </div>
        <div class="user-box">
          <input type="text" name="" required="" />
          <label>Username</label>
        </div>
        <div class="user-box">
          <input type="password" name="" required="" />
          <label>Create Password</label>
        </div>
      </form>
    </div>
  </body>
</html>

```



```

        </div>
        <div class="user-box">
            <input type="date" name="birthday" id="birthday" />
            <label>Birthday</label>
        </div>
        <div class="button-form">
            <a id="submit" href="#"> Sign Up </a>
        </div>
        <br>
        <br>
        <div id="sign">
            Return to Login Page
            <a href="front.html"> Login </a>
        </div>
    </form>
</div>

</body>
</html>

```

//////////////////////////////// login.html////////////////////////////////

```

<!DOCTYPE >
<html>
    <head>
        <title>Login</title>
        <link rel="stylesheet" href="front.css" />
    </head>
    <body>
        <div class="login-box gradient">
            <h2>Login</h2>
            <form>
                <div class="user-box">
                    <input type="text" name="" required="" />
                    <label>Username</label>
                </div>
                <div class="user-box">
                    <input type="password" name="" required="" />
                    <label>Password</label>
                </div>

                <div class="button-form">
                    <a id="submit" href="#"> Submit </a>

                <div id="register">
                    Don't have an account ?
                    <a href="1.html"> Register </a>
                </div>
            </div>
        </form>
    </div>
</body>
</html>

```

////////////////////////////////  
 //////////////////////////////////

login.css



```

:root{
    --font-style: 'Nunito Sans', sans-serif;
}

* {
    box-sizing: border-box;
}

body{
    background-color: #a9c9ff;
    background-image: linear-gradient(180deg, #A9C9FF 0%, #FFBBEC 100%);
}

.login-box {
    position: absolute;
    top: 50%;
    left: 50%;
    width: 400px;
    padding: 40px;
    transform: translate(-50%, -50%);
    /*background-image: linear-gradient(Steelblue, Darkblue);*/
    box-shadow: 18px 15px 25px rgba(5, 4, 6, 0.7);
    border-radius: 10px;
}

.gradient {
    width:400px;
    /*height: 20vw;*/
    background: linear-gradient(-45deg, #ee7752, #e73c7e, #9581F4, #23a6d5);
    background-size: 400%, 400%;
    animation: gradient 5s ease infinite;
    border-radius: 20px;
    box-shadow: 0px, 0px, 20px, rgb(0, 0, 0);
}

@keyframes gradient{
    0%{
        background-position: 0% 50%;
    }
    50%{
        background-position: 100% 50%;
    }
    100%{
        background-position: 0% 50%;
    }
}

.login-box h2 {
    margin: 0 0 30px;
    padding: 0;
    color: #fff;
    text-align: center;
}

.login-box .user-box input {
    position: relative;
}

```



```

        width: 100%;
        padding: 10px 0;
        font-size: 16px;
        color: #fff;
        margin-bottom: 30px;
        border: none;
        border-bottom: 1px solid #fff;
        outline: none;
        background: transparent;
    }

    .login-box .user-box label {
        position: relative;
        left: 0;
        top: -60px;
        padding: 10px 0;
        font-size: 16px;
        color: #fff;
        pointer-events: none;
        transition: .5s;
    }

    .login-box .user-box input:focus~label,
    .login-box .user-box input:valid~label {
        top: -85px;
        left: 0;
        color: #252416;
        font-size: 12px;
    }

    #submit {
        padding: 10px 20px;
        color: #CBBDDDB;
        font-size: 16px;
        text-decoration: none;
        text-transform: uppercase;
        overflow: hidden;
        transition: .5s;
        letter-spacing: 4px;
        border: 1px solid #8F7CEC;
        margin: auto;
    }

    #submit:hover {
        background: #1e0202;
        color: #fff;
        border-radius: 5px;
        box-shadow: 0 0 5px #221c2c, 0 0 25px #221c2c, 0 0 50px #221c2c, 0 0 100px
#221c2c;
    }

    .button-form {
        display: flex;
        flex-direction: row;
        margin-top: 20px;
    }

```



```
#register {
    font-size: 14px;
    text-decoration: none;
    color: #CBBDDDB;
    margin: auto;
    width: 60%;
    text-align: center;
}

#register a {
    margin: auto;
    color: #292727;
    text-decoration: none;
}

#register a:after{
    display: block;
    content: "";
    border-bottom: solid 1px #1c2b2b;
    padding-bottom: 1%;
    transform: scaleX(0);
    transition: transform 300ms ease-in-out;
}

#register a:hover:after {
    transform: scaleX(1);
}
```

////////////////////////////////fontpage.html////////////////////////////////

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">
    <script src="https://kit.fontawesome.com/a076d05399.js"
crossorigin="anonymous"></script>
</head>
<body>

    <section class ="header">
        <nav>
            <a href ="first.html"></a>
            <div class="nav-links">
                <ul type="disc">
                    <li><a href="first.html">HOME</a></li>
                    <li><a href="front.html">LOGIN</a></li>
                    <li><a href="try2.html">ABOUT US</a></li>
                </ul>
            </div>
        </nav>
        <div class="text-box">
            <h1>KIDZONE only for kids!</h1>
            <p>Lets make the learning fun!</p>
        </div>
```







```

        of nutrition, it improves children's vocabulary
        and cultural knowledge too!</p>
    </div>
    <div class="topic-col">
        <h3>Days </h3>
        <p> Knowing this helps them keep their schedules organized
        and to be aware of when certain events are going to
        happen, like a field trip in school or an important
        exam. It's essential to teach the little ones how the days
        of the week are divided.</p>
    </div>
    <div class="topic-col">
        <h3>Months </h3>
        <p> The months of the year are how we divide up our year.
        Like the days of the week, the months of the year are a
        foundational learning concept. They are the gateway to
        learning about the seasons, holidays, birthdays, and dates</p>
    </div>
</div>
<br>

<div align="center">
    <div class="topic-col">
        <h3>Games </h3>
        <p> Games are more fun way to discover and learn things.</p>
    </div>
</div>
</section>
<section class="about">
    <div ></div>
</section>
</body>
</html>

//////////////////////////////// front.css //////////////////////////////////
*{
    margin:0;
    padding:0;
    font-family:'Poppins',sans-serif;
}
.header{
    min-height:100vh;
    width: 100%;
    background-image: linear-gradient(#4facfe,#00f2fe);
    background-color: skyblue;
    background-position: center;
    background-size: cover;
    position: relative;
}
nav{
    display : flex;
    padding: 2% 6%;
    justify-content:space-between;
    align-items:center;
}
nav image{
    width:150px;

```



```

}
.nav-links{
    flex: 1;
    text-align :right;
    font-weight:600 ;
}
.nav-links ul li:hover{
    box-shadow: 0 0 20px 0px rgba(0,0,0,0.3);
}

.nav-links ul li{
    list-style-type: square;
    display: inline-block;
    padding:8px 12px;
    position : relative;
}
.nav-links ul li a{
    color: #fff;
    text-decoration: none;
    font-size:13px;
}
.nav-links ul li::after{
    content:"";
    width:0%;
    height: 2px;
    background-color: #d4726b;
    display:block;
    margin : auto;
    transition: 0.5s;
}
.nav-links ul li:hover::after{
    width:100%
}
.text-box{
    width:90%;
    color:rgb(45, 43, 43);
    position: absolute;
    top: 50%;
    left: 50%;
    transform: translate(-50%,-50%);
    text-align: center;
}
.text-box h1{
    font-size: 25px;
}
.text-box p{
    margin: 10px 0 40px;
    font-size : 14px;
    color: black;
}
/*-----subjects-----*/
.topics{
    width :90%;
    margin:auto;
    text-align : center;
    background-position: center;
    background-size: cover;
}

```



```

        position: relative;
padding-top: 100px;
}
h1{

        font-size:36px;
        font-weight:1000 ;
        font-family:TimesNewRoman;
    }
p{
        color:black;
        font-size:14px;
        font-weight: 600;
        line-height: 22px;
        padding:10px;
    }
.row{
        margin-top: 5%;
        display:flex;
        justify-content:space-between;
    }
.topic-col{
        flex-basis: 31%;
        background-image: linear-gradient(#00f2fe,#0dcdd7);

        border-radius: 10px;
        margin-bottom: 5%;
        padding:20px 12px;
        box-sizing:border-box;
    }
h3{
        text-align: center;
        font-weight: 1000;
        margin:10px 0;
    }
.topic-col:hover{
        box-shadow: 0 0 20px 0px rgba(0, 0, 0, 0.3);
    }
}
@media(max-width:700px){
    .row{
        flex-direction: column;
    }
}

```

