

MedAscend | PSM

NEET PG & INICET

PYQ QUESTION BANK

Preventive & Social Medicine (Community Medicine)

Year-wise compilation with answer keys

222 Questions | 9 Years | 2016 — 2024

Year	Questions
2016	90
2017	16
2018	14
2019	14
2020	24
2021	25
2022	14
2023	7
2024	18
TOTAL	222

Questions sourced from NEET PG papers 2016–2024 (10 papers total). Answer keys verified against publisher solutions where available; some 2024 recall-based questions may have unverified keys.

2016 NEET PG • 90 Questions

Q1. Chemical regulation of respiration is not affected by?

- A. P_{O_2}
- B. PCO_2
- C. pH
- D. Mean BP

Answer: D (Mean BP)

Q2. Small RNAs are ?

- A. Between 200 and 500 bps in length
- B. Coded by small exons
- C. A mode of regulation of gene expression
- D. Always endogenously synthesised

Answer: C (A mode of regulation of gene expression)

Q3. Following genetic counselling in a family for Familial polyposis coli (FPC) next screening test is

- A. Flexible sigmoidoscopy
- B. Colonoscopy
- C. Occult blood in stools
- D. APC gene

Answer: D (APC gene)

Q4. Most common type of pneumoconiosis, associated with TB is?

- A. Silicosis
- B. Bysinosis
- C. Asbestosis
- D. Baggassosis

Answer: A (Silicosis)

Q5. Why is clopidogrel preferred over ticlopidine?

- A. Lower incidence of neutropenia and thrombocytopenia
- B. Lower incidence of dyslipidemia
- C. Lower incidence of hyperglycemia
- D. Lower incidence of postural hypotention

Answer: A (Lower incidence of neutropenia and thrombocytopenia)

Q6. Ricochet bullet is

- A. Bullet producing a key hole entry wound
- B. Bullet with nose tip chiseled off
- C. Deviation in the direction or path of bullet
- D. Bullet containing igniting material

Answer: C (Deviation in the direction or path of bullet)

Q7. Sterilization of culture media containing serum is by?

- A. Autoclaving
- B. Micropore filter
- C. Gamma radiation
- D. Gamma radiation

Answer: A (Autoclaving)

Q8. Classification of staphylococcus is based on -

- A. Catalase test
- B. Coagulase test
- C. Mannitol fermentation
- D. Optochin sensitivity

Answer: B (Coagulase test)

Q9. Which test cannot differentiate endemic and epidemic typhus

- A. Weil-Felix reaction
- B. Complement fixation test
- C. Immunofluorescence
- D. Radio precipitation

Answer: A (Weil-Felix reaction)

Q10. Antibody specificity is due to ?

- A. Amino acid sequence at H chain
- B. Amino acid sequence at L chain
- C. Amino acid at carboxy terminal
- D. Amino acid sequence at the amino terminal

Answer: A (Amino acid sequence at H chain)

Q11. Specificity of antibody is dependent on ?

- A. Fc portion
- B. Fab region
- C. Carboxy terminal
- D. All of the above

Answer: B (Fab region)

Q12. True for epidemiological triad

- A. Time, place, person
- B. Agent, host, environment
- C. Disease, prevention, treatment
- D. Agent, man, disease

Answer: B (Agent, host, environment)

Q13. Only disease which is eradicated worldwide ?

- A. Small pox
- B. Polio
- C. Diphtheria
- D. Measles

Answer: A (Small pox)

Q14. Endemic disease is defined as -

- A. Disease occurring regularly in expected frequency
- B. Disease occurring irregularly
- C. Disease occurring in excess of expected frequency
- D. Disease affecting a large population

Answer: A (Disease occurring regularly in expected frequency)

Q15. Median incubation period is ?

- A. Maximum time from exposure to development of symptoms in all cases
- B. Minimum time from exposure to development of symptoms in all cases
- C. Time from exposure to development in 50% of cases
- D. None of the above

Answer: C (Time from exposure to development in 50% of cases)

Q16. Standpipe in rural areas is an example of which principle of primary health care?

- A. Equitable distribution
- B. Community participation
- C. Intersectoral coordination
- D. Appropriate technology

Answer: C (Intersectoral coordination)

Q17. Secondary attack rate is a measure of-

- A. Communicability
- B. Lethality
- C. Strength of association
- D. None

Answer: A (Communicability)

Q18. A population of 50 children is having 10 immunized against chickenpox. 5 children developed chickenpox on March 2017. Other 28 children developed chickenpox within next 2 weeks. What is the SAR of chickenpox?

- A. 60%
- B. 70%
- C. 80%
- D. 90%

Answer: C (80%)

Q19. Denominator in under-5 proportional mortality rate?

- A. Number of deaths under 5 years of age
- B. Mid-year under-5 population
- C. Total deaths
- D. Mid-year population

Answer: C (Total deaths)

Q20. Berksonian bias is a type of ?

- A. Admission rate bias
- B. Interviewer bias
- C. Information bias
- D. Recall bias

Answer: A (Admission rate bias)

Q21. Live influenza vaccine is given by which route ?

- A. Intradermal
- B. Subcutaneous
- C. Intramuscular
- D. Intra nasal

Answer: D (Intra nasal)

Q22. Which of the following is true ?

- A. Two live vaccines should not be given together
- B. Live and killed vaccine should not be given together
- C. Immunoglobulin should not be given for at least 6 weeks when a live vaccine is administered
- D. Live vaccine should not be given for 12 weeks if immunoglobulin has been given

Answer: D (Live vaccine should not be given for 12 weeks if immunoglobulin has been given)

Q23. HALE is used to measure

- A. Disability adjusted life expectancy
- B. Healthy life expectancy
- C. Quality adjusted life expectancy
- D. Expectancy free of disability

Answer: B (Healthy life expectancy)

Q24. During investigation of an epidemic, the area is declared free of epidemic when?

- A. Twice the incubation period of the disease since occurrence of the last case
- B. Thrice the incubation period of the disease since occurrence of the last case
- C. The longest incubation period for the disease
- D. Incubation period for the disease plus two standard deviations

Answer: A (Twice the incubation period of the disease since occurrence of the last case)

Q25. Role of magnesium [Mg] in OPV?

- A. Adjuvant
- B. Preservative
- C. Stabilizer
- D. Antiinfective

Answer: C (Stabilizer)

Q26. The difference between descriptive and analytic studies?

- A. Descriptive studies are used to test hypothesis
- B. Analytic studies are used to formulate a hypothesis
- C. Descriptive studies are first phase in epidemiology
- D. Analytic studies observe distribution of disease

Answer: C (Descriptive studies are first phase in epidemiology)

Q27. Strength of association of outcome and risk factor is measured by?

- A. Relative risk
- B. Attributable risk
- C. Population attributable risk
- D. None of the above

Answer: A (Relative risk)

Q28. Important measure for National health policy?

- A. Relative risk
- B. Odds ratio
- C. Incidence
- D. Attributable risk

Answer: D (Attributable risk)

Q29. A study that gives the prevalence of delusion in the elderly at a given point of time?

- A. Case-control study
- B. Cohort study
- C. Cross-sectional study
- D. Ecological study

Answer: C (Cross-sectional study)

Q30. Recall bias is most commonly associated with which study design -

- A. Case control study
- B. Cohort study
- C. Cohort case control study
- D. Cross-sectional study

Answer: A (Case control study)

Q31. Standardization is most important for?

- A. Sex distribution
- B. Age distribution
- C. Disease distribution
- D. None of the above

Answer: B (Age distribution)

Q32. Standardized death rates are used because health?

- A. For valid comparison of two groups of different health determinants
- B. Calculations are more accurate
- C. To avoid selection bias
- D. All of the above

Answer: A (For valid comparison of two groups of different health determinants)

Q33. True about cohort study

- A. Descriptive study
- B. Incidence study
- C. Proceeds from effect to cause
- D. All are correct

Answer: B (Incidence study)

Q34. All are true about natural experiments, except?

- A. Researcher has no control over the allocation of subjects
- B. James lind experiment is an example
- C. Includes Randomized controlled trials [RCTs]
- D. All are correct

Answer: C (Includes Randomized controlled trials [RCTs])

Q35. In a study a patient does not know the nature of drug [whether a placebo or curative drug] he is taking. The researcher knows the drug type to be given to the individuals in study. Types of blinding in this study is ?

- A. Single
- B. Double
- C. Triple
- D. Combined double /triple

Answer: A (Single)

Q36. Mid year population is estimated on ?

- A. 1st March
- B. 1st July
- C. 1st April
- D. 15th August

Answer: B (1st July)

Q37. Meningococcal vaccine contains ?

- A. 50 mcg of polysaccharide of each strain
- B. 100 mcg of polysaccharide of each strain
- C. 1000 mcg of polysaccharide of each strain
- D. 5000 mcg of polysaccharide of each strain

Answer: A (50 mcg of polysaccharide of each strain)

Q38. How many doses of monovalent meningococcal 'C' vaccine is given in Infants ?

- A. One
- B. Two
- C. Three
- D. Four

Answer: B (Two)

Q39. Secondary attack rate of mumps:?

- A. 75%
- B. 85%
- C. 95%
- D. < 50%

Answer: B (85%)

Q40. Isolation period of TB ?

- A. 2 days after treatment
- B. 1 week after treatment
- C. 2 weeks after treatment
- D. 3 weeks after treatment

Answer: D (3 weeks after treatment)

Q41. Sensitivity of a screening test tells about

- A. Percentage of disease people among those with a positive test
- B. Percentage of disease people among those with a negative test
- C. Percentage of healthy people among those with a negative test
- D. Percentage of healthy people among those with a positive test

Answer: A (Percentage of disease people among those with a positive test)

Q42. If effective treatment for a disease is introduced in a community, what will be the effect on incidence [I] and prevalence [P] ?

- A. No change in P & I
- B. Both P & I will decrease
- C. P will decrease & I will increase
- D. P will decrease & I will remains the same

Answer: D (P will decrease & I will remains the same)

Q43. A screening test has sensitivity of 90% and specificity of 99%. The prevalence of disease under investigation is 5 per 1000 population. What is the PPV of the given screening test?

- A. 10
- B. 70
- C. 33
- D. 99

Answer: C (33)

Q44. Best indicator for spread of TB in a community?

- A. Annual infection rate
- B. Prevalence of infection
- C. Case rate
- D. Incidence of new cases

Answer: A (Annual infection rate)

Q45. Rotavirus vaccine doses should not be initiated beyond which age to prevent complications?

- A. 6 weeks
- B. 10 weeks
- C. 12 weeks
- D. 32 weeks

Answer: C (12 weeks)

Q46. Minimum accepted interval between two doses of DPT vaccine?

- A. 2 weeks
- B. 4 weeks
- C. 6 weeks
- D. 8 weeks

Answer: B (4 weeks)

Q47. Healthy carrier is seen in?

- A. Measles
- B. Rubella
- C. Meningococcal meningitis
- D. Influenza

Answer: C (Meningococcal meningitis)

Q48. Infectivity of convalescent carrier of cholera lasts for?

- A. 1-5 days
- B. 1-2 weeks
- C. 2-3 weeks
- D. 4-5 weeks

Answer: C (2-3 weeks)

Q49. Color of box containing drugs for treatment of category I of TB -

- A. Red
- B. Blue
- C. Yellow
- D. Green

Answer: A (Red)

Q50. Major reservoir of KFD ?

- A. Human
- B. Squirrels
- C. Cattle
- D. Monkey

Answer: B (Squirrels)

Q51. What is the commonest form of plague?

- A. Bubonic plague
- B. Pneumonic plague
- C. Septicaemic plague
- D. Hemorrhagic plague

Answer: A (Bubonic plague)

Q52. Most common source of Diphtheria

- A. Case
- B. Carrier
- C. Both
- D. None

Answer: B (Carrier)

Q53. Dual record system is useful for estimation of?

- A. Literacy
- B. Fertility
- C. Population density
- D. Sex ratio

Answer: B (Fertility)

Q54. Perinatal mortality rate include which of the following?

- A. Abortions + Still birth early neonatal deaths
- B. Still birth + early neonatal deaths
- C. Abortions + early neonatal deaths
- D. Deaths up to 42 dys after birth

Answer: B (Still birth + early neonatal deaths)

Q55. Poor man's iron source is?

- A. Almond
- B. Grapes
- C. Soya
- D. Jaggery

Answer: D (Jaggery)

Q56. An 70 kg farmer is consuming 56 grams proteins, 275 grams carbohydrate and 60 grams lipids. He consuming?

- A. Less calories
- B. More calories
- C. Adequate calories
- D. Cannot be commented

Answer: A (Less calories)

Q57. For every 100 kilocalories, vitamin B, required is -

- A. 0.05 mg
- B. 0.5 mg
- C. 5.0 mg
- D. 1.0 gn

Answer: A (0.05 mg)

Q58. Kanawati index is used for ?

- A. Air population
- B. PEM
- C. Obesity definition
- D. Infectivity

Answer: B (PEM)

Q59. Human milk with respect to cow milk has -

- A. Less fat
- B. Less protein
- C. Less carbohydrate
- D. a and b

Answer: D (a and b)

Q60. Daily iron requirement in healthy Indian male is-

- A. 35 mg
- B. 17 mg
- C. 10 mg
- D. 5 mg

Answer: B (17 mg)

Q61. Not a primary air pollutant?

- A. SO₂
- B. CO,
- C. Ozon
- D. VOCs

Answer: C (Ozon)

Q62. Number of holes in mosquito net [per sq. inch] ?

- A. 50
- B. 150
- C. 100
- D. 200

Answer: B (150)

Q63. The source of endogenous radiation is

- A. Radon
- B. Potassium
- C. Thorium
- D. Uranium

Answer: B (Potassium)

Q64. Range of flight of Aedes mosquito is ?

- A. 1 km
- B. Less than 100 m
- C. 400 m
- D. 10 kms

Answer: B (Less than 100 m)

Q65. In positively skewed deviation ?

- A. Mean = Median = Mode
- B. Mean > Medians > Mode
- C. Mode > Median > Mean
- D. None of the above

Answer: B (Mean > Medians > Mode)

Q66. Chi-square test is for?

- A. Standard error of Mean
- B. Standard error of Proportion
- C. Standard error of difference between 2 Means
- D. Standard error of difference between Proportions

Answer: D (Standard error of difference between Proportions)

Q67. Which of the following defines movement across socioeconomic status.

- A. Social equality
- B. Social upliftment
- C. Social mobility
- D. Social insurance

Answer: C (Social mobility)

Q68. All are non-parametric tests except -

- A. Chi-square test
- B. Sign test
- C. Fisher exact test
- D. Student t-test

Answer: D (Student t-test)

Q69. The number of Anganwadi workers supervised by a Mukhyasevika is?

- A. 10
- B. 15
- C. 25
- D. 30

Answer: C (25)

Q70. Which of the following has responsibility of data collection for active malaria surveillance at PHC level ?

- A. DHO [District Health Officer]
- B. MPW [Multipurpose worker]
- C. MO-PHC [Medical Officer-PHC]
- D. DMO [District Medical Officer]

Answer: C (MO-PHC [Medical Officer-PHC])

Q71. Which of the following conditions must be fulfilled for a PHC to become a first referral unit ?

- A. 4-6 beds
- B. 15 workers
- C. Emergency obstetric care
- D. Basic laboratory services

Answer: C (Emergency obstetric care)

Q72. Acculturation is?

- A. Traige
- B. Cultural changes due to socialisation
- C. Attitude
- D. Belief

Answer: B (Cultural changes due to socialisation)

Q73. The ICDS scheme is sponsored by

- A. Ministry of health & family welfare
- B. Ministry of Social welfare
- C. Ministry of education
- D. None

Answer: B (Ministry of Social welfare)

Q74. International Red Cross was founded by?

- A. Henry Dunant
- B. John D Rockfeller
- C. Marie Curie
- D. None of the above

Answer: A (Henry Dunant)

Q75. Colored kit for STD treatment is which type of approach?

- A. Preventive
- B. Symptomatic
- C. Syndromic
- D. Rehabilitative

Answer: C (Syndromic)

Q76. In RNTCP microscopic center is recommended for how much population ?

- A. 5000
- B. 10000
- C. 50000
- D. 100000

Answer: D (100000)

Q77. PERT is which type of management technique?

- A. Based on behavioral science
- B. Qualitative
- C. Quantitative
- D. None of the above

Answer: C (Quantitative)

Q78. World heart day is celebrated on ?

- A. 29th September
- B. 28th September
- C. 8th September
- D. 1st December

Answer: A (29th September)

Q79. Excellent predictor of mortality and morbidity in patients after hepatectomy is

- A. Serum lactate levels
- B. Serum magnesium level
- C. Serum iron level
- D. Serum copper level

Answer: A (Serum lactate levels)

Q80. Massive transfusion is defined as transfusion of

- A. 10/ 24 or more red cell products in hours.
- B. 5/12 or more red cell products in hours.
- C. 10/48 or more red cell products in hours.
- D. 5/24 or more red cell products in hours.

Answer: A (10/ 24 or more red cell products in hours.)

Q81. All are features of SIRS except-

- A. RR> 24 & Paco₂ <22mm hg
- B. WBC >11 or <4
- C. Temperature <36 and >38
- D. PR >90

Answer: A (RR> 24 & Paco₂ <22mm hg)

Q82. Following is not true about epinephrine

- A. Has potent alpha and beta stimulating properties
- B. It improves coronary perfusion pressure and myocardial blood flow
- C. Increases cerebral blood flow during CPR
- D. Routine use of high dose epinephrine during resuscitation is indicated

Answer: D (Routine use of high dose epinephrine during resuscitation is indicated)

Q83. In man what quantity of ethyl alcohol consumed daily for > 10 years increases the relative risk of development of alcoholic liver disease

- A. 20g/d
- B. 40g/d
- C. 60g/d
- D. 80g/d

Answer: D (80g/d)

Q84. Which one of the following statement is true of undescended testis -

- A. Usually descends spontaneously at puberty
- B. Orchiectomy to be done if no descent by puberty
- C. Has a higher incidence of malignancy
- D. Maintains normal sperm production

Answer: C (Has a higher incidence of malignancy)

Q85. What is the meaning of the French word "Debridement"

- A. Unleash or Cut Open
- B. Debulk
- C. Sanitize
- D. Rehydration

Answer: A (Unleash or Cut Open)

Q86. Prevalence of omphalocele at birth is

- A. 1 in 100 live births
- B. 1 in 2000 live births
- C. 1 in 4000 live births
- D. 1 in 10,000 live births

Answer: C (1 in 4000 live births)

Q87. Which of the following is the best reference for growth monitoring in children?

- A. ICMR
- B. NCHS
- C. Boston
- D. IAP

Answer: B (NCHS)

Q88. The velocity of sperm is ?

- A. 1-2 cm/hr
- B. 2-4 cm/min
- C. 1-4 mm/min
- D. 1-4 mm/hr

Answer: C (1-4 mm/min)

Q89. Prevalence of breech presentation at full term is ?

- A. 10%
- B. 6-7%
- C. 3-4%
- D. 1-2%

Answer: C (3-4%)

Q90. Confabulation is?

- A. A state of confusion where patient is not able to describe the details
- B. Purposefully fabricating stories to project a certain image
- C. Filling up to gaps by fabrication to cover lapses in memory
- D. A feeling of strangeness to familiar situations or events.

Answer: C (Filling up to gaps by fabrication to cover lapses in memory)

2017 NEET PG • 16 Questions

Q1. Incidence of a disease is 4 per 1000 of population with duration of 2 years. Calculate the prevalence?

- A. 8/1000
- B. 4/1000
- C. 2/1000
- D. 6/1000

Answer: A (8/1000)

Q2. Cytotoxic and expired drug disposal is done by which method?

- A. Dumping
- B. Autoclave
- C. Landfill
- D. Burning

Answer: C (Landfill)

Q3. For NRR to be 1 couple protection rate should be?

- A. 50%
- B. 60%
- C. 55%
- D. 75%

Answer: B (60%)

Q4. New RNTCP software online to monitor TB control programme is-

- A. NIKSHAY
- B. NICHAY
- C. E- DOTS
- D. NIRBHAI

Answer: A (NIKSHAY)

Q5. Study unit of ecological study is

- A. Population
- B. Patient
- C. Community
- D. Case

Answer: A (Population)

Q6. In a screening test for DM out of 1000 population 90 Were positive. Then gold standard test was done in which 100 were positive. Calculate the sensitivity?

- A. 90/100
- B. 100/110
- C. 80/100
- D. 100/100

Answer: A (90/100)

Q7. What is the mass chemoprophylaxis for meningococcal meningitis ?

- A. Rifampicin
- B. Chloramphenicol
- C. Tetracycline
- D. Penicillin

Answer: A (Rifampicin)

Q8. Which among the following is an active form of chlorination?

- A. Hypochlorite ion
- B. Hydrogen chloride
- C. Hypochlorous acid
- D. Chloride ion

Answer: C (Hypochlorous acid)

Q9. Kala-Azar is found in all endemic areas except.

- A. West Bengal
- B. UP
- C. Bihar
- D. Assam

Answer: D (Assam)

Q10. Risk among exposed by risk among non exposed is defined to be –

- A. Relative risk
- B. Odds ratio
- C. Attributable risk
- D. None of the above

Answer: A (Relative risk)

Q11. Pasteurization is done at-

- A. 73 oC For 20 min
- B. 63 oC For 30 min
- C. 72 oC For 30 seconds
- D. 63oC For 30 seconds

Answer: B (63 oC For 30 min)

Q12. Ideal time gap between 2 live vaccination -

- A. 2 weeks
- B. 4 weeks
- C. 8 weeks
- D. 12 weeks

Answer: B (4 weeks)

Q13. Susceptible person developed disease within range of IP after coming in contact with primary case -

- A. Secondary attack rate
- B. Case fatality rate
- C. Primary attack rate
- D. Tertiary attack rate

Answer: A (Secondary attack rate)

Q14. Out of 100 women who were offered ocp for contraception 10 women got pregnant when followed for 24 months. What is Pearl's index?

- A. 10
- B. 5
- C. 4
- D. 2

Answer: B (5)

Q15. Which of the following do not cause hardness of water ?

- A. Calcium carbonate
- B. Calcium sulphate
- C. Calcium bicarbonate
- D. Magnesium bicarbonate

Answer: A (Calcium carbonate)

Q16. Which of the following is not an example of direct transmission in communicable diseases ?

- A. Transplacental (vertical)
- B. Soil
- C. Respiratory
- D. STD

Answer: C (Respiratory)

2018 NEET PG • 14 Questions

Q1. Incidence of a disease is 4 per 1000 of population with duration of 2 years. Calculate the prevalence?

- A. 8/1000
- B. 4/1000
- C. 2/1000
- D. 6/1000

Answer: A (8/1000)

Q2. Cytotoxic and expired drug disposal is done by which method?

- A. Dumping
- B. Autoclave
- C. Landfill
- D. Burning

Answer: C (Landfill)

Q3. For NRR to be 1 couple protection rate should be?

- A. 50%
- B. 60%
- C. 55%
- D. 75%

Answer: B (60%)

Q4. New RNTCP software online to monitor TB control programme is-

- A. NIKSHAY
- B. NICHAY
- C. E- DOTS
- D. NIRBHAI

Answer: A (NIKSHAY)

Q5. Study unit of ecological study is

- A. Population
- B. Patient
- C. Community
- D. Case

Answer: A (Population)

Q6. In a screening test for DM out of 1000 population, 90 were positive. Then the gold standard test was done in which 100 were positive. Calculate the sensitivity?

- A. 90/100
- B. 100/110
- C. 80/100
- D. 100/100

Answer: A (90/100)

Q7. Which among the following is an active form of chlorination?

- A. Hypochlorite ion
- B. Hydrogen chloride
- C. Hypochlorous acid
- D. Chloride ion

Answer: C (Hypochlorous acid)

Q8. Risk among exposed to risk among non exposed is defined to be –

- A. Relative risk
- B. Odds ratio
- C. Attributable risk
- D. None of the above

Answer: A (Relative risk)

Q9. Pasteurization is done at-

- A. 73 oC For 20 min
- B. 63 oC For 30 min
- C. 72 oC For 30 seconds
- D. 63oC For 30 seconds

Answer: B (63 oC For 30 min)

Q10. Ideal time gap between 2 live vaccination -

- A. 2 weeks
- B. 4 weeks
- C. 8 weeks
- D. 12 weeks

Answer: B (4 weeks)

Q11. Susceptible person developed disease within range of IP after coming in contact with primary case -

- A. Secondary attack rate
- B. Case fatality rate
- C. Primary attack rate
- D. Tertiary attack rate

Answer: A (Secondary attack rate)

Q12. Which of the following do not cause hardness of water ?

- A. Calcium carbonate
- B. Calcium sulphate
- C. Calcium bicarbonate
- D. Magnesium bicarbonate

Answer: A (Calcium carbonate)

Q13. Which of the following is not an example of direct transmission in communicable diseases ?

- A. Transplacental (vertical)
- B. Soil
- C. Respiratory
- D. STD

Answer: C (Respiratory)

Q14. Which of the following statement is false about MR vaccination campaign launched by WHO?

- A. Children from 9 months to less than 15 vaccinated
- B. Congenital rubella syndrome (CRS), responsible for irreversible birth defects
- C. India has not yet launched this campaign
- D. Will replace routine immunization for measles vaccine

Answer: C (India has not yet launched this campaign)

2019 NEET PG • 14 Questions

Q1. Variation in sensitivity of response to different doses of a drug in different individual is obtained from?

- A. Dose response curve
- B. Therapeutic index
- C. Bioavailability
- D. Phase 1 clinical trials

Answer: A (Dose response curve)

Q2. Green colour of triage is for which patient ?

- A. Low priority
- B. Morbidity
- C. Ambulatory
- D. High priority

Answer: C (Ambulatory)

Q3. Concurrent list of Indian Constitution includes which of the following?

- A. International immigration rule for quarantine
- B. Prevention of extension of communicable disease from one unit to another
- C. Mines and oilfield workers rules
- D. Establishment and maintenance of drug standards

Answer: B (Prevention of extension of communicable disease from one unit to another)

Q4. Health center in remotest area for planning and management of schemes?

- A. Anganwadi
- B. Block centre
- C. Sub-centre
- D. PHC

Answer: C (Sub-centre)

Q5. Diagnostic power of a test to correctly diagnose a disease is-

- A. Negative predictive value
- B. Positive predictive value
- C. Sensitivity
- D. Specificity

Answer: B (Positive predictive value)

Q6. In a normal curve what is the area that comes under 1 standard deviation-

- A. 50%
- B. 68%
- C. 95%
- D. 100%

Answer: B (68%)

Q7. Not a personal protective equipment

- A. Goggles
- B. Badges for detecting radiation
- C. Gloves
- D. Lab coat

Answer: B (Badges for detecting radiation)

Q8. Confounding factor is defined as

- A. Factor associated with both the exposure and the disease and is distributed unequally in study and control groups.
- B. Factor associated with exposure only and is distributed unequally in study and control groups.
- C. Factor associated with both the exposure and the disease and is distributed equally in study and control groups
- D. Factor associated with the disease and is distributed equally in study and control groups.

Answer: A (Factor associated with both the exposure and the disease and is distributed unequally in study and control groups.)

Q9. The significance of difference between proportions can also be tested by-

- A. 't' test
- B. Chi square test
- C. ANOVA
- D. Correlation and regression

Answer: B (Chi square test)

Q10. Best representative of incidence of disease in different timeline-

- A. Histogram
- B. Line diagram
- C. Scattered diagram
- D. Bar diagram

Answer: B (Line diagram)

Q11. For trench type of sanitary filling the amount of land required for 2 meter deep trench for 10000 population is-

- A. 1 acre
- B. 2 acre
- C. 3 acre
- D. 4 acre

Answer: A (1 acre)

Q12. Which is not a epidemiological indicator?

- A. ABER
- B. Annual parasite index
- C. Annual falciparum incidence
- D. None of the Above

Answer: A (ABER)

Q13. Vertical transmission of HIV is highest with-

- A. Elective caesarean section
- B. High viral RNA load
- C. Breast feeding
- D. Term delivery

Answer: B (High viral RNA load)

Q14. Which method is used to study the following timeline?

- A. Cohort Study
- B. Cross sectional study
- C. Randomized Control Trials
- D. Interventional Studies

Answer: A (Cohort Study)

2020 NEET PG • 24 Questions

Q1. Vector for zika virus is -

- A. Aedes
- B. Culex
- C. Anopheles
- D. None of these

Answer: A (Aedes)

Q2. Type A bioterrorism Agent-

- A. Chikungunya
- B. Anthrax
- C. Hendra
- D. Influenza

Answer: B (Anthrax)

Q3. Nosocomial Infection occurs within?

- A. A- 48
- B. B. 72
- C. C. 24
- D. D. 50

Answer: A (A- 48)

Q4. Where will you put chemical liquid biomedical waste

- A. White
- B. Yellow
- C. Blue
- D. Red

Answer: B (Yellow)

Q5. What is the MONICA project?

- A. Multinational monitoring of trends and determinants in Cardiovascular Disease
- B. Multinational of trends and determinants in cerebrovascular disease
- C. Multinational monitoring of trends and determinants in diabetes
- D. Multinational monitoring of trends and determinants in congenital heart disease

Answer: A (Multinational monitoring of trends and determinants in Cardiovascular Disease)

Q6. Extended sickness benefit for tuberculosis under the ESI Act is?

- A. 91 days
- B. 1-year
- C. 2 years
- D. 4 years

Answer: C (2 years)

Q7. Recent Influenza Pandemic was due to?

- A. H1N1
- B. H5N1
- C. H7N7
- D. H3N2

Answer: A (H1N1)

Q8. Mission Indradhanush is for?

- A. Non-communicable diseases
- B. Universal immunization
- C. Family planning
- D. Safe water and sanitation

Answer: B (Universal immunization)

Q9. A study had a normal distribution with the median value as 200 and standard deviation 20. 68 % will fall between

- A. 160-240
- B. 170-230
- C. 180-220
- D. 190-210

Answer: C (180-220)

Q10. Which of the following is a technique/method based on behavioural sciences

- A. Management by objectives
- B. Network analysis
- C. Systems analysis
- D. Decision making

Answer: A (Management by objectives)

Q11. As per the sustainable development goals, The target for MMR is to achieve maternal deaths of

- A. < 70 / Lac live births
- B. < 100 / lac live births
- C. < 7 / 1000 live births
- D. < 10 / 1000 live births

Answer: A (< 70 / Lac live births)

Q12. The variation in data is compared with another data set by?

- A. Variance
- B. Coefficient of variation
- C. The standard error of mean
- D. Standard deviation

Answer: B (Coefficient of variation)

Q13. In which of the following methods of management is the benefit measured in natural units?

- A. Program budgeting system
- B. Network analysis
- C. Cost-effective analysis
- D. Cost-benefit analysis

Answer: C (Cost-effective analysis)

Q14. The difference between the incidence in the exposed and non-exposed group is best given by?

- A. Relative risk
- B. Attributable risk
- C. Population attributable risk
- D. Odds ratio

Answer: B (Attributable risk)

Q15. If one variable is given then you can find another variable by

- A. Coefficient of variation
- B. Coefficient of correlation
- C. Coefficient of regression
- D. Coefficient of determination

Answer: C (Coefficient of regression)

Q16. A researcher wanted to prove the relation between COPD and smoking. He collected patients records from government hospitals and records of cigarette sales from the finance and taxation department. This is an example of which study design?

- A. Cross-sectional
- B. Posological study
- C. Ecological study
- D. Operations research

Answer: C (Ecological study)

Q17. A study was done to assess malnutrition among young children. 100 children were selected each from rural and urban areas. Out of these, 30 among rural and 20 among urban were found to be malnourished. which of the following statistical test is used to compare the data sets?

- A. Paired t-test
- B. Chi-square
- C. The standard error of mean
- D. ANOVA

Answer: B (Chi-square)

Q18. The active disinfectant property of bleaching powder is due to?

- A. Chlorine
- B. Hypochloric acid
- C. Hypochlorous acid
- D. Chloramines

Answer: C (Hypochlorous acid)

Q19. Blood bags are disposed of in

- A. Yellow bag
- B. Black bag
- C. Red bag
- D. White bag

Answer: C (Red bag)

Q20. Admission rate bias is?

- A. Reporting bias
- B. Response bias
- C. Berksonian bias
- D. None

Answer: C (Berksonian bias)

Q21. A patient has fatigue. But not gaining weight. Body was warm. Investigation will show?

- A. Low TSH with more t3 or t4
- B. High TSH with normal t3 or t4
- C. High TSH with euthyroid
- D. Increased uptake of t3, but decrease t4

Answer: A (Low TSH with more t3 or t4)

Q22. Which parameter conclusively rules out malnutrition?

- A. Edema
- B. Lean body mass
- C. Skinfold thickness
- D. Normal ECF volume

Answer: B (Lean body mass)

Q23. 25-year-old man presents for a routine physical examination. The patient is tall and on examination, he was found to have an early diastolic murmur. His family pedigree is given below. Which of the following is the mode of inheritance by which the disease is likely to be transmitted?

- A. AD
- B. AR
- C. XLR
- D. XLD

Answer: A (AD)

Q24. A patient with the following feature shown in the image. The patient reports having another 3-year-old sibling at home, who is fully immunized as per the immunization schedule. What is the best measure to prevent diphtheria in the sibling of the diphtheria case child.

- A. Give diphtheria toxoid booster
- B. Give a full course of DPT vaccine
- C. Give prophylactic erythromycin
- D. Nothing is required to be done

Answer: D (Nothing is required to be done)

2021 NEET PG • 25 Questions

Q1. Following admission of a RTA case, there is a spillage of blood on the hospital floor. Which disinfectant will you use to clean the floor

- A. Sodium Hypochlorite
- B. Ethyl alcohol
- C. Formaldehyde
- D. Chlorhexidine

Answer: —

Q2. There is an outbreak of buboes in a community . What is the vector

- A. Xenopsylla [Rat Flea]
- B. Tse tse fly
- C. Human flea
- D. Sand fly

Answer: —

Q3. A 11 year old girl is having symptoms of fever and sore throat and to diagnose throat swab was taken. Which bag is used to discard the swab after culture

- A. Yellow bag
- B. Red bag
- C. Blue bag
- D. White bag

Answer: —

Q4. Global Hunger index does not include

- A. Under 5 mortality rate
- B. IMR
- C. Child mortality rate
- D. Child undernutrition

Answer: —

Q5. A child presented with bluish white spots in the mouth followed by a rash. What is the genome of probable diagnosis?

- A. Enveloped virus with single stranded RNA
- B. Naked virus with single stranded RNA
- C. Double stranded Naked RNA
- D. Double stranded Enveloped RNA

Answer: —

Q6. 16 month old child, 8kg weight. On assessing in a growth chart, child falls between standard & -2sd. What should be done next for the management.

- A. Assure mother that no malnutrition
- B. Mild malnutrition- home treatment
- C. Moderate malnutrition-teach mother on how to feed
- D. Severe malnutrition: refer to NRC

Answer: —

Q7. An anganwadi teacher takes weight & height of a 4 yr old & finds out that height for age <- 2SD, likely cause is

- A. Chronic malnutrition
- B. Acute malnutrition
- C. Recent malnutrition
- D. No malnutrition

Answer: —

Q8. A farmer is having ■ skin rash which increase on sun exposure. There is also redness of tongue. Maize in his staple diet. Which of the following vitamin deficiency can cause this type of feature

- A. Niacin deficiency
- B. Folic acid deficiency
- C. Vit C deficiency
- D. Vit K deficiency

Answer: —

Q9. A 45 year old man presents with following skin changes. What relevant history will you take to diagnose this condition?

- A. H/o dietary pattern, dementia, diarrhea
- B. Dietary history
- C. Dementia
- D. Depression

Answer: —

Q10. A girl child has had recurrent yeast & respiratory virus infection since she was 3 months old. Now considering studies for immune status, which vaccine is contraindicated?

- A. TT/Td
- B. Measles/MMR
- C. DPT
- D. Killed IPV

Answer: —

Q11. In a 10 year school child under school health program, which vaccine has to be given?

- A. BCG
- B. MMR
- C. TT,Td
- D. DPT

Answer: —

Q12. There is an outbreak of encephalitis in a community. According to the universal immunization schedule, the route of administration of vaccine for the likely infection is ?

- A. Live & subcutaneous
- B. Killed & subcutaneous
- C. Live & intramuscular
- D. Killed & intramuscular

Answer: —

Q13. Low air velocity will be measured by

- A. Kata thermometer
- B. Globe thermometer
- C. Wet thermometer
- D. Beckmans thermometer

Answer: —

Q14. School health service is at which level

- A. District
- B. Subcentre
- C. Subdistrict
- D. PHC

Answer: —

Q15. Post diwali air pollution index chart was created. Air quality index values on 4 different days were plotted, A AQI value of 470 indicates which level air pollution

- A. Poor
- B. Very poor
- C. Severe
- D. Moderate

Answer: —

Q16. A researcher wants to know whether there is an association of CRP values with risk of MI/Cancer. They started to take CRP readings. 4 Values of RR was plotted (0.5, 1.5,1.7,1.8) with respect to CRP

- A. CRP increase disease/cancer risk
- B. CRP has no relationship
- C. CRP decreases & disease decreases
- D. No association in first interval

Answer: —

Q17. A child known case of HIV. His CD count is 50. Which vaccine is avoided in him/her

- A. MMR
- B. TT
- C. DPT
- D. BCG

Answer: —

Q18. For functioning of a health centre with reference to evaluation, which is the most important determinant for assessing clinical management.

- A. Input
- B. Process
- C. Structure
- D. Outcome

Answer: —

Q19. A male presented with urethral discharge as shown in figure? What can be the cause ?

- A. Gonorrhea
- B. B. Hemophyli Ducreii
- C. Syphillis
- D. HIV

Answer: —

Q20. A group of people had pastries late at night followed by bouts of vomiting early in the morning. What could be the cause?

- A. S. aureus
- B. B cereus
- C. E. coli
- D. Lactobacillus

Answer: —

Q21. A pregnant woman whose niece contracted varicella in same house was negative for serum antibodies of varicella. What would this mean?

- A. She is susceptible to zoster
- B. She is susceptible to chicken pox
- C. She is immune to chicken pox
- D. She is immune to zoster

Answer: —

Q22. Child learning steps of hand hygiene

- A. Cognitive
- B. Psychomotor
- C. Affective
- D. Affective & cognitive

Answer: —

Q23. What is the SI Unit of brightness/illuminance

- A. Candella
- B. Luminance
- C. Lumen
- D. Lux

Answer: —

Q24. Receptor for absorption of glucose in intestine when person is given ORS is

- A. SGLT-1
- B. SGLT-2
- C. GLP-1
- D. GLUT-1

Answer: —

Q25. A 55 year old patient from chattisgarh presents with progressive muscle weakness, stiffness of both lower limbs & complete paralysis. Most important history asked

- A. Dietary history
- B. Medical history
- C. Present illness
- D. socioeconomic

Answer: —

2022 NEET PG • 14 Questions

Q1. Which of the following measures are associated with an increased life span?

- A. Moderate of regular exercise for 30 min
- B. Decrease stress
- C. Decreasing calorie intake by 30 percent
- D. Pharmacological intervention with proton pump inhibitors

Answer: C (Decreasing calorie intake by 30 percent)

Q2. Which of the following measures are associated with an increased life span?

- A. Moderate of regular exercise for 30 min
- B. Decrease stress
- C. Decreasing calorie intake by 30 percent
- D. Pharmacological intervention with proton pump inhibitors

Answer: —

Q3. The average life expectancy for a woman in Japan is 87 years. Due to recent advances in testing for cervical cancer, there is an increase in life expectancy by 15 years. The healthcare utility value is 0.8. Which of the following can be calculated from the parameters given?

- A. HALE
- B. DALY
- C. DFLE
- D. QALY

Answer: D (QALY)

Q4. You are working in a primary health center (PHC) situated in a high seismic zone. Which of the following will you do as part of preparedness for an emergency? 1. Disaster preparedness by making sure all financial and other resources are available 2. Increase public awareness through campaigns and loudspeakers 3. Conduct a simulation for the disaster and assess the response 4. Follow instructions given over the phone or radio by higher officials

- A. 1,2,3,4
- B. 2,3,4
- C. 1,2,3
- D. 1,2,4

Answer: C (1,2,3)

Q5. Although many animals are implicated in the spread of rabies, dogs are the most common ones. Also, it usually affects children in developing countries. Knowing this, what is the most cost-effective and logical way to reduce the incidence of rabies?

- A. Testing all the dogs for rabies
- B. Reduce stray dog population and vaccinate all dogs
- C. Increase the laboratory facilities
- D. Increase capacity of healthcare workers for surveillance

Answer: B (Reduce stray dog population and vaccinate all dogs)

Q6. Which of the following steps is not included in the STEP approach of WHO?

- A. Therapeutic assessment
- B. Physical assessment
- C. Psychological assessment
- D. Behavioral assessment

Answer: A (Therapeutic assessment)

Q7. A male patient diagnosed with tuberculosis took complete treatment. Sputum examination was done after the completion of the intensive and the continuation phases. It was found to be negative. What is the status of the patient?

- A. Cured
- B. Treatment completed
- C. Lost to follow up
- D. Treatment failed

Answer: A (Cured)

Q8. A cohort study was conducted with drinkers and non-drinkers of green tea to study its effect on diabetes mellitus. The risk ratio was found to be 0.84. Which of the following statements is correct?

- A. Green tea reduces the risk of diabetes
- B. Green tea increases the risk of diabetes
- C. Data insufficient to establish causal association
- D. The value (0.85) tends to be close to 1, hence there is no effect

Answer: A (Green tea reduces the risk of diabetes)

Q9. Which statement refers best to the criteria for starting an urban community health center?

- A. Caters to a population of 1-1.5 lakh
- B. Referral center for 2-3 primary health centers
- C. No sub-district and district hospitals present in the area
- D. Should have a 100-bed facility in metro cities

Answer: D (Should have a 100-bed facility in metro cities)

Q10. How is a broken vaccine vial disposed of, according to biomedical waste management?

- A. Puncture proof blue bin
- B. White container
- C. Yellow container
- D. Red container

Answer: A (Puncture proof blue bin)

Q11. In an urban area in the state of Madhya Pradesh, a primigravida goes for institutional delivery after being motivated by an ASHA worker. What are the benefits they will receive (in terms of money in rupees) under the Janani Suraksha Yojana? ASHA-Accredited social health activist

- A. 1000 for mother and 400 for ASHA
- B. 1400 for mother and 600 for ASHA
- C. 600 for mother and 400 for ASHA
- D. 400 for mother and 600 for ASHA

Answer: A (1000 for mother and 400 for ASHA)

Q12. Which of the following agencies provides seed and manure in applied nutrition programs in schools?

- A. CARE
- B. UNDP
- C. UNICEF
- D. WHO

Answer: C (UNICEF)

Q13. Many children from a particular community coming to a hospital were detected to have acute lymphoblastic leukemia (ALL). It was assumed that it is due to the presence of cytotoxic waste in the water of that community. If a case-control study has to be done to find whether the chemical and ALL are associated, what will be taken as the control?

- A. Children from the area exposed, but unaffected with the disease
- B. Children from the area not exposed and affected with the disease
- C. Children coming to your OPD, who do not have the disease
- D. All children with ALL irrespective of exposure status

Answer: A (Children from the area exposed, but unaffected with the disease)

Q14. An auxiliary nurse midwife has to conduct a vaccination camp in a village. She received 2 open vials, one of which is a pentavalent vaccine and the other is an MR vaccine. What can she do regarding the utilization of these vials?

- A. Use MR vaccine and discard pentavalent vaccine
- B. Use both
- C. Use pentavalent vaccine and discard MR vaccine
- D. Discard both

Answer: C (Use pentavalent vaccine and discard MR vaccine)

2023 NEET PG • 7 Questions

Q1. A construction worker came to the OPD complaining of white fingers. He has been working in a cold environment for the last 10 years. He also has aching in many fingers, cold sensitivity, and numbness. What is the most likely etiology for this condition?

- A. Fungal infection of the fingers due to continuous exposure to water
- B. Chilblains
- C. Autoimmune exposure to salts and chemicals
- D. Chronic exposure to cold

Answer: —

Q2. Research is being conducted to find the association between aniline dye exposure and bladder cancer in workers who have worked in the industry for ≥20 years. Two groups were formed: one directly involved with dye handling and the other group consisting of office clerks not directly exposed to the dye. Years of occupation were noted from records. What type of study is being performed?

- A. Retrospective cohort study
- B. Prospective cohort study
- C. Case-control study
- D. Intervention and response

Answer: —

Q3. The years of potential life lost could be attributed to?

- A. Years lost to morbidity
- B. Years lost due to premature death
- C. Years lost to disability
- D. Years lost to poor quality of life

Answer: —

Q4. In a 10-year-old school child, which of the following vaccines is given as a part of the school immunization program?

- A. Measles vaccine
- B. Rotavirus vaccine
- C. TT/Td vaccine
- D. Hepatitis B vaccine

Answer: —

Q5. How is water collected for bacteriological examination during a disease outbreak?

- A. Collect water from already leaking taps
- B. Before collecting, let water flow for at least 1 minute 45
- C. Water sample container is kept close to the tap avoid spillage
- D. Collect from a gentle stream of water to avoid splashing

Answer: —

Q6. A boys' hostel has an outbreak of fever cases with headache, followed by the development of pleomorphic rashes sparing palms and soles. What is the next best step in the management of suspected cases?

- A. Isolate for 6 days after giving acyclovir, followed by VZIG within 72 hours of exposure
- B. Isolate for 12 days after giving acyclovir, followed by VZIG within 48 hours of exposure
- C. Isolate for 6 days
- D. Only give VZIG

Answer: —

Q7. A chronic smoker who worked in a cement factory for 20 years developed mesothelioma. The association is likely to be due to

- A. Silicosis
- B. Asbestosis
- C. Coal workers' pneumoconiosis
- D. Bagassosis

Answer: —

2024 NEET PG • 18 Questions

Q1. Which of the following given diseases has the maximum portion of the iceberg submerged?

- A. Influenza
- B. Chicken pox
- C. Tetanus
- D. Rabies

Answer: A (Influenza)

Q2. What is the term for the interval between the entry of a pathogen into the host and the point at which the host reaches peak infectivity?

- A. Generation time
- B. Median incubation period
- C. Window period
- D. Latent period

Answer: A (Generation time)

Q3. A female presents with 22 weeks of pregnancy as a result of sexual assault. Which statement is true regarding medical termination of pregnancy (MTP)?

- A. Between 20-24 weeks, one doctor's opinion is required
- B. Between 20-24 weeks, MTP is only done if it is life-saving for the mother
- C. MTP can be done up to 24 weeks in this case
- D. MTP can be done after 24 weeks

Answer: C (MTP can be done up to 24 weeks in this case)

Q4. A 36-year-old fruit farmer presents with fever, breathing difficulties and neurological complications. He gives a history of spotting a few bats on his farm. What is the most likely diagnosis?

- A. Ebola
- B. Meningitis
- C. Nipah
- D. Zika

Answer: C (Nipah)

Q5. A group of 80 people was studied to assess the effect of diet modification on mean cholesterol levels before and after the intervention. Which statistical test is most appropriate to compare the mean cholesterol levels before and after the diet modification?

- A. Paired t-test
- B. McNemar test
- C. Chi-square test
- D. Wilcoxon signed-rank test

Answer: A (Paired t-test)

Q6. A study is conducted on the association between the intake of vitamin C and the occurrence of respiratory illness. What is the order in which the following steps are conducted? A. Select a case and control. B. Matching C. Measure total exposure D. Analysis

- A. ABCD
- B. BCDA
- C. CBAD
- D. DABC

Answer: A (ABCD)

Q7. A mother brings her child with complaints of papular lesions on the extensor surfaces of the skin. The lesions improve following supplementation with vitamins A and C along with essential amino acids. What is the most likely diagnosis?

- A. Phrynoderma
- B. Rickets
- C. Kwashiorkor
- D. Marasmus

Answer: A (Phrynoderma)

Q8. Given 500 live births, 12 stillbirths, and 9 deaths within the first 7 days, calculate the Early Neonatal Mortality Rate (ENMR).

- A. 18
- B. 36
- C. 24
- D. 50

Answer: A (18)

Q9. Calculate the maternal mortality ratio (MMR) for the year 2023, from the given data: ● Total women who died: 6 ● Total live births: 4000 Causes of death: ● 1 due to a road traffic accident (RTA) ● 1 due to sepsis ● 1 due to obstructed labour ● 1 due to eclampsia ● 1 due to ectopic pregnancy ● 1 due to a snake bite

- A. 75
- B. 150
- C. 100
- D. 125

Answer: C (100)

Q10. Identify the importance of given image

- A. Arohi from HIV
- B. Sapna Leprosy
- C. Meena Unicef
- D. None of the above

Answer: B (Sapna Leprosy)

Q11. What is the correct order of steps in disaster management?

- A. Impact-Response-Rehab -Mitigation
- B. Response- Rehab -Mitigation-Impact
- C. Rehab -mitigation-Response-Impact
- D. Mitigation-Response-Impact-Rehab

Answer: A (Impact-Response-Rehab -Mitigation)

Q12. For a disease with incubation period of 5-14 days, what should be the recommended quarantine period?

- A. 5 days
- B. 10 days
- C. 14 days
- D. 20 days

Answer: C (14 days)

Q13. For a disease with incubation period of 5-14 days, what should be the recommended quarantine period?

- A. 5 days
- B. 10 days
- C. 14 days
- D. 20 days

Answer: C (14 days)

Q14. A man presented with bilateral swelling of his legs, diarrhoea, and dyspnea. He has a history of consuming mustard oil from a local vendor. Which test should be performed by the health inspector to check for the adulterant?

- A. Paper Chromatography Test
- B. Nitric Acid Test
- C. Methylene Blue Reduction Test
- D. Both B and C

Answer: A (Paper Chromatography Test)

Q15. Which one of the following is not included in the school health program under Ayushman Bharat?

- A. Providing sanitary pads
- B. Health check-up/screening
- C. Albendazole provision
- D. IFA monthly

Answer: D (IFA monthly)

Q16. In the health education model with first step as awareness and second step as motivation, what is the third step?

- A. Reflection
- B. Dedication
- C. Contemplation
- D. Action

Answer: D (Action)

Q17. Which indicator is defined by a formula that uses the number of maternal deaths as the numerator and the total number of women of reproductive age as the denominator?

- A. Maternal mortality rate
- B. Maternal mortality ratio
- C. Perinatal mortality rate
- D. Perinatal mortality ratio

Answer: A (Maternal mortality rate)

Q18. Which of the following is not a component of PQLI?

- A.** Life expectancy at 1 year
- B.** Literacy rate
- C.** Infant mortality rate
- D.** Gross national product

Answer: D (Gross national product)