

40. The first iOS was written in \_\_\_\_?

## Answers

1. 1984

2. 1985

3. 1986

4. 1987

39. The Iphonee has a feature that activates when you rotate the device from potrait to landscape ?

## Answers

1. Rotator

2. Accelerometer

3. Shadow detector

4. Spceial Sensor

38. Which of the following is Application development environments for iOS?

## Answers

1. Cocoa
2. Cocoa touch
3. Cocoa iOS
4. Cocoa begin

---

37. What is the built-in database used in iOS?

## Answers

1. Oracle

2. SQLite

3. MySQL

4. Apache

---

36. To Initialize variable with Null require \_\_\_\_

## Answers

1. ?

2. !

3. \_

4. NULL

35. To Create Constants In Swift We Use Keyword \_\_\_\_

## Answers

1. Conts

2. Let

3. Constants

4. None Of Above

34. Which of the following is Incorrect Data Type in SWIFT ?

## Answers

1. UInt

2. Double

3. Char

4. Optional

33. What are the advantages of Swift?

1. Swift is safe
2. Swift is not fast
3. Swift is open source

## Answers

1. Only 1
2. Only 3
3. Both 1 and 2
4. Both 1 and 3



32. What Is Bundle In IOS

## Answers

1. It Is A Class

2. It Is Used To Send Data

3. It Is Folder With .app Extension

4. None Of Above

---

31. `typeof` is used for?

## Answers

1. To get the data type
  2. To declare the constant
  3. To initialise the data member
  4. None of the Above
-

30. What Was The Original Name Of IOS?

## Answers

1. iPhone OS

2. IOS Is Original Name

3. IPad OS

4. IPod OS

29. Integer Array can be declare as \_\_\_\_

## Answers

1. `var array = [10, 20, 30, 40 ,50]`

2. `var array: Array<Int> = [10, 20, 30, 40 ,50]`

3. `var array: [Int] = [10, 20, 30, 40 ,50]`

4. All of above

---

28. Which of the following is a default UI Property ?

## Answers

1. Assign

2. Atomic

3. Non-atomic

4. None of them

27. Which of the following statement is wrong ?

## Answers

1. IBOutlet are macro defined to denote a variable that can be referred to in Interface Builder.

2. IBOutlet resolves to Id

3. IBOutlet resolves to nothing

4. IBOutlet is a type qualifier used by Interface Builder as a connection point for sending messages from app code to a user inter



26. The two types of constructors in Kotlin are ?

## Answers

1. Primary and Secondary constructor
2. First and the second constructor
3. Constant and Parameterized constructor
4. None of above

25. Which extension is responsible to save Kotlin files?

## Answers

1. .kot

2. .android

3. .src

4. .kt or .kts



24. Why you should switch to kotlin from Java ?

## Answers

1. Kotlin language is quite compare to Java
2. It reduces any redundancies in code as compare to Java
3. Kotlin can offer some useful feature which are not supported by Java
4. All of above

---

23. Which is related to fragment class?

## Answers

1. dialogFragment

2. listFragment

3. preferenceFragment

4. All of the above.

22. What does API stand for ?

## Answers

1. Algorithmic Protocol Interface
2. Application programming interface
3. Accellerated Programming Interface
4. None of the above

21. What are the indirect Direct subclasses of Services?

## Answers

1. recognitionService
2. remoteViewsService
3. spellCheckerService
4. inputMethodService