

## Hybrid\_Module\_Programming

Result: **Pass**  
Marks: **49/60**  
Percentage: **81.67 %**

Questions: **60**  
Correct Answers: **49**  
Attempted: **60**

---

### **1. HTML stands for**

1. HighText Machine Language
2. HyperText and links Markup Language
3. HyperText Markup Language
4. None of these

### **2. The correct sequence of HTML tags for starting a webpage is**

1. Head, Title, HTML, body
2. HTML, Body, Title, Head
3. HTML, Head, Body, Title
4. HTML, Head, Title, Body

### **3. Which of the following element is responsible for making the text bold in HTML?**

1. <pre>
2. <a>
3. <b>
4. <br>

### **4. Which of the following tag is used for inserting the largest heading in HTML?**

1. <h3>
2. <h1>
3. <h5>

4. <h6>

**5. How to create an unordered list (a list with the list items in bullets) in HTML?**

1. <ul>

2. <ol>

3. <li>

4. <i>

**6. Which character is used to represent the closing of a tag in HTML?**

1. \

2. !

3. /

4. .

**7. How to create a hyperlink in HTML?**

1. <a href = "www.javatpoint.com"> javaTpoint.com </a>

2. <a url = "www.javatpoint.com" javaTpoint.com /a>

3. <a link = "www.javatpoint.com"> javaTpoint.com </a>

4. <a> www.javatpoint.com <javaTpoint.com /a>

**8. <input> is**

1. a format tag

2. an empty tag

3. All of the above

4. None of the above

**9. How to create a checkbox in HTML?**

1. <input type = "checkbox">

2. <input type = "button">

3. `<input type = "button">`

4. `<input type = "check">`

**10. Which of the following tag is used to define options in a drop-down selection list?**

1. `<select>`

2. `<list>`

3. `<dropdown>`

4. `<option>`

**11. The `<hr>` tag in HTML is used for**

1. new line

2. vertical ruler

3. new paragraph

4. horizontal ruler

**12. CSS stands for**

1. Cascade style sheets

2. Color and style sheets

3. Cascading style sheets

4. None of the above

**13. Which of the following is the correct syntax for referring the external style sheet?**

1. `<style src = example.css>`

2. `<style src = "example.css" >`

3. `<stylesheet> example.css </stylesheet>`

4. `<link rel="stylesheet" type="text/css" href="example.css">`

**14. The CSS property used to control the element's font-size is**

1. text-style

2. text-size

3. font-size

4. None of the above

**15. The HTML attribute used to define the internal stylesheet is -**

1. <style>

2. style

3. <link>

4. <script>

**16. The CSS property used to make the text bold is -**

1. font-weight : bold

2. weight: bold

3. font: bold

4. style: bold

**17. Which of the following is the correct syntax to select all paragraph elements in a div element?**

1. div p

2. p

3. div#p

4. div ~ p

**18. The CSS property used to set the distance between the borders of the adjacent cells in the table is -**

1. border-collapse

2. border-radius

3. border-spacing

4. None of the above

**19. Which type of CSS is used in the below code?**  
`<p style = "border:2px solid red;">`

1. Inline CSS

2. Internal CSS

3. External CSS

4. None of the above

**20. The CSS property used to specify the transparency of an element is**

1. Hover

2. opacity

3. clearfix

4. overlay

**21. Which type of JavaScript language is \_\_\_\_**

1. Object-Oriented

2. Object-Based

3. Assembly-language

4. High-level

**22. Which one of the following also known as Conditional Expression:**

1. Alternative to if-else

2. Switch statement

3. If-then-else statement

4. immediate if

**23. In JavaScript, what is a block of statement?**

1. Conditional block

2. block that combines a number of statements into a single compound statement

3. both conditional block and a single statement

4. block that contains a single statement

**24. The "function" and " var" are known as:**

1. Keywords

2. Data types

3. Declaration statements

4. Prototypes

**25. Which of the following variables takes precedence over the others if the names are the same?**

1. Global variable

2. The local element

3. The two of the above

4. None of the above

**26. Which of the following type of a variable is volatile?**

1. Mutable variable

2. Dynamic variable

3. Volatile variable

4. Immutable variable

**27. In the JavaScript, which one of the following is not considered as an error:**

1. Syntax error

2. Missing of semicolons

3. Division by zero

4. Missing of Bracket

**28. In JavaScript the x===y statement implies that:**

1. Both x and y are equal in value, type and reference address as well.
2. Both x and y are equal in value only.
3. Both are equal in the value and data type.
4. Both are not same at all.

**29. Which one of the following is an ternary operator:**

1. ?
2. :
3. -
4. +

**30. Which one of the following operator returns false if both values are equal?**

1. !
2. !==
3. !=
4. All of the above

**31. What is the primary role of the "return ()" statement in a function body?**

1. It returns the value and continues executing rest of the statements
2. It returns the value and stops the program execution
3. Stops executing the function and returns the value
4. It returns the value and stops executing the function

**32. Which of the following is not a JavaScript Data Types?**

1. Boolean

2. Undefined

3. Number

4. Float

**33. Which of the following syntax can be used to write "Hello World" in an alert box?**

1. `alertBox("Hello World");`

2. `msgBox("Hello World");`

3. `alert("Hello World");`

4. `msg("Hello World");`

**34. Which of the following is the correct way to write a comment in JavaScript code?**

1. `//This is a comment`

2. `/*This is a comment*/`

3. `$This is a comment$`

4. `**This is a comment**`

**35. jQuery is a -**

1. JavaScript method

2. JavaScript library

3. JSON library

4. PHP method

**36. Which jQuery method is used to set one or more style properties to the selected element?**

1. The `html()` method

2. The `style()` method



### 3. The `css()` method

4. All of the above

**37. Which of the following jQuery method is used to attach a handler to an event?**

1. `unbind()` method

2. `attach()` method

### 3. `bind()` method

4. None of the above

**38. The jQuery used to find all next sibling elements after the current element is -**

1. `find()` method

2. `nextAll()` method

3. `siblings()` method

4. None of the above

**39. The jQuery method used to load data using HTTP get is -**

1. `get(URL, data, callback, dataType)` method

2. `post(URL, data, callback, dataType)` method

3. `ajax()` method

4. `ajaxSend()` method

**40. How can you get the total number of arguments passed to a function?**

1. Using `args.length` property

2. Using `arguments.length` property

3. Both of the above.

4. None of the above.

**41. Which of the following command is used to install the Node.js express module?**

1. `$ npm install express`

2. `$ node install express`
3. `$ install express`
4. None of the above

**42. What is Callback?**

1. The callback is a technique in which a method calls back the caller method.
2. The callback is an asynchronous equivalent for a function.
3. Both of the above.
4. None of the above.

**43. The Node.js modules can be exposed using:**

1. `expose`
2. `module`
3. `exports`
4. All of the above

**44. What does the fs module stand for?**

1. File Service
2. File System
3. File Store
4. File Sharing

**45. Which of the following statement is used to execute the code of the sample.js file?**

1. `sample.js`
2. `node sample.js`
3. `nodejs sample.js`
4. None of the above.

**46. Which of the following are the core features of the Express framework?**

1. It allows us to set up middleware to respond to HTTP Requests.

- 2. It defines a routing table that can work as per HTTP Method and URL.
- 3. It is used to render the HTML pages dynamically.
- 4. All of the above.

**47. Where are the captured values populated regarding the route parameters?**

- 1. req.data
- 2. app.locals
- 3. req.params
- 4. All of the above

**48. How is it possible to create chainable route handlers for a route path in Express.js?**

- 1. Using app.route()
- 2. Using app.routes()
- 3. Using app.router()
- 4. Using app.routing()

**49. Which of the following is the correct syntax to use Express.js in Node?**

- 1. var = require('express')();
- 2. var \_require('express')();
- 3. var app = require('express')();
- 4. None of the above

**50. Which of the following method requests that the server accept the data enclosed in the request to modify an existing object identified by the URI?**

- 1. GET
- 2. DELETE

3. PUT

4. POST

**51. HTTP is stateless.**

1. This statement is true.

2. This statement is false.

3. It can be true or false.

4. Cannot say.

**52. Which of the following is the correct name of React.js?**

1. React

2. React.js

3. ReactJS

4. All of the above

**53. Which of the following command is used to install create-react-app?**

1. npm install -g create-react-app

2. npm install create-react-app

3. npm install -f create-react-app

4. install -g create-react-app

**54. A class is a type of function, but instead of using the keyword function to initiate it, which keyword do we use?**

1. Constructor

2. Class

3. Object

4. DataObject

**55. Which of the following keyword is used to create a class inheritance?**

1. Create
2. Inherits
3. Extends
4. This

**56. The correct syntax of creating a standard navigation bar is -**

1. `<nav class="navigationbar navbar">`
2. `<nav class="navbar navbar-default">`
3. `<nav class="nav navbar">`
4. `<nav class="navbar default">`

**57. Which of the following class is used to create a black navigation bar?**

1. navbar-default
2. navbar-inverse
3. navbar-black
4. navbar-dark

**58. Which of the following class in Bootstrap is used to create a dropdown menu?**

1. dropdown
2. select
3. select-list
4. None of the above

**59. Which of the following class in Bootstrap is used to create a large button?**

1. btn-xl
2. btn-lrg
3. btn-large

4. btn-lg

60. How many ways of defining your variables in ES6

1. 1

2. 3

3. 4

4. 5