

TextLoader — 2 Tasks

1. Student Information

- Create students.txt.
- Add information about 5 students.
- Use TextLoader to load the file.
- Print the complete text using page_content.

2. College Rules

- Create college_rules.txt.
 - Add at least 10 college rules.
 - Load the file using TextLoader.
 - Print each loaded document's content.
-

PyPDFLoader — 2 Tasks

3. College PDF

- Take any college-related PDF.
- Use PyPDFLoader to load it.
- Print the content of the first page.

4. Multiple Pages

- Take a PDF having at least 5 pages.
 - Load it using PyPDFLoader.
 - Print the content of every page using a loop.
-

WebBaseLoader — 2 Tasks

5. Website Content

- Choose any educational website.
- Use WebBaseLoader to load the website.
- Print the extracted page_content.

6. Website Metadata

- Load any website using WebBaseLoader.
 - Print:
 - Website URL
 - Page title
 - Extracted text
-

CSVLoader — 2 Tasks

7. Student CSV

- Create students.csv with columns:
 - name
 - age
 - branch
 - marks
- Add at least 5 students.
- Load it using CSVLoader.
- Print every student's document.

8. Product CSV

- Create products.csv with:
 - product_name
 - price

- category
 - stock
 - Add at least 10 products.
 - Load the CSV and print the `page_content` of each document.
-

Text Splitter Tasks

Length-Based Splitting — 2 Tasks

9.

- Create a paragraph of at least 300 characters about Python.
- Use `RecursiveCharacterTextSplitter`.
- Set:

`chunk_size=50``chunk_overlap=0`

- Print all generated chunks.

10.

- Create a long paragraph about Artificial Intelligence.
- Use:

`chunk_size=100``chunk_overlap=20`

- Print the chunks and observe the overlapping text.
-