


PLAN NOTES:

1. THIS DRAWING SHOULD BE READ ALONG WITH RELEVANT ARCHITECTURAL, MEP, ANY OTHER SPECIALIST DRAWINGS AND SPECIFICATIONS. ANY CHANGES/DEVIATION FOUND SHOULD BE IMMEDIATELY BROUGHT TO NOTICE OF ARCHITECT / STRUCTURAL CONSULTANT.
2. ALL DIMENSIONS ARE IN mm UNO. ALL DIMENSIONS ARE TO BE READ AND NOT TO BE SCALED.
3. REFER ARCHITECTURAL DRGS. FOR LEVELS, SETTING-OUT CENTERLINE DIMENSIONS, NON-STRUCTURAL WALL AND ANY OTHER RELEVANT INFORMATION.
4. STRUCTURAL DRAWINGS SHOULD BE REFERRED ONLY FOR MEMBER SIZES, STRUCTURAL REINFORCEMENT LAYOUTS AND DETAILS.
5. DESIGN AND ERECTION OF FORMWORK / SUPPORTING PROPS / TEMPORARY SUPPORTS / SHUTTERING / SHORING/ EARTH RETENTION / DE-WATERING ETC. REQUIRED DURING EXECUTION OF WORKS / CONSTRUCTION WILL BE THE RESPONSIBILITY OF THE CONTRACTOR.
6. POUR SEQUENCE SHOULD BE APPROVED BY STRUCTURAL CONSULTANT PRIOR TO EXECUTION OF WORK.
7. REFER S0xx SERIES FOR GENERAL NOTES, TYPICAL DETAILS.
8. ALL REINFORCEMENT STEEL TO BE Fe550D GRADE.
9. CONTRACTOR TO ENSURE THE SAFETY OF MEN / LABOUR AT SITE DURING CONSTRUCTION AND FOLLOW SAFE AND GOOD CONSTRUCTION PRACTICES INCLUDING PROVISION OF SAFETY GEAR, HARNESS ETC. DURING CONSTRUCTION / EXECUTION OF ALL WORKS.
10. ANY OPENINGS IN STRUCTURAL ELEMENT OTHER THAN SHOWN IN STRUCTURAL DRAWINGS NEED TO BE SIGNED OFF BY EOR.
11. ALL NON-STRUCTURAL WALLS TO BE ANCHORED AT TOP AND BOTTOM AS PER TYPICAL NON-STRUCTURAL WALL DETAIL

WALLS CONCRETE GRADE SCHEDULE	
LEVELS	CONCRETE GRADE
WALLS UPTO LEVEL 04	M45
WALLS LEVEL 04 TO LEVEL 08	M40
WALLS LEVEL 08 TO LEVEL 12	M35
WALLS EVEL 12 AND ABOVE	M30

LEGENDS:


	50MM SUNK		NON-STRUCTURAL WALL 300 MM THK
	NON-STRUCTURAL WALL 100 MM THK		PARAPET WALL 100/200 MM THK
	NON-STRUCTURAL WALL 160 MM THK		WALL/COL STOPPING BELOW
	NON-STRUCTURAL WALL 240 MM THK		REFUGE AREA
	CHEQUERED PLATE (REFER SEPARATE DRAWING)		KHURRA




(TYPE 01)

2ND,3RD,5TH,6TH,7TH,9TH,10TH,11TH,13TH,14TH,15TH,17TH,18TH,19TH,21ST,22ND,23RD,25TH,26TH,27TH FLOORS

1 : 75



KEY PLAN:



NOTES:

1. GRADE OF CONCRETE OF BEAM/SLABS-M35 (UPTO LEVEL 04) & M30 (ABOVE LEVEL 04)
2. REFER S3-T04-06-001, 002 & 003 FOR FRAMING AND S3-T04-06-101, 101A & 102 FOR CORRESPONDING SECTIONS.
3. REFER S4 SERIES FOR WALL REINFORCEMENT
4. REFER S5-T04-06 SERIES FOR BEAM SCHEDULE
5. REFER S6-T04-06 SERIES FOR SLAB REINFORCEMENT.
6. REFER S3-T04-06-201, 201A & 202 FOR SECTIONS WITH REINFORCEMENT DETAILS
7. REFER CHEQUERED PLATE DRAWING FOR INSERT PLATES TO BE ADDED WHILE CASTING OF BEAMS/SHR WALLS AROUND SHAFTS.
8. FOR NON-STRUCTURAL WALL REINF, REFER SEPARATE TYPICAL DWG.

APPROVED FOR  
DESIGN INTENT ONLY.

Sign RSP Date 11/06/2021  
For RSP Design Consultants (India) Pvt. Ltd.

R0	01.06.2021	GFC
No.	Date	Description

REVISION SCHEDULE

**GOOD FOR CONSTRUCTION**

RECEIVED AT SITE : SIGN AND DATE



PROJECT:

**SECTOR 43, NOIDA,  
GAUTAM BUDDHA NAGAR,  
UTTAR PRADESH - 201303**

DESIGN ARCHITECT

**RSP DESIGN CONSULTANTS (INDIA) PVT LTD.**

STRUCTURAL CONSULTANT



WALTER P MOORE ENGINEERING INDIA PVT. LTD.  
Down Town City Centre,  
Office No 5B, 5th Floor, S, No 8  
+ 23/1/2, Near Mhare Bridge, Erandwane,  
Pune - 411 004, INDIA

APPROVED BY: **AK**

CHECKED BY: **AK**

DRAWN BY: **TJ**

DESIGNED BY: **NK**

DATE: **10/06/2021**

PROJECT NO:

**18012-16**

PROJECT NAME:

**GODREJ-SECTOR 43**

ADDRESS: **SECTOR 43, NOIDA**

SCALE @ A1: **As indicated**

SHEET TITLE:

**TOWER-04 & 06 TYPICAL  
LEVEL FRAMING PLAN  
TYPE-01**

SHEET NO: **S3-T04-06-001** R0