

Notes:

- 1. Concrete Grade of M30 and Reinforcement grade of Fe500 is to be used for beams and slab.
- 2. Clear cover to Reinforcement is 30 mm unless noted otherwise.
- 3. Spacer bars between two layers are to be placed at 500 mm c/c.
- 4. Do not scale this drawing.


STRUCTURAL CONSULTAN

WALTER P MOORE ENGINEERING INDIA PVT. LTD. Down Town City Centre. Office No 58,5th Floor, S. No 8 + 23/1/2, Near Mhoftre Bridge, Erandwane, Pune — 411 004, INDIA


INFRASTRUCTURE CONSULTANT

WALTER P MOORE ENGINEERING INDIA PVT. LTD. Down Town City Centre, Office No 58,316 Floor, S. No 8 + 23/1/2, Near Mhatre Bridge, Erandwane, Pune — 411 004, INDIA

KEY PLAN







(SCALE: 1:25)

(SCALE: 1:50)

LAP LENGTH		
DIA(mm)	LENGTH	
10	450	
12	540	
16	720	
20	900	
25	1125	
32	1440	

ABBREVIATIONS	
Т	Fe 500 Reinforcement
TYP	Typical
В	Beam
SSL	Structural slab level
SFR	Side Face Reinforcement



No. Date Description

REVISION SCHEDULE

SEAL

FOR PUNE DESCRIPTION

PUNE DESCRIPTION

REVISION SCHEDULE

RECEIVED AT SITE : SIGN AND DATE

CLIENT:TOTAL ENVIRONMENT BUILDING SYSTEMS PVT. LTD.

LANDSCAPE / SERVICES / STRUCTURES

sinibanee & Kanta.

"Imagine" No.78, ITPL Main Road,
EPIP Zone Whitefield, Bangalore-560 064
P: +91 80 42453000, www.total-environment.

CHECKED FOR COORDINATION

STRUCTURAL

SERVICES

LANDSCAPE
ESTIMATION

APPROVED BY: AB
CHECKED BY: PM
DRAWN BY: VM

DESIGNED BY: **YM**DATE: **07/09/2021**

PROJECT NO:PROJECT NAME:


0063 IN THAT QUIET EARTH

APMRESS: BILESHIVALE, BANGALORE
PURPOSE: REVIEW TENDER
REFERENCE CONSTRUCTION

SCALE @ A3: AS SHOWN
SUB PROJECT: TOWER 4

BLOCK B4 BEAM REINF.
ELEVATIONS SSL12 & SSL14 (SHEET-1)

HEET NO: \$8-B04-128 RO



(SCALE: 1:25)

(SCALE: 1:25)