Name : Prathamsinh

Enrolment. No. : 23162172004

Batch:-54

Practical 7

A thief carrying a single knapsack with limited (W = 5) capacity. The museum you stole had (n=4) artefacts that you could steal. Unfortunately, you might not be able to steal the entire artefact because of your limited knapsack capacity. Help the thief to cherry pick the artefact in order to maximise the total value (<=W) of the artefacts you stole.

First solve the given below example:

Let n = 4, W=5

(P1, P2, P3, P4) = (3,4,5,6)

(w1, w2, w3, w4) = (2,3,4,5)

Code :

app.py :

```python
from flask import Flask, render_template, request

app = Flask(__name__)

def dynamic_knapsack(n, W, weights, profits):
    table = [[0 for x in range(W + 1)] for x in range(n + 1)]

    for i in range(1, n + 1):
        for j in range(W + 1):
```

```python
            if weights[i-1] <= j:
                table[i][j] = max(table[i-1][j], profits[i-1] + table[i-1][j -
weights[i-1]])
            else:
                table[i][j] = table[i-1][j]

    max_profit = table[n][W]

    return table, max_profit

@app.route('/', methods=['GET', 'POST'])
def index():
    if request.method == 'POST':
        W = int(request.form['capacity'])
        n = int(request.form['num_items'])

        profits = list(map(int, request.form['profits'].split(',')))
        weights = list(map(int, request.form['weights'].split(',')))

        table, max_profit = dynamic_knapsack(n, W, weights, profits)

        return render_template('index.html', table=table,
max_profit=max_profit, profits=profits, weights=weights, W=W, n=n)

    return render_template('index.html')

if __name__ == '__main__':
    app.run(debug=True)
```

index.html :

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>0/1 Knapsack Problem Solver</title>
    <style>
        body {
            font-family: Arial, sans-serif;
            margin: 20px;
```

```html
            background-color: #f0f0f0;
        }
        h1 {
            color: #333;
        }
        form {
            margin-bottom: 20px;
        }
        input[type="text"], input[type="number"] {
            padding: 10px;
            width: 300px;
            margin: 10px 0;
        }
        input[type="submit"] {
            padding: 10px 20px;
            background-color: #007BFF;
            color: white;
            border: none;
            cursor: pointer;
        }
        table {
            border-collapse: collapse;
            width: 60%;
            margin-top: 20px;
        }
        table, th, td {
            border: 1px solid black;
            padding: 10px;
            text-align: center;
        }
        th {
            background-color: #007BFF;
            color: white;
        }
        td {
            background-color: #fff;
        }
    </style>
</head>
<body>

    <h1>0/1 Knapsack Problem</h1>

    <form method="POST">
        <label for="capacity">Knapsack Capacity:</label><br>
        <input type="number" id="capacity" name="capacity" required><br>

        <label for="num_items">Number of Items:</label><br>
```

```html
        <input type="number" id="num_items" name="num_items" required><br>

        <label for="profits">Enter Profits (comma-separated):</label><br>
        <input type="text" id="profits" name="profits" required><br>

        <label for="weights">Enter Weights (comma-separated):</label><br>
        <input type="text" id="weights" name="weights" required><br>

        <input type="submit" value="Solve">
    </form>

    {% if max_profit %}
        <h2>Results</h2>
        <p><strong>Maximum Profit:</strong> {{ max_profit }}</p>

        <h3>Dynamic Programming Table</h3>
        <table>
            <thead>
                <tr>
                    <th>Items/Weight</th>
                    {% for i in range(W + 1) %}
                    <th>{{ i }}</th>
                    {% endfor %}
                </tr>
            </thead>
            <tbody>
                {% for i in range(n + 1) %}
                <tr>
                    <td>Item {{ i }}</td>
                    {% for j in range(W + 1) %}
                    <td>{{ table[i][j] }}</td>
                    {% endfor %}
                </tr>
                {% endfor %}
            </tbody>
        </table>
    {% endif %}

</body>
</html>
```

Output :

0/1 Knapsack Problem

Knapsack Capacity:

Number of Items:

Enter Profits (comma-separated):

Enter Weights (comma-separated):

Solve

Results

Maximum Profit: 7

Dynamic Programming Table

Items/Weight	0	1	2	3	4	5
Item 0	0	0	0	0	0	0
Item 1	0	0	3	3	3	3
Item 2	0	0	3	4	4	7
Item 3	0	0	3	4	5	7
Item 4	0	0	3	4	5	7