

EX.NO:9

1. SELECT e.last_name, e.hire_date

FROM e1 e

WHERE e.dept_id = (

SELECT dept_id

FROM e1

WHERE last_name = :last_name

)

AND e.last_name != :last_name;

LAST_NAME	HIRE_DATE
park	10/11/1999

1 rows returned in 0.00 seconds [Download](#)

2.select emp_id,last_name,salary from e1 where salary<(select avg(salary) from e1) order by salary asc;

EMP_ID	LAST_NAME	SALARY
101	park	15000
100	yoon	15000

2 rows returned in 0.00 seconds [Download](#)

**1. select last_name,dept_id,job_id from e1 where
dept_id in(select dept_id from e1 where
deptloc_id =1700);**

select last_name,dept_id,job_id from e1 where deptloc_id =1700;

LAST_NAME	DEPT_ID	JOB_ID
jeon	20	em30
seon	30	em40

2 rows returned in 0.00 seconds [Download](#)


```
    e.last_name,  
    e.salary  
FROM  
    e1 e  
JOIN  
    e2 m ON e.mg_id = m.mg_id  
WHERE  
    m.last_name = 'king';
```

LAST_NAME	SALARY
yoon	15000
park	15000

2 rows returned in 0.00 sec

```
4. SELECT emp_name, dept_id, job_id  
FROM e1  
WHERE dept_id IN (  
    SELECT dept_id  
    FROM e1  
    WHERE deptloc_id = 1700  
);
```

Results	Explain	Describe	Saved SQL
EMP_NAME	DEPT_ID	JOB_ID	
sun	20	em30	
kim	30	em40	

2 rows returned in 0.01 seconds [Download](#)

```

7.SELECT emp_id, emp_name, salary
FROM e1
WHERE salary > (SELECT AVG(salary) FROM e1)
AND dept_id IN (
    SELECT dept_id
    FROM e1
    WHERE emp_name LIKE '%u%'
);

```

Results	Explain	Describe	Saved SQL	History
EMP_ID	EMP_NAME	SALARY		
103	sun	25000		

1 rows returned in 0.00 seconds [Download](#)

```

2. select e1.emp_id,e1.emp_name from e1 where
e1.dept_id in(select e3.dept_id from e3 where
e3.emp_name like'%u%');

```

Results	Explain	Describe	Saved SQL	History
EMP_ID	EMP_NAME			
101	moon			
100	nisha			

2 rows returned in 0.01 seconds [Download](#)