Music Playlist Manager Assignment

Overview

In this assignment, you will implement key components of a Music Playlist Manager application using Java and Swing. This project focuses on applying data structures concepts, particularly linked lists, to create a functional music playlist management system with a graphical user interface.

The application allows users to: - View a database of songs - Create and manage a playlist - Add and remove songs - Reorder songs in the playlist - Sort the playlist using custom data structures

Learning Objectives

- Implement linked list data structures with additional functionality
- Apply sorting algorithms to a linked list implementation
- Understand how MVC (Model-View-Controller) architecture works in a real application
- Practice implementing interfaces (Comparable) in Java
- Work with Java Swing GUI components

Project Structure

The project consists of the following files:

- MusicPlaylistManager.java: Main application class with GUI setup (already implemented)
- 2. **LinkedList.java**: Generic linked list implementation (already implemented)
- 3. **BetterLinkedList.java**: Extended linked list with additional functionality (needs implementation)
- 4. **Song.java**: Class representing a song with metadata (needs to be modified)
- 5. **PlaylistController.java**: Controller for playlist operations (needs implementation)
- 6. **SongDatabaseController.java**: Controller for the song database (already implemented)
- 7. songs.csv: CSV file containing the song database (already provided)

Your Tasks

- 1. Implement the BetterLinkedList Methods The BetterLinkedList.java file extends the LinkedList class. You should *copy* your own linked list class to this folder and then implement the following methods:
 - swap(int i, int j): Swaps the elements at the specified positions
 - swapWithNext(int i): Swaps the element at position i with the next element (should be more efficient than swap(i, i+1))

- sort(): AFTER #3 below: sorts the elements using bubble sort (elements must implement Comparable)
- 2. Implement the PlaylistController Methods Complete the PlaylistController.java file by implementing the following methods:
 - addSong(Song song): Adds a song to the end of the playlist
 - removeSong(int index): Removes a song at the specified index
 - moveSongUp(int index): Moves a song up one position using swapWith-Next
 - moveSongDown(int index): Moves a song down one position using swap-WithNext
 - sortByTitle(): Sorts the playlist by title using the sort method from BetterLinkedList
 - getSize(): Returns the number of songs in the playlist
 - getSongAt(int index): Gets a song at the specified index
 - clearPlaylist(): Removes all songs from the playlist
- 3. Implement the Song Class Comparable Interface Modify the Song.java file to implement the Comparable interface (We will discuss this in class):
 - Make the Song class implement Comparable
 - Implement the compare To method to compare songs by title
- 4. Add at least one extension of your choice Here are some ideas
 - Add a button to add 5 random songs to the playlist
 - Add a button to remove duplicates from the playlist
 - Add mp3 files and enable the transport buttons to actually play them
 - Remove songs from the database list when they're added to the playlist and move them back when they're removed.
 - Add a button to randomize the order of the songs in the playlist
 - Enable Sort by any column (right clicking on the Sort button brings up a menu)
 - Save and reload playlists
 - Some similar functionality of your choice that involves working with the data and the UI

Implementation Notes

For BetterLinkedList.swap(int i, int j):

- Ensure both indices are valid before performing the swap
- To swap elements efficiently, swap the data in the nodes rather than reconnecting nodes
- You need to traverse the list to find the nodes at positions i and j

• Handle the case where i equals j (no swap needed)

For BetterLinkedList.swapWithNext(int i):

- This should be more efficient than calling swap(i, i+1) since you only need to traverse the list once
- Make sure the index and index+1 are valid before performing the swap
- Only swap the data, not the node references

For BetterLinkedList.sort():

- Implement a bubble sort algorithm that works with a linked list structure
- Use the compareTo method of the elements (which must implement Comparable)
- Consider edge cases like empty or single-element lists

For PlaylistController methods:

- The updatePlaylistTable() method is already implemented to update the UI after changes
- Make sure to call this method after any operation that modifies the playlist
- Use the appropriate LinkedList methods to implement the required functionality
- Handle edge cases appropriately (e.g., invalid indices, empty playlist)

Requirements

- Your implementation should correctly handle edge cases (empty lists, invalid indices, etc.)
- Throw appropriate exceptions when indices are out of bounds
- Your solution should not crash when used in the GUI
- Follow the method signatures exactly as specified

Getting Started

- 1. Download the provided source files
- 2. Set up a Java project in your preferred IDE (Eclipse, IntelliJ IDEA, etc.)
- 3. Import the source files into your project
- 4. Look for the "TODO" comments that indicate where you need to add code
- 5. Implement the required methods one by one, testing as you go

Testing

Test your implementation thoroughly with various scenarios: - Adding and removing songs at different positions - Moving songs up and down within the playlist - Sorting the playlist - Testing edge cases (empty playlist, invalid indices) - Verifying that the GUI updates correctly after operations

Submission

Submit the following files: - The entire MediaPlayer folder - A brief report (1+ pages) documenting your implementation choices and any challenges faced. Also explain your extension and how you implemented it.

Step-by-Step Implementation Guide

$1. \ \mathbf{Implement} \ \mathbf{BetterLinkedList.java} :$

- Complete the swap method to exchange elements at positions i and j
- Implement the swapWithNext method for efficient adjacent element swapping
- Implement the **sort** method using bubble sort to arrange elements in ascending order

2. Implement PlaylistController.java:

- Complete addSong to add a song to the end of the playlist
- Implement removeSong to remove a song at a specific index
- \bullet Complete ${\tt moveSongUp}$ and ${\tt moveSongDown}$ to reorder songs
- \bullet Implement ${\tt sortByTitle}$ to sort the playlist
- Add the remaining methods for playlist management

3. Modify Song.java:

- Add implements Comparable<Song> to the class declaration
- Implement the compareTo method to compare songs by title (case insensitive)

4. Test Your Implementation:

- Run the application and verify that all functionality works correctly
- Test edge cases and make sure your implementation handles them gracefully

5. Add Your Extension

- It should modify the data store in some way
- It should involve an update to the UI

Deadline

Submit your completed assignment by March 27 in class. Penalty for late work at least 50%.

Resources

- Java Comparable Interface: https://docs.oracle.com/javase/8/docs/api/java/lang/Comparable.html
- Sorting Algorithms Overview: https://www.geeksforgeeks.org/sorting-algorithms/
- Linked List Data Structure: https://www.geeksforgeeks.org/data-structures/linked-list/