



# PORTFOLIO PROJECT

Submitted by

**PRATHEEP**

**1P24MC036**

In partial fulfillment of the requirements for the award of the Degree of

**MASTER OF COMPUTER APPLICATIONS**

From Bharathiar University, Coimbatore.

Under the Internal Supervision of

**Mrs. Dr. S RANJITHA KUMARI, M.Sc., M.Phil., Ph.D.**

Associate Professor, Dept. of MCA, RVSCAS



**SCHOOL OF COMPUTER STUDIES**

**MASTER OF COMPUTER APPLICATIONS**

**RVS COLLEGE OF ARTS AND SCIENCE (AUTONOMOUS)**

**Sulur , Coimbatore – 641 402.**

**Nov 2024**

**RVS COLLEGE OF ARTS AND SCIENCE (AUTONOMOUS)**

**Sulur, Coimbatore – 641 402.**

**School of Computer Studies**

**Department of Computer Applications (MCA)**



**Nov 2024.**

**Register Number: 1P24MC036**

Certified bonafide original record of work done by **PRATHEEP T**

**Internal Supervisor**

**Director**

Submitted for the project Evaluation and Viva voce held on.....

**Internal Examiner**

**External Examiner**

## CONTENT INDEX



Chapter	Page No.
<b>Chapter 1: Home</b> 1.1. Name & Description 1.2. Self Intro	1
<b>Chapter 2: Website Bio Score</b> 2.1 About me	5
<b>Chapter 3: Pages &amp; Navigation</b> 3.1 Landing Page 3.1.1 Responsive Query 3.2 Project Page 3.3 Navigation bar 3.4 Education 3.5 Skills	20
<b>Chapter 4: Style Score</b> 4.1 Style links	60

<b>Chapter 5:</b> Website include the following Information 5.1 Project link to the GitHub 5.2 Project Description	62
<b>Chapter 6:</b> Bootstrap 6.1 Uses of Bootstrap	66
<b>Chapter 7:</b> Project README & LICENSE Title description How to run the project Future improvement in the Project	69

# Chapter-1

## Name & Description

### 1.1 Name & Description.



### Description:

In this page, you can see the name & download CV of mine. If you want you see my CV click on download CV and see it and other page can include my design works how I interested in it.

## Source Code:

### HTML:

```
<div id="colorlib-main">
<section id="colorlib-hero" class="js-fullheight" data-section="home">
<div class="flexslider js-fullheight">
<ul class="slides">
<li style="background-image: url(images/bg\ 1.jpg);">
<div class="overlay"></div>
<div class="container-fluid">
<div class="row">
<div class="col-md-6 col-md-offset-3 col-md-pull-3 col-sm-12 col-xs-12 js-fullheight slider-text">
<div class="slider-text-inner js-fullheight">
<div class="desc">
<h1>Hi! <br>I'm Pratheep</h1>
<p>As a web designer, I specialize in creating visually appealing and user-friendly website designs that enhance user
experience and engagement. My expertise includes responsive layouts, intuitive navigation, and seamless functionality.
I also focus on branding, ensuring that each design aligns with the client's vision and goals, ultimately driving results
and satisfaction. and many more...</p>

<p><a href="Pratheep CV.pdf" download class="btn btn-primary btn-learn">
Download CV <i class="icon-download4"></i>
</a></p>
</div>
</div>
</div>
</div>
</div>
</div>
</li>
<li style="background-image: url(images/bg\ 2.jpg);">
<div class="overlay"></div>
<div class="container-fluid">
<div class="row">
<div class="col-md-6 col-md-offset-3 col-md-pull-3 col-sm-12 col-xs-12 js-fullheight slider-text">
<div class="slider-text-inner">
<div class="desc">
<h1>I am <br>a Designer</h1>
```

<p>As a web designer, I excel in crafting aesthetically pleasing and user-centric website designs that improve user experience and foster engagement. My skills encompass adaptive layouts, clear navigation, and smooth functionality. I also prioritize branding, ensuring that each design reflects the client's vision and objectives, ultimately achieving desired outcomes and client satisfaction. Additionally, I offer a variety of other services...</p>

</div>

</div>

</div>

</div>

</div>

</li>

</ul>

</div>

</section>

## 1.2 Self Intro



### Source Code:

#### HTML:

```
<!--===== SELF INTRO =====-->
```

```
</section>
```

```
<section id="colorlib-hero" class="js-fullheight" data-section="self">
```

```
<div class="video-container" id="self">
```

```
<iframe width="700" height="600" src="https://www.youtube.com/embed/opGK4380cyE?si=8SyAFY8DjbFH993U"
title="YouTube video player" frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media;
gyroscope; picture-in-picture; web-share" referrerpolicy="strict-origin-when-cross-origin" allowfullscreen></iframe>
```

```
</div></section>
```

CSS:

```
<!--===== SELF INTRO =====-->
```

```
.video-container {  
    text-align: center; /* Center the iframe */  
    margin-top: 20px; /* Add some space above */  
}
```

```
.video-container iframe {  
    max-width: 100%; /* Make it responsive */  
    /* Maintain aspect ratio */  
}
```



## Chapter-2:

### Website Bio Score

#### 2.1 About Me:

ABOUT US

WHO AM I?

Hi I'm Pratheep On her way she met a copy. The copy warned the Little Blind Text, that where it came from it would have been rewritten a thousand times and everything that was left from its origin would be the word "and" and the Little Blind Text should turn around and return to its own, safe country.

Even the all-powerful Pointing has no control about the blind texts it is an almost unorthographic life One day however a small line of blind text by the name of Lorem Ipsum decided to leave for the far World of Grammar.

Graphic Design Web Design Software Application

To know you  
that 8 projects done successfully!

#### Description:

In this page, there is an image of mine, paragraph about me and also an option to see my interested area and how many projects done successfully.

#### Source Code:

HTML:

```
<!--===== ABOUT =====-->
```

```
<section class="colorlib-about" data-section="about">
```

```
<div class="colorlib-narrow-content">
```

```
<div class="row">
```

```
<div class="col-md-12">
```

```
<div class="row row-bottom-padded-sm animate-box" data-animate-effect="fadeInLeft">
```

```
<div class="col-md-12">
```

```
<div class="about-desc">
```

```
<span class="heading-meta">About Us</span>
```

```
<h2 class="colorlib-heading">Who Am I?</h2>
```

<p><strong>Hi I'm Pratheep</strong> On her way she met a copy. The copy warned the Little Blind Text, that where it came from it would have been rewritten a thousand times and everything that was left from its origin would be the word "and" and the Little Blind Text should turn around and return to its own, safe country.</p>

<p>Even the all-powerful Pointing has no control about the blind texts it is an almost unorthographic life One day however a small line of blind text by the name of Lorem Ipsum decided to leave for the far World of Grammar.</p>

</div>

</div>

</div>

<div class="row">

<div class="col-md-3 animate-box" data-animate-effect="fadeInLeft">

<div class="services color-1">

<span class="icon2"><i class="icon-bulb"></i></span>

<h3>Graphic Design</h3>

</div>

</div>

<div class="col-md-3 animate-box" data-animate-effect="fadeInRight">

<div class="services color-2">

<span class="icon2"><i class="icon-globe-outline"></i></span>

<h3>Web Design</h3>

</div>

</div>

<div class="col-md-3 animate-box" data-animate-effect="fadeInTop">

<div class="services color-3">

<span class="icon2"><i class="icon-data"></i></span>

<h3>Software</h3>

</div>

</div>

<div class="col-md-3 animate-box" data-animate-effect="fadeInBottom">

<div class="services color-4">

<span class="icon2"><i class="icon-phone3"></i></span>

<h3>Application</h3>

</div>

</div>

</div>

```
<div class="row">
<div class="col-md-12 animate-box" data-animate-effect="fadeInLeft">
<div class="hire">
<h2>To know you <br>that 8 projects done sucessfully!</h2>

</div>
</div>
</div>
</div>
</div>
</div>
</div>
</section>
```

## CSS:

```
/*===== ABOUT =====*/

.about-img {
  width: 100%;
  height: 600px;
  margin-bottom: 30px; }

.about-desc h3 {
  font-size: 18px;
  text-transform: uppercase;
  letter-spacing: 5px;
  font-weight: 500; }

.fancy-collapse-panel .panel-default > .panel-heading {
  padding: 0; }

.panel-heading a {
  padding: 20px 25px;
  display: block;
  width: 100%;
  font-weight: 500;
  font-size: 14px;
  letter-spacing: 1px;
  text-transform: uppercase;
  font-family: "Quicksand", Arial, sans-serif;
  background-color: #2c98f0;
  color: #fff;
  position: relative;
  -webkit-box-shadow: none !important;
  -moz-box-shadow: none !important;
  -ms-box-shadow: none !important;
  -o-box-shadow: none !important;
  box-shadow: none !important; }
```

```
.panel {  
  -webkit-box-shadow: none !important;  
  -moz-box-shadow: none !important;  
  -ms-box-shadow: none !important;  
  -o-box-shadow: none !important;  
  box-shadow: none !important;  
  border: none; }
```

```
.panel-heading a:after {  
  font-family: "icomoon";  
  content: "\e115";  
  position: absolute;  
  right: 20px;  
  font-size: 14px;  
  font-weight: 400;  
  top: 50%;  
  line-height: 1;
```

```
margin-top: -7px; }
```

```
.panel-heading a.collapsed:after {  
  content: "\e114"; }
```

```
.panel-heading a.collapsed {  
  background: #f2f3f7;  
  border: 1px solid #e6e6e6 !important;  
  color: #333333; }
```

```
.panel-body {  
  padding: 1.5em;  
  margin-top: 5px;  
  border: 1px solid #e6e6e6 !important; }
```

```
.timeline-centered {  
  position: relative;
```

```
margin-bottom: 30px; }
```

```
.timeline-centered:before, .timeline-centered:after {  
  content: " ";  
  display: table; }
```

```
.timeline-centered:after {  
  clear: both; }
```

```
.timeline-centered:before, .timeline-centered:after {  
  content: " ";  
  display: table; }
```

```
.timeline-centered:after {  
  clear: both; }
```

```
.timeline-centered:before {  
  content: " ";  
  position: absolute;  
  display: block;  
  width: 4px;  
  background: #f2f3f7;  
  top: 20px;  
  bottom: 20px;  
  margin-left: 29px; }
```

```
.timeline-centered .timeline-entry {  
  position: relative;  
  margin-top: 5px;  
  margin-left: 30px;  
  margin-bottom: 10px;  
  clear: both; }
```

```
.timeline-centered .timeline-entry .timeline-entry-inner {  
  position: relative;  
  margin-left: -20px; }
```

```
.timeline-centered .timeline-entry .timeline-entry-inner .timeline-icon {  
  display: block;  
  width: 40px;  
  height: 40px;  
  background: #2c98f0;  
  -webkit-border-radius: 50%;  
  -moz-border-radius: 50%;  
  -ms-border-radius: 50%;  
  border-radius: 50%;  
  text-align: center;  
  -moz-box-shadow: 0 0 0 5px #f2f3f7;  
  -webkit-box-shadow: 0 0 0 5px #f2f3f7;  
  box-shadow: 0 0 0 5px #f2f3f7;  
  line-height: 40px;  
  float: left; }
```

```
.timeline-centered .timeline-entry .timeline-entry-inner .timeline-icon i {  
  color: #fff; }  
.timeline-centered .timeline-entry .timeline-entry-inner .timeline-icon.color-2 {  
  background: #ec5453; }  
.timeline-centered .timeline-entry .timeline-entry-inner .timeline-icon.color-3 {  
  background: #f9bf3f; }  
.timeline-centered .timeline-entry .timeline-entry-inner .timeline-icon.color-4 {  
  background: #a84cb8; }  
.timeline-centered .timeline-entry .timeline-entry-inner .timeline-icon.color-5 {  
  background: #2fa499; }  
.timeline-centered .timeline-entry .timeline-entry-inner .timeline-icon.color-none {  
  background: #fff;  
  width: 20px;  
  height: 20px;  
  margin-left: 10px; }
```

```
.timeline-centered .timeline-entry .timeline-entry-inner .timeline-label {
```

```
position: relative;
background: #f2f3f7;
padding: 1.5em;
margin-left: 60px;
-webkit-background-clip: padding-box;
-moz-background-clip: padding;
background-clip: padding-box; }
```

```
.timeline-centered .timeline-entry .timeline-entry-inner .timeline-label:after {
  content: "";
  display: block;
  position: absolute;
  width: 0;
  height: 0;
  border-style: solid;
  border-width: 9px 9px 9px 0;
  border-color: transparent #f2f3f7 transparent transparent;
  left: 0;
  top: 10px;
  margin-left: -9px; }
```

```
.timeline-centered .timeline-entry .timeline-entry-inner .timeline-label p + p {
  margin-top: 15px; }
```

```
.timeline-centered .timeline-entry .timeline-entry-inner .timeline-label h2 {
  font-size: 20px;
  font-family: "Quicksand", Arial, sans-serif;
  font-weight: 500; }
```

```
.timeline-centered .timeline-entry .timeline-entry-inner .timeline-label h2 a {
  color: #000; }
```




```
.timeline-centered .timeline-entry .timeline-entry-inner .timeline-label h2 span {
  -webkit-opacity: .4;
  -moz-opacity: .4;
  opacity: .4;
  -ms-filter: alpha(opacity=40);
  filter: alpha(opacity=40);
  font-size: 16px; }
```



## 2.2 Contact Page :

-----

### CONTACT

	<a href="mailto:politepratheep02@gmail.com">politepratheep02@gmail.com</a>	<input type="text" value="Name"/>
	43 Mahalakshmi Garden, Karichipalayam, CBE, TN - 641659.	<input type="text" value="Email"/>
	9159211165	<input type="text" value="Subject"/>
		<input type="text" value="Message"/>
		<input type="button" value="SEND MESSAGE"/>

### Description:

The above displayed figure is a contact page in the website. If the user wants to contact me, they can fill the form with their valid details. Here I imported library called Email-js to send messages.

### Source Code:

HTML:

```
<!--===== CONTACT =====-->
```

```
<section class="colorlib-contact" data-section="contact">
<div class="colorlib-narrow-content">
<div class="row">
<div class="col-md-6 col-md-offset-3 col-md-pull-3 animate-box" data-animate-effect="fadeInLeft">
<span class="heading-meta">Get in Touch</span>
<h2 class="colorlib-heading">Contact</h2>
</div>
</div>
<div class="row">
<div class="col-md-5">
```

```

<div class="colorlib-feature colorlib-feature-sm animate-box" data-animate-effect="fadeInLeft">
<div class="colorlib-icon">
<i class="icon-globe-outline"></i>
</div>

<div class="colorlib-text">
<p><a href="mailto:info@domain.com">politepratheap02@gmail.com</a></p>
</div>
</div>

<div class="colorlib-feature colorlib-feature-sm animate-box" data-animate-effect="fadeInLeft">
<div class="colorlib-icon">
<i class="icon-map"></i>
</div>
<div class="colorlib-text">
<p>43 Mahalakshmi Garden, Karichipalayam, CBE, TN - 641659.</p>
</div>
</div>

<div class="colorlib-feature colorlib-feature-sm animate-box" data-animate-effect="fadeInLeft">
<div class="colorlib-icon">
<i class="icon-phone"></i>
</div>
<div class="colorlib-text">
<p><a href="tel:+1234567890">9159211165</a></p>
</div>
</div>
</div>

<div class="col-md-7 col-md-push-1">
<div class="row">
<div class="col-md-10 col-md-offset-1 col-md-pull-1 animate-box" data-animate-effect="fadeInRight">
<form id="contact-form">
<div class="form-group">
<input type="text" id="name" class="form-control" placeholder="Name" required>
</div>
<div class="form-group">
<input type="email" id="email" class="form-control" placeholder="Email" required>
</div>

```

```

<div class="form-group">
<input type="text" id="subject" class="form-control" placeholder="Subject" required>
</div>
<div class="form-group">
<textarea id="message" cols="30" rows="7" class="form-control" placeholder="Message"
required></textarea>
</div>
<div class="form-group">
<input type="submit" class="btn" value="Send Message">
</div>
</form>
</div>
</div>
</div>
</div>
</div>
</div>
<script src="https://cdn.jsdelivr.net/npm/@emailjs/browser@3/dist/email.min.js"></script>
<script>
(function() {
emailjs.init("-Gp8PF5vNaBDjDhFX"); // account public key
})();
document.getElementById("contact-form").addEventListener("submit", function(event) {
event.preventDefault(); // Prevent the default form submission
var serviceID = "service_mufel9p"; // email service ID
var templateID = "template_6y4f5a9"; // email template ID
var params = {
sendername: document.getElementById("name").value,
senderemail: document.getElementById("email").value,
subject: document.getElementById("subject").value,
message: document.getElementById("message").value,
to_email: "politepratheap02@gmail.com" // recipient email
};
emailjs.send(serviceID, templateID, params)
.then(res => {
alert("Thank you, ' + params['sendername'] + '! Your message has been sent.");
document.getElementById("contact-form").reset(); // Reset the form after sending})

```

```
.catch(err => {  
  alert('Failed to send message. Please try again later.');
```

```
  console.error('EmailJS Error:', err);  
});  
});  
</script>  
</section>
```

## CSS :

```
/*===== CONTACT =====*/
.contact-title
{
    color: var(--skin-color);
    text-align: center;
    font-size: 25px;
    margin-bottom: 20px;
}
.contact-sub-title
{
    color: var(--text-black-900);
    text-align: center;
    font-size: 15px;
    margin-bottom: 60px;
}
.contact .contact-info-item
{
    flex: 0 0 25%;
    max-width: 25%;
    text-align: center;
    margin-bottom: 60px;
}
.contact .contact-info-item .icon{
    display: inline-block;
}
.contact .contact-info-item .icon .fa
{
    font-size: 25px;
    color: var(--skin-color);
}
.contact .contact-info-item h4
{
    font-size: 18px;font-weight: 700;
    color: var(--text-black-900);
    text-transform: capitalize;
```

```

    margin: 15px 0 5px;
}
.contact .contact-info-item p
{
    font-size: 16px;
    line-height: 25px;
    color: var(--text-black-700);
    font-weight: 400;
}
.contact .contact-form
{
    flex: 0 0 100%;
    max-width: 100%;
}
.contact .contact-form .col-6
{
    flex: 0 0 50%;
    max-width: 50%;
}
.contact .contact-form .col-12
{
    flex: 0 0 100%;
    max-width: 100%;
}
.contact .contact-form .form-item
{
    margin-bottom: 30px;
}
.contact .contact-form .form-item .form-control
{
    width: 100%;
    height: 50px;
    border-radius: 25px;
    background: var(--bg-black-100);
    border: 1px solid var(--bg-black-50);
}

```

```
padding: 10px 25px;
font-size: 16px;
color: var(--text-black-700);
transition: all 0.3s ease;
}
.contact .contact-form .form-item .form-control:focus
{
    box-shadow: 0 0 20px rgba(48, 46, 77, 0.15);
}
.contact .contact-form .form-item textarea.form-control
{
    height: 140px;
}
.contact .contact-form .btn
{
    height: 50px;
    padding: 0 50px;
}
```

## Chapter-3: Pages & Navigation

### 3.1 Landing Page:




Figure 3.1.1

#### Description:

The above Figure 3.1.1 are the screenshot of Homepage in a desktop view. And this is a home screen of the portfolio which shows the landing page and navigation bar. which shownas Figure 3.1.1.

#### Source Code

##### HTML

```
<!--===== HOME =====-->

<div id="colorlib-page">

<div class="container-wrap">

<a href="#" class="js-colorlib-nav-toggle colorlib-nav-toggle" data-toggle="collapse" data-target="#navbar"
```



```

aria-expanded="false" aria-controls="navbar"><i></i></a>

<aside id="colorlib-aside" role="complementary" class="border js-fullheight">

<div class="text-center">

<div class="author-img" style="background-image: url(images/pratheep.jpg);"></div>

<h1 id="colorlib-logo"><a href="index.html">Pratheep </a></h1>

</div>

<nav id="colorlib-main-menu" role="navigation" class="navbar">

<div id="navbar" class="collapse">

<ul>

<li class="active"><a href="#" data-nav-section="home">Home</a></li>

<li><a href="#" data-nav-section="about">About</a></li>

<li><a href="#" data-nav-section="skills">Skills</a></li>

<li><a href="#" data-nav-section="education">Education</a></li>

<li><a href="#" data-nav-section="work">Work</a></li>

<li><a href="#" data-nav-section="contact" >Contact</a></li>

</ul>

</div>

</nav>

</aside>

<div id="colorlib-main">

<section id="colorlib-hero" class="js-fullheight" data-section="home">

<div class="flexslider js-fullheight">

<ul class="slides">

<li style="background-image: url(images/bg\ 1.jpg);">

<div class="overlay"></div>

```

```
<div class="container-fluid">

<div class="row">

<div class="col-md-6 col-md-offset-3 col-md-pull-3 col-sm-12 col-xs-12 js-fullheight slider-text">

<div class="slider-text-inner js-fullheight">

<div class="desc">

<h1>Hi! <br>I'm Pratheep</h1>

<p>As a web designer, I specialize in creating visually appealing and user-friendly website designs that
enhance user experience and engagement. My expertise includes responsive layouts, intuitive navigation, and
seamless functionality. I also focus on branding, ensuring that each design aligns with the client's vision and
goals, ultimately driving results and satisfaction. and many more...</p>

<p><a href="Pratheep CV.pdf" download class="btn btn-primary btn-learn">

Download CV <i class="icon-download4"></i>

</a></p>

</div>

</div>

</div>

</div>

</div>

</div>

</li>
```

CSS:

```
/*===== HOME =====*/
```

```
body {
  font-family: "Quicksand", Arial, sans-serif;
  font-weight: 400;
  font-size: 15px;
  line-height: 1.8;
  color: rgba(0, 0, 0, 0.7); }
@media screen and (max-width: 992px) {
  body {
    font-size: 16px; } }

a {
  color: #2c98f0;
  -webkit-transition: 0.5s;
  -o-transition: 0.5s;
  transition: 0.5s; }
a:hover, a:active, a:focus {
  color: #2c98f0;
  outline: none;
  text-decoration: none !important; }

p {
  margin-bottom: 1.5em; }

h1, h2, h3, h4, h5, h6 {
  color: #000;
  font-family: "Playfair Display", Georgia, serif;
  font-weight: 400;
  margin: 0 0 30px 0; }

figure {
  margin-bottom: 2.5em;
  float: left;
  width: 100%; }
figure figcaption {
```

```
font-size: 16px;
width: 80%;
margin: 20px auto 0px auto;
color: #b3b3b3;
font-style: italic;
font-family: "Quicksand", Arial, sans-serif; }
@media screen and (max-width: 480px) {
  figure figcaption {
    width: 100%; } }
```

```
::-webkit-selection {
  /* color: #fff; */
  color: cornflowerblue;
  background: #2c98f0; }
```

```
::-moz-selection {
  color: #fff;
  background: #2c98f0; }
```

```
::selection {
  color: #fff;
  background: #2c98f0; }
```

```
#colorlib-page {
  width: 100%;
  overflow: hidden;
  position: relative; }
```

```
#colorlib-aside {
  padding-top: 3em;
  padding-bottom: 40px;
  float: left;
  width: 300px;
  position: fixed;
  overflow-y: scroll;
  z-index: 1001; }
```

```
background: #f2f3f7;
-webkit-transition: 0.5s;
-o-transition: 0.5s;
transition: 0.5s; }

@media screen and (max-width: 768px) {
  #colorlib-aside {
    width: 300px;
    -moz-transform: translateX(-300px);
    -webkit-transform: translateX(-300px);
    -ms-transform: translateX(-300px);
    -o-transform: translateX(-300px);
    transform: translateX(-300px);

padding-top: 4em; } }

#colorlib-aside .author-img {
  width: 150px;
  height: 150px;
  margin: 0 auto;
  margin-bottom: 30px;
  -webkit-border-radius: 50%;
  -moz-border-radius: 50%;
  -ms-border-radius: 50%;
  border-radius: 50%; }

#colorlib-aside .position {
  display: block;
  margin-bottom: 2em;
  font-size: 12px;
  text-transform: uppercase; }

#colorlib-aside #colorlib-logo {
  text-align: right;
  font-weight: 700;
  font-size: 22px;
  margin-bottom: .5em;
  display: block;
  width: 100%; }
```

```

#colorlib-aside #colorlib-logo a {
  display: block;
  text-align: center;
  color: #000;
  padding-right: .3em; }

#colorlib-aside #colorlib-main-menu {
  display: block;
  width: 100%; }

#colorlib-aside #colorlib-main-menu .collapse {
  display: block !important; }

#colorlib-aside #colorlib-main-menu ul {
  text-align: center;
  margin: 0;
  padding: 0; }

@media screen and (max-width: 768px) {
  #colorlib-aside #colorlib-main-menu ul {
    margin: 0 0 2em 0; } }

#colorlib-aside #colorlib-main-menu ul li {
  margin: 0 0 10px 0;
  padding: 0;
  list-style: none;
  font-size: 12px;
  font-weight: 500;
  text-transform: uppercase;
  letter-spacing: 1px; }

#colorlib-aside #colorlib-main-menu ul li a {
  color: rgba(0, 0, 0, 0.7);
  text-decoration: none;
  position: relative;
  padding: 10px 0;

  font-family: "Quicksand", Arial, sans-serif;
  -webkit-transition: 0.3s;
  -o-transition: 0.3s;
  transition: 0.3s; }

#colorlib-aside #colorlib-main-menu ul li a:after {

```

```

content: "";
position: absolute;
height: 1px;
bottom: 7px;
left: 0;
right: 0;
background-color: #2c98f0;
visibility: hidden;
-webkit-transform: scaleX(0);
-moz-transform: scaleX(0);
-ms-transform: scaleX(0);
-o-transform: scaleX(0);
transform: scaleX(0);
-webkit-transition: all 0.3s cubic-bezier(0.175, 0.885, 0.32, 1.275);
-moz-transition: all 0.3s cubic-bezier(0.175, 0.885, 0.32, 1.275);
-ms-transition: all 0.3s cubic-bezier(0.175, 0.885, 0.32, 1.275);
-o-transition: all 0.3s cubic-bezier(0.175, 0.885, 0.32, 1.275);
transition: all 0.3s cubic-bezier(0.175, 0.885, 0.32, 1.275); }

#colorlib-aside #colorlib-main-menu ul li a:hover {
text-decoration: none;
color: black; }

#colorlib-aside #colorlib-main-menu ul li a:hover:after {
visibility: visible;
-webkit-transform: scaleX(1);
-moz-transform: scaleX(1);
-ms-transform: scaleX(1);
-o-transform: scaleX(1);
transform: scaleX(1); }

#colorlib-aside #colorlib-main-menu ul li.active a {
color: #2c98f0; }

#colorlib-aside #colorlib-main-menu ul li.active a:after {
visibility: visible;
-webkit-transform: scaleX(1);
-moz-transform: scaleX(1);
-ms-transform: scaleX(1);
-o-transform: scaleX(1);

```

```

        transform: scaleX(1); }

#colorlib-aside .colorlib-footer {
    font-size: 15px;
    text-align: center;
    font-weight: 400;
    color: rgba(0, 0, 0, 0.5);
    padding: 0 20px;
    width: 100%; }

@media screen and (max-width: 768px) {
    #colorlib-aside .colorlib-footer {
        position: relative;
        bottom: 0; } }

#colorlib-aside .colorlib-footer span {
    display: block; }

#colorlib-aside .colorlib-footer ul {
    padding: 0;
    margin: 0; }

#colorlib-aside .colorlib-footer ul li {
    padding: 0;
    margin: 0;
    display: inline;
    list-style: none; }

#colorlib-aside .colorlib-footer ul li a {
    color: rgba(255, 255, 255, 0.3);
    padding: 4px; }

#colorlib-aside .colorlib-footer ul li a:hover, #colorlib-aside .colorlib-footer ul li a:active, #colorlib-
aside .colorlib-footer ul li a:focus {
    text-decoration: none;
    outline: none;
    color: #2c98f0; }

.container-wrap {
    max-width: 1170px;
    margin: 0 auto; }

```



```

#colorlib-main {
  width: calc(100% - 300px);
  float: right;
  -webkit-transition: 0.5s;
  -o-transition: 0.5s;
  transition: 0.5s; }

@media screen and (max-width: 768px) {
  #colorlib-main {
    width: 100%;
    padding: 0 1em; } }

#colorlib-hero {
  min-height: 500px;
  background: #fff url(../images/loader.gif) no-repeat center center;
  width: 100%;
  float: left;
  margin-bottom: 10em;
  clear: both; }

#colorlib-hero .flexslider {
  border: none;
  z-index: 1;
  margin-bottom: 0; }

#colorlib-hero .flexslider .slides {
  position: relative;
  overflow: visible; }

#colorlib-hero .flexslider .slides li {
  background-repeat: no-repeat;
  background-size: cover;
  background-position: bottom center;
  min-height: 400px;

  position: relative; }

#colorlib-hero .flexslider .flex-control-nav {
  bottom: 20px;
  z-index: 1000;
  left: 20px;

```

```

float: left;
width: auto; }

@media screen and (max-width: 768px) {
  #colorlib-hero .flexslider .flex-control-nav {
    right: 20px;
    top: 100px; } }

#colorlib-hero .flexslider .flex-control-nav li {
  display: block;
  margin-bottom: 10px; }

#colorlib-hero .flexslider .flex-control-nav li a {
  background: rgba(0, 0, 0, 0.5);
  -webkit-box-shadow: none;
  box-shadow: none;
  width: 12px;
  height: 12px;
  cursor: pointer; }

#colorlib-hero .flexslider .flex-control-nav li a.flex-active {
  cursor: pointer;
  background: transparent;
  border: 2px solid #2c98f0; }

#colorlib-hero .flexslider .flex-direction-nav {
  display: none; }

#colorlib-hero .flexslider .slider-text {
  display: table;
  opacity: 0;
  min-height: 500px;
  z-index: 9; }

#colorlib-hero .flexslider .slider-text > .slider-text-inner {
  display: table-cell;
  vertical-align: middle;
  min-height: 700px;
  padding: 2.5em;
  position: relative; }

@media screen and (max-width: 768px) {
  #colorlib-hero .flexslider .slider-text > .slider-text-inner {
    text-align: center; } }

```

```

#colorlib-hero .flexslider .slider-text > .slider-text-inner h1, #colorlib-hero .flexslider .slider-text >
.slider-text-inner h2 {
    margin: 0;
    padding: 0;
    color: black;
    font-family: "Playfair Display", Georgia, serif; }
#colorlib-hero .flexslider .slider-text > .slider-text-inner h1 {
    margin-bottom: 20px;
    font-size: 60px;
    line-height: 1.3;
    font-weight: 700; }
@media screen and (max-width: 768px) {

#colorlib-hero .flexslider .slider-text > .slider-text-inner h1 {
    font-size: 28px; } }
#colorlib-hero .flexslider .slider-text > .slider-text-inner h2 {
    font-size: 18px;
    line-height: 1.5;
    margin-bottom: 30px;
    font-weight: 300;
    font-family: "Quicksand", Arial, sans-serif; }
#colorlib-hero .flexslider .slider-text > .slider-text-inner h2 a {
    color: rgba(44, 152, 240, 0.8);
    border-bottom: 1px solid rgba(44, 152, 240, 0.7); }
#colorlib-hero .flexslider .slider-text > .slider-text-inner .heading-section {
    font-size: 50px; }
@media screen and (max-width: 768px) {
    #colorlib-hero .flexslider .slider-text > .slider-text-inner .heading-section {
        font-size: 30px; } }
#colorlib-hero .flexslider .slider-text > .slider-text-inner s
.colorlib-lead {
    font-size: 20px;
    color: #fff; }
#colorlib-hero .flexslider .slider-text > .slider-text-inner p {
    margin-bottom: 0; }
#colorlib-hero .flexslider .slider-text > .slider-text-inner .btn {

```

```

font-size: 12px;
text-transform: uppercase;
letter-spacing: 2px;
color: #000;
padding: 10px 15px !important;
border: none;
font-weight: 400; }
#colorlib-hero .flexslider .slider-text > .slider-text-inner .btn.btn-learn {
    color: #000;
    border: 1px solid #000;
    background: transparent !important; }
#colorlib-hero .flexslider .slider-text > .slider-text-inner .btn.btn-learn:hover {
    background: transparent !important;
    border: 1px solid #000 !important; }
@media screen and (max-width: 768px) {
    #colorlib-hero .flexslider .slider-text > .slider-text-inner .btn {
        width: 100%; } }
body.offcanvas {
    overflow-x: hidden; }
body.offcanvas #colorlib-aside {
    -moz-transform: translateX(0);
    -webkit-transform: translateX(0);
    -ms-transform: translateX(0);
    -o-transform: translateX(0);
    transform: translateX(0);
    width: 300px;
    background: #f2f3f7;
    z-index: 999;
    position: fixed; }
body.offcanvas #colorlib-main, body.offcanvas .colorlib-nav-toggle {
    top: 0;
    -moz-transform: translateX(300px);
    -webkit-transform: translateX(300px);
    -ms-transform: translateX(300px);
    -o-transform: translateX(300px);
    transform: translateX(300px); }



```

## 3.2 Project Page

MY WORK

RECENT WORK

Graphic Design



### Source Code

HTML:

```
<!-- ===== PROJECTS ===== -->

<section class="colorlib-work" data-section="work">

<div class="colorlib-narrow-content">

<div class="row">

<div class="col-md-6 col-md-offset-3 col-md-pull-3 animate-box" data-animate-effect="fadeInLeft">

<span class="heading-meta">My Work</span>

<h2 class="colorlib-heading animate-box">Recent Work</h2>

</div>

</div>

<div class="row row-bottom-padded-sm animate-box" data-animate-effect="fadeInLeft">

<div class="col-md-12">
```

```
<p class="work-menu"><span><a href="#" class="active">Graphic Design</a></span> </p>
```

```
</div>
```

```
</div>
```

```
<div class="row">
```

```
<div class="col-md-6 animate-box" data-animate-effect="fadeInLeft">
```

```
<div class="project" style="background-image: url(images/eyeball.png);">
```

```
<div class="desc">
```

```
<div class="con">
```

```
<h3>Work 01</h3>
```

```
<span>Eye ball</span>
```

```
<p class="icon">
```

```
<a href="https://pratheep-t2003.github.io/Eyes-ball/" type="">
```

```
<span>
```

```
<i class="icon-github"></i>
```

```
</span>
```

```
</a>
```

```
<span><a href="https://github.com/Pratheep-T2003/Eyes-ball" ><i class="icon-eye"></i> Read  
me</a></span>
```

```
</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-md-6 animate-box" data-animate-effect="fadeInRight">
```

```
<div class="project" style="background-image: url(images/Screenshot\ 2024-10-13\ 132519.png);">
```

```
<div class="desc">
```

```

<div class="con">

<h3>Work 02</h3>

<span>Single ball</span>

<p class="icon">

<a href="https://pratheep-t2003.github.io/singleball/" type="">

<span>

<i class="icon-github"></i>

</span>

</a>

<span><a href="https://github.com/Pratheep-T2003/ball"><i class="icon-eye"></i> Read me</a></span>

</p>

</div>

</div>

</div>

</div>

<div class="col-md-6 animate-box" data-animate-effect="fadeInTop">

<div class="project" style="background-image: url(images/multiballmoving.png);">

<div class="desc">

<div class="con">

<h3>Work 03</h3>

<span>Multiple ball</span>

<p class="icon">

<a href="https://pratheep-t2003.github.io/ball/ " type="">

<span>

<i class="icon-github"></i>

</span>

</a>

```

```

<span>
<a href="https://github.com/Pratheep-T2003/multipleball"><i class="icon-eye"></i> Read me</a></span>
</p>
</div>
</div>
</div>
</div>
</div>
<div class="col-md-6 animate-box" data-animate-effect="fadeInBottom">
<div class="project" style="background-image: url(images/movingpacman.png);">
<div class="desc">
<div class="con">
<h3>Work 04</h3>
<span>Pac man</span>
<p class="icon">
<a href="https://pratheep-t2003.github.io/Pacman/" type="">
<span>
<i class="icon-github"></i>
</span>
</a>
<span><a href="https://github.com/Pratheep-T2003/Pacman"><i class="icon-eye"></i> Read
me</a></span>
</p>
</div>
</div>
</div>
</div>
</div>
<div class="col-md-6 animate-box" data-animate-effect="fadeInLeft">

```



```

<div class="project" style="background-image: url(images/multiplepacman.png);">

<div class="desc">

<div class="con">

<h3>Work 05</h3>

<span>Multiple Pacman</span>

<p class="icon">

<a href="https://pratheep-t2003.github.io/multipacman/" type="">

<span>

<i class="icon-github"></i>

</span>

</a>

<span><a href="https://github.com/Pratheep-T2003/multipacman"><i class="icon-eye"></i> Read
me</a></span>

</p>

</div>

</div>

</div>

</div>

<div class="col-md-6 animate-box" data-animate-effect="fadeInRight">

<div class="project" style="background-image: url(images/botson.png);">

<div class="desc">

<div class="con">

<h3>Work 06</h3>

<span>Most common words</span>

<p class="icon">

<a href="https://pratheep-t2003.github.io/Boston/" type="">

<span>

```

```

<i class="icon-github"></i>

</span></a>

<span><a href="https://github.com/Pratheep-T2003/Boston"><i class="icon-eye"></i> Read me</a></span>

</p>

</div>

</div>

</div>

</div>

<div class="col-md-6 animate-box" data-animate-effect="fadeInRight">

<div class="project" style="background-image: url(images/map\ live.png);">

<div class="desc">

<div class="con">

<h3>Work 07</h3>

<span>Map</span>

<p class="icon">

<a href="https://pratheep-t2003.github.io/Maps/" type="">

<span>

<i class="icon-github"></i>

</span>

</a>

<span><a href="https://github.com/Pratheep-T2003/Maps"><i class="icon-eye"></i> Read me</a></span>

</p>

</div>

</div>

</div>

</div>

</div>

```

```
<!-- <div class="row">

<div class="col-md-12 animate-box">

<p><a href="#" class="btn btn-primary btn-lg btn-load-more">Load more <i class="icon-
reload"></i></a></p>

</div>

</div> -->

</div>

</section>
```

## CSS:

```
/*===== PROJECTS =====*/
.project {
  background-size: cover;
  background-position: center center;
  background-repeat: no-repeat;
  position: relative;
  height: 300px;
  width: 100%;
  display: block;
  margin-bottom: 30px; }
.project .desc {
  position: absolute;

top: 0;
bottom: 0;
left: 0;
right: 0;
background: #2c98f0;
opacity: 0;
-webkit-transition: 0.3s;
-o-transition: 0.3s;
transition: 0.3s; }
.project .desc .con {
padding: 20px;
display: block;
position: relative;
height: 300px; }
.project .desc .con .icon {
position: absolute;
bottom: 20px;
left: 20px;
right: 20px; }
.project .desc .con .icon span {
display: inline;
```

```
padding-right: 5px; }

.project .desc .con .icon span a {
color: #333333;
padding: 5px;
background: rgba(255, 255, 255, 0.5);
-webkit-border-radius: 4px;
-moz-border-radius: 4px;
-ms-border-radius: 4px;
border-radius: 4px; }

.project .desc .con .icon i {
font-size: 16px;
color: #333333; }

.project .desc h3 {
font-family: "Quicksand", Arial, sans-serif;
font-size: 16px;
font-weight: 500;
text-transform: uppercase;
letter-spacing: 1px;

-webkit-transition: -webkit-transform 0.3s, opacity 0.3s;
-webkit-transition: opacity 0.3s, -webkit-transform 0.3s;
transition: opacity 0.3s, -webkit-transform 0.3s;
-o-transition: transform 0.3s, opacity 0.3s;
transition: transform 0.3s, opacity 0.3s;
transition: transform 0.3s, opacity 0.3s, -webkit-transform 0.3s;
-webkit-transform: translate3d(0, -15px, 0);
transform: translate3d(0, -15px, 0);
margin-bottom: 15px; }

.project .desc h3 a {
color: #fff; }

.project .desc span {
display: block;
color: rgba(255, 255, 255, 0.7);
font-size: 13px;
-webkit-transition: -webkit-transform 0.3s, opacity 0.3s;
```

```
-webkit-transition: opacity 0.3s, -webkit-transform 0.3s;
transition: opacity 0.3s, -webkit-transform 0.3s;
-o-transition: transform 0.3s, opacity 0.3s;
transition: transform 0.3s, opacity 0.3s;
transition: transform 0.3s, opacity 0.3s, -webkit-transform 0.3s;
-webkit-transform: translate3d(0, 15px, 0);
transform: translate3d(0, 15px, 0); }

.project .desc span a {
color: #000; }

@media screen and (max-width: 768px) {
.project .desc {
opacity: 1;
background: rgba(0, 0, 0, 0.4); }
.project .desc h3 {
font-style: 28px;
-webkit-transform: translate3d(0, 0, 0);
transform: translate3d(0, 0, 0);
color: #000; }
.project .desc span {
-webkit-transform: translate3d(0, 0, 0);
transform: translate3d(0, 0, 0); } }

.project:hover .desc {
opacity: 1; }
.project:hover .desc h3 {
-webkit-transform: translate3d(0, 0, 0);
transform: translate3d(0, 0, 0); }
.project:hover .desc span {
-webkit-transform: translate3d(0, 0, 0);
transform: translate3d(0, 0, 0); }
```

### 3.3 Navigation Bar

#### Desktop View




Figure-3.3.1

#### Description:

The Figure-3.3.1 are the samples of navigation bar in both desktop View. This was a user-friendly method only, so the user can easily use the features.

#### Source Code

##### HTML:

```
<!--===== NAVIGATION=====-->

<aside id="colorlib-aside" role="complementary" class="border js-fullheight">
<div class="text-center">
<div class="author-img" style="background-image: url(images/pratheep.jpg);"></div>
<h1 id="colorlib-logo"><a href="index.html">Pratheep </a></h1>
</div>
<nav id="colorlib-main-menu" role="navigation" class="navbar">
<div id="navbar" class="collapse">
<ul>
<li class="active"><a href="#" data-nav-section="home">Home</a></li>
<li><a href="#" data-nav-section="about">About</a></li>
<li><a href="#" data-nav-section="skills">Skills</a></li>
<li><a href="#" data-nav-section="education">Education</a></li>
<li><a href="#" data-nav-section="work">Work</a></li>
<li><a href="#" data-nav-section="contact">Contact</a></li>
```

```
</ul>  
</div>  
</nav>  
</aside>
```



## CSS:

```
/*===== NAVIGATION =====*/
#colorlib-aside {
padding-top: 3em;
padding-bottom: 40px;
float: left;
width: 300px;
position: fixed;
overflow-y: scroll;
z-index: 1001;
background: #f2f3f7;
-webkit-transition: 0.5s;
-o-transition: 0.5s;
transition: 0.5s; }
@media screen and (max-width: 768px) {
#colorlib-aside {
width: 300px;
-moz-transform: translateX(-300px);
-webkit-transform: translateX(-300px);
-ms-transform: translateX(-300px);
-o-transform: translateX(-300px);
transform: translateX(-300px);
padding-top: 4em; } }
#colorlib-aside .author-img {
width: 150px;
height: 150px;
```

```
margin: 0 auto;

margin-bottom: 30px;

-webkit-border-radius: 50%;

-moz-border-radius: 50%;

-ms-border-radius: 50%;

border-radius: 50%; }

#colorlib-aside .position {

display: block;


margin-bottom: 2em;

font-size: 12px;

text-transform: uppercase; }

#colorlib-aside #colorlib-logo {

text-align: right;

font-weight: 700;

font-size: 22px;

margin-bottom: .5em;

display: block;

width: 100%; }

#colorlib-aside #colorlib-logo a {

display: block;

text-align: center;

color: #000;

padding-right: .3em; }

#colorlib-aside #colorlib-main-menu {

display: block;
```

```
width: 100%; }

#colorlib-aside #colorlib-main-menu .collapse {

display: block !important; }

#colorlib-aside #colorlib-main-menu ul {

text-align: center;

margin: 0;

padding: 0; }

@media screen and (max-width: 768px) {

#colorlib-aside #colorlib-main-menu ul {

margin: 0 0 2em 0; } }

#colorlib-aside #colorlib-main-menu ul li {

margin: 0 0 10px 0;

padding: 0;

list-style: none;

font-size: 12px;

font-weight: 500;

text-transform: uppercase;

letter-spacing: 1px; }

#colorlib-aside #colorlib-main-menu ul li a {

color: rgba(0, 0, 0, 0.7);

text-decoration: none;

position: relative;

padding: 10px 0;

font-family: "Quicksand", Arial, sans-serif;

-webkit-transition: 0.3s;

-o-transition: 0.3s;
```

```
transition: 0.3s; }

#colorlib-aside #colorlib-main-menu ul li a:after {

content: "";

position: absolute;

height: 1px;

bottom: 7px;

left: 0;

right: 0;

background-color: #2c98f0;

visibility: hidden;

-webkit-transform: scaleX(0);

-moz-transform: scaleX(0);

-ms-transform: scaleX(0);

-o-transform: scaleX(0);

transform: scaleX(0);

-webkit-transition: all 0.3s cubic-bezier(0.175, 0.885, 0.32, 1.275);

-moz-transition: all 0.3s cubic-bezier(0.175, 0.885, 0.32, 1.275);

-ms-transition: all 0.3s cubic-bezier(0.175, 0.885, 0.32, 1.275);

-o-transition: all 0.3s cubic-bezier(0.175, 0.885, 0.32, 1.275);

transition: all 0.3s cubic-bezier(0.175, 0.885, 0.32, 1.275); }

#colorlib-aside #colorlib-main-menu ul li a:hover {

text-decoration: none;

color: black; }

#colorlib-aside #colorlib-main-menu ul li a:hover:after {

visibility: visible;

-webkit-transform: scaleX(1);
```

```

-moz-transform: scaleX(1);

-ms-transform: scaleX(1);

-o-transform: scaleX(1);

transform: scaleX(1); }

#colorlib-aside #colorlib-main-menu ul li.active a {

color: #2c98f0; }

#colorlib-aside #colorlib-main-menu ul li.active a:after {

visibility: visible;

-webkit-transform: scaleX(1);

-moz-transform: scaleX(1);

-ms-transform: scaleX(1);

-o-transform: scaleX(1);

transform: scaleX(1); }

#colorlib-aside .colorlib-footer {

font-size: 15px;

text-align: center;

font-weight: 400;

color: rgba(0, 0, 0, 0.5);

padding: 0 20px;

width: 100%; }

@media screen and (max-width: 768px) {

#colorlib-aside .colorlib-footer {

position: relative;

bottom: 0; } }

@media screen and (max-width: 768px) {

#colorlib-aside .colorlib-footer {

```

```
position: relative;

bottom: 0; } }

#colorlib-aside .colorlib-footer span {

display: block; }

#colorlib-aside .colorlib-footer ul {

padding: 0;

margin: 0; }

#colorlib-aside .colorlib-footer ul li {

padding: 0;

margin: 0;

display: inline;

list-style: none; }

#colorlib-aside .colorlib-footer ul li a {

color: rgba(255, 255, 255, 0.3);

padding: 4px; }

#colorlib-aside .colorlib-footer ul li a:hover, #colorlib-aside .colorlib-footer ul li a:active, #colorlib-aside
.colorlib-footer ul li a:focus {

text-decoration: none;

outline: none;

color: #2c98f0; }
```

3.4. Education:

EDUCATION

EDUCATION

MASTER DEGREE MCA		—
RVS College of Arts and Science Autonomous & Affiliated to Bharathiyar University.		2024 - 2026.
BACHELOR OF SCIENCE IN INFORMATION TECHNOLOGY		+
HSLC ARTS CA		+
SSLC		+

Description:

The above figures are skill page, which contain a subdivision named education about my PG degree ,UG degree , HLC & SSLC during an academic year.

## Source Code:

### HTML:

```
<!--===== EDUCATION=====-->

<section class="colorlib-education" data-section="education">
<div class="colorlib-narrow-content">
<div class="row">
<div class="col-md-6 col-md-offset-3 col-md-pull-3 animate-box" data-animate-effect="fadeInLeft">
<span class="heading-meta">Education</span>
<h2 class="colorlib-heading animate-box">Education</h2>
</div>
</div>
<div class="row">
<div class="col-md-12 animate-box" data-animate-effect="fadeInLeft">
<div class="fancy-collapse-panel">
<div class="panel-group" id="accordion" role="tablist" aria-multiselectable="true">
<div class="panel panel-default">
<div class="panel-heading" role="tab" id="headingOne">
<h4 class="panel-title">
<a data-toggle="collapse" data-parent="#accordion" href="#collapseOne" aria-expanded="true" aria-
controls="collapseOne">Master Degree MCA
</a>
</h4>
</div>
<div id="collapseOne" class="panel-collapse collapse in" role="tabpanel" aria-labelledby="headingOne">
<div class="panel-body">
<div class="row">
<div class="col-md-6">
<p>RVS College of Arts and Science Autonomous & Affiliated to Bharathiyar University. </p>
</div>
<div class="col-md-6">
<p>2024 - 2026.</p>
</div>
</div>
</div>
</div>
</div>
```



```

</div>
</div>
<div class="panel panel-default">
<div class="panel-heading" role="tab" id="headingTwo">
<h4 class="panel-title">
<a class="collapsed" data-toggle="collapse" data-parent="#accordion" href="#collapseTwo" aria-
expanded="false" aria-controls="collapseTwo">Bachelor of Science in Information Technology
</a>
</h4>
</div>
<div id="collapseTwo" class="panel-collapse collapse" role="tabpanel" aria-labelledby="headingTwo">
<div class="panel-body">
<p> Dr. SNS Rajalakshmi College of Arts and Science  Autonomous & Affiliated to Bharathiyar
University.</p>
<div class="col-md-6">
<p>2021 - 2024.</p>
</div>
</div>
</div>
</div>
<div class="panel panel-default">
<div class="panel-heading" role="tab" id="headingThree">
<h4 class="panel-title">
<a class="collapsed" data-toggle="collapse" data-parent="#accordion" href="#collapseThree" aria-
expanded="false" aria-controls="collapseThree"> HSLC ARTS CA
</a>
</h4>
</div>
<div id="collapseThree" class="panel-collapse collapse" role="tabpanel" aria-labelledby="headingThree">
<div class="panel-body">
<p>M.N.C. Matriculation Higher Secondary School.</p><p>2019 - 2021</p>
</div>
</div>
</div>
<div class="panel panel-default">

```

```
<div class="panel-heading" role="tab" id="headingFour">  
<h4 class="panel-title">  
<a class="collapsed" data-toggle="collapse" data-parent="#accordion" href="#collapseFour" aria-  
expanded="false" aria-controls="collapseFour">SSLC  
</a>  
</h4>  
</div>  
  
<div id="collapseFour" class="panel-collapse collapse" role="tabpanel" aria-labelledby="headingFour">  
<div class="panel-body">  
<p>M.N.C. Matriculation Higher Secondary School.</p><p>2014 - 2019.</p>  
</div>  
</div>  
</div>
```

## CSS:


```
/*===== EDUCATION =====*/
.colorlib-experience,
.colorlib-skills,
.colorlib-education,
.colorlib-work,
.colorlib-about,
.colorlib-contact {
  padding-top: 4em;
  padding-bottom: 9em;
  clear: both;
  width: 100%;
  display: block; }
@media screen and (max-width: 768px) {
  .colorlib-experience,
  .colorlib-skills,
  .colorlib-education,
  .colorlib-work,
  .colorlib-about,
  .colorlib-contact {
    padding-top: 5em;
    padding-bottom: 8em; } }
```

### 3.5. SKILLS:

MY SPECIALTY

#### MY VISION

To develop some specific type of gaming animations using languages and create a leadership for my team members who can fully hoped on me.



#### Source Code:

##### HTML:

```
<!--===== Skills =====-->
```

```
<section class="colorlib-skills" data-section="skills">
```

```
<div class="colorlib-narrow-content">
```

```
<div class="row">
```

```
<div class="col-md-6 col-md-offset-3 col-md-pull-3 animate-box" data-animate-effect="fadeInLeft">
```

```
<span class="heading-meta">My Specialty</span>
```

```
<h2 class="colorlib-heading animate-box">My Vision</h2>
```

```
</div>
```

```
</div>
```

```
<div class="row">
```

```
<div class="col-md-12 animate-box" data-animate-effect="fadeInLeft">
```

<p>To develop some specific type of gaming animations using languages and create a leadership for my team members who can fully hoped on me.</p>

</div>

<div class="col-md-6 animate-box" data-animate-effect="fadeInLeft">

<div class="progress-wrap">

<h3>Photoshop</h3>

<div class="progress">

<div class="progress-bar color-1" role="progressbar" aria-valuenow="75"

aria-valuemin="0" aria-valuemax="100" style="width:75%">

<span>75%</span>

</div>

</div>

</div>

</div>

<div class="col-md-6 animate-box" data-animate-effect="fadeInRight">

<div class="progress-wrap">

<h3>jQuery</h3>

<div class="progress">

<div class="progress-bar color-2" role="progressbar" aria-valuenow="60"

aria-valuemin="0" aria-valuemax="100" style="width:60%">

<span>60%</span>

</div>

</div>

</div>

</div>

<div class="col-md-6 animate-box" data-animate-effect="fadeInLeft">

<div class="progress-wrap">

```
<h3>HTML5</h3>
```

```
<div class="progress">
```

```
<div class="progress-bar color-3" role="progressbar" aria-valuenow="85"
```

```
aria-valuemin="0" aria-valuemax="100" style="width:85% ">
```

```
<span>85%</span>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-md-6 animate-box" data-animate-effect="fadeInRight">
```

```
<div class="progress-wrap">
```

```
<h3>CSS3</h3>
```

```
<div class="progress">
```

```
<div class="progress-bar color-4" role="progressbar" aria-valuenow="90"
```

```
aria-valuemin="0" aria-valuemax="100" style="width:90% ">
```

```
<span>90%</span>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-md-6 animate-box" data-animate-effect="fadeInLeft">
```

```
<div class="progress-wrap">
```

```
<h3>WordPress</h3>
```

```
<div class="progress">
```

```
<div class="progress-bar color-5" role="progressbar" aria-valuenow="70"
```

```
aria-valuemin="0" aria-valuemax="100" style="width:70% ">
```

```
<span>70%</span>
```

</div>

</div>

</div>

</div>

<div class="col-md-6 animate-box" data-animate-effect="fadeInRight">

<div class="progress-wrap">

<h3>MS Office</h3>

<div class="progress">

<div class="progress-bar color-6" role="progressbar" aria-valuenow="80"

aria-valuemin="0" aria-valuemax="100" style="width:80% ">

<span>80%</span>

</div>

</div>

</div>

</div>

</div>

</div>

## Chapter-4

### Style Score

#### 4.1. Styles

##### Source Code:

##### HTML CODE:

```
<link rel="shortcut icon" href="favicon.ico">
```

```
<link href="https://fonts.googleapis.com/css?family=Quicksand:300,400,500,700"
rel="stylesheet">
```

```
<link href="https://fonts.googleapis.com/css?family=Playfair+Display:400,400i,700"
rel="stylesheet">
```



## 4.2. Style Links

```
<!--===== FAVICON =====-->

<link rel="shortcut icon" href="assets/img/icons8-circled-v-48.png" type="image/x-icon">

<!--===== REMIXICONS =====-->

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/remixicon/3.4.0/remixicon.css"
crossorigin="">

<!--===== CSS =====-->

<link rel="stylesheet" href="style-switcher.css">

<link rel="stylesheet" href="intro.css">

<link rel="stylesheet" href="color-1.css">

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.4/css/all.min.css">

<!--===== JS =====-->

<script src="style-switcher.js"></script>
```

## Chapter 5:

### Website include the following Information

#### 5.1 Project links to GitHub:

##### Project-1

Title: **BALL MOVEMENT**

Link: [BALL \(pratheep-t2003.github.io\)](https://pratheep-t2003.github.io/BALL)

##### ❖ Project Description:

This HTML page displays a continuous bouncing red ball animation within a rectangular area controlled by JavaScript using the setInterval function with a 500- millisecond interval.

##### Project-2

Title: **RANDOM BALL WALK**

Link: [Document \(pratheep-t2003.github.io\)](https://pratheep-t2003.github.io/Document)

##### ❖ Project Description:

Elevate the animation by enabling user input for modifying the ball's movement, incorporating elements like keyboard and mouse controls, as well as introducing obstacles or targets to enhance interactivity.

## **PROJECT-3**

Title: **PAC-MAN**

Link: [Pacman \(pratheep-t2003.github.io\)](https://pratheep-t2003.github.io/Pacman)

### **❖ Project Description:**

This HTML page features a Pac-Man animation moving horizontally within a container, controlled by JavaScript for direction, mouth animation, and boundary reversal, with a continuous animation loop triggered by setInterval every 100 milliseconds.

## **PROJECT-4**

Title: **BOSTON CITY DATA**

Link: [Document \(pratheep-t2003.github.io\)](https://pratheep-t2003.github.io/Document)

### **❖ Project Description:**

This JavaScript program retrieves and displays information about the top five earning employees in Boston, providing key details for each employee.

## **PROJECT-5**

Title: **EYE BALL MOVEMENT**

Link: [coding Assignment 7 \(pratheep-t2003.github.io\)](https://pratheep-t2003.github.io/coding%20Assignment%207)

### **❖ Project Description:**

This HTML document displays the eye ball which can move towards the cursor pointer at any position you can move.

## **PROJECT-6**

Title: **MULTIPLE PACMAN**

Link: [Document \(pratheep-t2003.github.io\)](https://pratheep-t2003.github.io/Document)

### **❖ Project Description:**

This HTML document displays the click on start button the pacman created randomly and click on move button it will move forward direction .

## **PROJECT-7**

Title: **MAP**

Link: [Guides \(pratheep-t2003.github.io\)](https://pratheep-t2003.github.io)

### **❖ Project Description:**

This HTML document displays the map moving from live place to destination and show  
In between stop in it.

## **PROJECT-8**

Title: **HANOI TOWER**

Link: <https://pratheep-t2003.github.io/Hanoi/>

### **❖ Project Description:**

This HTML document displays the Hanoi tower which can move the number from one  
stand to another

## Chapter-6:

### Bootstrap

#### 6.1 Uses of Bootstrap:

##### Source Code

```
<!-- Bootstrap JS and Popper.js (required for Bootstrap) -->
<script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"></script>
```

##### Description:

I have used bootstrap in this website as a separate file. Which was a built in CSS file, so we can use it to reduce our time and also it carries a (N) number of designs. So, I had linked them to the code in HTML.

##### CSS

```
<style>
body {
  background: linear-gradient(to right, #11998e, #38ef7d);
  font-family: 'Arial', sans-serif;
  color: #999; /* Light gray text color */
  margin: 0;
  padding: 0;
}
.container {
  background-color: rgba(255, 255, 255, 0.8);
  border-radius: 15px;
  box-shadow: 0 0 20px rgba(0, 0, 0, 0.2);
  padding: 50px;
  margin: 50px auto;
  max-width: 1200px;
}
```

```

.carousel-inner {
  border: 10px solid #007bff;
  border-radius: 15px;
  overflow: hidden;
  box-shadow: 0 0 20px rgba(0, 0, 0, 0.2);
}
.carousel-item img {
  width: 100%;
  height: auto;
  border-radius: 15px;
}
h1 {
  color: #db1414; /* Deep blue heading color */
  text-align: center;
  margin-bottom: 30px;
  text-transform: uppercase;
  letter-spacing: 2px;
  font-size: 48px;
  font-weight: bold;
  text-shadow: 2px 2px 4px rgba(0, 0, 0, 0.3);
}
p {
  color: #999; /* Light gray text color */
  font-size: 18px;
}
.carousel-control-prev, .carousel-control-next {
  width: 5%;
}
.carousel-control-prev-icon, .carousel-control-next-icon {
  background-color: #01050a;
  border-radius: 50%;
  padding: 10px;
  color: #ffffff;
}


```



```
.carousel-control-prev:hover, .carousel-control-next:hover {  
  background-color: #0056b3;  
}  
.carousel-caption {  
  background-color: rgba(0, 123, 255, 0.7);  
  border-radius: 15px;  
  padding: 20px;  
  bottom: 0;  
  width: 100%;  
  color: #ffffff;  
  text-align: center;  
  font-size: 18px;  
}  
</style>
```







## Chapter 7:


### Project README


 **Pacman** Public









 Pin  Unwatch 1




 main  1 Branch  0 Tags

 Add file <> Code


 **Pratheep-T2003** Create LICENSE ✓



4767ee9 · 51 minutes ago  6 Commits




 LICENSE	Create LICENSE	51 minutes ago
 PacMan1.png	Add files via upload	yesterday
 PacMan2.png	Add files via upload	yesterday
 PacMan3.png	Add files via upload	yesterday
 PacMan4.png	Add files via upload	yesterday
 README.md	Create README.md	yesterday
 index.html	Update index.html	yesterday
 pac.css	Add files via upload	yesterday


 **README**  MIT license 


Pac-Man Animation Overview This project is a simple web-based animation of a Pac-Man character that moves horizontally across the screen. The character changes its appearance as it moves, simulating a basic game-like experience. The animation starts when the user clicks the "START" button.


 **ball** Public





 Pin  Unwatch 1




 main  1 Branch  0 Tags

 Add file <> Code


 **Pratheep-T2003** Create LICENSE ✓

91fc4b7 · 48 minutes ago  7 Commits

 .github/workflows	Create static.yml	2 weeks ago
 LICENSE	Create LICENSE	48 minutes ago
 README.md	Create README.md	5 days ago
 index.html	Update and rename github ball.html to index.html	2 weeks ago

 **README**  MIT license 

README Project Title: Moving Colored Circles Description This project consists of an HTML document that creates a simple animation of colored circles moving within a defined area of the browser window. The circles bounce off the edges of the screen, changing direction randomly when they collide with the boundaries. Features • Generates 10 randomly colored circles. • Each circle moves in a random direction and bounces off the walls of the containing area. • Circles are styled with a border and a smooth rounded shape. Technologies Used • HTML5 • CSS (inline styles) • JavaScript How to Run

 **singleball** PublicPinUnwatch

main


1 Branch

0 Tags

Go to file

Add file

Code

 **Pratheep-T2003** Create LICENSE ✓0ee02f5 · 48 minutes ago 4 Commits


LICENSE	Create LICENSE	48 minutes ago
README.md	Create README.md	yesterday
index.html	Update and rename singleball.html to index.html	yesterday

README MIT license

Ball Animation Overview The Ball Animation project is a simple web application that creates a bouncing ball effect on the screen. The ball moves diagonally across the viewport, bouncing off the edges of the screen. This project demonstrates basic HTML, CSS, and JavaScript concepts, including DOM manipulation and animation.

Features Bouncing Ball Animation: The ball moves smoothly across the screen and bounces off the edges. Responsive Design: The ball's movement is based on percentage values, making it adaptable to different screen sizes.

Prerequisites Basic knowledge of HTML, CSS, and JavaScript. A modern web browser to run the application. Setup Instructions Clone the Repository

 **multipleball** PublicPinUnwatch 1

main


1 Branch

0 Tags

Go to file

Add file

Code

 **Pratheep-T2003** Create LICENSE ✓a60bc10 · now 4 Commits

LICENSE	Create LICENSE	now
README.md	Create README.md	yesterday
index.html	Update and rename createrandomball.html to index.html	yesterday

README MIT license

Random Ball Creator Overview The Random Ball Creator is a simple web application that allows users to generate colorful balls at random positions within a defined area on the screen. Each time the user clicks the "Start" button, a new ball is created with a random color and position.

Features Dynamic Ball Creation: Generate balls with random colors and positions. Responsive Design: The application adjusts to different screen sizes. Simple User Interface: Easy to use with a single button to create balls. Prerequisites Basic knowledge of HTML, CSS, and JavaScript. A modern web browser to run the application. Setup Instructions Clone the Repository

Files

main

Go to file

Coding Assignment 6 - Google C...  
Coding Assignment 6 sol.docx  
Coding\_Assignment\_6.1\_PacMen ...  
LICENSE  
PacMan1.png  
PacMan2.png  
PacMan3.png  
PacMan4.png  
README.md  
Sample\_Output\_6.1 (1).JPG  
index.html

multipacman / README.md

Pratheep-T2003 Create README.md
06258bd · 5 days ago
History

Preview Code Blame 25 lines (25 loc) · 2.07 KB Code 55% faster with GitHub Copilot

README for Bouncing Balls Animation Overview This project consists of an HTML document that allows users to dynamically add bouncing balls (represented as images) to the page and animate their motion. The user can create multiple balls and move them within defined boundaries, where they will bounce off walls and floor. Features • Add Ball: Users can click a button to add a new ball (image) at a random position on the screen. • Move Balls: Users can click another button to start the movement of all added balls. The balls will bounce off the edges of the window. Files • index.html: The HTML file that contains the structure and script necessary for the animation. Instructions to Run

1. Setup: Ensure that you have an image file named PacMan1.png available in the same directory as your index.html file. This image will be used as the ball.
2. Open the HTML file: Open index.html in a web browser of your choice.
3. Add balls: Click the "add" button to create balls at random positions on the screen.
4. Move balls: Click the "move" button to start the animation. The balls will move, bouncing off the walls and floor of the browser window.

Code Explanation • The script begins by initializing empty arrays to hold the images of the balls (imgs), their positions (x\_pos and y\_pos), and their velocities (x\_vel and y\_vel). • The ballCount function creates a new element representing the ball, assigns it a random starting position, and pushes its data into the respective arrays. • The moveBall function updates the position of each ball based on its velocity and checks for collisions with the edges of the window. If a ball hits an edge, its velocity is inverted to create a bouncing effect. • The balls' positions are applied to their respective style properties, creating a visible animation. Future Enhancements • Allow users to remove balls. •

Eyes-ball Public

Pin Unwatch 1

main 1 Branch 0 Tags

Go to file

Add file



<> Code

Pratheep-T2003 Create LICENSE 9660ebf · 48 minutes ago 4 Commits

Coding Assignment 7 sol.docx	Add files via upload	5 days ago
LICENSE	Create LICENSE	48 minutes ago
README.md	Update README.md	5 days ago
coding assignment 7 sol doc.mp4	Add files via upload	5 days ago
index.html	Add files via upload	5 days ago

README MIT license

README for Coding Assignment 7: Eye Tracking Animation Overview This project is a simple web-based animation that simulates eye movement. The animation features two "eyes" that follow the mouse cursor as it moves across the screen. The project leverages HTML, CSS, and JavaScript to create an interactive experience. Table of Contents



## Description:

The above figures are the screenshot of project README files (Description, steps to run, futureimprovement) in a desktop view.

