

# Cucumber Report

22 Nov. 2023, 9:21:56 am

Start : Nov. 22, 9:21:55.914 am

End : Nov. 22, 9:21:55.960 am

Duration : 0.046 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 0  
SKIPPED - 18







#	Feature Name	T	P	F	S	Duration
1	<u>This feature will allow you to create checklist for PC1 applicaiton.</u>	1	0	1	0	0.046 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>This feature will allow you to create checklist for PC1 applicaiton.</u>	<u>Successful Login with Valid Credentials</u>	18	0	0	18	0.044 s

**(F)- This feature will allow you to create checklist for PC1 applicaiton.**

<b>FAILED</b>	<b>DURATION - 0.046 s</b>	Scenarios		Steps	
/ 9:21:55.914 am // 9:21:55.960 am /		Total - 1		Total - 18	
		Pass - 0	1	Pass - 0	18
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 18	

**(S)- Successful Login with Valid Credentials**

<b>FAILED</b>	<b>DURATION - 0.044 s</b>		Steps	
/ 9:21:55.916 am // 9:21:55.960 am /			Total - 18	
This feature will allow you to create checklist for PC1 applicaiton.			Pass - 0	
@tag1			Fail - 0	
		Skip - 18		

#	Step / Hook Details	Status	Duration
	<b>BEFORE - AppHooks.Hooks.getProperty()</b> java.lang.NoClassDefFoundError: com/qa/util/ConfigReader at AppHooks.Hooks.getProperty(Hooks.java:31) Caused by: java.lang.ClassNotFoundException: com.qa.util.ConfigReader at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:581) at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:178) at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:521) at AppHooks.Hooks.getProperty(Hooks.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)	<b>FAILED</b>	0.005 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:98) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	BEFORE - AppHooks.Hooks.launchBrowser()	FAILED	0.000 s
	java.lang.NullPointerException at AppHooks.Hooks.launchBrowser(Hooks.java:39)		
1	Given - Given I enter valid username as "sanprathi@gmail.com" and password as "Vimalprabhu-202310"	SKIPPED	0.001 s
2	When - When I click login	SKIPPED	0.001 s
3	Then - Then user is logged in Successfully	SKIPPED	0.001 s
4	Given - Given I click Start renewal/passport	SKIPPED	0.000 s
5	And - And I read test data for testcase for "PC1_CitizenshipCertificate"	SKIPPED	0.001 s
6	When - When I select that I am completing the application for "Myself"	SKIPPED	0.000 s
7	And - And I enter personal details	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
8	And - And I enter contact details	SKIPPED	0.000 s
9	And - And I enter previous passport details	SKIPPED	0.000 s
10	And - And I choose Do you have Australian Birth Certificate as "No"	SKIPPED	0.000 s
11	And - And I choose Do you have an Australia Citizenship Certificate as "Yes"	SKIPPED	0.000 s
12	And - And I enter Citizenship details	SKIPPED	0.000 s
13	And - And I confirm Identity	SKIPPED	0.000 s
14	And - And I confirm Referee details	SKIPPED	0.001 s
15	And - And I enter Emergency contact details	SKIPPED	0.000 s
16	And - And I confirm Passport fees	SKIPPED	0.000 s
17	And - And I review application and click Next	SKIPPED	0.000 s
18	Then - Then I can confirm that PC1 application is launched successfully	SKIPPED	0.001 s
	AFTER - AppHooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException at AppHooks.Hooks.teardown(Hooks.java:89)		
	AFTER - AppHooks.Hooks.teardownandScreenshot(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at AppHooks.Hooks.teardownandScreenshot(Hooks.java:78)		