Cucumber Report

Start : Nov. 21, 11:01:10.089 am	End : Nov. 21, 11:04:59.520 am	Duration : 3 m 49.431 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 15 FAILED - 1 SKIPPED - 2

Features: 1 — 0 %

Scenarios: 1 — 0 %

Steps: 18 — 83 %

#	Feature Name	T	P	F	S	Duration
1	This feature will allow you to create checklist for PC1 applicaiton.	1	0	1	0	3 m 49.431 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	This feature will allow you to create checklist for PC1 applicaiton.	Successful Login with Valid Credentials	18	15	1	2	3 m 49.429 s

(F)- This feature will allow you to create checklist for PC1 applicaiton.

FAILED	DURATION - 3 m 49.431 s	Scenarios		Steps	
/ 11:01:10.089 am // 11:04:59.520 am /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 18 Pass - 15 Fail - 1 Skip - 2	18

(S)- Successful Login with Valid Credentials

FAILED	DURATION - 3 m 49.429 s		Steps	
/ 11:01:10.091 am // 11:04:59.520 am /			Total - 18	
This feature will allow you to create checklist for PC1 applicaiton.			Pass - 15 Fail - 1	18
@tag1			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given - Given I enter valid username as "sanprathi@gmail.com" and password as "Vimalprabhu-202310"	PASSED	3.517 s
2	When - When I click login	PASSED	1.733 s
3	Then - Then user is logged in Successfully	PASSED	0.069 s
4	Given - Given I click Start renewal/passport	PASSED	0.269 s
5	And - And I read test data for testcase for PC1	PASSED	7.853 s
6	When - When I select that I am completing the application for "Myself"	PASSED	0.002 s
7	And - And I enter personal details	PASSED	12.327 s
8	And - And I enter contact details	PASSED	13.977 s
9	And - And I enter previous passport details	PASSED	2.839 s
10	And - And I choose Do you have Australian Birth Certificate as "No"	PASSED	1.679 s
11	And - And I choose Do you have an Austraial Citizenship Certificate as "Yes"	PASSED	4.988 s
12	And - And I enter Citizenshipdetails	PASSED	29.170 s
13	And - And I confirm Identity	PASSED	7.885 s
14	And - And I confirm Referee details	PASSED	40.868 s
15	And - And I enter Emergency contact details	PASSED	17.988 s

#	Step / Hook Details	Status	Duration
16	And - And I confirm Passport fees	FAILED	1 m 21.127 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //div[@class='fee-option-content']//div[contains(text(),'A$')] (tried for 30 second(s) with 500 milliseconds interval)
	   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)
	   at com.qa.util.ElementUtil.waitForElementToBeClickable(ElementUtil.java:283)
	   at com.qa.util.ElementUtil.StaleElementforClickablebutton(ElementUtil.java:205)
	   at com.qa.util.ElementUtil.clickelement(ElementUtil.java:68)
	   at com.pages.FeesPage.getfees(FeesPage.java:43)
	   at stepdefinitions.PC1_StepDefinition.i_confirm_passport_fees(PC1_StepDefinition.java:146)
	   at ?.I confirm Passport fees(file:///C:/Users/sanpr/exlipsefolder2/DFAT_PassportProject/target/test-classes/features/PC1Form.feature:21)
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='fee-option-content']//div[contains(text(),'A$')]"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-UNVGE05', ip: '192.168.6.51', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: org.openqa.selenium.edge.EdgeDriver Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:64864}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\sanpr\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cc96b85959a356fb48ae6e3406d67a88 *** Element info: {Using=xpath, value=//div[@class='fee-option-content']//div[contains(text(),'A$')]}
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)
	   at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
	   at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:205)
	   at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:201)
	   at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:641)
	   at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:638)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)
	   at com.qa.util.ElementUtil.waitForElementToBeClickable(ElementUtil.java:283)		

#	Step / Hook Details	Status	Duration
	at com.qa.util.ElementUtil.StaleElementforClickablebutton(ElementUtil.java:205)		
	at com.qa.util.ElementUtil.clickelement(ElementUtil.java:68)		
	at com.pages.FeesPage.getfees(FeesPage.java:43)		
	at stepdefinitions.PC1_StepDefinition.i_confirm_passport_fees(PC1_StepDefinition.java:146)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:234)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:115)		

#	Step / Hook Details	Status	Duration
	at org.testng.junit.JUnit4TestRunner.start(JUnit4TestRunner.java:82)		
	at org.testng.junit.JUnit4TestRunner.run(JUnit4TestRunner.java:70)		
	at org.testng.TestRunner$1.run(TestRunner.java:570)		
	at org.testng.TestRunner.runJUnitWorkers(TestRunner.java:717)		
	at org.testng.TestRunner.privateRunJUnit(TestRunner.java:601)		
	at org.testng.TestRunner.run(TestRunner.java:502)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:364)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1137)		
	at org.testng.TestNG.runSuites(TestNG.java:1049)		
	at org.testng.TestNG.run(TestNG.java:1017)		
	at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:151)		
	at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.executeSingleClass(TestNGDirectoryTestSuite.java:111)		
	at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.execute(TestNGDirectoryTestSuite.java:98)		
	at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:155)		
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456)		
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169)		
	at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595)		
	at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)		
	* Not displayable characters are replaced by '?'.		
17	And - And I review application and click Next	SKIPPED	0.002 s
18	Then - Then I can confirm that PC1 applicaiton is launched successfully	SKIPPED	0.001 s