

Cucumber Report

1 Dec. 2023, 4:32:48 pm

Start : Dec. 01, 4:32:47.289 pm

End : Dec. 01, 4:32:47.390 pm

Duration : 0.101 s

Features


Scenarios


Steps

PASSED - 0
FAILED - 3
SKIPPED - 0


PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 76







#	Feature Name	T	P	F	S	Duration
1	<u>This feature will allow you to create checklist for PC1 applicaiton with Birth Certificate as supporting document.</u>	1	0	1	0	0.042 s
2	<u>This feature will allow you to create checklist for PC1 applicaiton with Citizenship certificate as supporting document.</u>	1	0	1	0	0.015 s
3	<u>This feature will create checklist for PC7 applicaiton.</u>	1	0	1	0	0.016 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>This feature will allow you to create checklist for PC1 applicaiton with Birth *</u>	<u>Generate PC1 application with Birth Certificate as supporting document.</u>	23	0	0	23	0.040 s
2	<u>This feature will allow you to create checklist for PC1 applicaiton with *</u>	<u>Successful Login with Valid Credentials</u>	27	0	0	27	0.015 s
3	<u>This feature will create checklist for PC7 applicaiton.</u>	<u>Successful Login with Valid Credentials</u>	26	0	0	26	0.016 s

* The feature name and/or scenario name has been cropped to fit in the available space.

(F)- This feature will allow you to create checklist for PC1 applicaiton with Birth Certificate as supporting document.

FAILED	DURATION - 0.042 s	Scenarios		Steps	
/ 4:32:47.289 pm // 4:32:47.331 pm /		Total - 1	1	Total - 23	23
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 23	

(S)- Generate PC1 application with Birth Certificate as supporting document.



<div>FAILED</div> <div>DURATION - 0.040 s</div>			Steps		
/ 4:32:47.291 pm // 4:32:47.331 pm /			Total - 23		
This feature will allow you to create checklist for PC1 applicaiton with Birth Certificate as support *			Pass - 0		
@tag1			Fail - 0		
			Skip - 23		

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.Hooks.getProperty()	FAILED	0.004 s
	java.lang.NoClassDefFoundError: com/qa/util/ConfigReader		
	at AppHooks.Hooks.getProperty(Hooks.java:31)		
	Caused by: java.lang.ClassNotFoundException: com.qa.util.ConfigReader		
	at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:581)		
	at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:178)		
	at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:521)		
	at AppHooks.Hooks.getProperty(Hooks.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:98) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	BEFORE - AppHooks.Hooks.launchBrowser()	FAILED	0.000 s
	java.lang.NullPointerException at AppHooks.Hooks.launchBrowser(Hooks.java:38)		
1	Given - Given I enter valid username as "sanprathi@gmail.com" and password as "Vimalprabhu-202310"	SKIPPED	0.000 s
2	When - When I click login	SKIPPED	0.001 s
3	Then - Then user is logged in Successfully	SKIPPED	0.000 s
4	Given - Given I click Start renewal/passport	SKIPPED	0.000 s
5	And - And I read test data for testcase for "PC1_BirthCertificate"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	When - When I select logement location as "Australia"	SKIPPED	0.001 s
7	And - And I apply for a "Adult" application	SKIPPED	0.000 s
8	And - And I select that I am completing the application for "Myself"	SKIPPED	0.000 s
9	And - And I enter personal details	SKIPPED	0.000 s
10	And - And I enter contact details	SKIPPED	0.001 s
11	And - And I enter previous passport details	SKIPPED	0.000 s
12	And - And I choose Do you have Australian Birth Certificate as "Yes"	SKIPPED	0.001 s
13	And - And I choose Is your BirthCertificate is an extract or a commemorative Certificate as "No"	SKIPPED	0.000 s
14	And - And I choose Does your BirthCertificate show your parents name,age DOB "Yes"	SKIPPED	0.001 s
15	And - And I enter Birthcertificate details	SKIPPED	0.001 s
16	And - And I choose Do you have an Australia Citizenship Certificate as "Yes"	SKIPPED	0.000 s
17	And - And I enter Citizenshipdetails	SKIPPED	0.000 s
18	And - And I confirm Identity	SKIPPED	0.001 s
19	And - And I confirm Referee details	SKIPPED	0.000 s
20	And - And I enter Emergency contact details	SKIPPED	0.000 s
21	And - And I confirm Passport fees "\$325.00"	SKIPPED	0.000 s
22	And - And I review application	SKIPPED	0.000 s
23	Then - Then I can confirm that PC1 applicaiton is launched successfully	SKIPPED	0.001 s
	AFTER - AppHooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException at AppHooks.Hooks.teardown(Hooks.java:62)		
	AFTER - AppHooks.Hooks.teardownandScreenshot(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at AppHooks.Hooks.teardownandScreenshot(Hooks.java:51)		

(F)- This feature will allow you to create checklist for PC1 applicaiton with Citizenship certificate as supporting document.

FAILED	DURATION - 0.015 s	Scenarios		Steps	
/ 4:32:47.349 pm // 4:32:47.364 pm /		Total - 1		Total - 27	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 27	



(S)- Successful Login with Valid Credentials

FAILED	DURATION - 0.015 s		Steps Total - 27 Pass - 0 Fail - 0 Skip - 27	
/ 4:32:47.349 pm // 4:32:47.364 pm /				
This feature will allow you to create checklist for PC1 applicaiton with Citizenship certificate as *				
@tag1				



#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.Hooks.getProperty() java.lang.NoClassDefFoundError: com/qa/util/ConfigReader at AppHooks.Hooks.getProperty(Hooks.java:31)	FAILED	0.000 s
	BEFORE - AppHooks.Hooks.launchBrowser() java.lang.NullPointerException at AppHooks.Hooks.launchBrowser(Hooks.java:38)	FAILED	0.000 s
1	Given - Given I enter valid username as "sanprathi@gmail.com" and password as "Vimalprabhu-202310"	SKIPPED	0.000 s
2	When - When I click login	SKIPPED	0.001 s
3	Then - Then user is logged in Successfully	SKIPPED	0.000 s
4	Given - Given I click Start renewal/passport	SKIPPED	0.001 s
5	And - And I read test data for testcase for "PC1_CitizenshipCertificate"	SKIPPED	0.000 s
6	When - When I select logement location as "Australia"	SKIPPED	0.000 s
7	And - And I apply for a "Adult" application	SKIPPED	0.000 s
8	And - And I select that I am completing the application for "Myself"	SKIPPED	0.000 s
9	And - And I enter personal details	SKIPPED	0.000 s
10	And - And I enter contact details	SKIPPED	0.000 s
11	And - And I enter previous passport details	SKIPPED	0.000 s
12	And - And I choose Do you have Australian Birth Certificate as "No"	SKIPPED	0.000 s
13	And - And I choose Do you have an Austraiat Citizenship Certificate as "Yes"	SKIPPED	0.000 s
14	And - And I enter Citizenshipdetails	SKIPPED	0.001 s
15	And - And I confirm Identity	SKIPPED	0.000 s
16	And - And I confirm Referee details	SKIPPED	0.000 s
17	And - And I enter Emergency contact details	SKIPPED	0.000 s
18	And - And I confirm Passport fees "A\$325.00"	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
19	And - And I review application	SKIPPED	0.000 s
20	And - And I confirm that Familyname is same as in test data sheet	SKIPPED	0.001 s
21	And - And I confirm Givennames is same as in test data sheet	SKIPPED	0.000 s
22	And - And I confirm Date of Birth is same as in test data sheet	SKIPPED	0.001 s
23	And - And I confirm that passport type is "Australian passport"	SKIPPED	0.000 s
24	And - And I confirm that fee type is "10 year passport"	SKIPPED	0.000 s
25	And - And I confirm fee amount "\$325.00"	SKIPPED	0.000 s
26	And - And I click Next	SKIPPED	0.000 s
27	Then - Then I can confirm that PC1 applicaiton is launched successfully	SKIPPED	0.000 s
	AFTER - AppHooks.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at AppHooks.Hooks.teardown(Hooks.java:62)		
	AFTER - AppHooks.Hooks.teardownandScreenshot(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at AppHooks.Hooks.teardownandScreenshot(Hooks.java:51)		

(F)- This feature will create checklist for PC7 applicaiton.

FAILED	DURATION - 0.016 s	Scenarios		Steps	
		Total - 1		Total - 26	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 26	
/ 4:32:47.374 pm // 4:32:47.390 pm /					

(S)- Successful Login with Valid Credentials

FAILED	DURATION - 0.016 s			Steps	
				Total - 26	
				Pass - 0	
				Fail - 0	
/ 4:32:47.374 pm // 4:32:47.390 pm /				Skip - 26	
This feature will create checklist for PC7 applicaiton.					
@tag1					

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.Hooks.getProperty() java.lang.NoClassDefFoundError: com/qa/util/ConfigReader at AppHooks.Hooks.getProperty(Hooks.java:31)	FAILED	0.001 s
	BEFORE - AppHooks.Hooks.launchBrowser() java.lang.NullPointerException at AppHooks.Hooks.launchBrowser(Hooks.java:38)	FAILED	0.001 s
1	Given - Given I enter valid username as "sanprathi@gmail.com" and password as "Vimalprabhu-202310"	SKIPPED	0.000 s
2	When - When I click login	SKIPPED	0.000 s
3	Then - Then user is logged in Successfully	SKIPPED	0.000 s
4	Given - Given I click Start renewal/passport	SKIPPED	0.000 s
5	And - And I read test data for testcase for "PC_PassportRenewal"	SKIPPED	0.000 s
6	When - When I select logement location as "Australia"	SKIPPED	0.000 s
7	And - And I apply for a "Adult" application	SKIPPED	0.000 s
8	And - And I select that I am completing the application for "Myself"	SKIPPED	0.001 s
9	And - And I enter personal details	SKIPPED	0.000 s
10	And - And I enter contact details	SKIPPED	0.000 s
11	And - And I enter Have you had a Australian Passport as "Yes"	SKIPPED	0.000 s
12	And - And I enter Are you able to present your most recently issued passport as "Yes"	SKIPPED	0.001 s
13	And - And I enter Are you applying for data breach as "No"	SKIPPED	0.000 s
14	And - And I enter previous passport details as per spreadsheet	SKIPPED	0.000 s
15	And - And I enter Emergency contact details	SKIPPED	0.000 s
16	And - And if Referee Page is available click next	SKIPPED	0.000 s
17	And - And I confirm Passport fees "A\$325.00"	SKIPPED	0.000 s
18	And - And I review application	SKIPPED	0.000 s
19	And - And I confirm that Familyname is same as in test data sheet	SKIPPED	0.000 s
20	And - And I confirm Givennames is same as in test data sheet	SKIPPED	0.000 s
21	And - And I confirm Date of Birth is same as in test data sheet	SKIPPED	0.000 s
22	And - And I confirm that passport type is "Australian passport"	SKIPPED	0.001 s
23	And - And I confirm that fee type is "10 year passport"	SKIPPED	0.000 s
24	And - And I confirm fee amount "\$325.00"	SKIPPED	0.000 s
25	And - And I click Next	SKIPPED	0.000 s
26	Then - Then I can confirm that PC7 applicaiton is launched successfully	SKIPPED	0.001 s
	AFTER - AppHooks.Hooks.teardown(io.cucumber.java.Scenario) java.lang.NullPointerException	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	at AppHooks.Hooks.teardown(Hooks.java:62)		
	AFTER - AppHooks.Hooks.teardownandScreenshot(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at AppHooks.Hooks.teardownandScreenshot(Hooks.java:51)		