Interview Performance Report

Role: Frontend Developer | Date: 2026-10-13T05:17:32.038530 | Status: COMPLETED

Overall Score

Contributing modalities: nlp, speech, video

The candidate demonstrates strong project experience on the resume but failed to provide meaningful answers to the React/WebSocket questions. Their responses were vague and did not show practical knowledge of hooks or cleanup patterns.

Session Information

Session ID:	e91a376c-77d8-41...
Role Applied:	Frontend Developer
Interview Date:	2026-10-13T05:17:32.038530
Completion:	COMPLETED
Questions Done:	5 of 5

Interview-Wide Speech Metrics

Average WPM:	47
Total Filler Words:	0
Total Pauses Detected:	16

* Speaking rate (57 WPM) is below conversational reference range (120 - 170 WPM). This may reflect careful articulation, technical explanation, or language pacing.

* Speaking rate (14 WPM) is below conversational reference range (120 - 170 WPM). This may reflect careful articulation, technical explanation, or language pacing.

* Speaking rate (11 WPM) is below conversational reference range (120 - 170 WPM). This may reflect careful articulation, technical explanation, or language pacing.

Key Strengths

[+] Solid full[non-English text]stack project portfolio (SentinelAI, Quiz Battle)

[+] Familiarity with a wide range of technologies (React, FastAPI, Spring Boot)

[+] Experience designing real[non-English text]time systems

Areas for Improvement

* Cannot explain or implement a React component that uses WebSockets

* Lacks concrete code examples and understanding of useEffect cleanup

* Poor communication of technical concepts

This report is generated from AI-assisted analysis. Speech and visual signals are observable measurements, not psychological diagnoses.

Recommendations

-> Review React hooks, especially useEffect for resource cleanup

-> Practice writing functional components that manage WebSocket connections

-> Do mock coding interviews to improve articulation of solutions

Per-Question Analysis

Q1 - Score: 90/100 (NLP: 100% | Speech: 69% | Video: 93%)

In your SentinelAI project you built a React frontend that receives real[non-English text]time system metrics via WebSockets. How would you implement a React component to subscribe to a WebSocket, update the UI with incoming data, and clean up the connection when the component unmounts? Briefly outline the key steps and any hooks you would use.

Transcript (ok): "It's built on React and other things which gives us the correct output."

Feedback: Answer was non[non-English text]specific and did not outline any steps or hooks.

Analysis: Answer does not closely address the question topic.

Evaluation method: combined

Q2 - Score: 89/100 (NLP: 100% | Speech: 64% | Video: 93%)

Write a short React functional component (using hooks) that connects to a WebSocket server at ws://localhost:8080/metrics, stores incoming metric data in state, renders the latest value, and properly closes the WebSocket when the component unmounts. Include the key parts of useEffect and useState in your answer.

Transcript (ok): "Oh, so... Cools to..."

Feedback: Provided no code or relevant explanation.

Analysis: Answer does not closely address the question topic.

Evaluation method: combined

Q3 - Score: 71/100 (NLP: 50% | Speech: 92% | Video: 93%)

Create a simple React functional component named `MetricViewer` that:
1. Uses `useState` to hold the latest metric value received from a WebSocket.
2. Opens a WebSocket connection to `ws://localhost:8080/metrics` inside a `useEffect` hook.
3. Updates the state whenever a new message arrives.
4. Properly closes the WebSocket connection when the component unmounts (cleanup function).
Provide the complete component code (including imports) and briefly explain how the cleanup works.

Transcript (ok): "[non-English text] [non-English text], [non-English text], [non-English text] [non-English text] [non-English text], [non-English text] [non-English text] [non-English text], [non-English text] [non-English text] [non-English text], [non-English text] [non-English text] [non-English text], [non-English text]"

Feedback: Response was unrelated text in another language; no component code was given.

Analysis: Answer does not closely address the question topic.

Evaluation method: combined

Q4 - Score: 64/100 (NLP: 50% | Speech: 64% | Video: 93%)

In a React functional component, how would you use the `useEffect` hook to open a WebSocket connection and ensure it is properly closed when the component unmounts? Explain the steps and why the cleanup function is necessary.

Transcript (ok): "Yes."

Feedback: Answer was a single word and did not address the question.

Analysis: Answer does not closely address the question topic.

Evaluation method: combined

Q5 - Score: 64/100 (NLP: 50% | Speech: 64% | Video: 93%)

Write a React functional component that opens a WebSocket connection inside a useEffect hook. Include the proper dependency array and a cleanup function that closes the socket when the component unmounts. Explain each step of your implementation and why the cleanup is necessary.

Transcript (ok): "No."

Feedback: Answer was a single word with no technical detail.

Analysis: Answer does not closely address the question topic.

Evaluation method: combined

Speech Delivery Details (Per Question)

Question 1 - Speech

WPM:	57 (reference: 120-170 WPM)
Duration:	13.7 s
Word Count:	13
Filler Words:	0 (rate: 0.0%)
Pauses Detected:	5 (long: 1)
Longest Pause:	3.0 s
Median Gap:	0 ms
Mean Gap:	0 ms
Analysis Method:	word_timestamps

[i] Speaking rate (57 WPM) is below conversational reference range (120 - 170 WPM). This may reflect careful articulation, technical explanation, or language pacing.

Question 2 - Speech

WPM:	14 (reference: 120-170 WPM)
Duration:	16.6 s
Word Count:	4
Filler Words:	0 (rate: 0.0%)
Pauses Detected:	3 (long: 1)
Longest Pause:	3.2 s
Median Gap:	0 ms
Mean Gap:	1073 ms
Analysis Method:	word_timestamps

[i] Speaking rate (14 WPM) is below conversational reference range (120 - 170 WPM). This may reflect careful articulation, technical explanation, or language pacing.

Question 3 - Speech

WPM:	137 (reference: 120-170 WPM)
Duration:	13.1 s
Word Count:	30
Filler Words:	0 (rate: 0.0%)
Pauses Detected:	4 (long: 2)
Longest Pause:	2.5 s
Median Gap:	0 ms
Mean Gap:	0 ms
Analysis Method:	word_timestamps

Question 4 - Speech

WPM:	11 (reference: 120-170 WPM)
Duration:	5.7 s
Word Count:	1
Filler Words:	0 (rate: 0.0%)
Pauses Detected:	2 (long: 1)
Longest Pause:	3.6 s
Analysis Method:	audio_energy

[!] Pause events are estimated from audio energy analysis, not exact word-to-word gaps.

[i] Speaking rate (11 WPM) is below conversational reference range (120 - 170 WPM). This may reflect careful articulation, technical explanation, or language pacing.

Question 5 - Speech

WPM:	14 (reference: 120-170 WPM)
Duration:	4.3 s
Word Count:	1
Filler Words:	0 (rate: 0.0%)
Pauses Detected:	2 (long: 1)
Longest Pause:	2.1 s
Analysis Method:	audio_energy

[!] Pause events are estimated from audio energy analysis, not exact word-to-word gaps.

[i] Speaking rate (14 WPM) is below conversational reference range (120 - 170 WPM). This may reflect careful articulation, technical explanation, or language pacing.

Visual & Posture Analysis

Question 1 - Visual

Analysis Method:	mediapipe_pose
Frames Sampled:	40
Frames with Detection:	40
Detection Rate:	100%
Face Visibility:	100/100
Attention:	88/100
Posture:	92/100
Video Score:	93/100

Movement Variation:	0.0072 (std dev)

Question 2 - Visual

Analysis Method:	mediapipe_pose
Frames Sampled:	48
Frames with Detection:	48
Detection Rate:	100%
Face Visibility:	100/100
Attention:	88/100
Posture:	92/100
Video Score:	93/100
Movement Variation:	0.0037 (std dev)

Question 3 - Visual

Analysis Method:	mediapipe_pose
Frames Sampled:	38
Frames with Detection:	38
Detection Rate:	100%
Face Visibility:	100/100
Attention:	88/100
Posture:	92/100
Video Score:	93/100
Movement Variation:	0.0064 (std dev)

Question 4 - Visual

Analysis Method:	mediapipe_pose
Frames Sampled:	17
Frames with Detection:	17
Detection Rate:	100%
Face Visibility:	100/100
Attention:	88/100
Posture:	92/100
Video Score:	93/100
Movement Variation:	0.0033 (std dev)

Question 5 - Visual

Analysis Method:	mediapipe_pose
Frames Sampled:	13
Frames with Detection:	13
Detection Rate:	100%
Face Visibility:	100/100
Attention:	88/100
Posture:	92/100
Video Score:	93/100
Movement Variation:	0.0029 (std dev)

Delivery Patterns - Observable Signals

The following observable delivery patterns were detected during the interview. These are measurable signals, NOT diagnoses of anxiety, confidence, or emotional state. Each pattern can have many explanations including thinking time, question difficulty, language familiarity, environmental noise, microphone quality, and individual speaking style.

Speech Patterns:

* Speaking rate (14 WPM) is below conversational reference range (120 - 170 WPM). This may reflect careful articulation, technical explanation, or language pacing.

* Speaking rate (57 WPM) is below conversational reference range (120 - 170 WPM). This may reflect careful articulation, technical explanation, or language pacing.

* Speaking rate (11 WPM) is below conversational reference range (120 - 170 WPM). This may reflect careful articulation, technical explanation, or language pacing.

Evaluation Methodology

Technical score (NLP): Evaluated by Groq LLM (primary, 75%) and a local structured evaluator (secondary, 25%). Weights are configurable. When Groq is unavailable, the result is labelled 'local_only'.

Speech delivery: WPM calculated from transcript word count / recording duration. Pauses detected via audio energy analysis (pydub) where available. The conversational reference range (120-170 WPM) is a broad guide, not a scoring threshold.

Visual analysis: Performed locally using MediaPipe Pose (if installed) or OpenCV Haar cascade. Face/pose detection rates and movement variation are reported. These are observable signals only.

Limitations & Disclaimer

* Speech and visual measurements are NOT validated diagnostic tools for anxiety, confidence, attention, or any psychological state.
* Scores may be affected by microphone quality, camera position, lighting, background noise, and internet connection.
* The system does not account for accent, disability, or individual communication style.
* Evaluation weights (NLP 50%, Speech 25%, Video 25%) represent a design choice, not a scientifically validated standard.
* This report should be used as one input among many in any hiring or assessment decision - not as the sole determinant.