


5. Priority Scheduling:



The screenshot shows a C program in a code editor. The code defines an array of processes and calculates their waiting time (WT) and turnaround time (TAT) based on their burst time (BT) and priority. The output window shows the user input for 3 processes and the resulting table.

```
main.c
1  #include <stdio.h>
2
3  int main()
4  {
5      int n, i, j, temp;
6      int bt[10], pr[10], p[10], wt[10], tat[10];
7
8      printf("Enter number of processes: ");
9      scanf("%d", &n);
10
11     for(i=0; i<n; i++)
12     {
13         p[i] = i + 1;
14
15         printf("Enter Burst Time of P%d: ", i+1);
16         scanf("%d", &bt[i]);
17
18         printf("Enter Priority of P%d: ", i+1);
19         scanf("%d", &pr[i]);
20     }
21
22     for(i=0; i<n-1; i++)
23     {
24         for(j=i+1; j<n; j++)
```

Output

Enter number of processes: 3
Enter Burst Time of P1: 9
Enter Priority of P1: 5
Enter Burst Time of P2: 3
Enter Priority of P2: 5
Enter Burst Time of P3: 6
Enter Priority of P3: 4

Process	Priority	BT	WT	TAT
P3	4	6	0	6
P2	5	3	6	9
P1	5	9	9	18

=== Code Execution Successful ===