Practical – 2

```
# Node of a Huffman Tree
class Nodes:
    def __init__(self, probability, symbol, left = None, right = None):
        # probability of the symbol
        self.probability = probability

        # the symbol
        self.symbol = symbol

        # the left node
        self.left = left

        # the right node
        self.right = right

        # the tree direction (0 or 1)
        self.code = ''

""" A supporting function in order to calculate the probabilities of symbols in specified data """
def CalculateProbability(the_data):
    the_symbols = dict()
    for item in the_data:
        if the_symbols.get(item) == None:
            the_symbols[item] = 1
        else:
            the_symbols[item] += 1
    return the_symbols
```

```
""" A supporting function in order to print the codes of symbols by travelling a Huffman Tree """
the_codes = dict()

def CalculateCodes(node, value = ''):
    # a huffman code for current node
    newValue = value + str(node.code)

    if(node.left):
        CalculateCodes(node.left, newValue)
    if(node.right):
        CalculateCodes(node.right, newValue)

    if(not node.left and not node.right):
        the_codes[node.symbol] = newValue

    return the_codes

""" A supporting function in order to get the encoded result """
def OutputEncoded(the_data, coding):
    encodingOutput = []
    for element in the_data:
        # print(coding[element], end = '')
        encodingOutput.append(coding[element])

    the_string = ''.join([str(item) for item in encodingOutput])
    return the_string
```

```
""" A supporting function in order to calculate the space difference between compressed and non compressed data"""
def TotalGain(the_data, coding):
    # total bit space to store the data before compression
    beforeCompression = len(the_data) * 8
    afterCompression = 0
    the_symbols = coding.keys()
    for symbol in the_symbols:
        the_count = the_data.count(symbol)
        # calculating how many bit is required for that symbol in total
        afterCompression += the_count * len(coding[symbol])
    print("Space usage before compression (in bits):", beforeCompression)
    print("Space usage after compression (in bits):",  afterCompression)

def HuffmanEncoding(the_data):
    symbolWithProbs = CalculateProbability(the_data)
    the_symbols = symbolWithProbs.keys()
    the_probabilities = symbolWithProbs.values()
    print("symbols: ", the_symbols)
    print("probabilities: ", the_probabilities)

    the_nodes = []

    # converting symbols and probabilities into huffman tree nodes
    for symbol in the_symbols:
        the_nodes.append(Nodes(symbolWithProbs.get(symbol), symbol))

    while len(the_nodes) > 1:
        # sorting all the nodes in ascending order based on their probability
        the_nodes = sorted(the_nodes, key = lambda x: x.probability)
```

```
        # for node in nodes:
        #     print(node.symbol, node.prob)

        # picking two smallest nodes
        right = the_nodes[0]
        left = the_nodes[1]

        left.code = 0
        right.code = 1

        # combining the 2 smallest nodes to create new node
        newNode = Nodes(left.probability + right.probability, left.symbol + right.symbol, left,
right)

        the_nodes.remove(left)
        the_nodes.remove(right)
        the_nodes.append(newNode)

    huffmanEncoding = CalculateCodes(the_nodes[0])
    print("symbols with codes", huffmanEncoding)
    TotalGain(the_data, huffmanEncoding)
    encodedOutput = OutputEncoded(the_data,huffmanEncoding)
    return encodedOutput, the_nodes[0]

def HuffmanDecoding(encodedData, huffmanTree):
    treeHead = huffmanTree
    decodedOutput = []
    for x in encodedData:
        if x == '1':
            huffmanTree = huffmanTree.right
```

```
        elif x == '0':
            huffmanTree = huffmanTree.left
        try:
            if huffmanTree.left.symbol == None and huffmanTree.right.symbol == None:
                pass
        except AttributeError:
            decodedOutput.append(huffmanTree.symbol)
            huffmanTree = treeHead

    string = ''.join([str(item) for item in decodedOutput])
    return string


the_data = "AAAAAAABBCCCCCCDDDEEEEEEEEE"
print(the_data)
encoding, the_tree = HuffmanEncoding(the_data)
print("Encoded output", encoding)
print("Decoded Output", HuffmanDecoding(encoding, the_tree))
```

Output

```
>>>
    = RESTART: C:/Users/Harshal Gunjal/AppData/Local/Programs/Pytho
    n/Python310/huffman.py
    AAAAAAABBCCCCCCDDDEEEEEEEEE
    symbols:  dict_keys(['A', 'B', 'C', 'D', 'E'])
    probabilities:  dict_values([7, 2, 6, 3, 9])
    symbols with codes {'E': '00', 'A': '01', 'C': '10', 'D': '110'
    , 'B': '111'}
    Space usage before compression (in bits): 216
    Space usage after compression (in bits): 59
    Encoded output 01010101010101111111101010101011011011000000000
    00000000000
    Decoded Output AAAAAAABBCCCCCCDDDEEEEEEEEE
>>>
```