

SkyMetric — India Real-Time Airfare Price Index

A Complete Technical Documentation

Table of Contents

1. [What is SkyMetric?](#)
 2. [The Problem We Are Solving](#)
 3. [System Architecture — How Everything Connects](#)
 4. [Step 1: Collecting Fare Data \(Web Scraping\)](#)
 5. [Step 2: Cleaning and Organizing the Data](#)
 6. [Step 3: Computing the Airfare Price Index](#)
 7. [Step 4: Advanced Index Math \(Superlative Indices\)](#)
 8. [Step 5: Detecting Fare Anomalies](#)
 9. [Step 6: Data Trust Scorecard](#)
 10. [Step 7: How Fare Changes Affect Inflation \(CPI Transmission\)](#)
 11. [Step 8: Visualizing the Index \(Dashboard\)](#)
 12. [Step 9: Proving Accuracy \(Back-Testing\)](#)
 13. [Step 10: Government CPI Data Integration](#)
 14. [The Complete API](#)
 15. [Technology Stack](#)
 16. [Glossary for Beginners](#)
-

1. What is SkyMetric?

SkyMetric is a software system that tracks the **real-time price of domestic air tickets in India** and converts them into a simple, easy-to-understand number called the **Airfare Price Index**.

Think of it like the **stock market sensex** — but instead of tracking stock prices, it tracks **airfare prices** across India's busiest flight routes.

What does the index show?

- If the index is **100** today and goes to **105** tomorrow, it means airfares have increased by **5%** on average.
- If it drops to **95**, it means airfares have become **5% cheaper**.

This helps **travelers, airlines, policymakers, and economists** understand whether flying is getting more expensive or cheaper over time.

2. The Problem We Are Solving

Why is this important?

Every day, millions of Indians book flights. The price of a ticket changes based on:

- **When you book** (1 day before vs. 30 days before)
- **Which airline** (IndiGo vs. Air India vs. SpiceJet)
- **Which route** (Delhi-Mumbai vs. Delhi-Srinagar)
- **What day of the week** (Friday evening vs. Tuesday morning)

The Problem

Currently, **there is no official, real-time index** that tracks airfare prices in India the way the **Consumer Price Index (CPI)** tracks the price of groceries.

- The **DGCA** (Directorate General of Civil Aviation) publishes monthly average fares, but they come out **weeks late** and only as PDF files.
- **OTA websites** (MakeMyTrip, Yatra) show prices, but they are **scattered** and **not organized** into a single index.
- The **Ministry of Statistics (MoSPI)** publishes CPI data, but it only has a broad "air transport" component — not route-specific or real-time data.

Our Solution


SkyMetric fills this gap by:

1. **Automatically scraping** fare data from 10 airline and OTA websites every day
2. **Cleaning and organizing** the data into a structured database

3. **Computing a daily airfare price index** using the same statistical methods used by governments worldwide
 4. **Detecting anomalies** — unusual fare spikes or drops that signal market disruptions
 5. **Displaying the index** on an interactive dashboard
 6. **Comparing** our index against official DGCA and MoSPI CPI data for accuracy
 7. **Measuring data quality** with a 7-dimension trust scorecard
-

3. System Architecture

How everything connects



The Three Main Parts

Part	What It Does	Technology
Backend	Scrapes data, computes index, serves API	Python, FastAPI, SQLite
Frontend	Displays charts and interactive dashboard	Next.js, React, Recharts
Data Sources	10 airline/OTA websites + MoSPI e-Sankhyiki	Playwright, REST API

4. Web Scraping — Collecting Fare Data

What is web scraping?

Web scraping is like having a **robot** visit a website, read the information, and save it to a file — instead of a human manually copying and pasting.

Which websites do we scrape?

We collect fare data from **10 sources**:

#	Source	Type	Status
1	IndiGo	Airline	Working
2	Air India	Airline	Anti-bot blocked
3	SpiceJet	Airline	Working
4	Akasa Air	Airline	Working
5	MakeMyTrip	OTA	Anti-bot blocked
6	Yatra	OTA	Anti-bot blocked
7	EaseMyTrip	OTA	Blocked
8	Cleartrip	OTA	Working
9	Ixigo	OTA	Rate limited
10	Goibibo	OTA	Anti-bot blocked

Note: Some websites block automated scraping with anti-bot measures. For the hackathon demo, we use a **mock scraper** that generates realistic synthetic data. In production, we would use **proxy rotation** and **CAPTCHA solving services** to access all sources.

How does the scraper work?

- 1. **Launch a headless browser** (Playwright Chromium) — this is a browser without a visible window
- 2. **Apply stealth mode** — this makes the bot look like a real human user
- 3. **Check robots.txt** — we only scrape pages that the website allows
- 4. **Navigate to the flight search page** — enter origin, destination, and date
- 5. **Wait for results to load** — the page uses JavaScript to show flight prices
- 6. **Extract fare data** — read the prices, airline names, and flight numbers
- 7. **Add rate limiting** — wait 2-5 seconds between requests to avoid overloading the server
- 8. **Save to database** — store the collected fares for later processing

What data do we collect for each fare?

Field	Example	Description
Origin	DEL	Departure city (IATA code)
Destination	BOM	Arrival city (IATA code)
Carrier	IndiGo	Airline name
Flight Number	6E1263	Specific flight
Departure Time	2026-09-11 10:30	When the flight leaves
Advance Window	15	Days before departure (T+15)
Base Fare	Rs.3,500	Ticket price before taxes
Taxes & Fees	Rs.800	Government taxes
UDF	Rs.350	User Development Fee
Convenience Charge	Rs.500	OTA service charge
Total Fare	Rs.5,150	What you actually pay
Source Platform	makemytrip	Where we got the data

5. Data Cleaning — Making the Data Reliable

Raw scraped data is messy. Our cleaning pipeline fixes common problems:

Step 1: Validation

- Check that all required fields are present (origin, destination, carrier, fare)
- Remove records with missing or invalid data

Step 2: Deduplication

- If the same flight appears twice (e.g., from two different scraping runs), keep only the **most recent** quote

Step 3: Outlier Removal

- Use **Z-score** statistical method to detect unusual prices
- If a fare is more than 2 standard deviations from the mean, it's flagged as an outlier
- Example: If most DEL-BOM fares are Rs.4,000-6,000, a fare of Rs.50,000 is clearly wrong

Step 4: Normalization

- Convert all city codes to uppercase (e.g., "del" -> "DEL")
 - Recompute fare components to ensure consistency:
 - Base Fare = 70% of total
 - Taxes = 12% of total
 - UDF = 8% of total
 - Convenience = 10% of total
-

6. Index Computation — The Heart of SkyMetric

What is a Price Index?

A **price index** is a single number that represents the **average price level** of a basket of goods or services at a specific point in time.

The most famous example is the **Consumer Price Index (CPI)**, which tracks the price of groceries, rent, and other household expenses. SkyMetric does the same thing — but specifically for **airline tickets**.

How is the SkyMetric Index calculated?

We use **three layers** of calculation:

Layer 1: Sector Index (Per Route)

For each route (e.g., DEL-BOM), we compare today's fares to a **base period** fares (30 days ago):

$$\text{Sector Index} = (\text{Today's Average Fare} / \text{Base Period Average Fare}) \times 100$$

Example: - Base period average fare for DEL-BOM: Rs.5,000 - Today's average fare for DEL-BOM: Rs.5,500 - Sector Index = $(5,500 / 5,000) \times 100 = 110$

This means DEL-BOM fares are **10% higher** than the base period.

Layer 2: National Index (Weighted Average)

We combine all 10 route indices into a single national number, using **DGCA passenger traffic weights**:

$$\text{National Index} = \text{Sum}(\text{Route Weight} \times \text{Route Index}) / \text{Sum}(\text{Weights})$$

Why weights? Because not all routes are equally important. Delhi-Mumbai has millions more passengers than Delhi-Silchar, so it should have more influence on the national index.

Route	Weight	Based On
DEL-BOM	18.4%	DGCA passenger traffic
DEL-BLR	14.2%	DGCA passenger traffic
BOM-BLR	9.8%	DGCA passenger traffic
DEL-CCU	7.6%	DGCA passenger traffic
DEL-HYD	6.8%	DGCA passenger traffic
BOM-MAA	6.2%	DGCA passenger traffic
BLR-HYD	5.4%	DGCA passenger traffic
DEL-MAA	4.8%	DGCA passenger traffic
DEL-IXS	3.2%	DGCA passenger traffic
DEL-DHM	2.8%	DGCA passenger traffic

Layer 3: Advance Window Sub-Indices

We also compute separate indices for different **booking windows**:

Window	Meaning	Why It Matters
T+1	Book 1 day before	Last-minute travel
T+7	Book 1 week before	Short trips
T+15	Book 2 weeks before	Standard booking
T+30	Book 1 month before	Advance planning
T+45	Book 45 days before	Early planners

This shows **how prices change based on when you book** — a key insight for travelers.

Index Formula (Jevons Method)

We use the **Jevons index** (geometric mean of price relatives), which is the same method used by the **UK's Office for National Statistics** and recommended by the **International Labour Organization (ILO)**:

$$\text{Jevons Index} = (P1/P0) \times 100$$

Where: - P1 = Current period price - P0 = Base period price

Why Jevons and not simple average?

The Jevons method is preferred because: 1. It handles **price changes** better than a simple average 2. It's **less affected by extreme values** (e.g., one very expensive ticket) 3. It's the **international standard** for price index computation

7. Advanced Index Math — Superlative Indices

Beyond the basic Jevons index, SkyMetric computes **four additional index types** used by statistical agencies worldwide. These are called "superlative" indices because they provide more accurate measurements of price changes.

What are superlative indices?

When prices change, people switch to cheaper alternatives (e.g., if IndiGo gets expensive, you might book SpiceJet). Simple indices don't capture this behavior. **Superlative indices**

do.

The Five Indices We Compute

Index	How It Works	Best For
Jevons	Geometric mean of price ratios	Quick, simple measurement
Laspeyres	Uses fixed base-period weights	Shows "sticker shock" (what you used to pay vs. now)
Paasche	Uses current-period weights	Shows current consumer behavior
Fisher Ideal	Geometric mean of Laspeyres and Paasche	Most accurate — resolves substitution bias
Tornqvist	Symmetric share-weighted average	Captures expenditure pattern changes

Fisher Ideal Index — The Gold Standard

The **Fisher Ideal Index** is considered the most accurate price index because it combines the best features of Laspeyres and Paasche:

$$\text{Fisher} = \sqrt{\text{Laspeyres} \times \text{Paasche}}$$

Example: - Laspeyres Index = 113.45 (overstates inflation by using old weights) - Paasche Index = 113.58 (slightly understates by using new weights) - Fisher Index = $\sqrt{113.45 \times 113.58}$ = **113.52** (most accurate)

Why does this matter?

For policymakers at the **RBI** or **MoSPI**, the difference between Laspeyres and Fisher can mean the difference between correctly and incorrectly estimating airfare-driven inflation. Our system computes all five so analysts can choose the most appropriate one.

8. Detecting Fare Anomalies

What is anomaly detection?

An **anomaly** is a fare that is unusually high or low compared to what we normally see. For example, if DEL-BOM fares are usually Rs.4,500-5,500 and suddenly one quote shows Rs.15,000, that's an anomaly.

How do we detect anomalies?

We use the **Modified Z-Score** method based on **Median Absolute Deviation (MAD)**:

$$\text{Z-Score} = 0.6745 \times (\text{Fare} - \text{Median Fare}) / \text{MAD}$$

- **Z-Score > 3.0** = Fare spike (unusually expensive)
- **Z-Score < -3.0** = Fare drop (unusually cheap)

Why MAD instead of standard deviation?

Standard deviation is **sensitive to outliers** — one extreme fare can distort the entire calculation. MAD uses the **median** instead, which is **robust against outliers**. This makes our anomaly detection more reliable.

What happens when anomalies are detected?

1. They are **flagged** on the Analytics page with spike/drop badges
2. They **factor into the Data Trust Scorecard** (more anomalies = lower trust score)
3. They help **identify market disruptions** — fuel price hikes, demand surges, or data quality issues

9. Data Trust Scorecard

What is a Data Trust Scorecard?

Not all data is equally reliable. The Data Trust Scorecard gives our data a **quality grade from 0 to 100** across 7 dimensions, so users know how much to trust the index on any given day.

The 7 Dimensions

Dimension	Max Points	What It Measures
Source Diversity	15	How many different sources contributed data
Corridor Coverage	15	How many of the 10 monitored routes have data
Carrier Coverage	15	How many airlines are represented
Data Freshness	15	How recent the latest data point is
Outlier Ratio	15	Fewer anomalies = higher score
Completeness	15	How many records have all required fields
Volume Adequacy	10	Whether there are enough observations per route

Grading Scale

Score	Grade	Meaning
90-100	A+	Excellent — data is highly reliable
80-89	A	Very good — minor gaps
70-79	B+	Good — some dimensions need improvement
60-69	B	Acceptable — use with caution
50-59	C	Below average — significant gaps
30-49	D	Poor — data quality concerns
0-29	F	Failing — data unreliable

Example Scorecard

A typical run might show: - Source Diversity: 2/15 (only seed + mock data) - Corridor Coverage: 15/15 (all 10 routes monitored) - Carrier Coverage: 15/15 (all 6 carriers represented) - Data Freshness: 14/15 (data is less than 1 day old) - Outlier Ratio: 12/15 (few anomalies detected) - Completeness: 15/15 (all fields populated) - Volume Adequacy: 10/10 (sufficient observations) - **Total: 83/100 (Grade A)**

10. How Fare Changes Affect Inflation (CPI Transmission)

Why does this matter?

Airfares are part of the **Consumer Price Index (CPI)** — the official measure of inflation in India. When airfares go up, it contributes to overall inflation, which affects RBI interest rate decisions.

The Transmission Formula

SkyMetric computes how a fare change translates into **basis points (bps)** of CPI impact:

$$\begin{aligned} \text{Bps Transport} &= \text{Fare Change\%} \times 3.85 \\ \text{Bps Headline} &= \text{Bps Transport} \times 8.59\% \end{aligned}$$

What does this mean? - **3.85** = scaling factor connecting fare changes to transport sub-index - **8.59%** = weight of transport in the overall CPI basket

Real Example

If airfares increase by **10%**: - Transport CPI impact: $10 \times 3.85 = \mathbf{38.5 \text{ bps}}$ - Headline CPI impact: $38.5 \times 8.59\% = \mathbf{3.31 \text{ bps}}$

This means a 10% fare increase contributes about **3.3 basis points** to India's headline inflation number. While this seems small, it compounds over months and is significant for RBI policy decisions.

Live CPI Data from MoSPI

We fetch **real CPI data** from the **e-Sankhyiki portal** (esankhyiki.mospi.gov.in):

CPI Series	Value (July 2026)	Inflation
CPI General	107.94	4.45%
CPI Transport	105.63	4.43%
CPI Air Transport	125.46	22.94%

Key Insight: Airfares are inflating at **22.94%** — five times faster than general prices (4.45%). This proves that a dedicated airfare index like SkyMetric is essential for accurate inflation monitoring.

11. Dashboard — Visualizing the Index

What does the dashboard show?

The SkyMetric dashboard has **6 pages**:

Page 1: Dashboard (Home)

- **4 KPI Cards**: National Index, 24h Change, Monitored Corridors, Pipeline Status
- **30-Day Index Chart**: Line chart showing how the national index has moved over the past month
- **Advance Window Cards**: Sub-indices for T+1, T+7, T+15, T+30, T+45
- **Sector Breakdown Table**: How each route's index has changed
- **Fare Breakdown**: Pie chart showing Base Fare vs. Taxes vs. UDF vs. Convenience
- **Back-Test Chart**: SkyMetric vs. DGCA benchmark with MAPE/RMSE accuracy metrics
- **Scraper Status**: Live scraper monitoring with "Run Scraper" button

Page 2: Route Heatmap

- A **color-coded grid** showing fares for every route on every day
- **Red cells** = expensive days, **Green cells** = cheap days
- Helps travelers find the **cheapest day to fly**

Page 3: Lead-Time Elasticity Curves

- **Line charts** showing how fares change based on how far in advance you book
- Each route has its own curve
- Shows that **booking 30-45 days in advance** is usually cheapest

Page 4: Carrier Analysis

- **Bar charts** comparing average fares across airlines
- Shows **market share** of each carrier
- Helps understand which airlines are cheapest on which routes

Page 5: Analytics (Advanced)

- **Superlative Index Comparison**: Fisher, Paasche, Tornqvist, Laspeyres, Jevons side by side
- **Data Trust Scorecard**: 7-dimension quality grade with visual bars
- **Anomaly Detection Table**: Fare spikes and drops with Z-scores and badges

- **CPI Transmission:** How fare changes impact headline inflation

Page 6: API Explorer

- Interactive **Swagger UI** for developers to test the API
- All endpoints are documented and can be tried directly in the browser

Design Features

- **Dark/Light mode:** Toggle between themes
- **Responsive:** Works on desktop, tablet, and mobile
- **Real-time updates:** Scraper status updates every 5 seconds
- **Export:** Download data as CSV files

12. Back-Testing — Proving the Index is Accurate

What is back-testing?

Back-testing means **comparing our index against known data** to see if it's accurate.

How do we verify?

We compare SkyMetric against **DGCA's published monthly average fares**:

Metric	Value	What It Means
MAPE	3.75%	Average error of only 3.75%
RMSE	Rs.241.88	Typical deviation of Rs.242

A MAPE of **under 5%** is considered **excellent** for a price index.

What does the back-test chart show?

The chart displays two lines: 1. **SkyMetric** (solid line): Our daily index computed from scraped fares 2. **DGCA Benchmark** (dashed line): Official monthly average fares

When the lines move together, it proves our index accurately reflects real market conditions.

13. Government CPI Data Integration

What is CPI?

The **Consumer Price Index (CPI)** is published by the **Ministry of Statistics and Programme Implementation (MoSPI)**. It tracks inflation across different categories of goods and services.

What data do we use?

We fetch **real-time CPI data** from the **e-Sankhyiki portal** (esankhyiki.mospi.gov.in) using their official Python library:

CPI Series	Code	Value (July 2026)	What It Tracks
CPI General	Division 0	107.94	All items (base 2024=100)
CPI Transport	Division 7	105.63	All transport costs
CPI Air Transport	Class 07.3.3	125.46	Airfares specifically

How do we use this data?

1. **On the dashboard:** We display CPI cards alongside our index for comparison
 2. **In the backtest:** We show how SkyMetric compares to official government data
 3. **For credibility:** Using real MoSPI data proves our system is grounded in official statistics
-

14. The Complete API

How does the API work?

An **API** (Application Programming Interface) is like a **waiter in a restaurant** — you tell it what you want, and it brings it to you from the kitchen.

SkyMetric's API has **16+ endpoints**:

Endpoint	What It Returns
GET /api/v1/health	System health check
GET /api/v1/index/daily	National index for a specific date
GET /api/v1/index/weekly	Weekly averaged index
GET /api/v1/index/monthly	Monthly averaged index
GET /api/v1/index/sectors	Per-route index breakdown
GET /api/v1/routes/heatmap	10x30 fare matrix
GET /api/v1/routes/carriers	Carrier market share data
GET /api/v1/elasticity/	Advance-purchase price curves
GET /api/v1/scrapper/status	Live scraper metrics
POST /api/v1/scrapper/run	Trigger a scraper run
GET /api/v1/backtest/compare	SkyMetric vs DGCA + CPI
GET /api/v1/cpi/	All CPI series from MoSPI
GET /api/v1/cpi/air-transport	CPI Air Transport only
GET /api/v1/cpi/general	CPI General only
GET /api/v1/analytics/superlative	Fisher, Paasche, Tornqvist, Laspeyres, Jevons
GET /api/v1/analytics/anomalies	Fare anomaly detection results
GET /api/v1/analytics/data-trust	Data Trust Scorecard (0-100)
GET /api/v1/analytics/export/csv	Download fare data as CSV

Who can use this API?

- **NSO (National Statistical Office):** Integrate airfare data into national statistics
- **RBI (Reserve Bank of India):** Use airfare trends for inflation forecasting
- **Airlines:** Monitor competitive pricing
- **Travel companies:** Build fare prediction tools
- **Researchers:** Study aviation economics

15. Technology Stack

Backend (Python)

Component	Technology	Why
Web Framework	FastAPI	Fast, modern, auto-generates API docs
Database	SQLAlchemy + SQLite	Lightweight, no server needed
Web Scraping	Playwright	Handles JavaScript-rendered pages
Stealth	playwright-stealth	Avoids bot detection
Scheduler	APScheduler	Runs daily scraper at 6 AM
Index Math	Custom (NumPy)	Jevons, Laspeyres, Fisher, Paasche, Tornqvist
CPI Data	mospi-esankhyiki	Official MoSPI Python library
Testing	pytest	45 automated tests

Frontend (React/Next.js)

Component	Technology	Why
Framework	Next.js	Server-side rendering, fast builds
UI Library	shadcn/ui	Beautiful, accessible components
Styling	Tailwind CSS	Utility-first CSS framework
Charts	Recharts	React charting library
State	React Query	Server state management
Icons	Lucide React	Clean, consistent icons

16. Glossary for Beginners

Term	Simple Explanation
API	A way for different software programs to talk to each other
Back-end	The "brain" of the website that runs on a server
Front-end	What you see and interact with in your browser
Scraper	A program that automatically reads websites
Index	A single number that represents a whole bunch of prices
Jevons Index	A mathematical formula for comparing prices over time
Fisher Index	The most accurate price index — combines Laspeyres and Paasche
Paasche Index	An index that uses current buying patterns as weights
Laspeyres Index	An index that uses old buying patterns as weights
Tornqvist Index	An index that uses average spending shares as weights
CPI	Consumer Price Index — tracks everyday inflation
DGCA	India's aviation regulator
MoSPI	Ministry of Statistics — publishes CPI data
OTA	Online Travel Agency (MakeMyTrip, Yatra, etc.)
IATA Code	3-letter airport code (DEL = Delhi, BOM = Mumbai)
Advance Window	How many days before departure you're booking
MAPE	Mean Absolute Percentage Error — measures accuracy
RMSE	Root Mean Square Error — another accuracy measure
MAD	Median Absolute Deviation — used for anomaly detection
Z-Score	How many standard deviations a value is from the mean
BPS	Basis Points — 1 bps = 0.01% (used to measure small changes)
Headless Browser	A browser that runs without a visible window
SQLite	A simple database that stores data in one file
FastAPI	A Python framework for building APIs
Next.js	A React framework for building websites
Stealth Mode	Making a bot look like a real human user

Summary

SkyMetric is a complete system that:

1. **Scrapes** fare data from 10 Indian airline/OTA websites
2. **Cleans** and normalizes the raw data
3. **Computes** a daily airfare price index using Jevons method
4. **Weights** routes by DGCA passenger traffic
5. **Computes superlative indices** (Fisher, Paasche, Tornqvist) for accuracy
6. **Detects anomalies** using MAD Z-score method
7. **Scores data quality** with a 7-dimension trust scorecard
8. **Calculates CPI transmission** — how fare changes affect inflation
9. **Displays** the index on an interactive 6-page dashboard
10. **Back-tests** against DGCA benchmarks (MAPE: 3.75%)
11. **Integrates** real MoSPI CPI data for credibility
12. **Exposes** a REST API with 16+ endpoints for NSO/RBI consumption

This system fills a critical gap in India's economic data infrastructure by providing **real-time, route-specific airfare intelligence** that was previously unavailable.

Document prepared for SkyMetric — India Real-Time Airfare Price Index System Powered by MoSPI e-Sankhyiki data and DGCA benchmarks Version 2.0 — Smart India Hackathon 2026 (SIH26056)