

## Assignment 1

Code :

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>HTML Text Formatting</title>

    <style>
        body {
            background-color: #f4f6f8;
            padding: 40px;
        }

        h1 {
            text-align: center;
        }

        table {
            border-collapse: collapse;
            width: 70%;
            margin: auto;
            background-color: white;
        }

        th, td {
            border: 1px solid #333;
            padding: 12px;
            text-align: center;
        }

        th {
            background-color: #2c3e50;
            color: white;
        }

        tr:nth-child(even) {
            background-color: #f2f2f2;
        }
    </style>
</head>
```

```
<body>
  <h1>HTML Text Formatting Tags</h1><br>

  <table>
    <tr>
      <th>Tag</th>
      <th>Description</th>
      <th>Example Output</th>
    </tr>

    <tr>
      <td>&lt;b&gt;</td>
      <td>Bold Text (<a
      href="https://www.w3schools.com/tags/tag_b.asp">learn more</a>)</td>
      <td><b>Bold</b></td>
    </tr>

    <tr>
      <td>&lt;strong&gt;</td>
      <td>Important Text (<a
      href="https://www.w3schools.com/tags/tag_strong.asp">learn more</a>)</td>
      <td><strong>Strong</strong></td>
    </tr>

    <tr>
      <td>&lt;i&gt;</td>
      <td>Italic text (<a
      href="https://www.w3schools.com/tags/tag_i.asp">learn more</a>)</td>
      <td><i>Italic</i></td>
    </tr>

    <tr>
      <td>&lt;em&gt;</td>
      <td>Emphasized text (<a
      href="https://www.w3schools.com/tags/tag_em.asp">learn more</a>)</td>
      <td><em>Emphasized</em></td>
    </tr>

    <tr>
      <td>&lt;u&gt;</td>
      <td>Underlined Text (<a
      href="https://www.w3schools.com/tags/tag_u.asp">learn more</a>)</td>
      <td><u>Underline</u></td>
    </tr>

    <tr>
      <td>&lt;mark&gt;</td>
```

```

<td>Highlighted Text (<a
href="https://www.w3schools.com/tags/tag_mark.asp">learn more</a>)</td>
<td><mark>Marked</mark></td>
</tr>

<tr>
<td>&lt;small&gt;</td>
<td>Smaller text (<a
href="https://www.w3schools.com/tags/tag_small.asp">learn more</a>)</td>
<td><small>small</small></td>
</tr>

<tr>
<td>&lt;del&gt;</td>
<td>Deleted Text (<a
href="https://www.w3schools.com/tags/tag_del.asp">learn more</a>)</td>
<td><del>Deleted</del></td>
</tr>

<tr>
<td>&lt;ins&gt;</td>
<td>Inserted Text (<a
href="https://www.w3schools.com/tags/tag_ins.asp">learn more</a>)</td>
<td><ins>Inserted</ins></td>
</tr>

<tr>
<td>&lt;sub&gt;</td>
<td>Subscript Text (<a
href="https://www.w3schools.com/tags/tag_sub.asp">learn more</a>)</td>
<td>H<sub>2</sub>O</td>
</tr>

<tr>
<td>&lt;sup&gt;</td>
<td>Superscript text (<a
href="https://www.w3schools.com/tags/tag_sup.asp">learn more</a>)</td>
<td>x<sup>2</sup></td>
</tr>
</table>
</body>
</html>
```

## Screenshots :

HTML Text Formatting Tags		
Tag	Description	Example Output
<b>	Bold Text ( <a href="#">learn more</a> )	<b>Bold</b>
<strong>	Important Text ( <a href="#">learn more</a> )	<strong>Strong</strong>
<i>	Italic text ( <a href="#">learn more</a> )	<i>Italic</i>
<em>	Emphasized text ( <a href="#">learn more</a> )	<i>Emphasized</i>
<u>	Underlined Text ( <a href="#">learn more</a> )	<u>Underline</u>
<mark>	Highlighted Text ( <a href="#">learn more</a> )	<b>Marked</b>
<small>	Smaller text ( <a href="#">learn more</a> )	small
<del>	Deleted Text ( <a href="#">learn more</a> )	<del>Deleted</del>
<ins>	Inserted Text ( <a href="#">learn more</a> )	<ins>Inserted</ins>
<sub>	Subscript Text ( <a href="#">learn more</a> )	H <sub>2</sub> O
<sup>	Superscript text ( <a href="#">learn more</a> )	x <sup>2</sup>