A 1) Design a webpage to build a resume using different tags.

```
<!DOCTYPE html>
<html>
<head>
   <title>Resume - Supriya Jadhav</title>
</head>
<body>

<center>
   <h1>Supriya Jadhav</h1>
   <p>Email: supriya@gmail.com</p>
</center>

<hr>

<h2>Education</h2>
<ul>
   <li><b>BCA</b> - PeopleTree Education Society</li>
</ul>

<hr>

<h2>Skills</h2>
<ol>
```

```
Certified

    <li>Python</li>
    <li>Java</li>
    <li>Web Development</li>
</ol>

<hr>

<h2>Personal Details</h2>
<table border="1" cellpadding="6" cellspacing="0" width="60%">
    <tr>
        <td><b>Date of Birth</b></td>
        <td>--/--/----</td>
    </tr>
    <tr>
        <td><b>Languages Known</b></td>
        <td>English, Hindi, Marathi</td>
    </tr>
    <tr>
        <td><b>Address</b></td>
        <td>Vijayapura, Karnataka</td>
    </tr>
</table>

<hr>
```

Certified

<h2>Declaration</h2>

<p>I hereby declare that the above information is true to the best of my knowledge.</p>

<p>Signature: Supriya Jadhav</p>

</body>

</html>

2)Design a webpage to create registration form using forms tag.

```
<!DOCTYPE html>
<html>
        <head>
                <title>Student Registration Form</title>

                <link rel="stylesheet"
href="student_registration.css">
        </head>
<body>

<div id="form-box">
    <h2>Student Registration Form</h2>

    <form>
        <label>Student Name</label>
        <input type="text" placeholder="Enter full name">
```

```
        <label>Email</label>
        <input type="email" placeholder="Enter email">

        <label>Password</label>
        <input type="password" placeholder="Enter password">

        <label>Gender</label>
        <div class="gender">
            <input type="radio" name="g1"> Male
            <input type="radio" name="g1"> Female
            <input type="radio" name="g1"> Other
        </div>

        <label>Course</label>
        <select>
            <option>Select Course</option>
            <option>BCA</option>
            <option>BBA</option>
            <option>BSc</option>
        </select>

        <label>Address</label>
        <textarea placeholder="Enter address"></textarea>

        <button type="submit">Register</button>
    </form>
</div>

</body>
</html>
```

student_registration.css

```
body
{
```

```
 background-color: white;
font-family: Arial, sans-serif;
}


#form-box
{
    width: 400px;
    background:beige;
    margin: 50px auto;
    padding: 20px;
    border-radius: 10px;
    box-shadow: 0 0 10px gray;
}

h2 {
    text-align: center;
    color: #2c3e50;
}

label {

     margin-top: 10px;
     font-weight: bold;
    }

input, select, textarea {
    width: 100%;
    padding: 8px;
    margin-top: 5px;
}

.gender {
    margin-top: 5px;
}

button {
    width: 100%;
    margin-top: 15px;
```

```
    padding: 10px;
    background-color: blue;
    color: white;
    border: none;
    font-size: 16px;
    border-radius: 5px;
    cursor: pointer;
}

button:hover {
    background-color: pink;
}
```

3) Design a personal webpage to showcase different font properties in CSS.

```
<!DOCTYPE html>

<html>

  <head>

       <title>My Personal Webpage</title>

        <style>

               body{

                  background-color:lightblue;

                  font-family:Arial;

                  text-align:center;

               }
```

```
        .container
        {
          background:white;
          width:60%;
          margin:auto;
          padding:20px;
          border-radius:10px;
        }
        /* Font Properties */
        .family{font-family: "Times New Roman";}

        .style{font-style: italic;}

        .weight{font-weight: bold;}
        .size{font-size: 22px;}
    </style>
  </head>

<body>
    <div class="container" >
        <h1>My Personal Webpage</h1>
        <p>Hello! My name is Supriya. This page shows different CSS font
    properties.</p>

        <h2><u>Font Family</u></h2>
```

```
            <p class="family">This text uses Times New Roman font.</p>

            <h2><u>Font Style</u></h2>
            <p class="style">This text is italic.</p>

            <h2>Font Weight</h2>
            <p class="weight">This text is bold.</p>

            <h2>Font Size</h2>
            <p class="size">This text has larger font size.</p>
      </div>
   </body>
</html>
```

OUTPUT:

5) Design a webpage to demonstrate custom list using list properties in CSS.

```
<!DOCTYPE html>
<html>
	<head>
		<title>CSS List Properties Demo</title>
	<style>
		body
		{
		   font-family: Arial;
		   background-color: lightyellow;
		}

		h2
		{
		   color: darkblue;
		}

		/* Example 1: list-style-type */
		.list1
		{
		   list-style-type: square;   /* disc, circle, square*/
		   color: green;
		}

		/* Example 2: list-style-position */
		.list2
		{
		   list-style-type: circle;
		   list-style-position: inside;   /* bullet inside the text area , 
		inside,outside */
		   color: purple;
		}

		/* Example 3: list-style-image */
		.list3
		{
		   list-style-image: url("https://cdn-icons-
		png.flaticon.com/16/1828/1828884.png");
		}
		/* Example 4: shorthand property */
```

```
            .list4
            {
              list-style: upper-roman inside;  /* decimal        1, 2, 3
                                                 decimal-leading-zero   01, 02, 03
                                                 lower-alpha        a, b, c
                                                 upper-alpha        A, B, C
                                                 lower-roman        i, ii, iii
                                                 upper-roman*/
              color: red;
            }

            li
            {
              padding:5px;
              font-size:18px;
            }

      </style>
    </head>

<body>

      <h2>1. list-style-type Example</h2>
      <ul class="list1">
      <li>Apple</li>
      <li>Banana</li>
      <li>Cherry</li>
      </ul>

      <h2>2. list-style-position Example</h2>
      <ul class="list2">
      <li>Mango</li>
      <li>Orange</li>
      <li>Grapes</li>
      </ul>

      <h2>3. list-style-image Example</h2>
      <ul class="list3">
      <li>Milk</li>
```

```
        <li>Bread</li>
        <li>Butter</li>
        </ul>

        <h2>4. list-style (Shorthand) Example</h2>
        <ol class="list4">
        <li>HTML</li>
        <li>CSS</li>
        <li>JavaScript</li>
        </ol>

</body>
</html>
```

OUTPUT :

4. Design a webpage containing paragraphs which showcases span and div tags.

```
<!DOCTYPE html>
<html>
        <head>
                <title>DIV Tag Example</title>

             <style>
                /* First div box */
                .box1
                {
                   width:300px;           /* Width of div */
                   height:150px;          /* Height of div */
                   background-color:lightblue;  /* Background color */
                   border:3px solid black;   /* Border around div */

                   padding:20px;          /* Space inside the box (between border and
                text) */
```

```
                margin:30px;           /* Space outside the box */

                text-align:center;      /* Align text inside div */
            }

            /* Second div box */
            .box2
            {
                width:300px;
                height:150px;
                background-color:lightgreen;
                border:3px dashed red;

                padding:20px;
                margin:30px auto;       /* Auto centers the div horizontally */

                text-align:center;
            }
        </style>
    </head>

    <body>

            <h2 align="center">DIV Tag Demonstration</h2>

            <!-- First DIV -->
            <div class="box1">
                <h3>First DIV</h3>
                <p>This box shows background color, border, padding and
            margin.</p>
            </div>

            <!-- Second DIV -->
            <div class="box2">
                <h3>Second DIV</h3>
                <p>This div is centered using margin:auto.</p>
            </div>

            <p>
```

```
            This is a <span style="color:red;">very important</span> message for
            students.
            </p>

            <p>
            Late Journal Submission will have <span style="font-weight:bold;
            color:blue;">1000/-</span> Penalty for students.
            </p>
    </body>
</html>
```

OUTPUT:

6. Design a webpage to create recipe card using box model in CSS.

```
<!DOCTYPE html>
<html>
<head>
    <title>Recipe Card</title>
    <link rel="stylesheet" href="recipe_card.css">
</head>
<body>

    <div class="card">
        <h2>Chocolate Cake</h2>

        <img src="cake.jpeg"
        alt="Cake Image" height="120px" width="100px">

        <h3>Ingredients</h3>
        <ul>
            <li>Flour</li>
            <li>Sugar</li>
```

```
            <li>Cocoa Powder</li>
            <li>Eggs</li>
            <li>Butter</li>
        </ul>

        <p class="steps">
        Mix all ingredients well, bake at 180°C for 30 minutes and
serve with love!
        </p>

        <button>View Full Recipe</button>
    </div>

</body>
</html>

<!--Where box model is used here:

margin → space outside the card

border → visible edge of card

padding → space between border & content

content → text, image, button-->
```

recipe.css

```
/* Page styling */
body {
    background-color: lightgray;
    font-family: Arial, sans-serif;
}
```

```css
/* Card using Box Model */
.card {
    width: 300px;
    height: 450px;
    /* BOX MODEL */
    padding: 20px;          /* Inner space */
    margin: 50px auto;      /* Outer space */
    border: 3px solid lightblue; /* Border */

    background-color: white;
    border-radius: 12px;

    box-shadow: 0 5px 5px gray;  /*x-axis, y-axis, blur, color*/
    text-align: center;
}

/* Image styling */
.card img {
    width: 100%;
    border-radius: 10px;
    margin-bottom: 15px;
}

/* Headings */
.card h2 {
    color: darkred;
}

.card h3 {
    margin-top: 15px;
    color: gray;
}

/* List */
.card ul {
    text-align: left;
    padding-left: 20px;
}
```

```
/* Steps paragraph */
.steps {
    margin: 15px;
    font-size: 14px;
}

/* Button */
button {
    padding: 10px 15px;
    border: none;
    background-color: darkred;
    color: white;
    border-radius: 6px;
    cursor: pointer;
}

button:hover {
    background-color: firebrick;
}
```

7. Design a webpage to add two background images using grading effect in CSS.

```
<html>
<head>
<style>
body
{
  /* Use your images */
  background-image:
    linear-gradient(red,transparent),url('sun.jpeg'),
```

```
    url('star.jpeg');

  /* Blend them nicely */
  background-blend-mode: overlay;

  /* Cover full screen */
  background-size: cover;

  /* No repeat */
  background-repeat: no-repeat;

  /* Center images */
  background-position: center;
}
</style>
</head>
<body>

<h1 style="color:white; text-align:center;">Sun & Stars
Background</h1>

</body>
</html>
```

OUTPUT:

Certified



PART-B

```html
<!-- 1. JS program to demonstrate keyboard events -->

<!DOCTYPE html>
<html>
<body>

<h3>Keyboard Events Demo (Interactive)</h3>

<!-- Input with keyboard events -->
<input type="text"
    onkeydown="down()"
    onkeyup="up()"
    onkeypress="press()">

<p id="output">Press any key...</p>

<script>

// When key is pressed down
```

```
    function down()
    {
        let out = document.getElementById("output");

        out.innerHTML = "Key is Pressed DOWN";

        // Change text color randomly
        out.style.color = "red";
    }

    // When key is released
    function up()
    {
        let out = document.getElementById("output");

        out.innerHTML = "Key is Released UP";

        // Change to green
        out.style.color = "green";
    }

    // When key is pressed (character keys)
    function press()
    {
        let out = document.getElementById("output");

        out.innerHTML = "Key Pressed (Character Key)";

        // Change to blue
        out.style.color = "blue";
}

    </script>

    </body>
    </html>
```

```
<!-- 2. JS program to demonstrate switch statement. -->

<!DOCTYPE html>
<html>
<head>
    <title>Switch Case Example</title>
</head>
<body>

<h2>Enter a Day</h2>

<input type="text" id="dayInput" placeholder="Enter day (e.g.
Monday)">
<button onclick="checkDay()">Check</button>

<p id="result"></p>

<script>
function checkDay()
{
    let day = document.getElementById("dayInput").value;

    switch(day)
    {
     case 'Monday':
    document.getElementById("result").innerHTML = "Start of week";
    break;

    case 'Friday':
   document.getElementById("result").innerHTML = "Weekend coming";
            break;

  default:
   document.getElementById("result").innerHTML = "Midweek";
    }
}
</script>

</body>
```

```html
</html>

<!-- 3. JS program to demonstrate functions. -->

<!DOCTYPE html>
<html>
<body>

<h3>Enter Your Name</h3>

<input type="text" id="name" placeholder="Enter your name">
<button onclick="showGreeting()">Greet</button>

<p id="output"></p>

<script>


function showGreeting()     //function
{
    let userName = document.getElementById("name").value;
    document.getElementById("output").innerHTML = greet(userName);
}
function greet(userName)  //name is the "name" property of <input>
text field
{
    return "Hello " + userName;
}
</script>

</body>
</html>
```

```html
<!-- 4. JS program to demonstrate constructors.-->

<!DOCTYPE html>
```

```
<html lang="en">
<head>

</head>
<body>

    <h2>Demonstration of Constructor in ES6</h2>

    <button onclick="showDetails()">Show Student
Details</button>

    <p id="result"></p>

    <script>
        // ES6 Class with Constructor
        class Student {
            constructor(name, age) {
                this.name = name;
                this.age = age;
            }

            displayDetails() {
                return "Student Name: " + this.name + " |
Age: " + this.age;
            }
        }

        // Function to create object and display output
        function showDetails() {
            let student1 = new Student("Rahul", 20);
            document.getElementById("result").innerText =
student1.displayDetails();
        }
    </script>
```

```
</body>
</html>
```

PHP

5. PHP program to implement simple calculator operations.

```
<html>
<body>
<form method="post">
    Number 1:<input type="number" name="num1"><br><br>

    Number 2:<input type="number" name="num2"><br><br>

    <input type="submit" name="add" value="+">
    <input type="submit" name="sub" value="-">
    <input type="submit" name="mul" value="*">
    <input type="submit" name="div" value="/">
    <input type="submit" name="equal" value="=">
</form>
<?php
if($_SERVER["REQUEST_METHOD"]=="POST")
{
    $a = $_POST['num1'];
    $b = $_POST['num2'];
    $result = "";

    if(isset($_POST['add']))
        $result = $a + $b;
    elseif(isset($_POST['sub']))
        $result = $a - $b;

    elseif(isset($_POST['mul']))
        $result = $a * $b;
```

```
    elseif(isset($_POST['div']))
        $result = $a / $b;

    elseif(isset($_POST['equal']))
        $result = "Press any operator";

    echo "<h3>Result = $result</h3>";
}
?>
</body>
</html>
```

OUTPUT:



6. PHP program to demonstrate string functions.

```
<html>
<body>
    <form method="post">
Enter a  String 1: <input type="text" name="t1"><br><br>
Enter a  String 2: <input type="text" name="t2"><br><br>
<input type="submit" name="submit" value="Submit">
</form>

<?php
```

```
if(isset($_POST['submit'])){
$n1 = $_POST['t1'];
$n2 = $_POST['t2'];
echo "string1 in lower Case=".strtolower($n1)."<br>";
echo "string1 in upper Case=".strtoupper($n1)."<br>";
echo "string1 First letter Upper Case=".ucfirst($n1)."<br>";
echo "string2 First letter Lower Case=".lcfirst($n2)."<br>";
echo "Reverse of string1=".strrev($n1)."<br>";
echo "Length of string2=".strlen($n2)."<br>";
echo "Each word Upper Case of string1=".ucwords($n1)."<br>";
echo "No.of words present in String1=".str_word_count($n1)."<br>";
echo "String1 after removing extra space=".trim($n1)."<br>";

if (strcmp($n1, $n2) == 0)
{
    echo "Strings are Equal";
}
else
{
    echo "Strings are Not Equal";
}
}
?>
</body>
</html>
```

7. PHP program to demonstrate different array manipulation function.

```
<!-- 7. PHP program to demonstrate different array
manipulation function -->
<html>
<body>

<?php
```

```
// Create an initial array with three fruit names
$fruits = ["Apple","Banana","Mango"];

// Display heading for the original array
echo "<h3>Original Array</h3>";

// Print all elements of the array
print_r($fruits);

// count() → counts the total number of elements present
in the array
echo "<br><br>Total Elements: " . count($fruits);

// array_push() → adds one or more elements at the end of
the array
array_push($fruits,"Orange");

// Display array after adding element at the end
echo "<br><br>After array_push(): ";
print_r($fruits);

// array_pop() → removes the last element from the array
array_pop($fruits);

// Display array after removing last element
echo "<br><br>After array_pop(): ";
print_r($fruits);

// array_unshift() → adds one or more elements at the
beginning of the array
array_unshift($fruits,"Pineapple");

// Display array after adding element at the beginning
echo "<br><br>After array_unshift(): ";
```

```
print_r($fruits);

// array_shift() → removes the first element from the
array
array_shift($fruits);

// Display array after removing first element
echo "<br><br>After array_shift(): ";
print_r($fruits);

// sort() → arranges the array elements in ascending order
sort($fruits);

// Display array after sorting in ascending order
echo "<br><br>After sort(): ";
print_r($fruits);

// rsort() → arranges the array elements in descending
order
rsort($fruits);

// Display array after sorting in descending order
echo "<br><br>After rsort(): ";
print_r($fruits);

// implode() → converts array elements into a single
string using a separator
$string = implode(", ",$fruits);

// Display string after converting array into string
echo "<br><br>After implode(): " . $string;

// explode() → converts a string back into an array using
a separator
```

```
$newArray = explode(", ",$string);

// Display array after converting string into array
echo "<br><br>After explode(): ";
print_r($newArray);

// Create another array with additional fruits
$moreFruits = ["Grapes","Papaya"];

// array_merge() → combines two or more arrays into one
array
$merged = array_merge($fruits,$moreFruits);

// Display merged array
echo "<br><br>After array_merge(): ";
print_r($merged);

// in_array() → checks whether a specific value exists in
the array
if(in_array("Apple",$merged))
{
    // If value exists, display success message
    echo "<br><br>Apple exists in array";
}
else
{
    // If value does not exist, display failure message
    echo "<br><br>Apple not found";
}

// array_keys() → returns all the keys/indexes of the
array
$keys = array_keys($merged);
```

```
// Display array keys
echo "<br><br>Array Keys: ";
print_r($keys);

// array_values() → returns all the values of the array
$values = array_values($merged);

// Display array values
echo "<br><br>Array Values: ";
print_r($values);

?>

</body>
</html>
```

8. PHP program to demonstrate message passing mechanism between pages.

```
<!--login.php -->

<html>
<body>
    <h1>Login Page </h1>
    <form action="welcome.php" method="post">
    <table>
    <tr><td>Name:</td><td> <input type="text"
name="name"/></td></tr>
    <tr><td>Password:</td><td> <input type="password"
name="password"/></td></tr>
    <tr><td colspan="2"><input type="submit"
value="login"/>  </td></tr>
    </table>
```

```
    </form>
</body>
</html>
```

```
<!--welcome.php -->

<?php
if(isset($_POST[“submit”])){
$name=$_POST["name"];   $password=$_POST["password"];
echo "<h1>Welcome: $name, your password is: $password</h1>";
}
?>
```

PHP Program Execution Steps using XAMPP

Example File: B5_calculator.php

Location: *C:\xampp\htdocs\PART_B*

Step 1: Install XAMPP

- Download and install XAMPP

- It provides Apache (server) and PHP interpreter

Step 2: Place PHP File in htdocs

- Copy your file: B5_calculator.php

- Paste it inside:

C:\xampp\htdocs\PART_B

Note:

htdocs = Root folder of web server

Step 3: Start Apache Server

- Open XAMPP Control Panel

- Click Start next to **Apache**

- If it turns green, server is running

Step 4: Open Web Browser

- Open Chrome / Edge

Step 5: Run the Program using URL

Type in address bar:

http://localhost/PART_B/B5_calculator.php

Step 6: View Output

- PHP program executes
- Output displayed in browser

Common Mistakes:

- **Do NOT** open file directly like:
  C:\xampp\htdocs\PART_B\B5_calculator.php
- **Always use** http://localhost/ URL

Quick Revision:

1. Install XAMPP

2. Place file in htdocs
3. Start Apache
4. Use localhost URL
5. Do not open file directly