

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

carshowroom
client
college
emp
Tables
Views
Stored Procedures
Functions
employee
Tables
Views
Stored Procedures
Functions
grocery
movie
ordered
priyankab

Administration Schemas

No object selected

SQL File 16* SQL File 19* SQL File 20* SQL File 21* SQL File 21* SQL File 23* SQL File 22* SQL File 24* SQL File 25* SQL File 26*

Limit to 1000 rows

```
1 • use employee;
2 • CREATE TABLE items_ordered16 (customerid INT,order_date DATE,item VARCHAR(255),quantity INT,price INT);
3 • INSERT INTO items_ordered16 VALUES(10330, '1999-06-30', 'Pogo stick', 1, 28.00),(10101, '1999-06-30', 'Raft', 1, 58.00),
4 (10298, '1999-07-01', 'Skateboard', 1, 33.00),(10101, '1999-07-01', 'Life Vest', 4, 125.00),(10299, '1999-07-06', 'Parachute', 1, 1250.00)
5 (10339, '1999-07-27', 'Umbrella', 1, 4.50),(10449, '1999-08-13', 'Unicycle', 1, 180.79);
6 • SELECT * FROM items_ordered16;
7 • CREATE TABLE customers16 (customerid INT,firstname VARCHAR(255),lastname VARCHAR(255),city VARCHAR(255),state VARCHAR(255));
8 • INSERT INTO customers16 VALUES(10101, 'John', 'Gray', 'Lynden', 'Washington'),(10298, 'Leroy', 'Brown', 'Pinetop', 'Arizona'),
9 (10299, 'Elroy', 'Keller', 'Snoqualmie', 'Washington'),(10315, 'Lisa', 'Jones', 'Oshkosh', 'Wisconsin'),
10 (10325, 'Ginger', 'Schultz', 'Pocatello', 'Idaho'),(10329, 'Kelly', 'Mendoza', 'Kailua', 'Hawaii'),
11 (10330, 'Shawn', 'Dalton', 'Cannon Beach', 'Oregon'),(10338, 'Michael', 'Howell', 'Tillamook', 'Oregon'),
12 (10339, 'Anthony', 'Sanchez', 'Winslow', 'Arizona'),(10408, 'Elroy', 'Cleaver', 'Globe', 'Arizona');
13 • SELECT state, COUNT(*) as number_of_people FROM customers16 GROUP BY state;
```

Result Grid

customerid	order_date	item	quantity	price
10330	1999-06-30	Pogo stick	1	28
10101	1999-06-30	Raft	1	58
10298	1999-07-01	Skateboard	1	33
10101	1999-07-01	Life Vest	4	125
10299	1999-07-06	Parachute	1	1250
10339	1999-07-27	Umbrella	1	5
10449	1999-08-13	Unicycle	1	181

Items_ordered16 4 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
14	22:12:00	INSERT INTO customers16 VALUES(10101, 'John', 'Gray', 'Lynden', 'Washington'),(10298, 'Leroy', 'Brown', 'Pinetop', 'Arizona'),(10299, 'Elroy', 'Keller', 'Snoqualmie', 'Washington'),(10315, 'Lisa', 'Jones', 'Oshkosh', 'Wisconsin'),(10325, 'Ginger', 'Schultz', 'Pocatello', 'Idaho'),(10329, 'Kelly', 'Mendoza', 'Kailua', 'Hawaii'),(10330, 'Shawn', 'Dalton', 'Cannon Beach', 'Oregon'),(10338, 'Michael', 'Howell', 'Tillamook', 'Oregon'),(10339, 'Anthony', 'Sanchez', 'Winslow', 'Arizona'),(10408, 'Elroy', 'Cleaver', 'Globe', 'Arizona');	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.016 sec
15	22:13:32	SELECT * FROM items_ordered16 LIMIT 0, 1000	7 row(s) returned	0.000 sec / 0.000 sec

My Dell

ENG IN 22:14 13-11-2023

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

carshowroom
client
college
emp
Tables
Views
Stored Procedures
Functions
employee
Tables
Views
Stored Procedures
Functions
grocery
movie
ordered
priyankab

Administration Schemas

No object selected

SQL File 16* SQL File 18* SQL File 19* SQL File 20* SQL File 21* SQL File 21* SQL File 23* SQL File 22* SQL File 24* SQL File 25* SQL File 26*

Limit to 1000 rows

```
1 • use employee;
2 • CREATE TABLE items_ordered16 (customerid INT,order_date DATE,item VARCHAR(255),quantity INT,price INT);
3 • INSERT INTO items_ordered16 VALUES(10330, '1999-06-30', 'Pogo stick', 1, 28.00),(10101, '1999-06-30', 'Raft', 1, 58.00),
4 (10298, '1999-07-01', 'Skateboard', 1, 33.00),(10101, '1999-07-01', 'Life Vest', 4, 125.00),(10299, '1999-07-06', 'Parachute', 1, 1250.00)
5 (10339, '1999-07-27', 'Umbrella', 1, 4.50),(10449, '1999-08-13', 'Unicycle', 1, 180.79);
6 • SELECT * FROM items_ordered16;
7 • CREATE TABLE customers16 (customerid INT,firstname VARCHAR(255),lastname VARCHAR(255),city VARCHAR(255),state VARCHAR(255));
8 • INSERT INTO customers16 VALUES(10101, 'John', 'Gray', 'Lynden', 'Washington'),(10298, 'Leroy', 'Brown', 'Pinetop', 'Arizona'),
9 (10299, 'Elroy', 'Keller', 'Snoqualmie', 'Washington'),(10315, 'Lisa', 'Jones', 'Oshkosh', 'Wisconsin'),
10 (10325, 'Ginger', 'Schultz', 'Pocatello', 'Idaho'),(10329, 'Kelly', 'Mendoza', 'Kailua', 'Hawaii'),
11 (10330, 'Shawn', 'Dalton', 'Cannon Beach', 'Oregon'),(10338, 'Michael', 'Howell', 'Tillamook', 'Oregon'),
12 (10339, 'Anthony', 'Sanchez', 'Winslow', 'Arizona'),(10408, 'Elroy', 'Cleaver', 'Globe', 'Arizona');
```

Result Grid

customerid	firstname	lastname	city	state
10101	John	Gray	Lynden	Washington
10298	Leroy	Brown	Pinetop	Arizona
10299	Elroy	Keller	Snoqualmie	Washington
10315	Lisa	Jones	Oshkosh	Wisconsin
10325	Ginger	Schultz	Pocatello	Idaho
10329	Kelly	Mendoza	Kailua	Hawaii
10330	Shawn	Dalton	Cannon Beach	Oregon
10338	Michael	Howell	Tillamook	Oregon
10339	Anthony	Sanchez	Winslow	Arizona
10408	Elroy	Cleaver	Globe	Arizona

customers16 5 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
16	22:18:21	SELECT * FROM customers16 LIMIT 0, 1000	Error Code: 1146. Table 'employee.customers16' doesn't exist	0.015 sec
17	22:18:42	SELECT * FROM customers16 LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

My Dell

ENG IN 22:19 13-11-2023

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

carshowroom
client
college
emp
Tables
Views
Stored Procedures
Functions
employee
Tables
Views
Stored Procedures
Functions
grocery
movie
ordered
priyankadb
Administration
Information

No object selected

SQL File 16* SQL File 19* SQL File 20* SQL File 21* SQL File 21* SQL File 23* SQL File 22* SQL File 24* SQL File 25* SQL File 26*

SQL File 16*

```
10 (10325, 'Ginger', 'Schultz', 'Pocatello', 'Idaho'), (10329, 'Kelly', 'Mendoza', 'Kailua', 'Hawaii'),
11 (10330, 'Shawn', 'Dalton', 'Cannon Beach', 'Oregon'), (10338, 'Michael', 'Howell', 'Tillamook', 'Oregon'),
12 (10339, 'Anthony', 'Sanchez', 'Winslow', 'Arizona'), (10408, 'Elroy', 'Cleaver', 'Globe', 'Arizona');
13 • SELECT * FROM customers16;
14 • SELECT state, COUNT(*) as number_of_people FROM customers16 GROUP BY state;
15 • SELECT item, MAX(price) as max_price, MIN(price) as min_price FROM items_ordered16 GROUP BY item;
16 • SELECT customerid, COUNT(*) as number_of_orders, SUM(quantity * price) as total_order_amount FROM items_ordered16 GROUP BY customerid;
17
```

Result Grid

state	number_of_people
Washington	2
Arizona	3
Wisconsin	1
Idaho	1
Hawaii	1
Oregon	2

Result 7 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
10	22:11:31	CREATE TABLE items_ordered11 (customerid INT, order_date DATE, item VARCHAR(255), quantity INT, price I...	Error Code: 1050. Table 'items_ordered11' already exists	0.000 sec
11	22:11:36	CREATE TABLE items_ordered16 (customerid INT, order_date DATE, item VARCHAR(255), quantity INT, price I...	0 row(s) affected	0.031 sec
12	22:11:47	CREATE TABLE customers16 (customerid INT, first_name VARCHAR(255), last_name VARCHAR(255), city VAR...	0 row(s) affected	0.031 sec
13	22:11:55	INSERT INTO items_ordered16 VALUES(10330, '1999-06-30', 'Pogo stick', 1, 28.00), (10101, '1999-06-30', 'Ra...	7 row(s) affected Records: 7 Duplicates: 0 Warnings: 0	0.000 sec
14	22:12:00	INSERT INTO customers16 VALUES(10101, 'John', 'Gray', 'Lynden', 'Washington'), (10298, 'Leroy', 'Brown', 'Pi...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.016 sec
15	22:13:32	SELECT * FROM items_ordered16 LIMIT 0, 1000	7 row(s) returned	0.000 sec / 0.000 sec
16	22:18:21	SELECT * FROM customers16 LIMIT 0, 1000	Error Code: 1146. Table 'employee.customers16' doesn't exist	0.015 sec
17	22:18:42	SELECT * FROM customers16 LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
18	22:23:43	SELECT state, COUNT(*) as number_of_people FROM customers16 GROUP BY state LIMIT 0, 1000	6 row(s) returned	0.016 sec / 0.000 sec
19	22:25:09	SELECT item, COUNT(*) as number_of_orders, SUM(quantity * price) as total_order_amount FROM items_ordered16 GROUP BY item; 6 row(s) returned	6 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

carshowroom
client
college
emp
Tables
Views
Stored Procedures
Functions
employee
Tables
Views
Stored Procedures
Functions
grocery
movie
ordered
priyankadb
Administration
Information

No object selected

SQL File 16* SQL File 19* SQL File 20* SQL File 21* SQL File 21* SQL File 23* SQL File 22* SQL File 24* SQL File 25* SQL File 26*

SQL File 19*

```
8 • INSERT INTO customers16 VALUES(10101, 'John', 'Gray', 'Lynden', 'Washington'), (10298, 'Leroy', 'Brown', 'Pinetop', 'Arizona'),
9 (10299, 'Elroy', 'Keller', 'Snoqualmie', 'Washington'), (10315, 'Lisa', 'Jones', 'Oshkosh', 'Wisconsin'),
10 (10325, 'Ginger', 'Schultz', 'Pocatello', 'Idaho'), (10329, 'Kelly', 'Mendoza', 'Kailua', 'Hawaii'),
11 (10330, 'Shawn', 'Dalton', 'Cannon Beach', 'Oregon'), (10338, 'Michael', 'Howell', 'Tillamook', 'Oregon'),
12 (10339, 'Anthony', 'Sanchez', 'Winslow', 'Arizona'), (10408, 'Elroy', 'Cleaver', 'Globe', 'Arizona');
13 • SELECT * FROM customers16;
14 • SELECT state, COUNT(*) as number_of_people FROM customers16 GROUP BY state;
15 • SELECT item, MAX(price) as max_price, MIN(price) as min_price FROM items_ordered16 GROUP BY item;
16 • SELECT customerid, COUNT(*) as number_of_orders, SUM(quantity * price) as total_order_amount FROM items_ordered16 GROUP BY customerid;
17
```

Result Grid

item	max_price	min_price
Pogo stick	28	28
Raft	58	58
Skateboard	33	33
Life Vest	125	125
Parachute	1250	1250
Umbrella	5	5
Unicycle	181	181

Result 8 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
12	22:11:47	CREATE TABLE customers16 (customerid INT, first_name VARCHAR(255), last_name VARCHAR(255), city VAR...	0 row(s) affected	0.031 sec
13	22:11:55	INSERT INTO items_ordered16 VALUES(10330, '1999-06-30', 'Pogo stick', 1, 28.00), (10101, '1999-06-30', 'Ra...	7 row(s) affected Records: 7 Duplicates: 0 Warnings: 0	0.000 sec
14	22:12:00	INSERT INTO customers16 VALUES(10101, 'John', 'Gray', 'Lynden', 'Washington'), (10298, 'Leroy', 'Brown', 'Pi...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.016 sec
15	22:13:32	SELECT * FROM items_ordered16 LIMIT 0, 1000	7 row(s) returned	0.000 sec / 0.000 sec
16	22:18:21	SELECT * FROM customers16 LIMIT 0, 1000	Error Code: 1146. Table 'employee.customers16' doesn't exist	0.015 sec
17	22:18:42	SELECT * FROM customers16 LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
18	22:23:43	SELECT state, COUNT(*) as number_of_people FROM customers16 GROUP BY state LIMIT 0, 1000	6 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

carshowroom

client

college

emp

employee

grocery

movie

ordered

priyankadb

Administration

Schemas

No object selected

SQL File 16*

SQL File 18*

SQL File 19*

SQL File 20*

SQL File 21*

SQL File 21*

SQL File 23*

SQL File 22*

SQL File 24*

SQL File 25*

SQL File 26*

Limit to 1000 rows

SQL File 18*

8

9

10

11

12

13

14

15

16

17

INSERT INTO customers16 VALUES(10101, 'John', 'Gray', 'Lynden', 'Washington'),(10298, 'Leroy', 'Brown', 'Pinetop', 'Arizona'),(10299, 'Elroy', 'Keller', 'Snoqualmie', 'Washington'),(10315, 'Lisa', 'Jones', 'Oshkosh', 'Wisconsin'),(10325, 'Ginger', 'Schultz', 'Pocatello', 'Idaho'),(10329, 'Kelly', 'Mendoza', 'Kailua', 'Hawaii'),(10330, 'Shawn', 'Dalton', 'Cannon Beach', 'Oregon'),(10338, 'Michael', 'Howell', 'Tillamook', 'Oregon'),(10339, 'Anthony', 'Sanchez', 'Winslow', 'Arizona'),(10408, 'Elroy', 'Cleaver', 'Globe', 'Arizona');

SELECT * FROM customers16;

SELECT state, COUNT(*) as number_of_people FROM customers16 GROUP BY state;

SELECT item, MAX(price) as max_price, MIN(price) as min_price FROM items_ordered16 GROUP BY item;

SELECT customerid, COUNT(*) as number_of_orders, SUM(quantity * price) as total_order_amount FROM items_ordered16 GROUP BY customerid;

Result Grid

Filter Rows:

Exports

Wrap Cell Content:

Result Grid

Form Editor

Result 9

Output

Action Output

#

Time

Action

Message

Duration / Fetch

16

22:18:21

SELECT * FROM customers16 LIMIT 0, 1000

Error Code: 1146. Table 'employee.customers16' doesn't exist

0.015 sec

17

22:18:42

SELECT * FROM customers16 LIMIT 0, 1000

10 row(s) returned

0.000 sec / 0.000 sec

18

22:23:43

SELECT state, COUNT(*) as number_of_people FROM customers16 GROUP BY state LIMIT 0, 1000

6 row(s) returned

0.016 sec / 0.000 sec

19

22:25:09

SELECT state, COUNT(*) as number_of_people FROM customers16 GROUP BY state LIMIT 0, 1000

6 row(s) returned

0.000 sec / 0.000 sec

20

22:39:51

SELECT item, MAX(price) as max_price, MIN(price) as min_price FROM items_ordered16 GROUP BY item LIM...

7 row(s) returned

0.000 sec / 0.000 sec

21

22:40:48

SELECT customerid, COUNT(*) as number_of_orders, SUM(quantity * price) as total_order_amount FROM item...

6 row(s) returned

0.000 sec / 0.000 sec

Object Info

Session

ENG

IN

22:41

13-11-2023

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.