MAVEN TO GRADLE APP

Step1:Create Maven App using following command

“mvn archetype:generate -DgroupId=com.example -DartifactId=MyMavenToGradle1 -DarchetypeArtifactId=maven-archetype-quickstart -DinteractiveMode=false”

Use ls command to check the file exist inside MyMavenToGradle1

```
vboxuser@prathwish03:~/devops$ mvn archetype:generate -DgroupId=com.example -DartifactId=MyMavenToGradle1 -DarchetypeArtifactId=maven-archetype-quickstart -Dinteractive
[INFO] Scanning for projects...
[INFO]
[INFO] ------------------< org.apache.maven:standalone-pom >-------------------
[INFO] Building Maven Stub Project (No POM) 1
[INFO] --------------------------------[ pom ]---------------------------------
[INFO]
[INFO] >>> maven-archetype-plugin:3.4.1:generate (default-cli) > generate-sources @ standalone-pom >>>
[INFO]
[INFO] <<< maven-archetype-plugin:3.4.1:generate (default-cli) < generate-sources @ standalone-pom <<<
[INFO]
[INFO]
[INFO] --- maven-archetype-plugin:3.4.1:generate (default-cli) @ standalone-pom ---
[INFO] Generating project in Batch mode
[INFO] No archetype defined. Using maven-archetype-quickstart (org.apache.maven.archetypes:maven-archetype-quickstart:1.0)
[INFO] ----------------------------------------------------------------------------
[INFO] Using following parameters for creating project from Old (1.x) Archetype: maven-archetype-quickstart:1.0
[INFO] ----------------------------------------------------------------------------
[INFO] Parameter: basedir, Value: /home/vboxuser/devops
[INFO] Parameter: package, Value: com.example
[INFO] Parameter: groupId, Value: com.example
[INFO] Parameter: artifactId, Value: MyMavenToGradle1
[INFO] Parameter: packageName, Value: com.example
[INFO] Parameter: version, Value: 1.0-SNAPSHOT
[INFO] project created from Old (1.x) Archetype in dir: /home/vboxuser/devops/MyMavenToGradle1
[INFO] ------------------------------------------------------------------------
[INFO] BUILD SUCCESS
[INFO] ------------------------------------------------------------------------
[INFO] Total time:  6.883 s
[INFO] Finished at: 2026-03-25T09:41:05+05:30
[INFO] ------------------------------------------------------------------------
vboxuser@prathwish03:~/devops$ ls
MyGradleApp                MyMavenGuavaApp            MyMavenSeleniumFirefox
MyGradleApp1               MyMavenPracticeAutomation  MyMavenToGradle
MyMavenApp                 MyMavenSeleniumApp01       MyMavenToGradle1
MyMavenAutomationExercise  MyMavenSeleniumApp02       token.txt
vboxuser@prathwish03:~/devops$ cd MyMavenToGradle1
vboxuser@prathwish03:~/devops/MyMavenToGradle1$ ls
pom.xml  src
```

Step2:To see the structure of MyMavenToGradle1 use “tree” command

```
vboxuser@prathwish03:~/devops/MyMavenToGradle1$ tree
.
├── pom.xml
└── src
    ├── main
    │   └── java
    │       └── com
    │           └── example
    │               └── App.java
    └── test
        └── java
            └── com
                └── example
                    └── AppTest.java

9 directories, 3 files
```

Step3:Edit pom.xml using “gedit” Command

```
vboxuser@prathwish03:~/devops/MyMavenToGradle1$ gedit pom.xml
Failed to register: Timeout was reached
vboxuser@prathwish03:~/devops/MyMavenToGradle1$ gedit pom.xml
^Z[2]   Killed                  gedit build.gradle  (wd: ~/devops/MyGradleApp1)
(wd now: ~/devops/MyMavenToGradle1)

[3]+  Stopped                 gedit pom.xml
```

<project xmlns="http://maven.apache.org/POM/4.0.0"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
http://maven.apache.org/maven-v4_0_0.xsd">

<modelVersion>4.0.0</modelVersion>

<groupId>com.example1</groupId>

<artifactId>MyMavenToGradle</artifactId>

<packaging>jar</packaging>

<version>1.0-SNAPSHOT</version>

<name>MyMavenToGradle</name>

<url>http://maven.apache.org</url>

<!-- Properties: Customize Java version or plugin versions -->

<properties>

<maven.compiler.source>11</maven.compiler.source>

<maven.compiler.target>11</maven.compiler.target>

</properties>

<dependencies>

<dependency>

<groupId>junit</groupId>

<artifactId>junit</artifactId>

<version>3.8.1</version>

<scope>test</scope>

</dependency>

</dependencies>

```
<!--  Build: Configuring plugins and build settings  -->
<build>
<plugins>
<!--  Example: Maven Compiler Plugin to compile Java code  -->
<plugin>
<groupId>org.apache.maven.plugins</groupId>
<artifactId>maven-compiler-plugin</artifactId>
<version>3.8.1</version>
<configuration>
<source>1.6</source>
<target>1.6</target>
</configuration>
</plugin>
<!--  Example: Maven Surefire Plugin to run tests  -->
<plugin>
<groupId>org.apache.maven.plugins</groupId>
<artifactId>maven-surefire-plugin</artifactId>
<version>2.22.2</version>
</plugin>
<plugin>
<groupId>org.apache.maven.plugins</groupId>
<artifactId>maven-jar-plugin</artifactId>
<version>3.1.0</version>
<configuration>
<archive>
<manifestEntries>
<Main-Class>com.example1.App</Main-Class>
</manifestEntries>
```

</archive>

</configuration>

</plugin>

</plugins>

</build>

</project>

Step4: Compile maven application using “mvn clean install”

```
vboxuser@prathwish03:~/devops/MyMavenToGradle1$ mvn clean install
[INFO] Scanning for projects...
[INFO]
[INFO] -------------------< com.example1:MyMavenToGradle >-------------------
[INFO] Building MyMavenToGradle 1.0-SNAPSHOT
[INFO] --------------------------------[ jar ]---------------------------------
[INFO]
[INFO] --- maven-clean-plugin:2.5:clean (default-clean) @ MyMavenToGradle ---
[INFO]
[INFO] --- maven-resources-plugin:2.6:resources (default-resources) @ MyMavenToGradle ---
[WARNING] Using platform encoding (UTF-8 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory /home/vboxuser/devops/MyMavenToGradle1/src/main/resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.1:compile (default-compile) @ MyMavenToGradle ---
[INFO] Changes detected - recompiling the module!
[WARNING] File encoding has not been set, using platform encoding UTF-8, i.e. build is platform dependent!
[INFO] Compiling 1 source file to /home/vboxuser/devops/MyMavenToGradle1/target/classes
[INFO]
[INFO] --- maven-resources-plugin:2.6:testResources (default-testResources) @ MyMavenToGradle ---
[WARNING] Using platform encoding (UTF-8 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory /home/vboxuser/devops/MyMavenToGradle1/src/test/resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.1:testCompile (default-testCompile) @ MyMavenToGradle ---
[INFO] Changes detected - recompiling the module!
[WARNING] File encoding has not been set, using platform encoding UTF-8, i.e. build is platform dependent!
[INFO] Compiling 1 source file to /home/vboxuser/devops/MyMavenToGradle1/target/test-classes
[INFO]
[INFO] --- maven-surefire-plugin:2.22.2:test (default-test) @ MyMavenToGradle ---
[INFO]
[INFO] -------------------------------------------------------
[INFO]  T E S T S
[INFO] -------------------------------------------------------
[INFO] Running com.example.AppTest
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.01 s - in com.example.AppTest
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO]
[INFO] --- maven-jar-plugin:3.1.0:jar (default-jar) @ MyMavenToGradle ---
[INFO] Building jar: /home/vboxuser/devops/MyMavenToGradle1/target/MyMavenToGradle-1.0-SNAPSHOT.jar
[INFO]
[INFO] --- maven-install-plugin:2.4:install (default-install) @ MyMavenToGradle ---
[INFO] Installing /home/vboxuser/devops/MyMavenToGradle1/target/MyMavenToGradle-1.0-SNAPSHOT.jar to /home/vboxuser/.m2/repository/com/example1/MyMavenToGradle/1.0-SNAPSHOT/MyMavenToGradle-1.0-SNAPSHOT.jar
[INFO] Installing /home/vboxuser/devops/MyMavenToGradle1/pom.xml to /home/vboxuser/.m2/repository/com/example1/MyMavenToGradle/1.0-SNAPSHOT/MyMavenToGradle-1.0-SNAPSHOT.pom
[INFO] ------------------------------------------------------------------------
[INFO] BUILD SUCCESS
[INFO] ------------------------------------------------------------------------
```

Step5:Maven to Gradle Conversion

```
vboxuser@prathwish03:~/devops/MyMavenToGradle1$ gradle init --type pom

> Task :init
Maven to Gradle conversion is an incubating feature.


BUILD SUCCESSFUL in 3s
2 actionable tasks: 2 executed
```

Step6:Use command “ls” to list all the file inside MyMavenToGradle1 and “tree” command show the structure of folder

```
vboxuser@prathwish03:~/devops/MyMavenToGradle1$ ls
build.gradle  gradle  gradlew  gradlew.bat  pom.xml  settings.gradle  src  target
vboxuser@prathwish03:~/devops/MyMavenToGradle1$ tree
.
├── build.gradle
├── gradle
│   └── wrapper
│       ├── gradle-wrapper.jar
│       └── gradle-wrapper.properties
├── gradlew
├── gradlew.bat
├── pom.xml
├── settings.gradle
├── src
│   ├── main
│   │   └── java
│   │       └── com
│   │           └── example
│   │               └── App.java
│   └── test
│       └── java
│           └── com
│               └── example
│                   └── AppTest.java
└── target
    ├── classes
    │   └── com
    │       └── example
    │           └── App.class
    ├── generated-sources
    │   └── annotations
    ├── generated-test-sources
    │   └── test-annotations
    ├── maven-archiver
    │   └── pom.properties
    ├── maven-status
    │   └── maven-compiler-plugin
    │       ├── compile
    │       │   └── default-compile
    │       │       ├── createdFiles.lst
    │       │       └── inputFiles.lst
    │       └── testCompile
    │           └── default-testCompile
    │               ├── createdFiles.lst
    │               └── inputFiles.lst
    ├── MyMavenToGradle-1.0-SNAPSHOT.jar
    ├── surefire-reports
    │   ├── com.example.AppTest.txt
    │   └── TEST-com.example.AppTest.xml
    └── test-classes
        └── com
            └── example
                └── AppTest.class

30 directories, 19 files
```

MavenToGradle pipeline

Step 1: Create new file named "**Jenkinsfile**" inside MyMavenToGradle folder and push into git

Jenkinsfile:

```
pipeline {
   agent any

   tools {
      gradle 'Gradle'   // same name as configured in Jenkins
      jdk 'JDK'
   }

   stages {

      stage('Checkout') {
         steps {
            git branch: 'main', url:
'https://github.com/PrathwishShetty03/MyMavenToGradle.git'
         }
      }

      stage('Build') {
         steps {
            sh 'gradle clean build'
         }
      }

      stage('Test') {
         steps {
            sh 'gradle test'
         }
      }

      stage('Archive') {
         steps {
```

```
            archiveArtifacts artifacts: '**/build/libs/*.jar', fingerprint: true
        }
    }
  }
}
```

Step 2:Open Jenkins Dashboard

- Open Jenkins in browser
- Click on New Item



Step 3: Create Pipeline Job

- Enter name: **MavenToGradle**
- Select **Pipeline**
- Click **OK**



Step 4: Configure Pipeline with GitHub

- Select **Pipeline script from SCM**
- SCM → Git
- Enter repository URL
- Add credentials
- Click **Save**



Step 5: Run the Pipeline

- Click **Build Now**



Step 6: Look for the status of project

- Check Stage View
- View Build History