In [6]:

pip install seaborn

Requirement already satisfied: seaborn in c:\users\prathyusha\appdata\loca l\programs\python\python310\lib\site-packages (0.12.2)

Requirement already satisfied: numpy!=1.24.0,>=1.17 in c:\users\prathyusha \appdata\local\programs\python\python310\lib\site-packages (from seaborn) (1.24.3)

Requirement already satisfied: pandas>=0.25 in c:\users\prathyusha\appdata \local\programs\python\python310\lib\site-packages (from seaborn) (2.0.1) Requirement already satisfied: matplotlib!=3.6.1,>=3.1 in c:\users\prathyu sha\appdata\local\programs\python\python310\lib\site-packages (from seabor n) (3.7.1)

Requirement already satisfied: contourpy>=1.0.1 in c:\users\prathyusha\app data\local\programs\python\python310\lib\site-packages (from matplotlib!= 3.6.1,>=3.1->seaborn) (1.0.7)

Requirement already satisfied: cycler>=0.10 in c:\users\prathyusha\appdata \local\programs\python\python310\lib\site-packages (from matplotlib!=3.6. 1,>=3.1->seaborn) (0.11.0)

Requirement already satisfied: fonttools>=4.22.0 in c:\users\prathyusha\ap pdata\local\programs\python\python310\lib\site-packages (from matplotlib!= 3.6.1,>=3.1->seaborn) (4.39.4)

Requirement already satisfied: kiwisolver>=1.0.1 in c:\users\prathyusha\ap pdata\local\programs\python\python310\lib\site-packages (from matplotlib!= 3.6.1,>=3.1->seaborn) (1.4.4)

Requirement already satisfied: packaging>=20.0 in c:\users\prathyusha\appd ata\local\programs\python\python310\lib\site-packages (from matplotlib!=3.6.1,>=3.1->seaborn) (23.1)

Requirement already satisfied: pillow>=6.2.0 in c:\users\prathyusha\appdat a\local\programs\python\python310\lib\site-packages (from matplotlib!=3.6. 1,>=3.1->seaborn) (9.5.0)

Requirement already satisfied: pyparsing>=2.3.1 in c:\users\prathyusha\app data\local\programs\python\python310\lib\site-packages (from matplotlib!= 3.6.1,>=3.1->seaborn) (3.0.9)

Requirement already satisfied: python-dateutil>=2.7 in c:\users\prathyusha \appdata\local\programs\python\python310\lib\site-packages (from matplotli b!=3.6.1,>=3.1->seaborn) (2.8.2)

Requirement already satisfied: pytz>=2020.1 in c:\users\prathyusha\appdata \local\programs\python\python310\lib\site-packages (from pandas>=0.25->sea born) (2023.3)

Requirement already satisfied: tzdata>=2022.1 in c:\users\prathyusha\appda ta\local\programs\python\python310\lib\site-packages (from pandas>=0.25->s eaborn) (2023.3)

Requirement already satisfied: six>=1.5 in c:\users\prathyusha\appdata\loc al\programs\python\python310\lib\site-packages (from python-dateutil>=2.7->matplotlib!=3.6.1,>=3.1->seaborn) (1.16.0)

Note: you may need to restart the kernel to use updated packages.

In [7]:

!pip install sklearn

Requirement already satisfied: sklearn in c:\users\prathyusha\appdata\loca l\programs\python\python310\lib\site-packages (0.0.post5)

In [8]:

```
pip install matplotlip
```

Requirement already satisfied: matplotlip in c:\users\prathyusha\appdata\l ocal\programs\python\python310\lib\site-packages (0.2)

Note: you may need to restart the kernel to use updated packages.

In [9]:

```
pip install scikit-learn
```

Requirement already satisfied: scikit-learn in c:\users\prathyusha\appdata \local\programs\python\python310\lib\site-packages (1.2.2)Note: you may ne ed to restart the kernel to use updated packages.

Requirement already satisfied: numpy>=1.17.3 in c:\users\prathyusha\appdat a\local\programs\python\python310\lib\site-packages (from scikit-learn) (1.24.3)

Requirement already satisfied: scipy>=1.3.2 in c:\users\prathyusha\appdata \local\programs\python\python310\lib\site-packages (from scikit-learn) (1. 10.1)

Requirement already satisfied: joblib>=1.1.1 in c:\users\prathyusha\appdat a\local\programs\python\python310\lib\site-packages (from scikit-learn) (1.2.0)

Requirement already satisfied: threadpoolctl>=2.0.0 in c:\users\prathyusha \appdata\local\programs\python\python310\lib\site-packages (from scikit-le arn) (3.1.0)

In [10]:

```
pip install sklearn
```

Requirement already satisfied: sklearn in c:\users\prathyusha\appdata\loca l\programs\python\python310\lib\site-packages (0.0.post5)Note: you may nee d to restart the kernel to use updated packages.

In [11]:

```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
from sklearn import preprocessing,svm
from sklearn.model_selection import train_test_split
from sklearn.linear_model import LinearRegression
```

In [12]:

```
df=pd.read_csv(r"C:\Users\Prathyusha\Downloads\bottle.csv")
df
```

C:\Users\Prathyusha\AppData\Local\Temp\ipykernel_10044\3580292764.py:1: Dt ypeWarning: Columns (47,73) have mixed types. Specify dtype option on import or set low_memory=False.


df=pd.read_csv(r"C:\Users\Prathyusha\Downloads\bottle.csv")

Out[12]:

	Cs	st_Cnt	Btl_Cnt	Sta_ID	Depth_ID	Depthm	T_degC	Salnty	O2ml_L	STheta
0		1	1	054.0 056.0	19- 4903CR- HY-060- 0930- 05400560- 0000A-3	0	10.500	33.4400	NaN	25.64900
1 In [13]	1.	1	2	054.0 056.0	19- 4903CR- HY-060- 0930- 05400560- 0008A-3	8	10.460	33.4400	NaN	25.65600
		-1n+v'	'T doo	۰	19- 4903CR-					
df.co 2 u	ımn	s=['5a	T_deg', l','Ten	054.0 p 056.0	HY-060- 0930-	10	10.460	33.4370	NaN	25.65400
In [14]	 :				05400560- 0010A-7					
df.head		a)			19- 4903CR-					
3	•	- , 1-	4	054.0 056.0	HY-060- 0930-	19	10.450	33.4200	NaN	25.64300
Out[14]		T		030.0	05400560- 0019A-3					
	al	Temp			19-					
0 33.4 ⁴		10.50 10.46	5	054.0	4903CR- HY-060-	20	10.450	33.4210	NaN	25.64300
2 33.43		10.46		056.0	0930- 05400560- 0020A-7					
3 33.42	20	10.45			0020A-1					
4 33.42	21	10.45	•••		20-				•••	
5 33.43 864858 6 33.44 7 33.42	40	10.45 34404 10.45	864859	093.4 026.4	1611SR- MX-310- 2239- 09340264- 0000A-7	0	18.744	33.4083	5.805	23.87055
8 33.42		10.06			20-					
964859		34404	864860	093.4 026.4	1611SR- MX-310- 2239- 09340264- 0002A-3	2	18.744	33.4083	5.805	23.87072
864860		34404	864861	093.4 026.4	20- 1611SR- MX-310- 2239- 09340264- 0005A-3	5	18.692	33.4150	5.796	23.88911
864861		34404	864862	093.4 026.4	20- 1611SR- MX-310- 2239- 09340264- 0010A-3	10	18.161	33.4062	5.816	24.01426

In [15]:Cst_Cnt Btl_Cnt Sta_ID Depth_ID Depthm T_degC Salnty O2ml_L STheta

864862 34404 864863 093.4 MX-310- 15 17.533 33.3880 5.774 24.15297 <seaborn.axisgrid.Facet@P4d at 0x430e4caac220> 09340264-



In [16]:

df.describe()

Out[16]:

	Sal	Temp
count	817509.000000	853900.000000
mean	33.840350	10.799677
std	0.461843	4.243825
min	28.431000	1.440000
25%	33.488000	7.680000
50%	33.863000	10.060000
75%	34.196900	13.880000
max	37.034000	31.140000


```
In [17]:
```

```
df.info()
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 864863 entries, 0 to 864862
Data columns (total 2 columns):
     Column Non-Null Count
                              Dtype
             _____
             817509 non-null float64
 а
     Sal
 1
     Temp
             853900 non-null float64
dtypes: float64(2)
memory usage: 13.2 MB
In [18]:
df.fillna(method="ffill",inplace=True)
C:\Users\Prathyusha\AppData\Local\Temp\ipykernel_10044\1844562654.py:1: Se
ttingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame
See the caveats in the documentation: https://pandas.pydata.org/pandas-doc
s/stable/user_guide/indexing.html#returning-a-view-versus-a-copy (https://
pandas.pydata.org/pandas-docs/stable/user guide/indexing.html#returning-a-
view-versus-a-copy)
  df.fillna(method="ffill",inplace=True)
In [19]:
x=np.array(df['Sal']).reshape(-1,1)
y=np.array(df['Temp']).reshape(-1,1)
In [20]:
df.dropna(inplace=True)
C:\Users\Prathyusha\AppData\Local\Temp\ipykernel_10044\1379821321.py:1: Se
ttingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame
See the caveats in the documentation: https://pandas.pydata.org/pandas-doc
s/stable/user guide/indexing.html#returning-a-view-versus-a-copy (https://
pandas.pydata.org/pandas-docs/stable/user guide/indexing.html#returning-a-
view-versus-a-copy)
  df.dropna(inplace=True)
In [13]:
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.25)
In [14]:
regr=LinearRegression()
regr.fit(x_train,y_train)
print(regr.score(x_test,y_test))
```

0.20596216315708216

In [15]:

```
y_pred=regr.predict(x_test)
plt.scatter(x_test,y_test,color='b')
plt.plot(x_test,y_pred,color='k')
plt.show()
```




In [16]:

df500=df[:][:500]

In [17]:

```
sns.lmplot(x="Sal",y="Temp",data=df500,order=1,ci=None)
df500.fillna(method='ffill',inplace=True)
x=np.array(df500['Sal']).reshape(-1,1)
y=np.array(df500['Temp']).reshape(-1,1)
df500.dropna(inplace=True)
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.25)
regr=LinearRegression()
regr.fit(x_train,y_train)
print("Regression:",regr.score(x_test,y_test))
y_pred=regr.predict(x_test)
plt.scatter(x_test,y_test,color='b')
plt.plot(x_test,y_pred,color='k')
plt.show()
```

Regression: 0.8311447195168511



In [24]:

```
from sklearn.linear_model import LinearRegression
from sklearn.metrics import r2_score
model=LinearRegression()
model.fit(x_train,y_train)
y_pred=model.predict(x_test)
r2=r2_score(y_test,y_pred)
print("R2 score:",r2)
```

R2 score: 0.8311447195168511

In []:							
conclusion: this model is fit.							
In []:							