QUALITY ASSURANCE / TEST PLANNING

Auto-Assignment of Created Cases to Available Agents

A structured, risk-based test plan for Jira issue SCRUM-5

DOCUMENT	JIRA ISSUE	STATUS	PRIORITY
Test Plan	SCRUM-5	Draft for review	Medium
ISSUE TYPE	VERSION	ISSUE STATUS	SPRINT / FIX VERSION
Task	1.1	To Do	Not specified

01 Executive snapshot

Newly created cases should be automatically distributed to eligible agents using round-robin allocation. Eligibility depends on active status, working hours, and absence/offline states. When no agent qualifies, cases must remain in the queue and be visible in the Unassigned tab to Supervisor/Admin users.

AUTO-ASSIGN

Assign each new case when an eligible agent exists.

FAIR ROTATION

Use round-robin across the currently eligible pool.

SAFE FALLBACK

Keep cases queued and visible if no agent is available.

Review status
DRAFT ? pending human review. The Jira issue does not define rotation ordering, fairness measurement, time-zone boundaries, retry behavior, or performance targets. These remain explicit clarification items.

Prepared from Jira SCRUM-5 ? ?Auto-Assignment of Created Cases to Available Agents? ? 27 October 2026

02 Purpose and scope

Planning boundary: validate the ticket requirements without treating open questions as confirmed behavior.

Purpose

Assess whether newly created cases are assigned automatically and fairly, whether ineligible agents are excluded, and whether the no-agent fallback remains visible and recoverable. This document is a draft for stakeholder review, not execution approval.

Coverage map

Area	Included validation
Case creation	Trigger and automatic assignment of new cases to a qualifying agent.
Agent eligibility	Active status, working hours, Vacation, Out of Office, Inactive/Disabled, and offline where applicable.
Round-robin	Rotation across the eligible pool, including one-agent and changing-pool situations after policy is agreed.
No-agent path	Queue retention and Supervisor/Admin access to Case Management > Unassigned.
Resilience proposals	Concurrency, retries, and recovery are recommended checks; expected behavior must be confirmed first.

Out of scope unless confirmed

Not defined by SCRUM-5

- ? Skill-, region-, or priority-based routing rules.
- ? Manual reassignment and existing-case migration.
- ? Production throughput and response-time targets.

Not assumed

- ? Specific UI design or browser/device matrix.
- ? Notifications, audit events, or reporting changes.
- ? Rollout flag or rollback behavior.

Test approach

Use controlled agent pools and distinguishable cases. Change one eligibility attribute at a time, record the eligibility snapshot and assignment result, then compare the outcome with the agreed rotation rule. Run concurrency and recovery paths only after their expected behavior is approved.

Assignment flow (planned validation model)

03 Requirements traceability

Source: the five acceptance-criteria areas fetched from Jira SCRUM-5.

Ref	Requirement from ticket	Scenario coverage
AC-1	Automatically assign new cases to eligible agents.	TS-01, TS-02, TS-13, TS-14
AC-2	Use round-robin and distribute evenly among eligible agents.	TS-02, TS-03, TS-04, TS-13
AC-3	Check Active status, working hours, Vacation/OOO, and Inactive/Disabled.	TS-05 to TS-10
AC-4	Exclude Vacation, OOO, inactive, and offline where applicable.	TS-06 to TS-10
AC-5	If none available, keep case queued and visible to Supervisor/Admin in Unassigned.	TS-11, TS-12, TS-15

04 Test scenarios | core assignment

Priorities are proposed by risk; Jira does not prescribe scenario priorities.

ID	Priority	Type	Scenario / expected result	Trace
TS-01	P0	Positive	Create a case with multiple eligible agents. Confirm automatic assignment to one eligible agent without manual action.	AC-1
TS-02	P0	Distribution	Create successive cases with a stable eligible pool. Confirm the agreed rotation order and even allocation over the approved sample/window.	AC-2; policy open
TS-03	P1	Boundary	With exactly one eligible agent, create multiple cases. Confirm assignments succeed and no eligible case is left behind.	AC-1, AC-2
TS-04	P1	Pool change	Change agent eligibility between case creations. Confirm the next assignment uses the current eligible pool and approved cursor rule.	AC-2, AC-3; rule open
TS-05	P0	Availability	Compare an Active agent within working hours to one outside hours. Confirm only the within-hours agent may be assigned.	AC-3
TS-06	P0	Exclusion	Mark an otherwise eligible agent as Vacation. Confirm new cases are not assigned to that agent.	AC-3, AC-4
TS-07	P0	Exclusion	Mark an otherwise eligible agent Out of Office. Confirm new cases are not assigned to that agent.	AC-3, AC-4
TS-08	P0	Exclusion	Set an agent to Inactive or Disabled. Confirm the agent cannot receive a newly created case.	AC-3, AC-4

Test evidence
For each run, capture case ID, event/creation time, eligible-agent snapshot, excluded-agent reasons where available, selected agent, and final case queue/assignment state.

05 Test scenarios | fallback and resilience

Several resilience scenarios are recommended QA coverage and need product agreement on expected outcomes.

ID	Priority	Type	Scenario / expected result	Trace
TS-09	P1	Offline	Set an agent offline. Confirm exclusion if offline is a supported availability state; establish applicability before execution.	AC-4; clarify
TS-10	P1	Time boundary	Create cases at working-hours start/end and across relevant timezone/daylight-saving changes after schedule rules are specified.	AC-3; clarify
TS-11	P0	Fallback	Make all agents unavailable. Confirm the case remains unassigned/in queue and appears in Case Management > Unassigned for Supervisor/Admin.	AC-5
TS-12	P1	Authorization	Confirm Supervisor/Admin visibility. Verify other-role denial only if that is the intended access rule.	AC-5; clarify
TS-13	P1	Concurrency	Create cases concurrently with several eligible agents. Check for duplicate ownership, lost cases, and compliance with the approved round-robin rule.	AC-1, AC-2; clarify
TS-14	P1	Retry / idempotency	Cause a retry or repeated processing of the same case event. Confirm one stable outcome and no duplicate assignment after semantics are agreed.	AC-1; clarify
TS-15	P1	Recovery	After a case enters the no-agent queue, make an agent eligible. Confirm the approved reprocessing policy handles the queued case without loss.	AC-5; clarify
TS-16	P2	Regression	Recheck identified adjacent case-creation/routing workflows to detect unintended impact after regression scope is confirmed.	Scope open

Priority legend

P0 ? Core / release-blocking	**P1** ? Important behavior	**P2** ? Supporting regression

Execution order
Run P0 assignment, availability, and fallback tests first. Complete P1 pool-change, permissions, time-boundary, and resilience tests when their expected behavior is confirmed.

06 Requirement gap checklist

? Ambiguous and ? Missing items become questions for the ticket author; no unstated rules are assumed.

Area	Checklist item	Status	Finding / question for author
Functional	User story / goal	Present	Support Operations Manager goal is stated.
Functional	Acceptance criteria testable	Ambiguous	Define measurable fairness, eligibility, and pass/fail behavior.
Functional	Happy path	Present	Core create-and-assign path is stated; trigger timing needs clarification.
Functional	Negative / error paths	Ambiguous	Define behavior if assignment or agent-status lookup fails.
Functional	Boundary / empty states	Missing	Specify zero/one agent, pool changes, and working-hours boundaries.
Functional	State transitions	Ambiguous	Define case states from creation through assignment, queue, and recovery.
Data / environment	Test data	Missing	Provide agent states/schedules and case data setup.
Data / environment	Environment / flags	Missing	Name QA environment, config, working-hours source, and flags.
Data / environment	Dependencies	Missing	Identify presence, schedule, case, assignment, and queue integrations.
Non-functional	Performance targets	Missing	Define volume, throughput, and assignment latency expectations.
Non-functional	Authorization	Ambiguous	Specify who can view and act on Unassigned cases.
Non-functional	Accessibility / localization	Missing	Confirm UI accessibility, supported locales, timezone, and holiday rules.
Non-functional	Audit / observability	Missing	Specify logs/audit requirements for decisions, exclusions, and failures.
Cross-cutting	Regression / compatibility	Missing	Identify adjacent routing flows and existing-case impact.
Cross-cutting	Rollback / feature flag	Missing	Define rollout, rollback, and queued-case handling.
Clarity	Terms / design	Ambiguous	Define ?evenly?, ?offline?, state distinctions, role naming, and provide design link.

Top sign-off blocker
Round-robin fairness cannot be objectively accepted until the ordering rule, fairness metric/window, and handling of changing eligibility pools are defined.

07 Environment and test data

Configuration and ownership are not specified in the Jira issue.

Category	Plan / current information
Environment	Target QA environment/build not specified; confirm before execution.
Agent pool	Prepare agents covering Active, Inactive/Disabled, Vacation, Out of Office, offline (if applicable), and in/out of working hours.
Cases	Use distinguishable new cases; record case ID, create time, assignment, and queue state.
Roles	Supervisor/Admin are named for Unassigned visibility; confirm exact role names and other-role permissions.
Dependencies	Presence/status, working-hours configuration, case creation, assignment service, and unassigned queue dependencies need identification.

08 Entry, exit and delivery

Gate	Criteria
Entry	Ticket requirements available; QA environment and test data ready; eligibility states, schedule rules, and role access clarified.
Exit	All P0 scenarios pass; relevant P1 scenarios complete or waived; assignment, eligibility, and fallback defects resolved; open decisions recorded.
Schedule	No sprint or target dates are recorded on the issue. Sequence work as clarification/setup ? core allocation/eligibility ? fallback/access ? resilience/regression.
Deliverables	Execution evidence, allocation results, issue/decision log, defect list, and QA approval decision.

09 Risks and assumptions

Type	Risk / assumption
Risk	?Evenly? is not measurable without a rotation order, fairness metric/window, and pool-change rule.
Risk	Availability may change between eligibility check and assignment; race behavior is undefined.
Risk	Unspecified retry and recovery behavior may leave cases queued indefinitely or cause duplicate processing.
Assumption	The five acceptance-criteria areas in SCRUM-5 are the authoritative product requirements for this draft.
Assumption	Concurrency, retries, performance, and recovery tests are proposed QA coverage, not approved product requirements.

Company context
PreVise IT works in insurance solutions and contact-center technology, including MyOmniDesk. SCRUM-5 does not identify a specific product workflow, so no additional product behavior has been inferred.

10 Human review gate

DRAFT ? approval required. Do not treat this plan as final or proceed to detailed test cases/automation until a human reviewer confirms or edits the items below.

01 Confirm round-robin order, fairness window/tolerance, and cursor behavior when eligibility changes.

02 Define working-hours timezone/boundaries, offline-state meaning, and the source of agent availability.

03 Confirm Supervisor/Admin names and exact authorization rules for the Unassigned tab.

04 Define no-agent recovery, queue ordering, assignment failures, retries, idempotency, and concurrent creation behavior.

05 Provide environment, data, dependencies, performance, audit, regression, and rollout requirements.

QUALITY GATE / STAKEHOLDER REVIEW

Review & approval

SCRUM-5 ? Auto-Assignment of Created Cases to Available Agents

DECISION REQUESTED

Confirm acceptance-criteria interpretations, resolve open rules, and approve or edit this draft before detailed test-case authoring or automation begins.

Questions to resolve before sign-off

1. Round-robin order, fairness measure/window, and cursor behavior when eligibility changes.
2. Working-hours timezone/boundaries, offline-state meaning, and availability data source.
3. Exact Supervisor/Admin role names and permissions for the Unassigned tab.
4. No-agent recovery, queue ordering, assignment failures, retries, idempotency, and concurrency.
5. Target environment, agent/case data, dependencies, performance, audit, regression, and rollout.

Reviewer decision

☐ **APPROVE DRAFT**

Proceed after decisions are recorded.

☐ **REQUEST CHANGES**

Return for updates before proceeding.

☐ **HOLD**

Wait for blocking clarifications.

Sign-off

QA owner / reviewer

Product / Operations owner

Date

Comments / approval reference