

Python Quiz

10 Questions

00:25:58

SUBMIT QUIZ

< 1 2 3 4 5 6 7 8 9 10 >

Question 1

1 Mark

```
my_string= 'Smile smile s s'  
my_string.count('s')  
The output for the following would be:
```

Answer choices

Select only one option

REVISIT

☐ 2

☒ 3

☐ 4

☐ 5

10/10 questions attempted

Previous

Next

Python Quiz

10 Questions

00:25:54

SUBMIT QUIZ

< 1 2 3 4 5 6 7 8 9 10 >

Question 2

1 Mark

```
tup1=(1,2,3,4,5,"a","b")
```

```
tup1=[1:4]
```

Output for the following code will be:

Answer choices

Select only one option

REVISIT

☐ (1,2,3,4,5)

☐ (2,3,4,5,6)

☒ (2,3,4)

☐ (3,4,5,'a')

10/10 questions attempted

Previous

Next

< 1 2 3 4 5 6 7 8 9 10 >

Question 3
1 Mark

```
l1=[1,2,3,"apple","banana"]  
l1*3
```

The output for the following code will be:

10/10 questions attempted

Answer choices
Select only one option [REVISIT](#)

- ☒ [1,2,3,'apple','banana',1,2,3,'apple','banana',1,2,3,'apple','banana']
- ☐ [1,2,3,'apple','banana']
- ☐ [1,2,3,'apple','banana',1,2,3,'apple','banana']
- ☐ [1,2,3,'apple','banana',1,2,3,'apple','banana',1,2,3,'apple','banana',1,2,3,'apple','banan

Previous Next

Python Quiz

10 Questions

00:25:47

SUBMIT QUIZ

< 1 2 3 4 5 6 7 8 9 10 >

Question 4

1 Mark

```
fruit={"Apple":20, "Mango":30, "Banana":40}
```

```
fruit["Grapes"]=50
```

Fruit

Output for the following code will be:

Answer choices

Select only one option

REVISIT

☐ {'Mango':30, 'Banana':40}

☐ {'Apple':20, 'Mango':30, 'Banana':40}

☒ {'Apple':20, 'Mango':30, 'Banana':40, 'Grapes':50}

☐ {'Apple':20, 'Mango':30}

10/10 questions attempted

Previous

Next

Python Quiz

10 Questions

00:25:45

SUBMIT QUIZ

< 1 2 3 4 5 6 7 8 9 10 >

Question 5

1 Mark

Suppose B is a subclass of A, to invoke the `__init__` method in A from B, what is the line of code you should write?

Answer choices

Select only one option

REVISIT

☐ A.__init__(self)

☒ super(B, self).__init__()

☐ A.__init__(B)

☐ B.__init__(A)

10/10 questions attempted

Previous

Next

Question 6

1 Mark

A list can be sorted using:

Answer choices

Select only one option

REVISIT

☐ descend()

☐ ascend()

☒ sort()

☐ None of the above

10/10 questions attempted

Previous

Next

- <
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- >

Question 7
1 Mark

A_____ in python is mutable.

10/10 questions attempted

Answer choices
Select only one option

☒ list

☐ tuple

REVISIT

Previous

Next

Python Quiz

10 Questions

00:25:35

SUBMIT QUIZ



< 1 2 3 4 5 6 7 8 9 10 >

Question 8

1 Mark

A_____ cannot have duplicate items.

Answer choices

Select only one option

REVISIT

☐ list

☒ set

10/10 questions attempted

Previous

Next

Python Quiz

10 Questions

00:25:32

SUBMIT QUIZ

< 1 2 3 4 5 6 7 8 9 10 >

Question 9

1 Mark

All of the characters of a string "my_string" can be changed to uppercase using the function:

Answer choices

Select only one option

REVISIT

☒ my_string.upper()

☐ my_string.lower()

☐ my_string.allupper()

☐ my_string.alllower()

10/10 questions attempted

Previous

Next

Python Quiz

10 Questions

00:25:29

SUBMIT QUIZ

< 1 2 3 4 5 6 7 8 9 10 >

Question 10

1 Mark

```
tup1=(2,3)
```

```
tup2=(4,5,6)
```

```
tup2 + tup1
```

Output for the following code will be:

Answer choices

Select only one option

REVISIT

☒ (4,5,6,2,3)

☐ (1,2,3,4,5,6)

☐ (4,1,5,2,6,3)

☐ (4,5,6)

10/10 questions attempted

Previous

Next