A PROJECT REPORT ON

ARC (Ace Realm Carnival)

(Online Movie Ticket Booking System)

PREPARED BY:

SHIKHALIYA PRATIK.

JATIYA DHARMIK.

PRINCIPAL:

DR. DIPTI H. DOMADIYA.

GUIDED BY:

PROF. PIYUSH D. PITRODA.

FOR FULFILLMENT OF

BCA-V (2021-2022)

SUBMITTED TO:

SAURASHTRA UNIVERSITY, RAJKOT.

NATIONAL COMPUTER COLLEGE

2, OSWAL COLONY, SUNDARAM SOCITY, SATYAM COLONY ROAD, JAMNAGAR.

GUIDE CERTIFICATE

This is certify that the project report on online movie ticket site

"www.arc.com" submitted by SHIKHALIYA PRATIK & JATIYA DHARMIK for the

fulfillment of their work for the award of BCA-V degree to Saurashtra

University, Rajkot has been completed under my supervision &

guidance.

To the best of my knowledge, the matter presented as not been

copied down from any other source. Also this report has not been

submitted earlier for the award of any degree of diploma to Saurashtra

University or any other University.

Date:

Place: Jamnagar

Prof. Piyush D. Pitroda

(Project Guide)

<u>Index</u>

1. Pretace	1
2. Acknowledgement	2
3. About Saurashtra University	3
4. About National Computer College	4
5. SDLC Diagram	6
6. Software Used	7
7. About Frontend PHP	8
8. About Backend MYSQL	9
9. About Apache Web Server	10
10. DFD	11
11. Data Dictionary	13
12. Site Map	17
13. Snapshots	18
14. Coding	39
15. Bibliography	170
16. Conclusion	171

PREFACE

- This project is developed for submission of Bachelor of Computer Application course. This project provides user the facility to book movie tickets in ARC Theater.
- In the making of this Website we used MySQL as backend-end tool, And PHP as front-end tool. MySQL is globally known for being the most secure and reliable database management system.
- As a student of BCA, we get opportunity to develop a Website for our 5th semester project.
- It also includes a dissertation to be submitted by each of the BCA student as a part of the curriculum.
- This project report is submitted as a part of the three years course of BCA
- BCA-V conducted by Bachelor of Computer Application from Saurashtra University, Rajkot.

ACKNOWLEDGEMENT

- It is our pleasure to acknowledge you that we have taken a project on Online Movie Booking System.
- We are thankful to our PROF. Piyush D. Pitroda for giving us full guidance and co-operation in understanding the information system. We also thank them for their unconditional help in making of this project.
- We are also thankful to our family and friends for supporting us in every situation.
- Finally, we want to say thanks to all faculties of NCC (National Computer College) for helping us a lot.

SHIKHALIYA PRATIK

JATIYA DHARMIK

SAURASHTRA UNIVERSITY

The Saurashtra University is one of the most well-known universities.

It was established on 23rdmay, 1968. It was fairly reputed university in India conducting various courses regarding the dream of 21st century. The university in going day by day, this provides the student the courses level from the graduate to PH.D.

Shree Haribhai Trivedi and Shree Dolarbhai Mankad printthe title magazine in 1958 the resolution passed and 16 August, 1960. It was accepted in the 3rd five year plan of Gujarat, which is started in 1961-62. In 1965 December, the rules regarding university got the permission and 23 august, 1966 certain section is implemented by the result of Saurashtra University started.

The Saurashtra University works officially at 23 may, 1967. At the same time 35 colleges and 2 permitted institutions were started Rajkot, Bhavnagar, Amreli, Junagadh, and Surendranagar districts. The total students were about 18000. Then in the same year two college sare permitted and 37 colleges existed.

NATIONAL COMPUTER COLLEGE

Oppo. 4-Oswal Colony, Sundaram Society, Satyam Colony Road, Jamnagar.

Phone no. (0288) 2711338

National Computer College is begun in year 2000. It is affiliated with Saurashtra University.

Two courses are available in National Computer College. They are Bachelor of Computer College (B.C.A), Bachelor of Business Administration (B.B.A).

As and when we surrounded by difficulties and problems, faculties always guide us and solve our problems. Our principal DR. DIPTI DOMADIYA always inspired us to go ahead though in most difficult situations. The authority persons and all the staff members of National Computer College are good care taking and always helped us in any situation. Each and every subject is explained very easily and in detail so that student can understand very easily and in details so that students can understand very easily. The faculties associated with the college are very helpful &co-operative.

Staff of National Computer College

Principal: Dr. Dipti Domadiya

Faculties: Dr. Hasmukh Domadiya


Prof. Chirag Mehta

Prof. Piyush Pitroda

Prof. Rohit Pambhar

Prof. Tushar Sheth

System Development Life Cycle



Software Used

> Frontend:



≻Backend:

♣MySQL

>os:

Windows 7 Ultimate

About PHP

O Introduction to PHP:

- The full form of PHP is "hypertext pre-processor". Its original name was "personal home page".
- Rasmus leadorf software engineer, apache team member is the creator and original driving force behind PHP. The first part of PHP was developed for his personal use in late 1994.
- By the middle of 1997, PHP was being used on approximately 50,000 sites worldwide.
- PHP costs you nothing. It is open source language and doesn't need to purchase it for development.
- PHP is server-side scripting language, which can be embedded in HTML or used as a stand-alone.
- o PHP is an official module of Apache HTTP server.
- PHP is fully cross-platform, meaning it run snativeon several flavors of UNIX,
 as well as on windows and now on Mac OSX.
- PHP is easy to learn, compared to the others. A lot of ready-made PHP scripts are freely available in market so, you can use them in your project or get some help from them.

About MySQL


- MySQL, the most popular open source SQL database management system, is developed, distributed, and supported by MySQL AB.
- MySQL AB is a commercial company, founded by the MySQL developers. It
 is a second generation open source company that unites open source values
 and methodology with a successful business model.
- The MySQL website (http://www.mysql.com/) provides the latest information about MySQL software and MySQL AB.
- The official way to pronounce "MySQL" is "My ESS QueEll" (not "my sequel"), but we don't mind if you pronounce it as "my sequel" or in some other localized way.
- MySQL is a relational database management system.
- The MySQL RDBMS is very fast, reliable, and easy to use.

About Apache WebServer


- Apache web server is an open source web server creation, deployment and management software. Initially developed by a group of software programmers, it is now maintained by the Apache Software Foundation.
- As of 2013, with over 100 million websites and over 50 percent of the most commonly used applications for website hosting.
- So basically a web server is the software that receives your request to access a webpage. It runs a few security checks on your HTTP request and takes you to the web page. It then serves you the document you requested.
- o A very long history of reliability and performance.
- Mass adoption means there is a lot of documentation out there and it is very easy to get help with trouble, you might run on it.
- It is one of the most feature rich web servers available.

Data FlowDiagram

❖ Zero Level DFD(Context Level)



❖ 1stLevel DFD



Data Dictionary

Admin:

Field	Туре	Key Attributes	
a_id	Int(12)	Primary Key	
a_email	varchar(255)	-	
a_pass	varchar(30)	-	

Booking:

Fields	Туре	Key Attributes	
Bookid	int(11)	Primary Key	
movieName	varchar(255)	-	
userName	varchar(255)	-	
phoNo	varchar(10)	-	
cardNo	varchar(16)	-	
moviePrice	double	-	
seatBooking	Int(12)	-	
date	datetime	-	
total	double	-	

current_movie:

Field	Туре	Key Attributes	
m_id	int(12)	Primary Key	
m_name	varchar(255)	-	
m_desc	text	-	
seats	int(12)	-	
price	double	-	
m_img	varchar(255)	-	
date	datetime	-	

Feedback:

Field	Туре	Key Attributes	
f_id	int(12)	Primary Key	
name	varchar(255)	-	
experince	varchar(255)	-	
suggestion	text	-	

Movie:

Fields	Туре	Key Attributes	
m_id	int(12)	Primary Key	
m_name	varchar(255)	-	
m_des	text	-	
m_img	varchar(255)	-	

Slider:

Fields	Туре	Key Attributes
s_id	int(12)	Primary Key
s_img	varchar(255)	-

User:

Field	Туре	Key Attributes
uid	int(12)	Primary Key
name	varchar(255)	-
phno	varchar(10)	-
email	varchar(255)	-
pass	varchar(30)	-

Validation & Security


Validations:

- ➤ The Password should contain only characters and numbers. User can't include special characters.
- For login into website users must have fill all the details. Because all the fills are mandatory.

Security:


- > Security is one of the special features of our website.
- Website will not allow you to access and of the administrative tools until you provide valid username and password.

Site Map




Snapshots User site

index.php




About.php

ARC




Movie.php




ARC


Contact.php



Nowshowing.php



Single.php



Movie Name: Black Widow

Time: 2021-11-06 09:15:00

Price: Rs. 180


Black Widow is a 2021 American superhero film based on Marvel Comics featuring the character of the same name. ... Set after the events of Captain America: Civil War (2016), the film sees Romanoff on the run and forced to confront her past. Description:

Tickets Quantity:


Available Seats:

Book Show


Checkout.php



Success.php



Feedback.php




SHIKHALIYA PRATIK & JATIYA DHARMIK

Login.php



Signup.php



SHIKHALIYA PRATIK & JATIYA DHARMIK


Snapshots Admin site

Alogin.php




AR

Index.php



ΔR

Listslider.php



Listmovie.php



DashBoard

Slider

Movie

Now Showing

Booking

Users

Feedback


List Movie

(Add Movie

Add Movie					
Movie id	Movie Name	Description	Image	Act	ion
11	Bahubali	Baahubali-The Beginning (2015) is essentially about a tribal warrior boy, Shivudu who learns his past and awaits his destiny. The story is set in and around the fictional kingdom of Mahishmati.	baltu foold	Edit	Delete
12	Love Aaj kal	Love Aaj Kal (transl. Love These Days) is a 2009 Indian Hindi-language romantic	LOVE -W NA	Edit	Delete
14	Raazi	A Kashmiri woman agrees to marry a Pakistani army officer in order to spy on Pakistan during the Indo-Pakistan War of 1971.	RAAZI	Edit	Delete
		A failed reporter			

ΔR

Addeditmovie.php



Listcmovie.php



DashBoard

Slider

Movie

Now Showing

Booking

Users

Feedback


Now Showing

Add Current Movie

Movie id	Movie Name	Description	Seats	Price	Image	Action	
9	Black Widow	Black Widow is a 2021 American superhero film based on Marvel Comics featuring the character of the same name Set after the events of Captain America. Civil War (2016), the film sees Romanoff on the run and forced to confront her past.	97	180	A.S. FRIT	Edit	Delete
11	Endgame	Avengers: Endgame is a 2019 American superhero film based on the Marvel Comics superhero team the Avengers In the film, the surviving members of the Avengers and their allies attempt to reverse the destruction caused by Thanos in Infinity War	100	210		Edit	Delete
12	Uri	Indian army special forces execute a covert operation, avenging the killing of fellow army men at their base by a terrorist group.	100	150	Light.	Edit	Delete


ΔR

Addeditcmovie.php



ΔR

Listbooking.php



Listusers.php



Feedback.php



Coding

User Site

<u>Index</u>

```
<!DOCTYPE html>
<html>
<head>
       <title>ARC</title>
       <link rel="stylesheet" type="text/css" href="css/style.css">
</head>
<body>
<!-- Index Section Start -->
       <?php include('header.php');?>
<!-- Index Section Start -->
<section class="banner" id="home">
           <div class="slider-box">
                 <div id="slider">
                       <img src="img/s1.jpg">
                       <img src="img/s2.jpg">
                       <img src="img/s3.jpg">
                 </div>
```

Is it the same as a movie or film? Does it include digital video, broadcast content, streaming media? Is it a highbrow term reserved only for European and art house feature films? Or is it a catch-all for any time a series of still images run together to produce the illusion of movement, whether in a multi-plex theater or the 5-inch screen of a smart phone?

| Street | Content |

Technically, the word itself derives from the ancient Greek, kinema, meaning movement. Historically, it's a shortened version of the French cinematographe, an invention of two brothers, Auguste and Louis Lumiere, that combined kinema with another Greek root, graphien, meaning to write or record.

br>

The "recording of movement" seems as good a place as any to begin an exploration of the moving image. And cinema seems broad (or vague) enough to capture the essence of the form, whether we use it specifically in reference to that art house film, or to refer to the more commonplace production and consumption of movies, TV, streaming series, videos, interactive gaming, VR, AR or whatever new technology mediates our experience of the moving image. Because ultimately that's what all of the above have in common: the moving image. Cinema, in that sense, stands at the intersection of art and technology like nothing else. As an art form it would not exist without the technology required to capture the moving image. But the mere ability to record a moving image would be meaningless without the art required to capture our imagination.

```
</div>
</div>
</div class="col50">

<div class="mediaimg">

<img src="img/s7.jpg">

</div>

</div>
</div>
</div>
</div class="info">

<div class="col50">

<div class="mediaimg">

<img src="img/s6.jpg">
```

</div>

</div>

<div class="col50">

But cinema is much more than the intersection of art and technology. It is also, and maybe more importantly, a powerful medium of communication. Like language itself, cinema is a surrounding and enveloping substance that carries with it what it means to be human in a specific time and place. That is to say, it mediates our experience of the world, helps us make sense of things, and in doing so, often helps shape the world itself. It's why we often find ourselves confronted by some extraordinary event and find the only way to describe it is: "It was like a movie."

br>

In fact, for more than a century, filmmakers and audiences have collaborated on a massive, ongoing, largely unconscious social experiment: the development of a cinematic language, the fundamental and increasingly complex rules for how cinema communicates meaning. There is a syntax, a grammar, to cinema that has developed over time. And these rules, as with any language, are iterative, that is, they form and evolve through repetition, both within and between each generation. As children we are socialized into ways of seeing through children's programming, cartoons and YouTube videos.

Street, for more than a century, filmmakers and audiences have collaborated on a massive, ongoing, largely unconscious social experiment: the development of a cinematic language, the fundamental and increasingly complex rules for how cinema communicates meaning. There is a syntax, a grammar, to cinema that has developed over time. And these rules, as

As adults we become more sophisticated in our understanding of the rules, able to innovate, re-combine, become creative with the language. And every generation or so, we are confronted with great leaps forward in technology that re-orient and often advance our understanding of

how the language works. And therein lies the critical difference between cinematic language and every other means of communication. The innovations and complexity of modern written languages have taken more than 5,000 years to develop. Multiply that by at least 10 for spoken language. Cinematic language has taken just a little more than 100 years to come into its own.

```
</div>
           </div>
</section>
<!--First Section End -->
<!-- Second Section Start -->
<section class="sec2">
       <h2 class="title"><span>All Time Best</span><a
href="movie.php">Show All ></a></h2>
           <div class="small-container">
                <div class="col-5">
                      <div class="img"><img src="poster/poster1.jpg"></div>
                      <div class="content">
                            <h4>300</h4>
                            In 480 B.C. a state of war exists between
```

In 480 B.C. a state of war exists between
Persia, led by King Xerxes (Rodrigo Santoro), and Greece. At the Battle of
Thermopylae, Leonidas (Gerard Butler), king of the Greek city state of
Sparta.

```
</div>
                </div>
                <div class="col-5">
                     <div class="img"><img src="poster/poster2.jpg"></div>
                     <div class="content">
                           <h4>Hacked</h4>
                           Sameera's boyfriend disappoints her on her
birthday and she ends up sleeping with Vivek, her neighbour. However, when
she rebuffs his love, Vivek hacks into everything and makes her life
miserable.</div>
                     </div>
                <div class="col-5">
                     <div class="img"><img src="poster/poster3.jpg"></div>
                     <div class="content">
                           <h4>Black widow</h4>
                           At birth the Black Widow (aka Natasha)
Romanova) is given to the KGB, which grooms her to become its ultimate
operative. </div>
                     </div>
                <div class="col-5">
                     <div class="img"><img src="poster/poster4.jpg"></div>
                     <div class="content">
```

<h4>Superman:Man of steel</h4>

With the imminent destruction of Krypton, their home planet, Jor-El (Russell Crowe) and his wife seek to preserve their race by sending their infant son to Earth. </div>

```
</div>
<div class="col-5">

<div class="img"><img src="poster/poster5.jpg"></div>
<div class="content">

<h4>Brave</h4>
```

Merida (Kelly Macdonald), the impetuous but courageous daughter of Scottish King Fergus (Billy Connolly) and Queen Elinor (Emma Thompson), is a skilled archer who wants to carve out her own path in life.

</div>
</div>
<div class="col-5">

<div class="img"></div>
<div class="content">

<h4>Rocky</h4>

Jake Sully (Sam Worthington), a paralyzed former Marine, becomes mobile again through one such Avatar and falls in love with a Na'vi woman. As a bond with her grows, he is drawn into a battle for the survival of her world.

</div>

```
</div>
</section>
<!-- Second Section Ends -->
<!-- Footer Section Start -->
       <?php include('footer.php');?>
<!-- Footer Section Ends -->
<script type="text/javascript">
       var slider = document.getElementById("slider");
           var btn1 = document.getElementById("btn1");
           var btn2 = document.getElementById("btn2");
           var btn3 = document.getElementById("btn3");
           btn1.onclick = function(){
                 slider.style.transform = "translateX(0px)";
                 btn1.classList.add("active");
                 btn2.classList.remove("active");
                 btn3.classList.remove("active");
                 btn4.classList.remove("active");
           btn2.onclick = function(){
                 slider.style.transform = "translateX(-100%)";
                 btn2.classList.add("active");
                 btn1.classList.remove("active");
```

```
btn4.classList.remove("active");
           btn3.onclick = function(){
                  slider.style.transform = "translateX(-200%)";
                  btn3.classList.add("active");
                  btn1.classList.remove("active");
                  btn2.classList.remove("active");
                  btn4.classList.remove("active");
           btn4.onclick = function(){
                  slider.style.transform = "translateX(-300%)";
                  btn4.classList.add("active");
                  btn1.classList.remove("active");
                  btn2.classList.remove("active");
                  btn3.classList.remove("active");
           function toggleMenu(){
                  const navigation = document.querySelector('.navigation');
                  navigation.classList.toggle('active');
           }
</script>
</body>
</html>
```

btn3.classList.remove("active");

<u>Header</u>

```
<header>
      <a href="#" class="logo"><img src="img/logo.png"></a>
      <a href="index.php">HOME</a>
         <a href="about.php">ABOUT</a>
         <a href="movie.php">MOVIE</a>
         <a href="contact.php">CONTACT</a>
         <a href="nowshowing.php">NOW SHOWING</a>
         <a href="feedback.php">FEEDBACK</a>
      <?php
         session start();
         if (isset($_SESSION['un']))
      ?>
              <div class="login"><a href="logout.php" onclick="return</pre>
confirmLogout()">Logout</a></div>
      <?php
```

<u>Footer</u>

About

```
<!DOCTYPE html>
<html>
<head>
       <title>About us</title>
       <link rel="stylesheet" type="text/css" href="css/style.css">
</head>
<body>
       <?php include('header.php');?>
       <section class="about sec1"></section>
       <section class="about sec2">
           <div class="main">
           <div class="title">
                 <h1 align="center">About</h1>
                 <h3 align="center">"India's Most Trusted <br> Cinema
     Display <br >> Brand."</h3>
           </div>
           <div class="text">
```

Arc (Ace Realm Carnival) is the market leader in terms of screen count in India. Since 1997, the brand has redefined the cinema industry and the way people watch movies in the country. The Company has, over the years, consistently added screens, both organically and inorganically.

</html>

We offer a diversified cinema viewing experience through our formats, including 'ARC Director's Cut', 'ARC LUXE', 'ARC IMAX', 'ARC Superplex' and pursuant to our acquisition and amalgamation of SPI Cinemas, 'Escape', 'Sathyam' and 'Palazzo'. The Company exhibits diversified content to serve different regional customer segments across India.

We have a diversified revenue stream and generate revenues primarily from box office and non-box office which primarily includes revenue from Sale of Food and Beverages, advertisement income, convenience fees, and income from movie production/ distribution among others.

```
</div>
</div>
</php include('footer.php');?>
</section>
</body>
```

Movie

```
<!DOCTYPE html>
<html>
<head>
       <title>ARC</title>
       <link rel="stylesheet" type="text/css" href="css/style.css">
</head>
<body>
       <?php $title="main";?>
       <?php include('header.php');?>
       <section class="s_sec" id="gallery">
           <div class="small-container">
                 <?php
                      include_once 'DBConfig.php';
                      $sql = " SELECT * FROM movie ";
                      $result = mysqli query($con,$sql);
                      while ($row = mysqli_fetch_assoc($result)) {
                      ?>
                      <div class="col-5">
                            <div class="img"><img src="poster/<?php</pre>
     echo($row['m_img']) ?>"></div>
                            <div class="content"><h4><?php
     echo($row['m_name']) ?></h4>
                            <?php echo($row['m des']) ?>
```

```
</div>
</div>
</php

}

?>

</div>

</div>

</div>

</section>

</php include('footer.php');?>

</body>

</html>
```

Contact

```
<!DOCTYPE html>
<html>
<head>
      <title>Contact US page</title>
      <link rel="stylesheet" type="text/css" href="css/style.css">
</head>
<body class="contact">
      <?php include('header.php');?>
      <div class="content">
         <h1 align="center">Address</h1>
         ARC Theater,<br>>30,Street no 14,near crystal
    mall,khodiyar colony,<br>Jamnagar,361001.
      </div>
      <div class="content">
         <h1 align="center">Contact Number</h1>
         (0288)2478548
      </div>
      <div class="content">
         <h1 align="center">E-mail ID</h1>
         ARC@gmail.com
      </div>
```

Now Showing

```
<!DOCTYPE html>
<html>
<head>
       <title>booking</title>
       <link rel="stylesheet" type="text/css" href="css/style.css">
</head>
<body class="booking">
       <?php include('header.php');?>
       <div class="movie">
           <?php
                 include once 'DBConfig.php';
                 $sql = " SELECT * FROM current_movie ";
                 $result = mysqli_query($con,$sql);
                 while ($row = mysqli fetch assoc($result)) {
                 ?>
                 <a href="single.php?mid=<?php echo $row['m id'] ?>"><img
     src="poster/<?php echo($row['m img']) ?>"></a>
           <?php
           ?>
       </div>
```

<?php include('footer.php');?>

</body>

</html>

<u>Single</u>

```
<?php
       session start();
?>
<!DOCTYPE html>
<html>
<head>
       <title>ARC</title>
       <link rel="stylesheet" type="text/css" href="css/single.css">
</head>
<body>
       <a href="nowshowing.php"><img src="img/close.png"></a>
       <section>
           <form action="checkout.php" method="POST">
           <?php
                      include("DBConfig.php");
                      extract($ GET);
                      $sql = "select * from current movie where
m_id=$mid";
                      $result = mysqli_query($con,$sql);
                      while ($row = mysqli fetch assoc($result)) {
```

```
?>
      <div class="content">
          <img src="poster/<?php echo $row['m img'];?>">
      </div>
       <div class="text">
      <h1><br></h1>
      input type="hidden" name="m_id"
<?php $ SESSION['m id'] = $row['m id'] ?>
          <h2>Movie Name:</h2>
             <?php echo row['m name'];?>
          <h2>Time:</h2>
             <?php echo $row['date'];?>
```

```
<h2>Price:</h2>
                  Rs. <?php echo
$row['price'];?>
              <h2>Description:</h2>
                  <?php echo $row['m desc'];?>
              <h2>Tickets Quantity:</h2>
                  <input type="text"
name="seatBooking" required="" value="1">
              <h2>Available Seats:</h2>
                  <?php echo $row['seats'];?>
              <input class="bookbtn" type="submit" name="submit"
value="Book Show">
```

ΔRC

SHIKHALIYA PRATIK & JATIYA DHARMIK

```
<?php

?>

</form>

</div>

</section>

</body>
```

Checkout

```
<?php
       session start();
           include_once 'DBConfig.php';
           $sql = " select * from current_movie WHERE m_id= '".
$ SESSION['m id']."";
           $result = mysqli query($con,$sql);
           $row = mysqli fetch assoc($result);
           $_SESSION['seatBooking'] = $_POST['seatBooking'];
           if(isset($ REQUEST['submit'])){
                 if (!isset($_SESSION['un'])) {
                       echo "<script>alert('You have to login
first.'); window.location.href='login.php'</script>";
                 elseif ($row['seats']==0) {
                       echo "<script>alert('Sorry all seats are
booked!!');window.location.href='nowshowing.php'</script>";
```

```
elseif($row['seats']<$_SESSION['seatBooking']){
                echo "<script>alert('insufficient
seats!!');window.location.href='nowshowing.php'</script>";
            }
?>
<!DOCTYPE html>
<html>
<head>
     <title>Checkout page </title>
     <link rel="stylesheet" type="text/css" href="css/checkout.css">
</head>
<body>
     Movie Name
            Ticket Price
            Ticket Quantity
            Total
```

```
<?php
         include("DBConfig.php");
             extract($_POST);
             $sql = "select * from current movie where m id="".
$_SESSION['m_id']."";
             $result = mysqli_query($con,$sql);
             while ($row = mysqli fetch assoc($result)) {
         ?>
         <?php echo $row['m_name'];?>
             <?php echo $row['price'];?>
             <?php echo $_SESSION['seatBooking'];?>
             <?php echo ($ SESSION['seatBooking'] *
$row['price']); ?>
```

```
<form action="saveTicket.php" method="POST">
       Movie Name:
              <input type="text" name="movieName"
value="<?php echo $row['m name'];?>" autocomplete="off"
readonly="readonly">
           Seat Booking:
              <input type="text" name="seatBooking"
value="<?php echo $_SESSION['seatBooking'];?>" autocomplete="off"
readonly="readonly">
           Price:
              <input type="text" name="moviePrice"
value="<?php echo $row['price'];?>" autocomplete="off"
readonly="readonly">
```

```
Date and Time:
              <input type="text" name="date" value="<?php
echo $row['date'];?>" autocomplete="off" readonly="readonly">
           Total:<input type="text"</p>
name="total" value="<?php echo ($ SESSION['seatBooking'] * $row['price']);</pre>
?>" autocomplete="off" readonly="readonly">
           Your Name:
              <input type="text" name="userName" required
autocomplete="off">
           Phone No:
              <input type="text" name="phoNo" required
autocomplete="off">
           <h1>Enter Card Detail:</h1>
```

```
Card number:
               <input type="text" name="cardNo" required
autocomplete="off" maxlength="16">
           Card Expiry Date:
               <select>
                   <option>january
                   <option>fabuary
                   <option>march
                   <option>april
                   <option>may</option>
                   <option>june</option>
                   <option>july</option>
                   <option>august
                   <option>september</option>
                   <option>octomber</option>
                   <option>november</option>
                   <option>December</option>
               </select>
```

```
<select>
                       <option>21</option>
                       <option>22</option>
                       <option>23</option>
                       <option>24</option>
                       <option>25</option>
                       <option>26</option>
                       <option>27</option>
                  </select>
              Cvv:
                  <input type="text" name="cvvNo" required
autocomplete="off" maxlength="3">
              <div class="link">
              <a href="single.php?mid=<?php echo $row['m id']
?>"><-Go Back</p></a>
              <input class="btn" type="submit" name="submit"
value="Continue Booking">
         </div>
      </form>
```

ABC

SHIKHALIYA PRATIK & JATIYA DHARMIK

```
<?php
}
?>
</body>
</html>
```

<u>Success</u>

```
<!DOCTYPE html>
<html>
<head>
   <title>Ticket Summary</title>
    <link rel="stylesheet" type="text/css" href="css/checkout.css">
</head>
<body class="success">
   <h1>TICKET SUMMARY</h1>
    Id
         Name
         Movie Name
         Ticket Price
         Ticket Quantity
         Total
      <?php
```

```
session start();
        include_once 'DBConfig.php';
        $sql = "select * from booking where bookId= "" .
$_SESSION['bookId']."'";
        $result = mysqli_query($con,$sql);
        while ($row = mysqli fetch assoc($result)) {
        ?>
        <?php echo $ SESSION['bookId'];?>
            <?php echo $row['userName'];?>
            <?php echo $row['movieName'];?>
            <?php echo $row['moviePrice'];?>
            <?php echo $row['seatBooking'];?>
            <?php echo $row['total'];?>
        <?php
        ?>
     </body>
</html>
```

Feedback

```
<!DOCTYPE html>
<html>
<head>
       <title>FeedBack Form</title>
       <link rel="stylesheet" type="text/css" href="css/style.css">
</head>
<body class="feedback">
       <?php include('header.php');?>
       <div class="center">
          <form action="query.php" method="POST">
                <h1>Send Your Feedback</h1>
                      <div class="txt">
                           Enter your name<br>
                           <input type="text" name="name"
placeholder="Write Here..." required autocomplete="off">
                      </div>
                      <div class="txt">
                           What was your Experince!<br>
                           <input class="rb" type="radio" name="experince"
required="" value="BAD">BAD
```

```
<input class="rb" type="radio" name="experince"
required="" value="NICE">NICE
                            <input class="rb" type="radio" name="experince"
required="" value="GREAT">GREAT
                      </div>
                      <div class="txt">
                            Do you have any suggestion for us?<br>
                            <textarea cols="40" rows="3" placeholder="Type
Something..." name="suggestion" required></textarea>
                      </div>
                      <div class="btn">
                           <button type="submit"
name="feedback">Submit</button>
                            <button type="reset">Reset</button>
                      </div>
           </form>
       </div>
       <div class="feedback footer">
           <?php include('footer.php');?>
       </div>
</body>
</html>
```

Login

```
<?php
       session start();
?>
<!DOCTYPE html>
<html>
<head>
       <title>Login</title>
       <link rel="stylesheet" type="text/css" href="css/login.css">
</head>
<body>
       <a href="index.php"><img src="img/close.png"></a>
       <div class="center">
           <h1>Login</h1>
           <form action="query.php" method="POST">
                      <div class="txt">
                            <input type="email" name="email" required
placeholder="Enter Your Email" autocomplete="off" autofocus>
                      </div>
                      <div class="txt">
                            <input type="password" name="pass" required
placeholder="Enter Your Password">
```

<u>Signup</u>

```
<!DOCTYPE html>
<html>
<head>
       <title>Signup</title>
       <link rel="stylesheet" type="text/css" href="css/signup.css">
       <script language="javascript">
       </script>
</head>
<body>
       <a href="login.php"><img src="img/close.png"></a>
       <div class="center">
           <h1>Signup</h1>
           <form action="query.php" method="POST">
                <div class="txt">
                      <input type="text" name="name" value="" required
placeholder="Enter Your Name" autocomplete="off" autofocus>
                </div>
                <div class="txt">
                      <input type="text" name="phno" value="" required
placeholder="Enter Phone Number" autocomplete="off">
                </div>
```

```
<div class="txt">
                      <input type="email" name="email" value="" required
placeholder="Example@gmail.com" autocomplete="off">
                </div>
                <div class="txt">
                      <input type="password" name="pass" value=""
required placeholder="Enter Password">
                </div>
                <div class="txt">
                      <input type="password" name="cpass" value=""
required placeholder="Confirm Passwrod">
                </div
                <div class="btn">
                      <input type="submit" name="signup" value="Signup"
onclick="chk(this.form)">
                      <input type="reset" value="Reset">
                </div>
           </form>
       </div>
</body>
</html>
```

DBConfig

```
<?php
$con = mysqli_connect("localhost","root","","arc");
?>
```

ARC

Logout

```
<?php

session_start();

session_unset();

session_destroy();

header("location:index.php");
?>
```

<u>Query</u>

```
<?php
  session start();
       include("DBConfig.php");
       //REGISTER
             if(isset ($ POST['signup']))
                 {
                 $name =mysqli real escape string($con, $ POST['name']);
                 $email =mysqli real escape string($con, $ POST['email']);
                 $phno =mysqli_real_escape_string($con, $_POST['phno']);
                 $pass =mysqli_real_escape_string($con, $_POST['pass']);
                 $cpass =mysqli real escape string($con, $ POST['cpass']);
                       $sql = "select * from user where email='$email'";
                       $result = mysqli_query($con,$sql);
                       $row = mysqli fetch assoc($result);
                       if($row)
                             echo "<script>alert('Email Id is Alredy Taken. Try
Another Email Id!'); window.location.href='signup.php'</script>";
                       else
```

```
if(strlen($pass) >= 6)
                                   if($pass==$cpass)
                                         if(is_numeric($phno) &&
strlen($phno)==10)
                                         {
                                               $sql = "insert into user
values(null, '$name', '$phno', '$email', '$pass')";
                                               $result =
mysqli_query($con,$sql);
                                               echo
"<script>alert('Congratulations !! you are register to my
website');window.location.href='login.php'</script>";
                                         else
                                               echo "<script>alert('Phone
Number Should be Numeric and must be
10');window.location.href='signup.php'</script>";
                                   else
```

```
{
                                         echo "<script>alert('password should
be match'); window.location.href='signup.php'</script>";
                             }
                             else
                             {
                                   echo "<script>alert('password should be
more than 6 character'); window.location.href='signup.php'</script>";
                              }
                 }
       // LOGIN
                 else if(isset ($_POST['login']))
                 {
                       $e =mysqli real escape string($con, $ POST['email']);
                       $p =mysqli_real_escape_string($con, $_POST['pass']);
                       $sql = "select * from user where email='$e' and binary
pass='$p'";
                       $result = mysqli_query($con,$sql);
```

```
$row = mysqli fetch assoc($result);
                       if($row){
                             $ SESSION['un'] = $row['name'];
                             $ SESSION['ue'] = $row['email'];
                             echo "<script>alert('welcome to our
site');window.location.href='index.php' </script>";
                       else{
                             echo "<script>alert('Email or Password does not
match.'); window.location.href='login.php' </script>";
       // ADMIN LOGIN
                 else if(isset ($_POST['adminLogin']))
                 {
                       $e =mysqli_real_escape_string($con, $_POST['email']);
                       $p =mysqli_real_escape_string($con, $_POST['pass']);
                       $sql = "select * from admin where a email='$e' and
binary a pass='$p'";
                       $result = mysqli_query($con,$sql);
                       $row = mysqli fetch assoc($result);
                       if($row){
```

```
$ SESSION['aue'] = $row['a email'];
                             echo
"<script>alert('welcome');window.location.href='admin/index.php' </script>";
                       }
                       else{
                             echo "<script>alert('Email or Password does not
match.');window.location.href='admin/alogin.php' </script>";
       //ADMIN REGISTER
                 elseif (isset ($ POST['addAdmin'])) {
                 $e =mysqli real escape string($con, $ POST['a email']);
                 $p =mysqli real escape string($con, $ POST['a pass']);
                 $sql = "select * from admin where a email='$e' and binary
a pass='$p'";
                 $result = mysqli query($con,$sql);
                 $row = mysqli_fetch_assoc($result);
                 if($row)
                 echo "<script>alert('Email Id is Alredy Taken. Try Another
Email Id!'); window.location.href='admin/index.php'</script>";
                 else
```

```
{
                       $sql = "insert into admin values(null, '$e', '$p')";
                       $result = mysqli query($con,$sql);
                       echo "<script>alert('Congratulations!! you created new
admin for this webbsite.'); window.location.href='admin/index.php'</script>";
            }
       //feedback insert into database
           elseif (isset ($ POST['feedback'])) {
            extract($ POST);
           $sql = "INSERT INTO feedback (f id, name, experince, suggestion)
VALUES (NULL, '$name', '$experince', '$suggestion')";
           $result = mysqli query($con,$sql);
           echo "<script>alert('Thanks for submit your
feedback.');window.location.href='feedback.php'</script>";
?>
```

Save Ticket

```
<?php
     session start();
     include("DBConfig.php");
$sql1 = " select * from current movie WHERE m id= "". $ SESSION['m id']. "" ";
     $result = mysqli query($con,$sql1);
     $row = mysqli fetch assoc($result);
     if(isset($_REQUEST['submit'])){
           if(!$row['seats']==0 && $row['seats']>=$_SESSION['seatBooking']){
                 extract($ POST);
                 $sql = "INSERT INTO booking(bookld, movieName, userName,
phoNo, cardNo, moviePrice, seatBooking, date, total) VALUES
(NULL, '$movieName', '$userName', '$phoNo', '$cardNo', '$moviePrice', '$seatBooking', '
$date','$total')";
                 $temp = (int)$row['seats'] - (int)$ SESSION['seatBooking'];
                 $sql2 = "UPDATE current movie SET seats='$temp' WHERE m id='"
. $ SESSION['m id']. "'";
                 mysqli query($con,$sql2);
                 mysqli query($con,$sql);
                 if(mysqli errno($con)){
                 $ SESSION['err'] = "Opps... some error occurrerd";
                       header("Location: checkout.php");
                 else{
                 $ SESSION['msg'] = "Ticket booked successfully";
           $sql4 = "SELECT bookId FROM booking ORDER BY bookId DESC LIMIT 1;";
                 $result4 = mysqli query($con,$sql4);
                 $row4 = mysqli fetch assoc($result4);
                 $ SESSION['bookId'] = $row4['bookId'];
                 header("Location: success.php");}
?>
```

Style.css

```
margin: 0;
        padding: 0;
        box-sizing: border-box;
       font-family: 'Poppins', sans-serif;
       scroll-behavior: smooth;
body
        background: linear-gradient(to right, #2b2b2b 0%, #000 100%);
        min-height: 1000px;
.tab
        margin-left: 20px;
/*header section start*/
header
{
        position: fixed;
       top: 0;
```

```
left: 0;
       width: 100%;
        padding: 5px 30px;
        height: 80px;
        background: #181818;
       z-index: 50;
       display: flex;
       justify-content: space-between;
       align-items: center;
       transition: 0.5s;
header .logo
       text-decoration: none;
.logo img
        height: 35px;
       width: 150px;
header .navigation
        position: relative;
```

```
display: flex;
        margin-left: 175px;
header .navigation li
        list-style: none;
        margin-left: 40px;
header .navigation li a
        text-decoration: none;
        color: #fff;
        font-family: times new roman;
        font-size: 20px;
        opacity: 0.5;
        font-weight: 300;
        display: inline-block;
        padding: 5px;
        border-radius: 30px;
        margin-top: 2px;
        transition: 0.5s;
header .navigation li a:hover
```

```
opacity: 1;
       background-color: #00a2ef;
       box-shadow: 0 0 10px #00a2ef;
.login a
       text-decoration: none;
       padding: 5px 10px;
       color: #fff;
       font-family: times new roman;
       font-size: 20px;
       transition: 0.5s ease;
.login a:hover
       background-color: #00a2ef;
       box-shadow: 0 0 5px #ddd,0 0 10px #ddd;
       border-radius: 10%;
/*header section ends*/
/*banner section start*/
.banner .slider-box
```

```
width: 100%;
        height: 100vh;
        position: relative;
       overflow: hidden;
#slider
       width: 100%;
       display: inline-flex;
       display: block ruby;
        height: 100vh;
       transition: 0.7s;
#slider img
       width: 100%;
        background-size: 80% 100%;
.indicators
        position: absolute;
        left: 50%;
```

```
bottom: 10px;
       transform: translateX(-50%);
.indicators span
       display: inline-block;
       width: 150px;
       box-shadow: 0 0 5px #555;
       margin: 5px;
       height: 10px;
       background: rgba(18,18,18,0.5);
       cursor: pointer;
       transition: 0.5s;
.indicators span:hover
       background: rgba(255,255,255,0.5);
}
.active
       background: #fff !important;
       box-shadow: 0 0 5px #fff;
}
```

```
/*banner section ends
/*First Section Start*/
.sec1
        background-image: linear-gradient(rgba(20,20,20,0.3),
rgba(20,20,20,0.3)),url('../img/s8.jpg');
        background-size: cover;
.info
        padding: 50px;
        position: relative;
       width: 100%;
       display: flex;
       justify-content: space-between;
.info .col50
        position: relative;
       width: 48%;
.titleText
```

```
color: #fff;
       font-size: 2em;
       font-weight: 300;
        margin-bottom: 5px;
.col50 .text
       color: #fff;
       font-size: 17px;
.info .col50 .mediaimg
        position: : relative;
       width: 100%;
        min-height: 300px;
.info .col50 .mediaimg img
        position: absolute;
       top: 0;
       left: 0;
       width: 100%;
        height: 500px;
```

```
object-fit: cover;
/*First Section Ends*/
/*Second section start*/
.title
{
        text-align: left;
        margin-top: 40px;
        margin-left: 80px;
        position: relative;
        font-size: 30px;
        line-height: 60px;
        color: #555;
        display: flex;
        justify-content: space-between;
.title a
        font-size: 20px;
        color: #999;
        margin-right: 50px;
        text-decoration: none;
        transition: 0.5s;
```

```
.title a:hover
        letter-spacing: 2px;
       color: #fff;
.title span
       transition: 0.5s;
.title span:hover
       color: #fff;
.small-container
        max-width: 1150px;
        margin-left: 100px;
        padding-top: 20px;
       display: flex;
       align-items: center;
       flex-wrap: wrap;
       justify-content: space-between;
```

```
.col-5
       flex-basis: 5%;
       min-width: 350px;
       height: 250px;
       border-radius: 20px;
       margin-bottom: 30px;
       transition: 0.5s;
       overflow: hidden;
.col-5:hover
       box-shadow: 0 0 10px #fff,0 0 15px #00acee,0 0 25px #00a2ef;
.col-5 a
       text-decoration: none;
.img
       overflow: hidden;
}
```

```
.col-5 img
       width: 100%;
        height: 250px;
       opacity: 0.9;
       transition: 0.3s ease-in;
.col-5 img:hover
       filter: blur(2.5px);
.content .save
        position: absolute;
       float: right;
       transform: translate(290px,-40px);
        pointer-events: auto;
.content .save img
        height: 25px;
       width: 25px;
       filter: invert(0.5);
```

```
transition: 0.5s;
.content .save img:hover
       filter: invert(1);
.col-5 .content
       transform: translateY(100px);
        padding-left: 5px;
       z-index: 500;
       opacity: 0;
       color: #fff;
       text-shadow: 2px 2px 5px black;
        margin: 10px;
        pointer-events: none;
       transition: 0.5s;
.col-5 .content h4
       font-size: 30px;
```

```
.col-5 p
       color: #fff;
       text-transform: uppercase;
       text-decoration: none
       opacity: 0;
.col-5:hover .content
       transform: translateY(-200px);
       opacity: 1;
/*Second Section End*/
/*Footer Section Start*/
footer
       width: 100%;
        height: auto;
        margin: auto;
        background-color: #333;
footer .social
```

```
display: flex;
        justify-content: center;
        align-items: center;
        border-radius: 100%;
footer .social a
        margin: 35px;
        color: #aaa;
        text-shadow: 0 0 5px #000;
footer .social img
        height: 55px;
        width: 55px;
        transition: 0.5s;
.footer p
        font-size: 20px;
        color: #fff;
        display: flex;
        padding-bottom: 20px;
```

```
justify-content: center;
/*Footer Section Ends*/
/*About page*/
. about\_sec1\\
{
        background-image: url(../img/s9.jpg);
        background-size: cover;
        min-height: 100vh;
        background-attachment: fixed;
.about\_sec2
        height: 600px;
.about_sec2 .main
        padding: 0 100px;
.about_sec2 .title
       color: #fff;
       display: block;
```

```
.about_sec2 .title h1
       padding: 40px;
       font-size: 40px;
       text-transform: uppercase;
.about_sec2 .title h3
       word-spacing: 5px;
       font-size: 40px;
       font-family: times new roman;
.about_sec2 img
       height: 500px;
       width: 100%;
.about_sec2 .text
       display: flex;
       color: #fff;
       margin: 60px 0;
```

```
.about_sec2 .text p
       padding: 0 20px;
}
.col-6
       max-width: 1150px;
       margin-left: -25px;
       padding: 50px 0px;
       display: flex;
       align-items: center;
.col-6 .review
       margin: 25px;
       min-width: 250px;
       height: 250px;
       background: rgba(255,255,255,0.1);
       color: #fff;
       box-shadow: 5px 10px 5px rgba(0,0,0,0.5);
       text-shadow: 2px 2px 2px #000;
       overflow: hidden;
```

```
transition: 0.2s ease-in;
.col-6 img
        margin-top: 20px;
        margin-left: 30px;
       width: 200px;
        height: 200px;
       transition: 0.5s;
.col-6 p
        position: absolute;
       opacity: 0;
       font-size: 25px;
        pointer-events: none;
.col-6 .review:hover
       transform: translateY(-5px);
        box-shadow: 10px 20px 5px rgba(0,0,0,0.5);
        background: rgba(255,255,255,0.2);
}
```

```
.col-6 .review:hover img
        margin-top: 15px;
        margin-left: 75px;
       width: 100px;
        height: 100px;
.col-6 .review:hover p
       opacity: 1;
       transform: translate(40px,0px);
/*s_movie section style*/
.s_sec .small-container
        padding-top: 100px;
.s\_sec \ .small-container \ .col-5
       flex-basis: 1%;
/*Contact Us page*/
.contact
```

```
min-height: 50px;
        margin-top: 120px;
.contact .content
       color: #fff;
        margin-top: 50px;
.contact .content h1
        margin-bottom: 30px;
       text-decoration: underline;
.contact .content p
       font-size: 20px;
       letter-spacing: 3px;
. contact\_footer
        margin-top: 60px;
```

```
/*Booking Page*/
.booking
       min-height: 500px;
       background-image: linear-gradient(rgba(0,0,0,0.7),
       rgba(0,0,0,0.7)),url('../img/s10.jpg');
       background-size: 100% 100%;
.movie
       display: flex;
       justify-content: space-around;
       margin: 130px 0px 80px 0px;
.movie img
       margin: 40px;
       height: 400px;
       width: 350px;
       border: 2px solid white;
       transition: 0.5s;
.movie img:hover
```

```
transform: scale(1.1);
/*----*/
/*Feedback Page*/
.feedback
       background-image: linear-gradient(rgba(0,0,0,0.1),
rgba(0,0,0,0.7)),url('../img/s8.jpg');
       background-size: 100% 100%;
       min-height: 50px;
.center
       color: #fff;
       position: absolute;
       top: 50%;
       left: 50%;
       font-size: 18px;
       transform: translate(-50%, -43%);
       background: rgba(25,25,25,0.6);
       border-radius: 20px;
       border: 1px solid rgba(255,255,255,0.4);
```

```
.center h1
        padding: 20px 80px 20px 50px;
        border-bottom: 2px solid silver;
       color: #fff;
.center .txt
        position: relative;
        border-bottom: 2px solid #adadad;
        margin: 20px 20px;
.txt input
       width: 100%;
        height: 40px;
        padding: 10px;
       font-size: 20px;
        background: none;
        border: none;
       color: #fff;
```

```
.txt input:focus
       outline: 2px solid #00a2ef;
.txt .rb
       width: 20px;
        height: 20px;
        margin: 10px 10px 10px 30px;
.txt .rb:focus
       outline: none;
.txt textarea
        margin-top: 10px;
       font-size: 20px;
        padding: 10px;
        background: none;
        border: none;
       color: #fff;
```

```
.txt textarea:focus
       outline: 2px solid #00a2ef;
.center .btn
       padding: Opx 40px 10px;
.btn button
       background: #00a2ef;
       color: #fff;
       margin: 5px 20px;
       padding: 10px 50px;
       border: none;
       font-size: 18px;
       font-weight: bold;
       border-radius: 20px;
. feedback\_footer
       margin-top: 660px;
```

Single.css

```
body
       background-image: linear-gradient(to right,rgba(0,0,0,0.9),
     rgba(25,25,25,0.2), rgba(0,0,0,0.9)),url('../img/s4.jpg');
       background-size: 100% 70%;
       background-repeat: no-repeat;
       background-color: #181818;
       height: 100vh;
а
       float: right;
       padding: 20px;
}
.content
       min-width: 350px;
       height: 90vh;
       width: 100px;
       padding-top: 120px;
       margin-left: 50px;
```

```
.content img
       width: 50%;
        height: 200px;
        padding-top: 90px;
        margin-left: 50px;
       transform: scale(2);
table
       width: 80%;
.text
        position: relative;
       transform: translateY(-150px);
       color: #fff;
        padding-left: 50px;
.text h1
       font-size: 50px;
        padding-left: 40px;
```

```
.text h2
        margin: 20px;
        margin-right: 50px;
}
.text p
        font-size: 20px;
        margin: 20px;
table input
        width: 95%;
        height: 30px;
        font-size: 18px;
        border: none;
table input:focus
        outline: 2px solid #00a2ef;
input[type=submit]
```

```
background: #00a2ef;
       color: #fff;
       border: none;
       font-size: 25px;
        padding: 10px 40px;
       font-weight: bold;
        margin-top: 40px;
        margin-left: 40%;
       transition: 0.5s;
input[type=submit]:hover
{
        background: #fff;
       color: #00a2ef;
```

Checkout.css

```
body
       background-image: url(../img/s11.jpg);
       background-size: 100% 100%;
       color: #fff;
.success
        background-image: url(../img/s11.jpg);
        background-size:100%;
}
.headtable
       margin-top: 100px;
.headtable1
       margin-top: 250px;
.bodytable
```

```
margin-top: 50px;
h1
       text-shadow: 2px 2px black;
p
        margin: 10px;
       font-size: 25px;
       text-shadow: 2px 2px black;
input[type="text"]
       width: 100%;
        height: 30px;
       font-size: 22px;
input[type="text"]:focus
       outline: 2px solid #00a2ef;
.s
```

```
display: flex;
.s select
       width: 50%;
        height: 35px;
       font-size: 20px;
}
.link
        margin-top: 25px;
       display: flex;
        margin-left: 500px;
}
.link .btn
        background: none;
        border: none;
       color: #00a2ef;
       font-size: 25px;
.link .btn:hover
```

SHIKHALIYA PRATIK & JATIYA DHARMIK

```
{
    text-decoration: underline;
}
a
{
    color: #00a2ef;
    text-decoration: none;
}
a:hover
{
    text-decoration: underline;
```

Admin site:

<u>Alogin</u>

```
<?php
       session_start();
?>
<!DOCTYPE html>
<html>
<head>
       <title>Login</title>
       <link rel="stylesheet" type="text/css" href="../css/login.css">
</head>
<body>
       <a href="../index.php"><img src="../img/close.png"></a>
       <div class="center">
           <h1>Admin Login</h1>
           <form action="../query.php" method="POST">
                      <div class="txt">
                            <input type="email" name="email" required
placeholder="Enter Your Email-Id" autocomplete="off" autofocus>
                      </div>
```

```
<div class="txt">
                            <input type="password" name="pass" required
placeholder="Enter Your Password">
                       </div>
                      <div class="signup">
                       </div>
                       <div class="btn">
                            <div class="extraspace">
                                  <input type="submit" name="adminLogin"</pre>
value="Login">
                                  <input type="reset" value="Reset">
                            </div>
                      </div>
           </form>
       </div>
</body>
```

<u>Index</u>

```
<?php
     include('sidebar.php');
?>
<form action="../query.php" method="POST">
<div class="table" id="dashboard">
<h1 align="center"> New Admin User <h1>
     User Email :
        <input type="text" name="a_email" required
autocomplete="off">
     Password :
        <input type="password" name="a_pass" required
autocomplete="off">
```

<u>Listslider</u>

```
<?php include('sidebar.php'); ?>
<div class="add movie" align="center">
      <form>
          <h1 align="center">Slider</h1>
                    <?php
          if(isset($ SESSION['err'])){
           ?>
           <span style="color: red"><?php echo($_SESSION['err']);</pre>
?></span>
           <?php
           unset($_SESSION['err']);
          else if(isset($_SESSION['msg'])){
           ?>
           <span style="color: green"><?php echo($ SESSION['msg']);</pre>
?></span>
           <?php
           unset($ SESSION['msg']);
```

```
?>
             Slider id
                 Slider Image
                 Action
             <?php
                 include_once '../DBConfig.php';
                 $sql = "select * from slider";
      $result = mysqli_query($con,$sql);
      while($row = mysqli fetch assoc($result)){
             ?>
             <?php echo($row['s id']); ?>
                 <img src='../img/<?php
echo($row['s_img']) ?>' width=100px height=100px>
                 <a href="editslider.php?s id=<?php
echo($row['s id']); ?>" ><font color="#00a2ef">Edit</font></a> 
             <?php
             ?>
```

</form>

</div>

List Movie

```
<?php include('sidebar.php'); ?>
<div class="add movie" align="center">
      <form>
          <h1 align="center">List Movie</h1>
                     <a href="addEditMovie.php" class="btn btn-success"
style="float: center;">Add Movie</a>
                     <?php
          if(isset($_SESSION['err'])){
            ?>
           <span style="color: red"><?php echo($ SESSION['err']);</pre>
?></span>
           <?php
           unset($ SESSION['err']);
           }
          else if(isset($ SESSION['msg'])){
            ?>
           <span style="color: green"><?php echo($ SESSION['msg']);</pre>
?></span>
            <?php
```

```
unset($_SESSION['msg']);
       }
       ?>
       Movie id
               Movie Name
               Description
               Image
               Action
           <?php
               include once '../DBConfig.php';
               $sql = "select * from movie";
     $result = mysqli_query($con,$sql);
     while($row = mysqli fetch assoc($result)){
           ?>
           <?php echo($row['m id']); ?>
               <?php echo($row['m_name']);
?>
               <?php echo($row['m des']);
?>
```

```
<img src='../poster/<?php
echo($row['m_img']) ?>' width=100px height=100px>

<a
href="addEditMovie.php?id=<?php echo($row['m_id']); ?>" ><font
color="#00a2ef">Edit</font></a> 
<a
href="deleteQuery.php?movieId=<?php echo($row['m_id']); ?>" ><font
color="#00a2ef"> Delete</font></a> 

</php
}
?>

</form>
</div>
```

Add Edit Movie

```
<?php
       include('sidebar.php');
       if (isset($_GET['id'])) {
 include_once '../DBConfig.php';
 extract($_GET);
  $sql = "select * from movie where m id=$id";
  $result = mysqli query($con,$sql);
  $row = mysqli fetch assoc($result);
 if(!$row){
       $_SESSION['err'] = "No record found to edit";
       header("Location: listMovie.php");
?>
<div class="add movie" align="center">
       <form action="con_addEditMovie.php" enctype="multipart/form-data"</pre>
method="POST">
           <h1 align="center">Add Movie</h1>
```

```
<?php
             if(isset($ GET['id'])){
         ?>
     <input type="hidden" name="m id" value="<?php
echo($row['m id']); ?>" >
        <?php
             }
           ?>
             Movie Name:<input type="text"
name="m_name" required value="<?php
if(isset($ GET['id'])){echo($row['m name']);} ?>"
autocomplete="off"><br>
             Description:td><textarea name="m des"
required><?php if(isset($ GET['id'])){echo($row['m des']);}</pre>
?></textarea><br>
```

List cmovie

```
<?php include('sidebar.php'); ?>
<div class="add movie" align="center">
      <form>
          <h1 align="center">Now Showing</h1>
                    <a href="addEditcMovie.php" class="btn btn-success"
style="float: center;">Add Current Movie</a>
                    <!-- to print error msg -->
                    <?php
          if(isset($ SESSION['err'])){
           ?>
           <span style="color: red"><?php echo($ SESSION['err']);</pre>
?></span>
           <?php
           unset($_SESSION['err']);
          else if(isset($_SESSION['msg'])){
           ?>
           <span style="color: green"><?php echo($ SESSION['msg']);</pre>
?></span>
```

```
<?php
   unset($_SESSION['msg']);
  ?>
  <!-- end print error msg -->
      Movie id
          Movie Name
          Description
          Seats
          Price
          Image
          Action
      <?php
          include_once '../DBConfig.php';
          $sql = "select * from current_movie";
$result = mysqli_query($con,$sql);
while($row = mysqli_fetch_assoc($result)){
      ?>
```

```
<?php echo($row['m id']); ?>
           <?php echo($row['m name']); ?>
           <?php echo($row['m desc']); ?>
           <?php echo($row['seats']); ?>
           <?php echo($row['price']); ?>
           <img src='../poster/<?php
echo($row['m img']) ?>' width=100px height=100px>
           <a href="addEditcMovie.php?id=<?php
echo($row['m id']); ?>" ><font color="#00a2ef">Edit</font></a> 
           <a
href="deleteQuery.php?cmovieId=<?php echo($row['m id']); ?>" ><font
color="#00a2ef"> Delete</font></a> 
           <?php
           ?>
       </form>
</div>
```

Add Edit cmovie

```
<?php
       include('sidebar.php');
       if (isset($_GET['id'])) {
       include_once '../DBConfig.php';
  extract($ GET);
  $sql = "select * from current movie where m id=$id";
  $result = mysqli query($con,$sql);
  $row = mysqli fetch assoc($result);
 if(!$row){
       $ SESSION['err'] = "No record found to edit";
       header("Location: listcMovie.php");
?>
<div class="add movie" align="center">
       <form action="con_addEditcMovie.php" enctype="multipart/form-</pre>
data" method="POST">
           <h1 align="center">Add Current Movie</h1>
```

```
<?php
             if(isset($ GET['id'])){
        ?>
     <input type="hidden" name="m id" value="<?php
echo($row['m id']); ?>" >
        <?php
             }
          ?>
             Movie Name:<input type="text"
name="m_name" required value="<?php
if(isset($ GET['id'])){echo($row['m name']);} ?>"
autocomplete="off"><br>
             Description:td>carea name="m desc"
required><?php if(isset($ GET['id'])){echo($row['m desc']);}
?></textarea><br>
```

```
Seats:input type="text" name="seats"
required value="<?php if(isset($ GET['id'])){echo($row['seats']);} ?>"
autocomplete="off"><br>
           Price:input type="text" name="price"
required value="<?php if(isset($_GET['id'])){echo($row['price']);} ?>"
autocomplete="off"><br>
            Movie Poster:<input type="file"
name="m img" required>
           Date:input type="datetime-local"
name="date" required>
            <input class="btn" type="submit" name="" value="SUBMIT">
     </form>
</div>
```

```
List Booking
<?php
       include('sidebar.php');
?>
<div class="add_movie" align="center">
       <form>
          <h1 align="center">Booking Record</h1>
                     <!-- to print error msg -->
                     <?php
           if(isset($ SESSION['err'])){
            ?>
            <span style="color: red"><?php echo($_SESSION['err']);</pre>
?></span>
            <?php
            unset($_SESSION['err']);
           else if(isset($_SESSION['msg'])){
            ?>
            <span style="color: green"><?php echo($ SESSION['msg']);</pre>
?></span>
            <?php
```

```
unset($_SESSION['msg']);
  ?>
  <!-- end print error msg -->
      Booking id
          Movie Name
          User Name
          Phone No
          Card No
          Price
          Seats
          Date
          Total
          Action
      <?php
          include_once '../DBConfig.php';
          $sql = "select * from booking";
$result = mysqli_query($con,$sql);
while($row = mysqli_fetch_assoc($result)){
      ?>
```

```
<?php echo($row['bookId']); ?>
          <?php echo($row['movieName']);
?>
          <?php echo($row['userName']); ?></td
          <?php echo($row['phoNo']); ?>
          <?php echo($row['cardNo']); ?>
          <?php echo($row['moviePrice']); ?>
          <?php echo($row['seatBooking']);
?>
          <?php echo($row['date']); ?>
          <?php echo($row['total']); ?>
          <a href="deleteQuery.php?bookId=<?php
echo($row['bookId']); ?>" > <font color="#00a2ef">Delete </font></a> 
          <?php
          ?>
       </form>
</div>
```

List User

```
<?php
       include('sidebar.php');
?>
<div class="add_movie" align="center">
       <form>
           <h1 align="center">List User</h1>
                      <!-- to print error msg -->
                      <?php
           if(isset($ SESSION['err'])){
             ?>
            <span style="color: red"><?php echo($_SESSION['err']);</pre>
?></span>
            <?php
            unset($_SESSION['err']);
           }
           else if(isset($_SESSION['msg'])){
            ?>
            <span style="color: green"><?php echo($ SESSION['msg']);</pre>
?></span>
```

```
<?php
   unset($_SESSION['msg']);
  }
  ?>
  <!-- end print error msg -->
      User id
          User Name
          User PhoneNo
          User Email
          Action
      <?php
          include once '../DBConfig.php';
          $sql = "select * from user";
$result = mysqli_query($con,$sql);
while($row = mysqli_fetch_assoc($result)){
      ?>
      <?php echo($row['uid']); ?>
          <?php echo($row['name']); ?>
          <?php echo($row['phno']); ?>
```

Feedback

```
<?php
       include('sidebar.php');
?>
<div class="add_movie" align="center">
       <form>
           <h1 align="center">List Feedback</h1>
                      <!-- to print error msg -->
                      <?php
           if(isset($ SESSION['err'])){
            ?>
            <span style="color: red"><?php echo($_SESSION['err']);</pre>
?></span>
            <?php
            unset($_SESSION['err']);
           }
           else if(isset($_SESSION['msg'])){
            ?>
            <span style="color: green"><?php echo($ SESSION['msg']);</pre>
?></span>
```

```
<?php
   unset($_SESSION['msg']);
  }
  ?>
  <!-- end print error msg -->
      Feedback id
          User Name
          User Experience
          User Suggestion
          Action
      <?php
          include once '../DBConfig.php';
          $sql = "select * from feedback";
$result = mysqli_query($con,$sql);
while($row = mysqli_fetch_assoc($result)){
      ?>
      <?php echo($row['f id']); ?>
          <?php echo($row['name']); ?>
      <?php echo($row['experince']); ?></td
```

Con AddEditcmovie

```
<?php
       session start();
       include once '../DBConfig.php';
       extract($_POST);
       $m img = $ FILES['m img']['name'];
       if(isset($m id))
       {
           if (!empty($m img))
                 $sql = "UPDATE current movie SET m name = '$m name',
m desc = '$m desc', seats = '$seats', price = '$price', m img = '$m img', date =
'$date' WHERE m id = $m id";
           else
                 $sql = "UPDATE current movie SET m name = '$m name',
m desc = '$m desc', seats = '$seats', price = '$price', m img = '$m img', date =
'$date' WHERE m_id = $m_id";
       }
       else
```

```
{
           $sql = "INSERT INTO current_movie (m_id, m_name, m_desc,
seats, price, m_img, date) VALUES (NULL, '$m_name', '$m_desc', '$seats',
'$price', '$m img', '$date' )";
       mysqli query($con,$sql);
       if(mysqli errno($con))
           if(isset($m_id))
           {
                 $ SESSION['err'] = "Opps... some error occurrerd when
Editing the Movie";
                 header("Location: listcMovie.php");
           }
           else
                 $_SESSION['err'] = "Opps... some error occurrerd when
adding the Movie";
                 header("Location: listcMovie.php");
           }
       }
       else{
           if(isset($m_id))
```

Con addeditmovie

```
<?php
       session start();
       include once '../DBConfig.php';
       extract($_POST);
       $m img = $ FILES['m img']['name'];
       if(isset($m_id))
       {
          if (!empty($m img))
                $sql = "UPDATE movie SET m_name = '$m_name', m_des =
'$m_des', m_img = '$m_img' WHERE m_id = $m_id";
           else
                $sql = "UPDATE movie SET m_name = '$m_name', m_des =
'$m_des' WHERE m_id = $m_id";
       else
       {
```

```
$sql = "INSERT INTO movie (m id, m name, m des, m img)
VALUES (NULL, '$m_name', '$m_des', '$m_img')";
       }
       mysqli_query($con,$sql);
       if(mysqli_errno($con))
       {
           if(isset($m id))
                 $_SESSION['err'] = "Opps... some error occurrerd when
Editing the Movie";
                 header("Location: listMovie.php");
           }
           else
                 $_SESSION['err'] = "Opps... some error occurrerd when
adding the Movie";
                 header("Location: listMovie.php");
       }
       else{
           if(isset($m id))
```

Con editslider

```
<?php
       session start();
       include once '../DBConfig.php';
       extract($_POST);
       $s img = $ FILES['s img']['name'];
       if(isset($s id))
       {
           $sql = "UPDATE slider SET s img='$s img' WHERE s id=$s id";
       mysqli_query($con,$sql);
       if(mysqli errno($con))
$ SESSION['err'] = "Opps... some error occurrerd when Editing the slider";
           header("Location: listslider.php");
       }
       else{
       move uploaded file($ FILES['s img']['tmp name'], "../img/$s img");
           $_SESSION['msg'] = "slider Edited successfully";
           header("Location: listslider.php");
       }
?>
```

DeleteQuery

```
<?php
       session start();
       include '../DBConfig.php';
       //delete movie
       if(isset($ GET['movieId'])){
    extract($_GET);
           $sql = "DELETE FROM movie WHERE m id = $movield";
           mysqli query($con,$sql);
           if(mysqli_errno($con)){
                 $_SESSION['err'] = "Opps... some error occurrerd when
deleting the Movie";
                 header("Location: listMovie.php");
           else{
                 $ SESSION['msg'] = "Movie deleted successfully";
                 header("Location: listMovie.php");
           }
       //delete current movie
       if(isset($ GET['cmovieId'])){
    extract($ GET);
```

```
$sql = "DELETE FROM current_movie WHERE m_id = $cmovieId";
           mysqli_query($con,$sql);
           if(mysqli errno($con)){
                 $ SESSION['err'] = "Opps... some error occurrerd when
deleting the current Movie";
                 header("Location: listcMovie.php");
           }
           else{
                 $ SESSION['msg'] = "Movie deleted successfully";
                 header("Location: listcMovie.php");
       }
       // delete user
       if(isset($_GET['userId'])){
    extract($ GET);
           $sql = "DELETE FROM user WHERE uid = $userId";
           mysqli_query($con,$sql);
           if(mysqli_errno($con)){
                 $ SESSION['err'] = "Opps... some error occurrerd when
deleting the User";
                 header("Location: listUser.php");
           else{
```

```
$ SESSION['msg'] = "User deleted successfully";
                 header("Location: listUser.php");
       }
       //delete feedback
       if(isset($ GET['feedbackId'])){
    extract($ GET);
           $sql = "DELETE FROM feedback WHERE f_id = $feedbackId";
           mysqli query($con,$sql);
           if(mysqli errno($con)){
                 $ SESSION['err'] = "Opps... some error occurrerd when
deleting the feedback";
                 header("Location: feedback.php");
           }
           else{
                 $ SESSION['msg'] = "feedback deleted successfully";
                 header("Location: feedback.php");
       }
       // delete booking record
       if(isset($ GET['bookId'])){
    extract($ GET);
           $sql = "DELETE FROM booking WHERE bookId";
```

```
mysqli_query($con,$sql);
if(mysqli_errno($con)){
    $_SESSION['err'] = "Opps... some error occurrerd when
deleting the Record";
    header("Location: listUser.php");
}
else{
    $_SESSION['msg'] = " deleted successfully";
    header("Location: listbooking.php");
}
}
}
```

Editslider

```
<?php
       include('sidebar.php');
       if (isset($_GET['s_id'])) {
  include_once '../DBConfig.php';
  extract($_GET);
  $sql = "select * from slider where s id=$s id";
  $result = mysqli query($con,$sql);
  $row = mysqli fetch assoc($result);
 if(!$row){
       $_SESSION['err'] = "No record found to edit";
       header("Location: listslider.php");
?>
<div class="add movie" align="center">
       <form action="con editslider.php" enctype="multipart/form-data"</pre>
method="POST">
           <h1 align="center">Edit slider image</h1>
```

```
<?php
                       if(isset($_GET['s_id'])){
                   ?>
         <input type="hidden" name="s_id" value="<?php</pre>
echo($row['s_id']); ?>" >
      <?php
      ?>
              Choose Slider Image:<input type="file"
name="s_img" required>
              <input class="btn" type="submit" name="submit"
value="SUBMIT">
      </form>
</div>
```

<u>Sidebar</u>

```
<?php
       session start();
       if(!isset($_SESSION['aue'])){
           header("location:alogin.php");
       }
?>
<!DOCTYPE html>
<html>
<head>
       <title>admin panel</title>
       <link rel="stylesheet" type="text/css" href="admin.css">
</head>
<body>
       <header>
           <a href="../logout.php"><img src="img/logout.png"></a>
       </header>
       <div class="dashboard">
           <img src="img/logo.png">
           <div class="column">
                 <a href="index.php"><span>DashBoard</span></a>
                 <a href="listslider.php"><span>Slider</span></a>
```

```
<a href="listMovie.php"><span>Movie</span></a>
<a href="listcMovie.php"><span>Now Showing</span></a>
<a href="listbooking.php"><span>Booking</span></a>
<a href="listUser.php"><span>Users</span></a>
<a href="feedback.php"><span>Feedback</span></a>
</div>
</div>
</body>
</html>
```

Style.css

```
body
       font-family: "open sans", arial;
        background: #ddd;
       font-weight: 300;
header
        position: relative;
header a
       font-size: 30px;
       float: right;
header img
        height: 50px;
       width: 50px;
}
.dashboard
```

```
background: #00a2ef;
       position: fixed;
       top: 0;
       bottom: 0;
       height: 100%;
       left: 0;
       overflow: hidden;
       width: 270px;
.dashboard img
       margin: 50px;
       height: 35px;
       width: 150px;
.column
       margin-top: 10px;
       display: flex;
       justify-content: center;
       align-items: center;
       flex-direction: column;
```

```
а
       text-decoration: none;
       color: #fff;
        margin: 20px;
       font-size: 20px;
a span
        position: relative;
        padding: 5px;
       transition: 0.3s;
a span:hover
       color: #00a2ef;
        background-color: #fff;
        padding: 5px 50px;
.logout
        margin-top: 60px;
```

```
/*for all tables*/
input:focus
       outline: 2px solid #00a2ef;
/*Dashboard php style*/
.table
       padding-left: 150px;
       padding-top: 250px;
}
.listtable
       table-layout: fixed;
       word-wrap: break-word;
}
#tablespace
       margin-left: 100px;
/*Add_movie php style*/
.add_movie
```

```
padding-top: 150px;
        padding-left: 150px;
.add_movie tr td{
        padding: 10px;
.btn
        border-radius: 25px;
       font-size: 20px;
        margin-top: 10px;
       color: #fff;
        border: 0.5px solid black;
        padding: 2px 10px;
        background: #00a2ef;
       letter-spacing: 1px;
       transition: 0.5s;
.btn:hover
        border-radius: 0;
```

Bibliography

The bibliography contains reference to all the Documents that were used to develop the web application.

Books:

- PHP and MySQL web development (developer's libraby)
 - -by Luke Welling
- Programming PHP (paperback)
 - -by Rasmus lerdorf
- Javascript: The definitive guide
 - -by David Flanagan

Websites:

- 1. www.w3schools.com
- 2. www.pvrcinemas.com

Conclusion

It was a great learning experience for all of us. This website is very powerful us in our life. After this website, we are redy for doing any website in our field. Also we are very impress from Back-End and Front-End used in website. This website is very useful for growing our self in our life.

We are really thankful to our faculties and lab assistants first for giving us a chance to make a website, without wee are not able to make our website successfully.

We hare by conclude this report, which gives information reagarding the development and use of the application with an overview of different aspects of it. Thus at end of this we all would like to state this as fun with persistence and dedication.